

DAFTAR PUSTAKA

- Afoakwa, E. O., Quao, J., Takrama, F. S., Budu, A. S., & Saalia, F. K. (2012). Changes in the Polyphenol in Fermented Beans. *International Food Research Journal*, 19(3), 1071–1077.
- Agarbati, A., Canonico, L., Marini, E., Zannini, E., Ciani, M., & Comitini, F. (2020). Potential Probiotic Yeasts Sourced from Natural Environmental and Spontaneous Processed Foods. *Foods*, 9(3), 1–25.
- Al-sahlany, S. T. G., Altemimi, A. B., & Al-manhel, A. J. A. (2020). Purification of Bioactive Peptide with Antimicrobial Properties Produced by *Saccharomyces cerevisiae*. *Foods*, 9(3), 1–11.
- Almeida, S. D. F. O. De, Silva, L. R. C., Celso, G., Junior, A. C., Oliveira, G., Helena, S., Vasconcelos, S., & Lopes, A. S. (2019). Diversity of Yeasts During Fermentation of Cocoa from Two Sites in the Brazilian Amazon. *Acta Amazonica*, 49(1), 64–70.
- Amorim, J. C., Piccoli, R. H., & Duarte, W. F. (2018). Probiotic Potential of Yeasts Isolated from Pineapple and Their Use in the Elaboration of Potentially functional fermented beverages. *Food Research International*, 107(2017), 518–527.
- Arslan, S., Erbas, M., Tontul, I., & Topuz, A. (2015). Microencapsulation of Probiotic *Saccharomyces cerevisiae* var: *boulardii* with Different Wall Materials by Spray Drying. *LWT - Food Science and Technology*, 63(1), 685–690.
- Astarini, I. A., Ardiana, S. A., Putra, I. N. G., Pertiwi, P. D., Sembiring, A., Yusmalinda, A., & Al Malik, D. (2021). Genetic Diversity and Phylogenetic of Longtail Tuna (*Thunnus tonggol*) Landed in Pabean Fish Market, Surabaya. *Musamus Fisheries and Marine Journal*, April, 107–115.
- Azhar, M. A., & Abdul Munaim, M. S. (2019). Identification and Evaluation of Probiotic Potential in Yeast Strains Found in Kefir Drink Samples from Malaysia. *International Journal of Food Engineering*, 15(7), 1–11.
- Bajaj, B. K., Raina, S., & Singh, S. (2013). Killer Toxin from a Novel Killer Yeast *Pichia kudriavzevii* RY55 with Idiosyncratic Antibacterial Activity. *Journal of Basic Microbiology*, 53(8), 645–656.
- Banwo, K., Fasuyi, T. O., & Olojede, A. O. (2021). Potentials of *Lactobacillus plantarum* and *Pichia kudriavzevii* in Co-fermentation of Sourdough from Millet. *International Journal of Food Science and Technology*, 56(2), 857–864.
- Bhadra, B., Sreenivas Rao, R., Naveen Kumar, N., Chaturvedi, P., Sarkar, P. K., & Shivaji, S. (2007). *Pichia cecembensis* sp. nov. Isolated from a Papaya Fruit (*Carica papaya* L., Caricaceae). *FEMS Yeast Research*, 7(4), 579–584.

- Boyer, J. L. (2013). *Bile Formation and Secretion*. 3(4), 1035–1078.
- Cabaes, F. J., Vega, S., & Castell, G. (2010). *Malassezia cuniculi* sp. nov., a Novel Yeast Species Isolated from Rabbit Skin. *Medical Mycology*, 49(1), 40–48.
- Camu, N., González, Á., De Winter, T., Van Schoor, A., De Bruyne, K., Vandamme, P., Takrama, J. S., Addo, S. K., & De Vuyst, L. (2008). Influence of Turning and Environmental Contamination on the Dynamics of Populations of Lactic Acid and Acetic Acid Bacteria Involved in Spontaneous Cocoa Bean Heap Fermentation in Ghana. *Applied and Environmental Microbiology*, 74(1), 86–98.
- Chang, J., Shim, Y. Y., Cha, S., & Chee, K. M. (2010). Probiotic Characteristics of Lactic Acid Bacteria Isolated from Kimchi. 109, 220–230.
- Chelliah, R., Ramakrishnan, S. R., Prabhu, P. R., & Antony, U. (2016). Evaluation of Antimicrobial Activity and Probiotic Properties of Wild-strain *Pichia kudriavzevii* Isolated from Frozen Idli Batter. *Yeast*, 33(8), 385–401.
- Cho, Y. J., Kim, D. H., Jeong, D., Seo, K. H., Jeong, H. S., Lee, H. G., & Kim, H. (2018). Characterization of Yeasts Isolated from Kefir as a Probiotic and its Synergic Interaction with the Wine byproduct Grape Seed Flour/Extract. *Lwt - Food Science and Technology*, 90 (January), 535–539.
- Crafack, M., Mikkelsen, M. B., Sarens, S., Knudsen, M., Blennow, A., Lowor, S., Takrama, J., Swiegers, J. H., Petersen, G. B., Heimdal, H., & Nielsen, D. S. (2013). Influencing Cocoa Flavour using *Pichia kluyveri* and *Kluyveromyces marxianus* in a Defined Mixed Starter Culture for Cocoa Fermentation. *International Journal of Food Microbiology*, 167(1), 103–116.
- Czerucka, D., Piche, T., & Rampal, P. (2007). *Review article : yeast as probiotics – Saccharomyces boulardii*. *July*, 767–778.
- Daniel, H. M., & Meyer, W. (2003). Evaluation of Ribosomal RNA and Actin Gene Sequences for the Identification of Ascomycetous Yeasts. *International Journal of Food Microbiology*, 86(1–2), 61–78.
- de Melo Pereira, G. V., de Oliveira Coelho, B., Magalhães Júnior, A. I., Thomaz-Soccol, V., & Soccol, C. R. (2018). How to Select a Probiotic? A review and Update of Methods and Criteria. *Biotechnology Advances*, 36(8), 2060–2076.
- Didari, T., Solki, S., Mozaffari, S., Nikfar, S., & Abdollahi, M. (2014). a Systematic Review of the Safety of Probiotics. *Expert Opinion on Drug Safety*, 13(2), 227–239.
- Divyashri, G., Krishna, G., Muralidhara, & Prapulla, S. G. (2015). Probiotic Attributes, Antioxidant, Anti-inflammatory and Neuromodulatory Effects of *Enterococcus faecium* CFR 3003: In Vitro and In Vivo Evidence. *Journal of Medical Microbiology*, 64(12), 1527–1540.
- Eder, R. L. M., & Rosa, A. L. (2019). Yeast diversity in *Vitis Non-vinifera*

Ecosystems. *Revista Argentina de Microbiologia*, 51(3), 278–283.

- Ehtisham, M., Wani, F., Wani, I., Kaur, P., & Nissar, S. (2016). Polymerase Chain Reaction (PCR): Back to Basics. *Indian Journal of Contemporary Dentistry*, 4(2), 30.
- El-Baz, A. F., El-Enshasy, H. A., Shetaia, Y. M., Mahrous, H., Othman, N. Z., & Yousef, A. E. (2018). Semi-industrial Scale Production of a New Yeast with Probiotic Traits, *Cryptococcus* sp. YMHS, Isolated from the Red Sea. *Probiotics and Antimicrobial Proteins*, 10(1), 77–88.
- Erwanto, Y., Rohman, A., Arsyanti, L., & Pranoto, Y. (2018). Identification of Pig DNA in Food Products Using Polymerase Chain Reaction (PCR) for Halal Authentication-a Review. *International Food Research Journal*, 25(4), 1322–1331.
- Estifanos, H. (2014). Isolation and Identification of Probiotic Lactic Acid Bacteria from Curd and In Vitro Evaluation of its Growth Inhibition Activities Against Pathogenic Bacteria. *African Journal of Microbiology Research*, 8(13), 1419–1425.
- Fadda, M. E., Mossa, V., Deplano, M., Pisano, M. B., & Cosentino, S. (2017a). In vitro Screening of *Kluyveromyces* Strains Isolated from Fiore Sardo Cheese for Potential Use as Probiotics. *LWT - Food Science and Technology*, 75, 100–106.
- Fakruddin, M., Hossain, M. N., & Ahmed, M. M. (2017). Antimicrobial and Antioxidant Activities of *Saccharomyces cerevisiae* IFST062013, a Potential Probiotic. *BMC Complementary and Alternative Medicine*, 17(1), 1–11.
- FAO/WHO. (2006). Report of Joint FAO/WHO Expert Consultation on Evaluation of Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria.
- Floch, M. H., Walker, W. A., Madsen, K., Sanders, M. E., Macfarlane, G. T., Flint, H. J., Dieleman, L. A., Ringel, Y., Guandalini, S., Kelly, C. P., & Brandt, L. J. (2011). Recommendations for Probiotic Use - 2011 update. *Journal of Clinical Gastroenterology*, 45(3), 168–171.
- Fonseca, G. G., & Heinzle, E. (2008). The yeast *Kluyveromyces marxianus* and its Biotechnological Potential. *Appl Microbiol Biotechnol*, 74, 339–354.
- Garibyan, L., & Avashia, N. (2013). Polymerase Chain Reaction. *Journal of Investigative Dermatology*, 133(3), 1–4.
- Garner, C. D., Starr, J. K., McDonough, P. L., & Altier, C. (2010). Molecular Identification of Veterinary Yeast Isolates by Use of Sequence-based Analysis of the D1/D2 region of the Large Ribosomal Subunit. *Journal of Clinical Microbiology*, 48(6), 2140–2146.
- Gayathri, D., & M, V. (2018). *Review Article Lactose Intolerance with Special*

Emphasis on Probiotics for Management. 325–332.

- Ghannoum, M., Ghannoum, A., Long, L., Pl, S., & Isham, N. (2019). BIOHM Probiotics Retain Viability in Low pH Environments Simulating the Digestive Environment *Journal of Probiotics & Health. Journal of Probiotics & Health*, 7(2), 1–4.
- Gotcheva, V., Hristozova, E., Hristozova, T., Guo, M., Roshkova, Z., & Angelov, A. (2002). Assessment of Potential Probiotic Properties of Lactic Acid Bacteria and Yeast Strains. *Food Biotechnology*, 16(3), 211–225.
- Greppi, A., Saubade, F., Botta, C., Humblot, C., Guyot, J. P., & Cocolin, L. (2017). Potential Probiotic *Pichia kudriavzevii* Strains and Their Ability to Enhance Folate Content of Traditional Cereal-based African Fermented Food. *Food Microbiology*, 62, 169–177.
- Guillou, C., Filloudeau, A., Brulard, E., Breton, D., De Faria Maraschin, S., Verdier, D., Simon, M., & Ducos, J. P. (2018). Indirect Somatic Embryogenesis of *Theobroma cacao* L. in Liquid Medium and Improvement of Embryo-to-plantlet Conversion Rate. *In Vitro Cellular and Developmental Biology - Plant*, 54(4), 377–391.
- Gut, A. M., Vasiljevic, T., Yeager, T., & Donkor, O. N. (2018). *Salmonella* Infection – Prevention and Treatment by Antibiotics and Probiotic Yeasts: A review. *Microbiology (United Kingdom)*, 164(11), 1327–1344.
- Hamdouche, Y., Guehi, T., Durand, N., Kedjebo, K. B. D., Montet, D., & Meile, J. C. (2015). Dynamics of Microbial Ecology During Cocoa Fermentation and Drying: Towards the Identification of Molecular Markers. *Food Control*, 48, 117–122.
- Hasanah, N., & Ilmi, M. (2019). Penapisan Invertase dari Khamir Asal Nektar dan Madu Hutan. *A Scientific Journal Vol*, 37(3), 141–146.
- Helmy, E. A., Soliman, S. A., Abdel-Ghany, T. M., & Ganash, M. (2019). Evaluation of Potentially Probiotic Attributes of Certain Dairy Yeast Isolated from Buffalo Sweetened Karish cheese. *Heliyon*, 5(5), 16–49.
- Hesham, A. E. L., Wambui, V., Ogola J.O., H., & Maina, J. M. (2014). Phylogenetic Analysis of Isolated Biofuel Yeasts Based on 5.8S-ITS rDNA and D1/D2 26S rDNA Sequences. *Journal of Genetic Engineering and Biotechnology*, 12(1), 37–43.
- Ho, V. T. T., Zhao, J., & Fleet, G. (2014). Yeasts Are Essential for Cocoa Bean Fermentation. *International Journal of Food Microbiology*, 174, 72–87.
- Hsiung, R. T., Fang, W. T., LePage, B. A., Hsu, S. A., Hsu, C. H., & Chou, J. Y. (2020). In Vitro Properties of Potential Probiotic Indigenous Yeasts Originating from Fermented Food and Beverages in Taiwan. *Probiotics and Antimicrobial Proteins*, 1–8.
- Hu, X. Q., Liu, Q., Hu, J. P., Zhou, J. J., Zhang, X., Peng, S. Y., Peng, L. J., & Wang,

- X. D. (2018). Identification and Characterization of Probiotic Yeast Isolated from Digestive Tract of Ducks. *Poultry Science*, 97(8), 2902–2908.
- Jamili, Yanti, N. A., & Susilowati, P. E. (2016). Diversity and the Role of Yeast in Spontaneous Cocoa Bean Fermentation from Southeast Sulawesi, Indonesia. *Biodiversitas*, 17(1), 90–95.
- Khidhr, K. O. (2014). Isolation and Identification of *Saccharomyces cerevisiae* var. *boulardii* and its Uses as a Probiotic (in vitro). *Rafidain Journal of Science*, 25(1), 1–11.
- Laude, S., Rahim, A., Kadir, S., Lamusa, A., & Ismail. (2014). Pemberdayaan Masyarakat dalam Pemanfaatan Limbah dan Pengolahan Biji Kakao di Desa Uenuni Kecamatan Palolo Kabupaten Sigi. *Jurnal Pengabdian Masyarakat*, 2, 102–108.
- Lima, Lí. J. R., Almeida, M. H., Rob Nout, M. J., & Zwietering, M. H. (2011). *Theobroma cacao* L., “the Food of the Gods”: Quality Determinants of Commercial Cocoa Beans, with Particular Reference to the Impact of Fermentation. *Critical Reviews in Food Science and Nutrition*, 51(8), 731–761.
- Liong, M. T., & Shah, N. P. (2005). Bile Salt Deconjugation Ability, Bile Salt Hydrolase Activity and Cholesterol Co-precipitation Ability of *lactobacilli* strains. *International Dairy Journal*, 15(4), 391–398.
- Liu, J., Sui, Y., Xie, Z., & Chi, M. (2017). Transcriptome Profiling Reveals Differential Gene Expression Associated with Changes in the Morphology and Stress Tolerance of the Biocontrol Yeast, *Pichia cecembensis*. *Biological Control*, 1-3.
- M. Adisa, A., O. T. Ifesan, B., Enujiugha, V. N., & B. Adepeju, A. (2020). Microbiological and Probiotic Assessment of Yeast Isolated from Wholegrain Millet Sourdoughs. *Journal of Advances in Microbiology*, 20(1), 1–10.
- Maccaferri, S., Candela, M., Turrone, S., Centanni, M., Consolandi, C., Cavina, P., Brigidi, P., Maccaferri, S., Candela, M., Turrone, S., Centanni, M., Maccaferri, S., Candela, M., Turrone, S., Centanni, M., Severgnini, M., Consolandi, C., & Cavina, P. (2012). IBS-associated Phylogenetic Unbalances of the Intestinal Microbiota Are Not Reverted by Probiotic Supplementation. *Gut Microbes*, 3(5), 406–413.
- Maccaferri, S., Klinder, A., Brigidi, P., & Cavina, P. (2014). Potential Probiotic *Kluyveromyces marxianus* B0399 Modulates the Immune Response in Caco-2 Cells and Peripheral Blood Mononuclear Cells and Impacts the Human Gut Microbiota in an In Vitro Colonic Model System. *Applied and Environmental Microbiology*, 8(4), 956–964.
- Machmud, M. (2001). Teknik Penyimpanan dan Pemeliharaan Mikroba. *Jurnal Tinjauan Ilmiah Riset Biologi Dan Bioteknologi Pertanian*, 4(2), 24–32.
- Makalew, M. A. J., Nangoy, E., & Wowor, P. M. (2016). Uji Efek Antibakteri Air

- Perasan Daging Buah Nanas (*Ananas comosus* (L)Merr) Terhadap Bakteri *Klebsiella Pneumoniae*. *Jurnal E-Biomedik*, 4(1).
- Mannazzu, I., Domizio, P., Carboni, G., Zara, S., Zara, G., Comitini, F., Budroni, M., & Ciani, M. (2019). Yeast Killer Toxins: from Ecological Significance to Application. *Critical Reviews in Biotechnology*, 39(5), 603–617.
- Marham, H. D., Rustam, Y., & Sukmawati, D. (2017). Uji Kemampuan Antagonisme Khamir Asal Daun Jati (*Tectona grandis*) Terhadap Kapang Pengkontaminan Pada Pakan Ternak Ayam. *Bioma*, 12(2), 118.
- Martínez-Muñoz, G. A., & Kane, P. (2008). Vacuolar and Plasma Membrane Proton Pumps Collaborate to Achieve Cytosolic pH Homeostasis in Yeast. *Journal of Biological Chemistry*, 283(29), 20309–20319.
- Martins, F. S., Miranda, I. C., Rosa, C. A., Nicoli, J. R., & Neves, M. J. (2008). Effect of the Trehalose Levels on the Screening of Yeast as Probiotic by In Vivo and In Vitro Assays. *Brazilian Journal of Microbiology*, 39(50), 50–55.
- Martono, B. (2014). Karakteristik Morfologi dan Kegiatan Plasma Nutfah Tanaman Kakao. *Inovasi Teknologi Bioindustri Kakao*, 15–27.
- Menezes, A. G. T., Ramos, C. L., Cenzi, G., Melo, D. S., Dias, D. R., & Schwan, R. F. (2020). Probiotic Potential, Antioxidant Activity, and Phytase Production of Indigenous Yeasts Isolated from Indigenous Fermented Foods. *Probiotics and Antimicrobial Proteins*, 12(1), 280–288.
- Merchán, A. V., Benito, M. J., Galván, A. I., & Ruiz-Moyano Seco de Herrera, S. (2020). Identification and Selection of Yeast with Functional Properties for Future Application in Soft Paste Cheese. *Lwt - Food Science and Technology*, 124(1), 109173.
- Mira, N. P., Becker, J. D., & Sa'-Correia, I. (2010). the Haa1p-Regulon in *Saccharomyces cerevisiae* Response to Acetic Acid. *Journal of Integrative Biology*, 14(10), 5.
- Mogrovejo, D. C., Perini, L., Gostinčar, C., Sepčić, K., Turk, M., Ambrožič-Avguštin, J., Brill, F. H. H., & Gunde-Cimerman, N. (2020). Prevalence of Antimicrobial Resistance and Hemolytic Phenotypes in Culturable Arctic Bacteria. *Frontiers in Microbiology*, 11(4), 1–13.
- Moradi, R., Nosrati, R., Zare, H., Tahmasebi, T., Saderi, H., & Owlia, P. (2018). Screening and characterization of *in vitro* probiotic criteria of *Saccharomyces* and *Kluyveromyces* strains. *Iranian Journal of Microbiology*, 10(2), 123–131.
- Mulyazmi, & Sundari, E. (2008). Mempelajari Pengaruh Jenis Material Fermentor dan Kondisi Fermentasi terhadap Mutu Biji Kakao. *Jurnal Teknos-2k*, 8(19), 48–54.
- Nayak, A. P., Green, B. J., & Beezhold, D. H. (2013). Fungal Hemolysins. *Medical Mycology*, 51(1), 1–16.

- Neelayadatchi, C., Kanimozhi, G., & Sakthivel, K. (2012). In Vitro Studies on the Probiotic Potential of *Saccharomyces boulardii* Isolated From Mangosteen. *Journal of Biological and Information Sciences*, 1(3).
- Nielsen, D. S., Teniola, O. D., Ban-Koffi, L., Owusu, M., Andersson, T. S., & Holzapfel, W. H. (2007). The Microbiology of Ghanaian Cocoa Fermentations Analysed Using Culture-dependent and Culture-independent methods. *International Journal of Food Microbiology*, 114(2), 168–186.
- Nurcholis, M., Fernando, D., Zubaidah, E., & Maligan, J. M. (2020). Isolation and Identification of Thermotolerant and Ethanol-tolerant Yeast on Indonesian Local Fruits. *Jurnal Pangan Dan Agroindustri*, 8(3), 122–133.
- Nurul, F., & Ashshoffa, D. (2011). The Effects of Propagation Media MYE (Malt Yeast Extract) and MS (Murashige and Skoog) to the Diameter and Weight of Lichen the Thallus of *Parmelia sulcata* In Vitro. *Lentera Bio*, 8(3), 243–248.
- Ogunremi, O. R., Sanni, A. I., & Agrawal, R. (2015). Probiotic Potentials of Yeasts Isolated from some Cereal-based Nigerian traditional Fermented Food Products. *Journal of Applied Microbiology*, 119(3), 797–808.
- Ozturk, G., & Young, G. M. (2017). Food Evolution : The Impact of Society and Science on the Fermentation of Cocoa Beans. *Food Science and Food Safety*, 16, 431–455.
- Papalexandratou, Z., & De Vuyst, L. (2011). Assessment of the Yeast Species Composition of Cocoa Bean Fermentations in Different Cocoa-producing Regions Using Denaturing Gradient Gel Electrophoresis. *FEMS Yeast Research*, 11(7), 564–574.
- Papalexandratou, Z., Lefeber, T., Bahrim, B., Lee, O. S., Daniel, H. M., & De Vuyst, L. (2013). *Hanseniaspora opuntiae*, *Saccharomyces cerevisiae*, *Lactobacillus fermentum*, and *Acetobacter pasteurianus* Predominate During Well-performed Malaysian Cocoa Bean Box Fermentations, Underlining the Importance of these Microbial Species for a Successful Cocoa . *Food Microbiology*, 35(2), 73–85.
- Patantis, G., & Fawzya, Y. N. (2009). Teknik Identifikasi Mikroorganisme Secara Molekuler. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 4(2), 72.
- Pennacchia, C., Blaiotta, G., Pepe, O., & Villani, F. (2008). Isolation of *Saccharomyces cerevisiae* Strains from Different Food Matrices and their Preliminary Selection for a Potential Use as Probiotics. *Journal of Applied Microbiology*, 105(6), 1919–1928.
- Pereira, R. P., Jadhav, R., Baghela, A., & Barretto, D. A. (2021). In Vitro Assessment of Probiotic Potential of *Saccharomyces cerevisiae* DABRP5 Isolated from Bollo Batter, a Traditional Goan Fermented Food. *Probiotics and Antimicrobial Proteins*, 13(3), 796–808.

- Periti, P., & Tonelli, F. (2001). Preclinical and Clinical Pharmacology of Biotherapeutic Agents: *Saccharomyces boulardii*. *Journal of Chemotherapy*, 13(5), 473–493.
- Pit, H. U., Lar, P. K., & Orq, C. I. (2021). *Brewing and Probiotic Potential Activity of Wild Yeasts*. 1–21.
- Psomas, E., Andrighetto, C., Litopoulou-tzanetaki, E., & Lombardi, A. (2001). Some Probiotic Properties of Yeast Isolates From Infant Faeces and Feta Cheese. *International Journal of Food Microbiology*, 69, 125–133.
- Puppala, K. R., Ravi Kumar, V., Khire, J., & Dharne, M. (2019). Dephytinizing and Probiotic Potentials of *Saccharomyces cerevisiae* (NCIM 3662) Strain for Amelioration of Nutritional Quality of Functional Foods. *Probiotics and Antimicrobial Proteins*, 11(2), 604–617.
- Purwani et al. (2010). Respon Hambatan bakteri Gram Positif dan Negatif pada Ikan Nila (*Oreochromis niloticus*) yang Diawetkan dengan ekstrak Jahe (*Zingiber officinale*). *Jurnal Kesehatan*, 2(1), 61–70.
- Rajkowska, K., Kunicka-Styczyńska, A., & Rygala, A. (2012). Probiotic Activity of *Saccharomyces cerevisiae* var. *boulardii* Against Human Pathogens. *Food Technology and Biotechnology*, 50(2), 230–236.
- Ranadheera, C. S., Vidanarachchi, J. K., Rocha, R. S., Cruz, A. G., & Ajlouni, S. (2017). Probiotic Delivery through Fermentation: Dairy vs. Non-dairy Beverages. *Fermentation*, 3(4), 1–17.
- Romanin, D. E., Llopis, S., Genovés, S., Martorell, P., Ramón, V. D., Garrote, G. L., & Rumbo, M. (2016). Probiotic Yeast *Kluyveromyces marxianus* CIDCA 8154 Shows Anti Inflammatory and Anti Oxidative Stress Properties in In Vivo Models. 7(1), 83–93.
- Rorong, J. A., & Wilar, W. F. (2020). Keracunan Makanan oleh Mikroba. *Techno Science Journal*, 2(2), 47–60.
- Saber, A., Alipour, B., Faghfoori, Z., & Yari Khosroushahi, A. (2017). Secretion Metabolites of Dairy *Kluyveromyces marxianus* AS41 Isolated as Probiotic, Induces Apoptosis in Different Human Cancer Cell Lines and Exhibit Anti Pathogenic Effects. *Journal of Functional Foods*, 34, 408–421.
- Sánchez, B., Delgado, S., Blanco-Míguez, A., Lourenço, A., Gueimonde, M., & Margolles, A. (2017). Probiotics, Gut Microbiota, and their Influence on Host Health and Disease. *Molecular Nutrition and Food Research*, 61(1), 1–15.
- Sasser, T. L., Padolina, M., & Fratti, R. A. (2012). The Yeast Vacuolar ABC Transporter Ybt1p Regulates Membrane Fusion through Ca²⁺ Transport Modulation. *Biochemical Journal*, 448(3), 365–372. <https://doi.org/10.1042/BJ20120847>

- Serero, A., Jubin, C., Loeillet, S., Legoix-né, P., & Nicolas, A. G. (2014). *Mutational landscape of yeast mutator strains*. *111*(5).
- Setyati, W. A., Martani, E., Triyanto, T., & Zainuddin, M. (2015). Growth kinetics and Protease Activity 36K Isolates Derived from Mangrove Ecosystem Sediment, Karimunjava, Jepara (Kinetika Pertumbuhan dan Aktivitas Protease Isolat 36K Berasal dari Sedimen Ekosistem Mangrove, Karimunjava, Jepara). *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, *20*(3), 163.
- Shamekhi, S., Abdolalizadeh, J., Ostadrahimi, A., Mohammadi, S. A., Barzegari, A., Lotfi, H., Bonabi, E., & Zarghami, N. (2020). Apoptotic Effect of *Saccharomyces cerevisiae* on Human Colon Cancer SW480 Cells by Regulation of Akt/NF-κB Signaling Pathway. *Probiotics and Antimicrobial Proteins*, *12*(1), 311–319.
- Shehu, B. M., & W, B. (2019). The Use of Yeast (*Saccharomyces Cerevisiae*) as an Alternative to Antibiotics Feed Additive for Sustainable Animal Production : A Review. *Journal Animal Production Reasearch*, *31*(1), 207–211.
- Sherman, B. F., Sherman, M. F., & Enzymol, M. (2003). *Getting Started with Yeast Contents* . *41*(2002), 3–41.
- Silva, F., Eduardo, F., Farinazzo, S., Aparecida, W., & Garcia, S. (2017). *Saccharomyces boulardii*: Optimization of Simultaneous Saccharification and Fermentation of Cell Production in Organic and Conventional Apple Substrate Pulp. *Food Science and Biotechnology*. *17*(11), 1-9.
- Soares, C., Calado, T., & Venâncio, A. (2013). Mycotoxin Production by *Aspergillus niger* Aggregate Strains Isolated from Harvested Maize in Three Portuguese Regions. *Revista Iberoamericana de Micologia*, *30*(1), 9–13.
- Sousa, L. S., Rocha, F. D. S., Túlio, P., Silveira, D. S., Bispo, S., & Soares, S. E. (2016). Enzymatic Activity of Proteases and its Isoenzymes in Fermentation Process in Cultivars of Cocoa (*Theobroma cacao* L.) Produced in Southern Bahia , Brazil. *Food Science and Technology*, 1–8.
- Srinivas, B., Rani, G. S., Kumar, B. K., Chandrasekhar, B., Krishna, K. V., Devi, T. A., & Bhima, B. (2017). Evaluating the Probiotic and Therapeutic Potentials of *Saccharomyces cerevisiae* strain (OBS2) Isolated From Fermented Nectar of Toddy Palm. *AMB Express*, 1–14.
- Subari, A., Razak, A., & Sumarmin, R. (2021). Phylogenetic Analysis of *Rasbora* spp. Based on the Mitochondrial DNA COI Gene in Harapan Forest. *Jurnal Biologi Tropis*, *21*(1), 89.
- Suh, S.-O., Blackwell, M., Kurtzman, C. P., & Lachance, M.-A. (2006). Phylogenetics of Saccharomycetales, the ascomycete yeasts. *Mycologia*, *98*(6), 1006–1017.
- Sukmawati, D. (2016). Antagonism Mechanism of Fungal Contamination Animal Feed using Phylloplane Yeasts Isolated from the Bintaro Plant (*Cerbera manghas*)

- Bekasi in Java, Indonesia. *International Journal of Current Microbiology and Applied Sciences*, 5(5), 54–62.
- Sukmawati, D., Andrianto, M. H., Arman, Z., Ratnaningtyas, N. I., Al Husna, S. N., El-Enshasy, H. A., Dailin, D., & Kenawy, A. A. (2020). Antagonistic activity of Phylloplane Yeasts from *Moringa oleifera* Lam. Leaves Against *Aspergillus flavus* UNJCC F-30 from Chicken Feed. *Indian Phytopathology*, 73(1), 79–88.
- Sukmawati, D., Arman, Z., Sondana, G. A., Fikriyah, N. N., Hasanah, R., Afifah, Z. N., Balqis, M., Enshasy, H. E., Husna, S. N. A., Rahayu, S., Kurniati, T. H., & Puspitaningrum, R. (2019). Potential Amylase-producing Yeast Isolated from Indigenous Fermented Beverages Originating from Bali, Indonesia. *Journal of Physics: Conference Series*, 1402(5).
- Sukmawati, D., Oetari, A., Hendrayanti, D., Atria, M., & Sjamsuridzal, W. (2015). Identification of Phylloplane Yeasts from Paper Mulberry (*Broussonetia papyrifera* (L.) L'Hér. ex Vent.) in Java, Indonesia. *Malaysian Journal of Microbiology*, 10(1), 29–37.
- Syal, P., & Vohra, A. (2013). Probiotic Potential of Yeasts Isolated From Traditional Indian Fermented Foods. *International Journal of Microbiology Research*, 5(2), 390–398.
- Tolulope, P. A., & Julius, K. O. (2020). Association of Probiotic Potential of Strains of *Pichia kudriavzevii* Isolated from Ogi with the Number of Open Reading Frame (ORF) in the Nucleotide Sequences. *African Journal of Biotechnology*, 19(3), 148–155.
- Tomicic, Z., Colovic, R., Cabarkapa, I., Vukmirovic, D., Djuragic, O., & Tomicic, R. (2016). Beneficial Properties of Probiotic Yeast *Saccharomyces boulardii*. *Food and Feed Research*, 43(2), 103–110.
- Urdaneta, V., & Casadesús, J. (2017). Interactions Between Bacteria and Bile Salts in the Gastrointestinal and Hepatobiliary Tracts. *Frontiers in Medicine*, 4(OCT), 1–13.
- Vinayak Khisti, U., Arun Kathade, S., Arjun Aswani, M., Kaur Anand, P., & Kunchirman Bipinraj, N. (2019). Isolation and Identification of *Saccharomyces cerevisiae* from Caterpillar Frass and their Probiotic Characterization. *Biosciences, Biotechnology Research Asia*, 16(1), 179–186.
- Vuyst, L. De, & Weckx, S. (2016). The Cocoa Bean Fermentation Process : from Ecosystem Analysis to Starter Culture Development. *Journal of Applied Microbiology*, 121, 5–17.
- Wulan, R., Astuti, R. I., Rukayadi, Y., & Meryandini, A. (2021). Evaluation of Indigenous *Pichia kudriavzevii* from Cocoa Fermentation for a Probiotic Candidate. *Biodiversitas*, 22(3), 1317–1325.

- Xu, D., Wang, H., Zhang, Y., Yang, Z., & Sun, X. (2013). Inhibition of Non-toxigenic *Aspergillus niger* FS10 Isolated from Chinese Fermented Soybean on Growth and Aflatoxin B1 Production by *Aspergillus flavus*. *Food Control*, 32(2), 359–365.
- Yuliani, H., Perdani, M. S., Savitri, I., Manurung, M., Sahlan, M., Wijanarko, A., & Hermansyah, H. (2018). Antimicrobial Activity of Biosurfactant Derived from *Bacillus subtilis* C19. *Energy Procedia*, 153(2019), 274–278.
- Zivkovic, M., Cadez, N., Uroic, K., Miljkovic, M., Tolinacki, M., Dousova, P., Kos, B., Suskovic, J., Raspor, P., Topisirovic, L., & Golic, N. (2015). Evaluation of Probiotic Potential of Yeasts Isolated from Traditional Cheeses Manufactured in Serbia and Croatia. *Journal of Intercultural Ethnopharmacology*, 4(1), 12.

