

DAFTAR PUSTAKA

- [BPS] Biro Pusat Statistik. (2018). *Statistik Tebu Indonesia 2018*. Jakarta: BPS RI/BPS – Statistics Indonesia.
- [BPS] Biro Pusat Statistik Provinsi Lampung. (2018). Luas Areal Tanaman Kelapa Sawit. <http://www.bps.go.id>
- Abdallah, E. M. (2021). Screening of Methanolic Extract for Antimicrobial Activity of *Hyphaene thebaica* L. Fruit Pulp from Sudanese Folklore. *South Asian Journal of Research in Microbiology*, 6-12.
- Abdullah, M., & Fitriana, F. (2020). Uji Aktivitas Antioksidan Isolat Fungi Endofit Daun Galing-Galing (*Cayratia trifolia* L.) Dengan Metode 1, 1-Diphenyl-2-Picrylhydrazil (DPPH). *Jurnal Ilmiah As-Syifaa*, 12(2), 117-122.8
- Abirami, G., & Boominathan, M. (2016). Antimicrobial Activity of Endophytic Fungi Isolated From Medicinal Plant *Hugonia Mystax* L. *Journal of Acad Ind Res*, 4(12), 257-262.
- Ahlem, N., Rania, A., Hayfa, J.K., Nawaim, A., Lamia, S., Walid, H., Mejda, D. R. (2018). Investigation on Biosuppression of *Fusarium* Crown and Root Rot of Tomato (*Solanum lycopersicum* L.) and Growth Promotion Using Fungi Naturally Associated to *Solanum linnaeanum* L. *African Journal of Microbiology Research*, 12(7), 152–170.
- Aini, N., & Rahayu, T. (2015). Alternative Media For Bacterial Growth Using Different Source of Carbohidrats. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*, 855–860.
- Akhlaghi, M., Brian, B. 2009. Mechanisms of Flavonoid Protection Against Myocardial Ischemia–Reperfusion Injury. *Journal of Molecular and Cellular Cardiology*. 46 : 309–17.
- Ali, S. M., Siddiqui, R., & Khan, N. A. (2018). Antimicrobial Discovery from Natural and Unusual Sources. *Journal of Pharmacy and Pharmacology*, 70(10), 1287–1300.
- Amalia, T. (2018). Identifikasi Keanekaragaman Semut Pada Akar Tanaman Tebu Di Pt. Perkebunan Nusantara VII Bungamayang Lampung Utara (*Doctoral dissertation, UIN Raden Intan Lampung*).
- Amri, Q. 2014. Sulitnya Kendalikan Ganoderma. Di dalam : *Majalah Sawit Indonesia*. <https://sawitindonesia.com/sulitnya-kendalikan-ganoderma/> [11 Februari 2022]
- Arifin, B., & Ibrahim, S. (2018). Struktur, Bioaktivitas dan Antioksidan Flavonoid. *Jurnal Zarah*, 6(1), 21-29.
- Arnold, A. E., & Herre, E. A. (2003). Canopy Cover and Leaf Age Affect Colonization by Tropical Fungal Endophytes: Ecological Pattern and Process in *Theobroma cacao* (Malvaceae). *Mycologia*, 95(3), 388-398.

- Arnold, A. E., Mejia, L., Rojas, E., Maynard, Z., Robbins, N., & Herre, E. A. (2001). Organismos Endofiticos: Microorganismos En Plantas. *El uso de Microorganismos Beneficos en la Agricultura Moderna. Costa Rica: Guacimo*, 1-20.
- Azizah, D. N., Kumolowati, E., & Faramayuda, F. (2014). Penetapan Kadar Flavonoid Metode AlCl₃ Pada Ekstrak Metanol Kulit Buah Kakao (*Theobroma cacao* L.). *Kartika: Jurnal Ilmiah Farmasi*, 2(2), 33-37.
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for In Vitro Evaluating Antimicrobial Activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71-79.
- Bhardwaj, A., & Agrawal, P. (2014). A Review Fungal Endophytes: As a Store House of Bioactive Compound. *World J. Pharm. Pharm. Sci*, 3(9).
- Brahmachari, G. (2011). Natural Products in Drug Discovery: Impacts and Opportunities – An Assessment. *Bioactive Natural Products: Opportunities and Challenges in Medicinal Chemistry*, 1-199.
- Budhiraja, A., Nepali, K., Sapra, S., Gupta, S., Kumar, S., & Dhar, K. L. (2013). Bioactive Metabolites from an Endophytic Fungus of *Aspergillus* Species Isolated from Seeds of *Gloriosa superba* Linn. *Medicinal Chemistry Research*, 22(1), 323-329.
- Cannon, R. D., Lamping, E., Holmes, A. R., Niimi, K., Tanabe, K., Niimi, M., & Monk, B. C. (2007). *Candida albicans* Drug Resistance—Another Way to Cope with Stress. *Microbiology*, 153(10), 3211-3217.
- Cepeda, G. N., Lisangan, M. M., & Silamba, I. (2021). Kandungan Senyawa Fenolik Dan Terpenoid Ekstrak Etilasetat Daun *Drimys piperita*. *Agritechnology*, 3(1), 21-27.
- Chandra, B., Zulharmita, Z., & Putri, W. D. (2019). Penetapan Kadar Vitamin C Dan B1 Pada Buah Naga Merah (*Hylocereus Lemairei* (Hook.) Britton & Rose) Dengan Metode Spektrofotometri Uv-Vis. *Jurnal Farmasi Higea*, 11(1): 62-74.
- Chinnadurai, C. (2017). Potential Health Benefits of Sugarcane. In *Sugarcane Biotechnology: Challenges and Prospects* (pp. 1-12). Springer, Cham.
- Dar, R. A., Saba, I., Shahnawaz, M., Qazi, P. H., & Khan, I. A. (2017). Antimicrobial Potential of Fungal Endophytes from Selected High Value Medicinal Plants of The Kashmir Valley—India. *Biomed Pharma*, 4, 55-60.
- Darwis, W. (2012). Tanaman Obat yang Terdapat di Kota Bengkulu Yang Berpotensi Sebagai Obat Penyakit dan Gangguan pada Sistem Pencernaan Manusia. *Konservasi Hayati*, 8(1), 1-15.
- Dashora, K., Javed, Z., Mishra, M., & Tripathi, G. D. (2021). Role of Fungal Secondary Metabolites in Plant Protection. In *New and Future Developments in Microbial Biotechnology and Bioengineering* (pp. 39-46). Elsevier.
- De Favaro, L. C., de Sebastianes, F. L., & Araujo, W. L. (2012). *Epicoccum nigrum*

P16, a Sugarcane Endophyte, Produces Antifungal Compounds and Induces Root Growth. *PLoS ONE*, 7(6), 1–10.

Desrini, S. (2015). Resistensi Antibiotik, Akankah Dapat Dikendalikan?. *JKKI: Jurnal Kedokteran dan Kesehatan Indonesia*, 6(4).

Dewi, R. T., Tachibana, S., Itoh, K., & Ilyas, M. (2012). Isolation of Antioxidant Compounds from *Aspergillus terreus* LS01. *Journal of Microbial Biochem Technol* 4: 010-014.

Dharmayanti, N. I. (2011). Filogenetika Molekular : Metode Taksonomi Organisme Berdasarkan sejarah Evolusi. *Filogenetika Molekular : Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi*, 30, 1–10.

Fallo, G. (2017). Pertumbuhan *Fusarium verticillioides*, *Aspergillus flavus*, dan *Eurotium chevalieri* pada Berbagai Media. *Savana Cendana*, 2(03), 39-41.

Frisvad, J. C., Andersen, B., & Thrane, U. (2008). The Use of Secondary Metabolite Profiling in Chemotaxonomy of Filamentous Fungi. *Mycological Research*, 112(2), 231–240.

Gandjar, I. (2006). *Mikologi dasar dan terapan*. Yayasan Obor Indonesia.

George, T. K., Devadasan, D., & Jisha, M. S. (2019). Chemotaxonomic Profiling of *Penicillium setosum* Using High-Resolution Mass Spectrometry (LC-Q-ToF-MS). *Heliyon*, 5(9), e02484.

Ghareeb, M. A., Hamed, M. M., Saad, A. M., Abdel-Aziz, M. S., Hamed, A. A., & Refahy, L. A. (2019). Bioactive Secondary Metabolites from the Locally Isolated Terrestrial Fungus, *Penicillium* sp. SAM16-EGY. *Pharmacognosy Research*, 11(2).

Gunasekaran, S., Sathiavelu, M., & Arunachalam, S. (2017). In Vitro Antioxidant and Antibacterial Activity of Endophytic Fungi Isolated from *Mussaenda luteola*. *Journal of Applied Pharmaceutical Science*, 7(8), 234–238.

Haeria, H., & Andi, T. U. (2016). Penentuan Kadar Flavonoid Total Dan Aktivitas Antioksidan Ekstrak Etanol Daun Bidara (*Ziziphus spina-christi* L.). *Journal of Pharmaceutical and Medicinal Science* (1), 57-61.

Hakim, L., & Kurniatuhadi, R. (2020). Karakteristik Fisiologis Jamur Halofilik Berdasarkan Faktor Lingkungan dari Sumur Air Asin di Desa Suak, Sintang, Kalimantan Barat. *Bioma: Jurnal Biologi Makassar*, 5(2), 227-232.

Handayani, D., Masriza Indah Pratiwi, E., & Fajrina, A. (2019). Senyawa Antimikroba dari Jamur Endofit *Trichoderma koningiopsis* SaKB1 yang Diisolasi dari Tanaman Mangrove *Sonneratia alba* Sm. *Jurnal Sains Farmasi & Klinis*, 6(2), 78–84.

Harborne, J.B., 1987, Metode Fitokimia; Penuntun Cara Modern Menganalisa Tumbuhan, Terbitan Kedua, Terjemahan Kosasih Padmawinata dan Iwang Soediro ITB, Bandung.

Hasanah, U. (2018). Kurva Pertumbuhan Jamur Endofit Antijamur *Candida* Dari

- Tumbuhan Raru (*Cotylelobium melanoxydon*) Genus *Aspergillus*. *Jurnal Biosains*, 4(2), 102-107.
- Hendra, R., Ahmad, S., Sukari, A., Shukor, M. Y., & Oskoueian, E. (2011). Flavonoid Analyses and Antimicrobial Activity of Various Parts of *Phaleria macrocarpa* (Scheff.) Boerl fruit. *International journal of molecular sciences*, 12(6), 3422-3431.
- Herlina, T., & Parubak, A. S. (2019). Flavonoid Dari Kulit Batang Akway (*Drymis beccariana*, Gibbs) Dan Aktivitas Sitotoksik Terhadap Sel Kanker Payudara T47D. *Jurnal Penelitian Hasil Hutan*, 37(2), 59-66.
- Himawan, F. A. (2013). Penjajaran Lokal Sekuen DNA Menggunakan Algoritme Smith-Waterman.
- Indrawanto, C., Purwono, S., Syakir, M., & Rumini, W. (2010). Budidaya dan pasca panen Tebu. *ESKA media*. Jakarta.
- Irivibulkovit, K. S., Ouanthavong, S. N., & Ameenoi, Y. S. (2018). Paper-based DPPH Assay for Antioxidant Activity Analysis. *Analytical Sciences*, 34(July), 795–800.
- Jaderson, M., & Park, J. H. (2020). Effect of Storage Temperature and Duration On Concentrations of 27 Fungal Secondary Metabolites Spiked Into Floor Dust from an Office Building. *Journal of occupational and environmental hygiene*, 17(5), 220-230.
- Jakovljevic, V., Milicevic, J., & Stojanovic, J. (2014). Article; Agriculture & Environmental Biotechnology.
- Jalgaonwala, R. E., Mohite, B. V., & Mahajan, R. T. (2011). A review : Natural Products from Plant Associated Endophytic Fungi. *Journal of Microbiology and Biotechnology Research*, 1(2), 21–32.
- Ji, J., Yang, X., Flavel, M., Shields, Z. P. I., & Kitchen, B. (2019). Antioxidant and Anti-Diabetic Functions of a Polyphenol-Rich Sugarcane Extract. *Journal of the American College of Nutrition*, 38(8), 670–680.
- Jurwita, M., Nasir, M., & Haji, A. G. (2020). Analisis Kadar Vitamin C Bawang Putih dan Hitam dengan Metode Spektrofotometri UV-Vis. *Kovalen: Jurnal Riset Kimia*, 6(3), 252-261.
- Joshi, D., Gupta, J., Mishra, A., Upadhyay, M., Holkar, S. K., & Singh, P. (2019). Distribution, Composition and Bioactivity of Endophytic *Trichoderma* spp. Associated with Sugarcane. *Proceedings of the National Academy of Sciences India Section B - Biological Sciences*, 89(4), 1189–1200.
- Kadosh, D. (2019). Regulatory Mechanisms Controlling Morphology and Pathogenesis in *Candida albicans*. *Current Opinion in Microbiology*, 52, 27–34.
- Karthikeyan, J., & Samipillai, S. S. (2010). Sugarcane in Therapeutics. *Journal of Herbal Medicine and Toxicology*, 4(1), 9–14.

- Katoch, M., Singh, A., Singh, G., Wazir, P., & Kumar, R. (2017). Phylogeny, Antimicrobial, Antioxidant and Enzyme-Producing Potential of Fungal Endophytes Found in *Viola odorata*. *Annals of Microbiology*, 67(8), 529–540.
- Kathuria, S., Sharma, C., Singh, P. K., Agarwal, P., Agarwal, K., Hagen, F., & Chowdhary, A. (2015). Molecular Epidemiology and In-Vitro Antifungal Susceptibility of *Aspergillus terreus* Species Complex Isolates In Delhi, India: Evidence Of Genetic Diversity By Amplified Fragment Length Polymorphism and Microsatellite Typing. *PLoS One*, 10(3), e0118997.
- Kaur, T. (2020). Fungal Endophyte-Host Plant Interactions: Role in Sustainable Agriculture. *Sustainable Crop Production*, 211.
- Khaldi, N., Seifuddin, F. T., Turner, G., Haft, D., Nierman, W. C., Wolfe, K. H., & Fedorova, N. D. (2010). SMURF: Genomic Mapping of Fungal Secondary Metabolite Clusters. *Fungal Genetics and Biology*, 47(9), 736–741.
- Khaliq, M., Riaz, M., Kanwal, N., Mahmood, I., Khan, A., Bokhari, T. H., & Afzal, M. (2017). Evolution of Cytotoxicity, Antioxidant, and Antimicrobial Studies of Sugarcane (*Saccharum officinarum*) Roots Extracts. *Journal of the Chemical Society of Pakistan*, 39(1), 152–160.
- Kirman, K., Saputra, A., & Sukmana, J. (2019). Sistem Pakar Untuk Mendiagnosis Penyakit Lambung Dan Penanganannya Menggunakan Metode Dempster Shafer. *Pseudocode*, 6(1), 58-66.
- Korejo, F., Ali, S. A., Shafique, H. A., Sultana, V., Ara, J., & Ehteshamul-Haque, S. (2014). Antifungal and Antibacterial Activity of Endophytic *Penicillium* Species Isolated From *Salvadora* Species. *Pak. J. Bot*, 46(6), 2313-2318.
- Kumala, S., Mangunwardoyo, W., & Budiarti, P. (2005). Fermentasi Diam Dan Goyang Isolat Kapang Endofit dari *Brucea javanica* L. Merr. dan Uji Aktivitas Antimikroba. *Jurnal Ilmu Kefarmasian Indonesia*, 3(2), 60-63.
- Kusam Lata Rana, Divjot Kour, Imran Sheikh, N. Y., Ajar Nath Yadav, Vinod Kumar, B. P. S., & Harcharan Singh Dhaliwal, and A. K. S. (2019). Advances in Endophytic Fungal Research.
- Li, L., Wang, L., Fan, W., Jiang, Y., Zhang, C., Li, J., & Wu, C. (2020). The Application of Fermentation Technology in Traditional Chinese Medicine: A Review. *The American Journal of Chinese Medicine*, 48(04), 899-921.
- Li, X., Yao, S., Tu, B., Li, X., Jia, C., & Song, H. (2010). Determination and Comparison of Flavonoids and Anthocyanins in Chinese Sugarcane Tips, Stems, Roots and Leaves. *Journal of Separation Science*, 33(9), 1216–1223.
- Liu, X., Dong, M., Chen, X., Jiang, M., Lv, X., & Zhou, J. (2008). Antimicrobial Activity of an Endophytic *Xylaria* sp.YX-28 and Identification of its Antimicrobial Compound 7-amino-4-methylcoumarin. *Applied Microbiology and Biotechnology*, 78(2), 241–247.
- Madoroba, E., Kapeta, D., & Gelaw, A. K. (2016). *Salmonella* Contamination, Serovars and Antimicrobial Resistance Profiles Of Cattle Slaughtered In South

- Africa. *Onderstepoort Journal of Veterinary Research*, 83(1), 1–8.
- Makhfirah, N., Fatimatu Zahra, C., Mardina, V., & Hakim, R. F. (2020). Pemanfaatan Bahan Alami Sebagai Upaya Penghambat *Candida Albicans* Pada Rongga Mulut. *Jurnal Jeumpa*, 7(2), 400-413.
- Markham, K 1988. How to Identify Flavonoids. Translators Kosasih Padmawinata. (Bandung: ITB)
- Martínez -Luis, S., Cherigo, L., Higginbotham, S., Arnold, E., Spadafora, C., Ibañez, A., & Cubilla-Rios, L. (2011). Screening and Evaluation of Antiparasitic and In Vitro Anticancer Activities of Panamanian Endophytic Fungi. *International Microbiology*, 14(2), 95.
- Mathan, S., Subramanian, V., & Nagamony, S. (2013). Optimization and Antimicrobial Metabolite Production from Endophytic Fungi *Aspergillus terreus* KC 582297. *Journal of Biology*, 3(4), 138-144.
- Mead, M. E., Borowsky, A. T., Joehnk, B., Steenwyk, J. L., Shen, X. X., Sil, A., & Rokas, A. (2020). Recurrent Loss of *abaA*, a Master Regulator of Asexual Development in Filamentous Fungi, Correlates with Changes in Genomic and Morphological Traits. *Genome biology and evolution*, 12(7), 1119-1130.
- Mehlhorn, A., Rahimi, P., & Joseph, Y. (2018). Aptamer-based Biosensors for Antibiotic Detection: A Review. *Biosensors*, 8(2), 54.
- Meiyasa, F. (2020). Potensi *Lactobacillus* dalam Mencegah *Listeria Monocytogenes*. *Media Gizi Pangan*, 27(1), 38-52.
- Mishra, V. K., Passari, A. K., Chandra, P., Leo, V. V., Kumar, B., Uthandi, S., Singh, B. P. (2017). Determination and Production of Antimicrobial Compounds by *Aspergillus clavatonanicus* Strain MJ31, an Endophytic Fungus from *Mirabilis jalapa* L. using UPLC-ESI-MS/MS and TD-GC-MS analysis. *PLoS ONE*, 12(10), 1–24.
- Mishra, K., Ojha, H., & Chaudhury, N. K. (2012). Estimation of Antiradical Properties of Antioxidants using DPPH Assay: A Critical Review and Results. *Food chemistry*, 130(4), 1036-1043.
- Mohd N, N. A. A., Ahmat, N., Adnan, A., Syed M, S. A., & Syaripah R, S. A. (2011). In Vitro Antibacterial and Radical Scavenging Activities of Malaysian Table Salad. *African Journal of Biotechnology*, 10(30), 5728–5735.
- Nasution, A. Y., Pratiwi, D., Frimananda, Y., & Ardiansyah, A. (2021). Validasi Metode Analisis Vitamin C Pada Buah Dan Keripik Nanas Secara Spektrofotometri UV-Vis. *Kartika: Jurnal Ilmiah Farmasi*, 8(1), 16-24.
- Newman, D. J., & Cragg, G. M. (2012). Natural Products as Sources of New Drugs Over the 30 Years from 1981 to 2010. *Journal of Natural Products*, 75(3), 311–335.
- Niawati, S., Utami, T. S., Arbianti, R., & Hermansyah, H. (2016). Pengaruh Suhu dan pH pada Medium Onggok dan Ampas Tahu dalam Produksi Asam Lemak Tak Jenuh dengan Menggunakan *Aspergillus oryzae*

- Nisa, S., Khan, N., Shah, W., Sabir, M., Khan, W., Bibi, Y., Qayyum, A. (2020). Identification and Bioactivities of Two Endophytic Fungi *Fusarium fujikuroi* and *Aspergillus tubingensis* from Foliar Parts of *Debregeasia salicifolia*. *Arabian Journal for Science and Engineering*, 45(6), 4477–4487.
- Noman, E., Al-Gheethi, A., Hideyuki, N., Talip, B. A., Mohamed, R., Kadir, A., & Omar, M. (2020). Microstructures of *Aspergillus* spp. and Their Role in Contaminating Clinical Solid Wastes. *Songklanakarin Journal of Science & Technology*, 42(6).
- Nurhayati, L. S., Yahdiyani, N., & Hidayatulloh, A. (2020). Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt Dengan Metode Difusi Sumuran Dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41-46.
- Oecd Working Group. (2016). Sugarcane (*Saccharum* spp.). Chapter 2. *Safety Assessment of Transgenic Organisms in the Environment: Oecd Consensus Documents*, Volume 6. 69–154.
- Padhi, S., Masi, M., Cimmino, A., Tuzi, A., Jena, S., Tayung, K., & Evidente, A. (2019). Funiculosone, a Substituted Dihydroxanthene-1,9-dione With Two of its Analogues Produced by an Endolichenic Fungus *Talaromyces Funiculosus* and their Antimicrobial Activity. *Phytochemistry*, 157(August 2018), 175–183.
- Pallavi, R., Elakkiya, S., Tennety, S. S. R., & Devi, P. S. (2012). Anthocyanin Analysis and its Anticancer Property from Sugarcane (*Saccharum officinarum* L) peel. *IJRPC*, 2(2), 338-45.
- Pasquina-Lemonche, L., Burns, J., Turner, R. D., Kumar, S., Tank, R., Mullin, N., & Hobbs, J. K. (2020). The Architecture of The Gram-Positive Bacterial Cell Wall. *Nature*, 582(7811), 294-297.
- Pisoschi, A. M., & Negulescu, G. P. (2012). Methods for Total Antioxidant Activity Determination: A Review. *Biochemistry & Analytical Biochemistry*, 01(01), 1–10.
- Prihantini, A. I., & Tachibana, S. (2017). Antioxidant Compounds Produced by *Pseudocercospora* sp. ESL 02, an Endophytic Fungus Isolated from *Elaeocarpus sylvestris*. *Asian Pacific Journal of Tropical Biomedicine*, 7(2), 110–115.
- Primadiamanti, A., Feladita, N., & Juliana, R. (2019). Penetapan Kadar Hidrokuinon Pada Krim Pemutih Herbal yang Dijual di lorong King Pasar Tengah Kota Bandar Lampung Menggunakan Metode Spektrofotometri UV-Vis. *Jurnal Analis Farmasi*, 4(1).
- Pyrzynska, K., & Pękal, A. (2013). Application of Free Radical Diphenylpicrylhydrazyl (DPPH) to Estimate the Antioxidant Capacity of Food Samples. *Analytical Methods*, 5(17), 4288-4295.
- Quinn, G. A., Maloy, A. P., Banat, M. M., & Banat, I. M. (2013). A Comparison of Effects of Broad-Spectrum Antibiotics and Biosurfactants on Established

Bacterial Biofilms. *Current microbiology*, 67(5), 614-623.

Rahayu, F., Saryono, & Nugroho, T. T. (2015). Isolasi DNA dan Amplifikasi PCR Daerah ITS rDNA Fungi Endofit Umbi Tanaman Dahlia (*Dahlia variabilis*). *Jom Fmipa*, 2(1), 100–106.

Rahayu, S., Pujiono, F., Dewi, M., & Prasetyo, A. (2019). Baggasse Charcoal Optimization Based on Different Concentration and Immersing Time to Stabilize Quality of Cooking Oil. *Journal of Physics: Conference Series*, 1402(5).

Rahayu, S., & Tania, N. (2019, December). Flavonoid of Some Antioxidant Plants in Taman Wisata Alam Pangandaran. In *Journal of Physics: Conference Series* (Vol. 1402, No. 3, p. 033041). IOP Publishing.

Rahayu, S., Zahara, I., Afifah, A., Arya, K. P., & Supriyatin, S. (2019). Antioxidant Capacity of *Dillenia* sp. Leaf Extract Against DPPH (1,1-Diphenyl-2picryl Hidrazil) Radical. *Journal of Physics: Conference Series*, 1402(5).

Rahayu, Sri, Supriyatin, & Bintari, A. (2018). Activated Carbon-Based Bio-Adsorbent for Reducing Free Fatty Acid Number of Cooking Oil. *AIP Conference Proceedings*, 2019 (October 2018).

Ramaswamy, V., Cresence, V. M., Rejitha, J. S., Lekshmi, M. U., Dharsana, K. S., Prasad, S. P., & Vijila, H. M. (2007). Listeria - Review of Epidemiology and Pathogenesis. *Journal of Microbiology, Immunology and Infection*, 40(1), 4–13.

Rani, R., Sharma, D., Chaturvedi, M., & Yadav, J. P. (2017). Green Synthesis, Characterization and Antibacterial Activity of Silver Nanoparticles of Endophytic Fungi *Aspergillus terreus*. *Journal of Nanotechnol*, 8(4).

Rekha, D. N., Vasanthakumari, M. M., Shaanker, R. U., & Shivanna, M. B. (2014). Diversity, Antimicrobial and Antioxidant Activities of Endophytic Fungi in *Chloris barbata* and *Eleusine indica* of Poaceae Subfamily Chloridoideae.

Roca, M. G., Davide, L. C., & Wheals, A. E. (2003). Template Preparation for Rapid PCR in *Colletotrichum lindemuthianum*. *Brazilian Journal of Microbiology*, 34(1), 8-12.

Rodrigues, B. S., Sahm, B. D., Jimenez, P. C., Pinto, F. C., Mafezoli, J., Mattos, M. C., & Oliveira, M. C. (2015). Bioprospection of Cytotoxic Compounds in Fungal Strains Recovered from Sediments of The Brazilian Coast. *Chemistry & Biodiversity*, 12(3), 432-442.

Rodriguez, R., & Redman, R. (2008). More Than 400 Million Years of Evolution and Some Plants Still Can't Make it on Their Own: Plant Stress Tolerance Via Fungal Symbiosis. *Journal of Experimental Botany*, 59(5), 1109–1114.

Rong, J., Janson, S., Umehara, M., Ono, M., & Vrieling, K. (2010). Historical and Contemporary Gene Dispersal in Wild Carrot (*Daucus carota* spp. Carota) Populations. *Annals of Botany*, 106(2), 285–296.

Rosenberg, E., DeLong, E. F., Thompson, F., Lory, S., & Stackebrandt, E. (2013).

The Prokaryotes: Human Microbiology. *The Prokaryotes: Human Microbiology*, (November), 1–554.

Roshan Zamir,. (2012). Antioxidant Activity Influenced by In Vivo and In Vitro Mutagenesis in Sugarcane (*Saccharum officinarum* L.). *African Journal of Biotechnology*, 11(54), 11686–11692.

Ruano, P., Delgado, L. L., Picco, S., Villegas, L., Tonelli, F., Merlo, M., Masuelli, M. (2016). We are IntechOpen , The World's Leading Publisher of Open Access Books Built by Scientists , for scientists TOP 1. *Intech*, (tourism), 13.

Rustanti, L. P. (2020). Potensi Kapang Endofit Tanaman Pegagan *Centella Asiatica* L. Akses Bengkulu dan Malaysia Sebagai Antioksidan (Bachelor's thesis, Fakultas Sains dan Teknologi UIN Syarif Hidayatullah Jakarta).

Sadeghi, F., Samsampour, D., Seyahooei, M. A., Bagheri, A., & Soltani, J. (2019). Diversity and Spatiotemporal Distribution of Fungal Endophytes Associated with *Citrus reticulata* cv. Siyadoo. *Current Microbiology*, 76(3), 279–289.

Sadrati, N., Daoud, H., Zerroug, A., Dahamna, S., & Bouharati, S. (2013). Screening of Antimicrobial and Antioxidant Secondary Metabolites from Endophytic Fungi Isolated from Wheat (*Triticum durum*). *Journal of plant protection research*, 53(2).

Sandrasari, D. A. (2008). Kapasitas antioksidan dan Hubungannya dengan Nilai Total Fenol Ekstrak Sayuran Indigenous.

Santos, T. F. B., dos Santos Carvalho, C., de Almeida, M. A., Delforno, T. P., & Duarte, I. C. S. (2020). Endophytic Fungi Isolated From Brazilian Medicinal Plants as Potential Producers of Antioxidants and Their Relations With Anti-Inflammatory Activity. *3 Biotech*, 10(5), 1–8.

Sari, D. A. (2014). Karakteristik Petani Tebu di Desa Negara Tulang Bawang Kecamatan Bunga Mayang Kabupaten Lampung Utara Tahun 2014 (Doctoral dissertation, Fakultas Keguruan dan Ilmu Pendidikan).

Sathish, L., Pavithra, N., & Ananda, K. (2012). Antimicrobial Activity and Biodegrading Enzymes of Endophytic Fungi from Eucalyptus. *International Journal of Pharmaceutical Sciences and Research*, 3(8), 2574.

Schardl, C. L., Leuchtman, A., Chung, K. R., Penny, D., & Siegel, M. R. (1997). Coevolution By Common Descent of Fungal Symbionts (*Epichloe* Spp.) and Grass Hosts.

Schoch, C. L., Seifert, K. A., Huhndorf, S., Robert, V., Spouge, J. L., Levesque, C. A., Chen, W., Bolchacova, E., Voigt, K., Crous, P. W., Miller, A. N., Wingfield, M. J., Aime, M. C., An, K. D., Bai, F. Y., Barreto, R. W., Begerow, D., Bergeron, M. J., Blackwell, M., Schindel, D. (2012). Nuclear Ribosomal Internal Transcribed Spacer (ITS) Region as a uUniversal DNA Barcode Marker for Fungi. *Proceedings of the National Academy of Sciences of the United States of America*, 109(16), 6241–6246.

Sehwag, S., & Das, M. (2013). Antioxidant Activity : An Overview. *Journal of*

Food Science and Technology, (July), 1–11.

- Sembiring, N. S. B., Sinaga, M. D., & Sianturi, C. J. M. (2019). Analysis of Dempster Shafer Method in Diagnosing Diseases Inflamed by *Salmonella* Bacteria. *2018 6th International Conference on Cyber and IT Service Management, CITSM 2018*, (Citsm), 1–6.
- Septiana, E., & Simanjuntak, P. (2018). Effect of Different Culture Condition on Antioxidant Secondary Metabolites from Endophytic Fungi Isolated from Turmeric Root. *Majalah Obat Tradisional*, 22(1), 31-36.
- Sette, L. D., Passarini, M. R. Z., Delarmelina, C., Salati, F., & Duarte, M. C. T. (2006). Molecular Characterization and Antimicrobial Activity of Endophytic Fungi From Coffee Plants. *World Journal of Microbiology and Biotechnology*, 22(11), 1185–1195.
- Seydametova, E., Salihon, J., Zainol, N., & Convey, P. (2012). Production of Lovastatin by *Penicillium* spp. soil microfungi. *International Journal of Chemical Engineering and Applications*, 3(5), 337.
- Shawky, B. T., Nagah, M., Ghareeb, M. A., El-Sherbiny, G. M., Moghannem, S. A., & Abdel-Aziz, M. S. (2019). Evaluation of Antioxidants, Total Phenolics and Antimicrobial Activities of Ethyl Acetate Extracts from Fungi Grown on Rice Straw. *Journal of Renewable Materials*, 7(7), 662-677.
- Shen, N., Liang, Z., Liu, Q., Tu, C., Dong, K., Wang, C., & Chen, M. (2020). Antifungal Secondary Metabolites Isolated from Mangrove Rhizosphere Soil-Derived *Penicillium* Fungi. *Journal of Ocean University of China*, 19(3), 717-721.
- Sibero, M. T., Tarman, K., Radjasa, O. K., Sabdono, A., Trianto, A., & Bachtiarini, T. U. (2018). Produksi Pigmen dan Identifikasi Kapang Penghasilnya Menggunakan Pendekatan DNA Barcoding. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1), 99-108.
- Siddik, M. B., Budiarti, L. Y., & Edyson, E. (2016). Perbandingan Efektivitas Antifungi Antara Ekstrak Metanol Kulit Batang Kasturi Dengan Ketokonazol 2% Terhadap *Candida Albicans* in Vitro. *Berkala Kedokteran*, 12(2), 271-278.
- Simpson, MG. 2006. *Plant Systematic*. California: Elsevier Academic Press.
- Siriwach, R. (2013). Osaka University Knowledge Archive : OUKA Screening of Novel Secondary Metabolites from Endophytic Fungi by Chemical Library Analysis.
- Staton, J. L. (2015). Understanding phylogenies : Constructing and Interpreting Phylogenetic Trees. *Journal of the South Carolina Academy of Science*, 13(1), 24–29.
- Strobel, G., & Daisy, B. (2003). Bioprospecting for Microbial Endophytes and Their Natural Products. *Microbiology and Molecular Biology Reviews*, 67(4), 491–502.

- Sukmawati, D., Larasati, R. P., Kurniati, T. H., Arman, Z., & El Enshasy, H. A. (2019). Molds Isolated From Chicken Feed as Potential Amylase Resources. *International Journal of Scientific and Technology Research*, 8(11), 188–196.
- Sukmawati, D., Oetari, A., Hendrayanti, D., Atria, M., & Sjamsuridzal, W. (2015). Malaysian Journal of Microbiology Column Photobioreactor. *Malaysian Journal of Microbiology*, 10(1), 29–37.
- Sukmawati, D., Saidah, N., Handayani, K. T., & Rahayu, S. (2018). The Characteristics of Fungi Contaminating Chicken Feed in Tegal, Bogor, West Java. *Asian Journal of Agriculture and Biology*, 6(4), 472–480.
- Sukmawati, D., Wahyudi, P., Rahayu, S., Moersilah, M., Handayani, T., Rustam, K. Y., & Puspitasari, S. I. (2018). Skrining Kapang *Aspergillus* spp. Penghasil Aflatoxin Pada Jagung Pipilan di Daerah Bekasi, Jawa Barat. *Al-Kauniyah: Jurnal Biologi*, 11(2), 151–162.
- Sukweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M. T., Danduru, A. P., & Avanti, C. (2020). Antioxidant Activity Screening of Seven Indonesian Herbal Extract. *Biodiversitas*, 21(5), 2062–2067.
- Sunaryanto, R., & Mahsunah, A. H. (2014). Isolation, Purification, and Characterization of Antimicrobial Substances from Endophytic Actinomycetes. *Makara of Science Series*, 17(3).
- Susilowati, D. N., Sofiana, I., Atmini, K. D., & Yuniarti, E. (2020). Penapisan Kapang Asal Lahan Sulfat Masam Kalimantan Selatan Sebagai Penghasil Enzim Ekstraseluler. *Agric*, 32(1), 65-82
- Szilágyi, M., Miskei, M., Karányi, Z., Lenkey, B., Pócsi, I., & Emri, T. (2013). Transcriptome changes Initiated by Carbon Starvation in *Aspergillus nidulans*. *Microbiology*, 159(Pt_1), 176-190.
- Szymczak, T., Cybulska, J., Podleśny, M., & Frąc, M. (2021). Various perspectives on microbial lipase production using agri-food waste and renewable products. *Agriculture*, 11(6), 540.
- Tomova, A. A., Kujumdzieva, A. V., & Petrova, V. Y. (2019). Carbon Source Influences *Saccharomyces cerevisiae* Yeast Cell Survival Strategies: Quiescence Or Sporulation. *Biotechnology & Biotechnological Equipment*, 33(1), 1464-1470.
- Triastuti, A. (2020). Fungal Endophytes As The Source Of Medicinal Natural Product. *Jurnal Ilmiah Farmasi*, 16(1), 52–73.
- Ulyah, H., Ulfa, E. U., & Puspitasari, E. (2015). Uji Aktivitas Antibakteri dan Antibiofilm Minyak Atsiri Rimpang Bengle (*Zingiber purpureum* Roscoe) terhadap Bakteri *Staphylococcus epidermidis*. *E-Jurnal Pustaka Kesehatan*, 3(2), 267–271.
- Visagie, C. M., Houbraeken, J., Seifert, K. A., Samson, R. A., & Jacobs, K. (2015). Four New *Penicillium* Species Isolated from The Fynbos Biome in South Africa, Including a Multigene Phylogeny of Section Lanata-

- Divaricata. *Mycological Progress*, 14(10), 1-23.
- Visagie, C. M., Renaud, J. B., Burgess, K. M. N., Malloch, D. W., Clark, D., Ketch, L., & Seifert, K. A. (2016). Fifteen New species of *Penicillium*. *Persoonia: Molecular Phylogeny and Evolution of Fungi*, 36, 247.
- Wagle, M. M., Lobo, K. N., Kanchan, R. R., Chandrashekar, A., & Subrahmanyam, V. M. (2021). A Combination Approach Using Areca Nut and Ketoconazole for Treating Cutaneous Candidiasis. *Research Journal of Pharmacy and Technology*, 14(6), 3074-3076.
- Walker, G. M., & White, N. A. (2018). Introduction to Fungal Physiology. *Fungi: Biology and Applications*, 1–34.
- Weignerová, L., Marhol, P., Gerstorferová, D., & Křen, V. (2012). Preparatory Production of Quercetin-3-B-D-Glucopyranoside using Alkali-Tolerant Thermostable A-L-Rhamnosidase from *Aspergillus terreus*. *Bioresource technology*, 115, 222-227.
- White, T. J., Bruns, T., Lee, S. J. W. T., & Taylor, J. (1990). Amplification and Direct Sequencing of Fungal Ribosomal RNA Genes for Phylogenetics. *PCR protocols: a guide to methods and applications*, 18(1), 315-322.
- Yang, X., Sun, Z., Wang, W., Zhou, Q., Shi, G., Wei, F., & Jiang, G. (2018). Developmental Toxicity of Synthetic Phenolic Antioxidants to the Early Life Stage of Zebrafish. *Science of the Total Environment*, 643, 559–568.
- Yadav, A. N., Singh, S., Mishra, S., & Gupta, A. (Eds.). (2019). *Recent Advancement fEnvironments*. Springer Nature.
- Yenn, T. W., Ibrahim, D., Chang, L. K., Ab Rashid, S., Ring, L. C., Nee, T. W., & Noor, M. I. B. M. (2017). Antimicrobial Efficacy of Endophytic *Penicillium purpurogenum* ED76 Against Clinical Pathogens and its Possible Mode of Action. *Korean Journal of Microbiology*, 53(3), 193-199.
- Yin, O. C. J., Ibrahim, D., & Lee, C. C. (2017). Bioactive Compounds from *Aspergillus terreus* MP15, an Endophytic Fungus Isolated from *Swietenia macrophylla* Leaf. *Malaysian Journal of Medical and Biological Research*, 4(2), 107-116.
- Yulianti, T. (2012). Menggali Potensi Endofit untuk Meningkatkan Kesehatan Tanaman Tebu Mendukung Peningkatan Produksi Gula. *Jurnal Perspektif*, 11(2), 111-122.
- Yosie, A., Effendy, M. a. W., Sifzizul, T. M. T., & Habsah, M. (2011). Antibacterial, Radical-Scavenging Activities and Cytotoxicity Properties of *Phaleria macrocarpa* (Scheff.) Boerl. Leaves in HepG2 Cell Lines. *International Journal of Pharmaceutical Sciences and Research*, 2(7), 1700–1706.
- Zargarán, M., Taghipour, S., Kiasat, N., Aboualigalehdari, E., Rezaei-Matehkolaei, A., Mahmoudabadi, A. Z., & Shamsizadeh, F. (2017). Luliconazole, an Alternative Antifungal Agent Against *Aspergillus terreus*. *Journal de*

mycologie medicale, 27(3), 351-356.

Zhou, L., Zhao, J., Xu, L., Huang, Y., Ma, Z., Wang, J., & Jiang, W. (2009). Antimicrobial Compounds Produced by Plant Endophytic Fungi. *Fungicides: chemistry, environmental impact and health effects*, 91-119.

Zivadinovic, R., Petric, A., & Krtinic, D. (2014). Vaginal Candidiasis – Gynecological Aspect of the Problem. *Acta Medica Medianae*, (January), 46–53.

