

DAFTAR PUSTAKA

- Abulhasan, J., & Grey, M. (2017). Anatomy and Physiology of Knee Stability. *Journal of Functional Morphology and Kinesiology*, 2(4), 34. <https://doi.org/10.3390/jfmk2040034>
- Ageberg, E., Roberts, D., Holmström, E., & Fridén, T. (2005). Balance in single-limb stance in patients with anterior cruciate ligament injury: Relation to knee laxity, proprioception, muscle strength, and subjective function. *American Journal of Sports Medicine*, 33(10), 1527–1535. <https://doi.org/10.1177/0363546505274934>
- Agung Muladi, & Kushartanti, W. (2018). Pengaruh Core Stability Exercise Terhadap Peningkatan Kekuatan Togok Dan Keseimbangan Dinamis Atlet. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699. <https://doi.org/10.1017/CBO9781107415324.004>
- Ahid Mudayana Fakultas Kesehatan Masyarakat, A., & Ahmad Dahlan, U. (2010). Kes Mas. *Kesmas*.
- Akbari, A., Ghiasi, F., Mir, M., & HosseiniFar, M. (2015). The Effects of Balance Training on Static and Dynamic Postural Stability Indices After Acute ACL Reconstruction. *Global Journal of Health Science*, 8(4), 68–81. <https://doi.org/10.5539/gjhs.v8n4p68>
- ALAA EL-DIN A. BALBA, Ph.D., A. I. M. M. E.-K. M. S., & AHMED H. WALY, M.D., M. M. M. P. D. (2018). Effect of Core Stability Training on Knee Proprioception after Anterior Cruciate Ligament Reconstruction. *The Medical Journal of Cairo University*, 86(March), 231–240. <https://doi.org/10.21608/mjcu.2018.55091>
- Albert, K. (2008). *Anatomy of the Muscular System*. Elsevier Health Sciences.
- Alshewaier, S., Yeowell, G., & Fatoye, F. (2017). The effectiveness of pre-operative exercise physiotherapy rehabilitation on the outcomes of treatment following anterior cruciate ligament injury: A systematic review. *Clinical Rehabilitation*, 31(1), 34–44. <https://doi.org/10.1177/0269215516628617>
- Aminoto. (2015). *Pengaruh Massage Frirage terhadap Peningkatan Range of Motion (ROM) Gangguan Cedera Lutut pada Atlet Basket UKM UNNES dan PPLP Jateng*. Universitas Negeri Semarang.
- Amirah, N., Hisham, H., Faiz, A., Nazri, A., Madete, J., Herawati, L., & Mahmud, J. (2017). Measuring Ankle Angle and Analysis of Walking Gait using Kinovea. *Imeditec 2017*, (March 2018), 247–250.
- Antara, H., Otot, K., Dan, T., Terhadap, K., Tendangan, J., Sepak, P., ... Bengkulu, U. (2014). Munandar.
- Ardern, C. L., Glasgow, P., Schneiders, A., Witvrouw, E., Clarsen, B., Cools, A., ... Bizzini, M. (2016). 2016 Consensus statement on return to sport from the First World Congress in Sports Physical Therapy, Bern. *British Journal of Sports Medicine*, 50(14), 853–864. <https://doi.org/10.1136/bjsports-2016-096278>
- Atwi, H., Abbes, Y., Mansour, A., Hassan, K. H., & Karaki, H. (2017). Evaluation of Rehabilitation Parameters After Anterior Cruciate Ligament Reconstruction. *International Journal of Physiotherapy and Research*, 5(3), 2119–2126. <https://doi.org/10.16965/ijpr.2017.156>
- Bartlett, R. (2007). *Introduction to Sports Biomechanics* (2nd editio). New York: Routledge.
- Biscarini, A., Contemori, S., Busti, D., Botti, F. M., & Pettorossi, V. E. (2016). Knee flexion with quadriceps cocontraction: A new therapeutic exercise for the early stage of ACL rehabilitation. *Journal of Biomechanics*, 49(16), 3855–3860. <https://doi.org/10.1016/j.jbiomech.2016.10.026>

- Budiaji, W. (2013). Skala Pengukuran dan Jumlah Respon Skala Likert (The Measurement Scale and The Number of Responses in Likert Scale). *Ilmu Pertanian Dan Perikanan*, 2(2), 127–133.
- Burgess, A., Shah, K., Hough, O., & Hynynen, K. (2016). HHS Public Access, 15(5), 477–491. <https://doi.org/10.1586/14737175.2015.1028369>.Focused
- Chambat, P. (2013). ACL tear. *Orthopaedics & Traumatology, Surgery & Research : OTSR*, 99(1 Suppl), 43–52. <https://doi.org/10.1016/j.otsr.2012.11.012>
- Chrzanowski, A., Broadbent, M., & Fagan, J. M. (n.d.). Sports Injuries and Their Long and Short Term Effects Proposing a Change in the Injury Awareness Waiver to the NJSIAA.
- Curnow, D., Cobbin, D., & Wyndham, J. (2010). Reliability of the Stork Test: Is Starting Stance Important? *Chiropractic Journal of Australia*, 40(4), 137–141.
- Decker, M. J., Torry, M. R., Noonan, T. J., Sterett, W. I., & Steadman, J. R. (2004). Gait retraining after anterior cruciate ligament reconstruction. *Archives of Physical Medicine and Rehabilitation*, 85(5), 848–856. <https://doi.org/10.1016/j.apmr.2003.07.014>
- Eckenrode, B. J., Carey, J. L., Sennett, B. J., & Zgonis, M. H. (2017). Prevention and Management of Post-operative Complications Following ACL Reconstruction. *Current Reviews in Musculoskeletal Medicine*, 10(3), 315–321. <https://doi.org/10.1007/s12178-017-9427-2>
- Failla, M. J., Logerstedt, D. S., Grindem, H., Axe, M. J., Risberg, M. A., Engebretsen, L., ... Snyder-Mackler, L. (2016). Does Extended Preoperative Rehabilitation Influence Outcomes 2 Years after ACL Reconstruction? A Comparative Effectiveness Study between the MOON and Delaware-Oslo ACL Cohorts: *American Journal of Sports Medicine*, 44(10), 2608–2614. <https://doi.org/10.1177/0363546516652594>
- Flandry, F., & Hommel, G. (2011). Normal Anatomy and Biomechanics of the Knee, 19(2), 82–92.
- Fleming, B. C., Oksendahl, H., & Beynnon, B. D. (2005). Open- or closed-kinetic chain exercises after anterior cruciate ligament reconstruction? *Exercise and Sport Sciences Reviews*, 33(3), 134–140. <https://doi.org/10.1097/00003677-200507000-00006>
- Frank, B. S., Gilsdorf, C. M., Goerger, B. M., Prentice, W. E., & Padua, D. A. (2014). Neuromuscular Fatigue Alters Postural Control and Sagittal Plane Hip Biomechanics in Active Females With Anterior Cruciate Ligament Reconstruction. *Sports Health*, 6(4), 301–308. <https://doi.org/10.1177/1941738114530950>
- Garrison, J. C., Hannon, J., Goto, S., Kosmopoulos, V., Aryal, S., Bush, C., ... Singleton, S. B. (2019). Knee Loading After ACL-R Is Related to Quadriceps Strength and Knee Extension Differences Across the Continuum of Care. *Orthopaedic Journal of Sports Medicine*, 7(10), 1–8. <https://doi.org/10.1177/2325967119870155>
- Gasibat, Q., & Jahan, A. M. (2017). Pre and post-operative rehabilitation of anterior cruciate ligament reconstruction in young athletes. *International Journal of Orthopaedics Sciences*, 3(1), 819–828.
- Ghasempoor, K., Rahnama, N., Bagherian, S., & Wikstrom, E. (2017). P18 The effect of core stability training on functional movement patterns in collegiate athletes. *Posters Presentations*, (September), A19.3-A20. <https://doi.org/10.1136/bjsports-2017-anklesymp.50>
- Gokeler, A., Benjaminse, A., Hewett, T. E., Lephart, S. M., Engebretsen, L., Ageberg, E., ... Dijkstra, P. U. (2011). Proprioceptive defi cits after ACL injury : are they clinically relevant ? <https://doi.org/10.1136/bjsm.2010.082578>
- Hadizadeh, M., Amri, S., Mohafez, H., Roohi, S. A., & Mokhtar, A. H. (2016). Gait analysis of

- national athletes after anterior cruciate ligament reconstruction following three stages of rehabilitation program: Symmetrical perspective. *Gait and Posture*, 48, 152–158. <https://doi.org/10.1016/j.gaitpost.2016.05.002>
- Harner, C. D., Irrgang, J. J., Paul, J., Dearwater, S., & Fu, F. H. (1992). Loss of motion after anterior cruciate ligament reconstruction. *American Journal of Sports Medicine*, 20(5), 499–506. <https://doi.org/10.1177/036354659202000503>
- Haro, M. S., & Shelbourne, K. D. (2016). Prevention and Management of Loss of Motion in Anterior Cruciate Ligament Surgery. *Operative Techniques in Sports Medicine*, 24(1), 45–54. <https://doi.org/10.1053/j.otsm.2015.09.004>
- Henriksson, M., Ledin, T., & Good, L. (2001). Postural control after anterior cruciate ligament reconstruction and functional rehabilitation. *American Journal of Sports Medicine*, 29(3), 359–366. <https://doi.org/10.1177/03635465010290031801>
- Huijbregts, H. J. T. A. M., Khan, R. J. K., Fick, D. P., Hall, M. J., Punwar, S. A., Sorensen, E., ... Sorensen, E. (2016). FRCS (Tr&Orth), FRACS, PhD, Orthopaedic Surgeon, 98(8). <https://doi.org/10.1302/0301-620X.98B8>
- Irrgang, J. J., Ho, H., Harner, C. D., & Fu, F. H. (1998). Use of the international knee documentation committee guidelines to assess outcome following anterior cruciate ligament reconstruction. *Knee Surgery, Sports Traumatology, Arthroscopy*, 6(2), 107–114. <https://doi.org/10.1007/s001670050082>
- Jahan, A. M. (2017). The most important considerations in the assessment of functional decline in seniors: a literature review. *Asian Pacific Journal of Health Sciences*, 4(1), 61–70. <https://doi.org/10.21276/apjhs.2017.4.1.12>
- James, T. (2018). *METODOLOGI DALAM PENELITIAN.Kajian dalam olahraga*. Oktober 2018
- James, T. (2018). *SPORT PSYCHOMETRICS. Dasar-dasar dan Instrumen Psikometr*. 2018
- Janse van Rensburg, D. C., & Nolte, K. (2011). Sports injuries in adults: Overview of clinical examination and management. *South African Family Practice*, 53(1), 21–27. <https://doi.org/10.1080/20786204.2011.10874055>
- Jeffery, R. (2011). Knee Joint Anatomy. www.rjphysio.co.nz.
- Joseph, C., & Finch, C. F. (2016). Sports Injuries. In *International Encyclopedia of Public Health*. <https://doi.org/10.1016/B978-0-12-803678-5.00432-X>
- Kannus, P., & Surgery, M. (2007). Muscle Strength Evaluations after ACL Reconstruction, (1), 868–872. <https://doi.org/10.1055/s-2007-964912>
- Kiapour, A. M., & Murray, M. M. (2014). Instructional Review : Knee Basic Science of Anterior Cruciate Ligament Injury and Repair, 3(2), 20–31.
- Koster, C. H., Harmsen, A. M. K., Lichtenberg, M. C., & Bloemers, F. W. (2018). ACL injury: How do the physical examination tests compare? *Journal of Family Practice*, 67(3), 130–134.
- Koutras, G., Bernard, M., Terzidis, I. P., Papadopoulos, P., Georgoulis, A., & Pappas, E. (2016). Comparison of knee flexion isokinetic deficits between seated and prone positions after ACL reconstruction with hamstrings graft: Implications for rehabilitation and return to sports decisions. *Journal of Science and Medicine in Sport*, 19(7), 559–562. <https://doi.org/10.1016/j.jsams.2015.07.018>
- Kouvelioti, V., Kellis, E., Kofotolis, N., & Amiridis, I. (2015). Reliability of single-leg and double-leg balance tests in subjects with anterior cruciate ligament reconstruction and controls. *Research in Sports Medicine*, 23(2), 151–166. <https://doi.org/10.1080/15438627.2015.1005292>

- Kweon, C., Lederman, E. S., & Chhabra, A. (2013). The Multiple Ligament Injured Knee. In G.C. Fanelli (Ed.), *The Multiple Ligament Injured Knee : A Practical Guide to Management* (pp. 17–27). New York: Springer Science+Business. <https://doi.org/10.1007/978-0-387-49289-6>
- LaBella, C. R., Hennrikus, W., Hewett, T. E., Brenner, J. S., Brooks, A., Demorest, R. A., ... Alexander, S. N. (2014). Anterior cruciate ligament injuries: Diagnosis, treatment, and prevention. *Pediatrics*, 133(5). <https://doi.org/10.1542/peds.2014-0623>
- Lehmann, T., Paschen, L., & Baumeister, J. (2017). Single-Leg Assessment of Postural Stability After Anterior Cruciate Ligament Injury: a Systematic Review and Meta-Analysis. *Sports Medicine - Open*, 3(1). <https://doi.org/10.1186/s40798-017-0100-5>
- Liptak, M. G., & Angel, K. R. (2017). Return to Play and Player Performance After Anterior Cruciate Ligament Injury in Elite Australian Rules Football Players. *Orthopaedic Journal of Sports Medicine*, 5(6), 1–8. <https://doi.org/10.1177/2325967117711885>
- Majewski, M., Susanne, H., & Klaus, S. (2006). Epidemiology of athletic knee injuries: A 10-year study. *Knee*, 13(3), 184–188. <https://doi.org/10.1016/j.knee.2006.01.005>
- Maksum, A. (2018). Metodologi Penelitian Dalam Olahraga (edisi kedua), (October).
- Malempati, C., Jurjans, J., Noehren, B., Ireland, M. L., & Johnson, D. L. (2015). Current Rehabilitation Concepts for Anterior Cruciate Ligament Surgery in Athletes. *Orthopedics*, 38(11), 689–696. <https://doi.org/10.3928/01477447-20151016-07>
- Mital, A., & Kumar, S. (2000). Human muscle strength definitions, measurement, and usage: Part I - Guidelines for the practitioner 1. *Elsevier Ergonomics Book Series*, 1(C), 103–122. [https://doi.org/10.1016/S1572-347X\(00\)80008-7](https://doi.org/10.1016/S1572-347X(00)80008-7)
- Nakamura, N., Zaffagnini, S., Marx, R. G., & Musahl, V. (2017). Controversies in the technical aspects of ACL reconstruction: An evidence-based medicine approach. *Controversies in the Technical Aspects of ACL Reconstruction: An Evidence-Based Medicine Approach*, 1–535. <https://doi.org/10.1007/978-3-662-52742-9>
- Noll, S., Craig Garrison, J., Bothwell, J., & Conway, J. E. (2015). Knee extension range of motion at 4 weeks is related to knee extension loss at 12 weeks after anterior cruciate ligament reconstruction. *Orthopaedic Journal of Sports Medicine*, 3(5), 1–6. <https://doi.org/10.1177/2325967115583632>
- Noviyanti, S., Santoso, T. B., & Widodo, A. (2014). Hubungan Kekuatan Otot Quadriceps Femoris Dengan Risiko Jatuh Pada Lansia. Retrieved from <http://eprints.ums.ac.id/id/eprint/30791>
- Palmieri-Smith, R. M., Thomas, A. C., & Wojtys, E. M. (2008). Maximizing Quadriceps Strength After ACL Reconstruction. *Clinics in Sports Medicine*, 27(3), 405–424. <https://doi.org/10.1016/j.csm.2008.02.001>
- Panchal, P., Bedekar, N., Sancheti, P., & Shyam, A. (2017). Effects of Lumbar Core Stability Exercise Programme on Knee Pain, Range of Motion, and Function Post Anterior Cruciate Ligament Reconstruction:. *Journal of Orthopaedics, Trauma and Rehabilitation*, 23, 39–44. <https://doi.org/10.1016/j.jotr.2016.10.003>
- Parus, K., Lisiński, P., & Huber, J. (2015). Body balance control deficiencies following ACL reconstruction combined with medial meniscus suture. A preliminary report. *Orthopaedics and Traumatology: Surgery and Research*, 101(7), 807–810. <https://doi.org/10.1016/j.otsr.2015.07.015>
- Paschos, N. K., & Howell, S. M. (2016). Anterior cruciate ligament reconstruction: Principles of treatment. *EFORT Open Reviews*, 1(11), 398–408. <https://doi.org/10.1302/2058-5241.1.160032>
- Pengse Po1, Erin Delaney1, Howard Gamper2, Miklos Szanti-Kis3, Lee Speight3, LiWei Tu1,

- Andrey Kosolapov¹, E. James Petersson³, Ya-Ming Hou², and C. D. (2017). HHS Public Access. *Physiology & Behavior*, 176(12), 139–148. <https://doi.org/10.1016/j.physbeh.2017.03.040>
- Psychological factors are important to return to pre-injury sport activity after ACL reconstruction. (n.d.).
- Renstrom, P., Ljungqvist, A., Arendt, E., Beynon, B., Fukubayashi, T., Garrett, W., ... Khan, K. (2008). Non-contact ACL injuries in female athletes: An International Olympic Committee current concepts statement - Deel 2. *Sport En Geneeskunde*, 41(4), 20–30. <https://doi.org/10.1136/bjsm.2008.048934>
- Romaniuc, R., & Bazart, C. (2015). Intrinsic and Extrinsic Motivation. *Encyclopedia of Law and Economics*, 1–4. https://doi.org/10.1007/978-1-4614-7883-6_270-1
- Shah, N. (2008). Increasing knee range of motion using a unique sustained method. *North American Journal of Sports Physical Therapy : NAJSPT*, 3(2), 110–113.
- Shaw, L., & Finch, C. F. (2017). Trends in pediatric and adolescent anterior cruciate ligament injuries in Victoria, Australia 2005–2015. *International Journal of Environmental Research and Public Health*, 14(6), 1–10. <https://doi.org/10.3390/ijerph14060599>
- Shirota, S., Gelfand, A. E., & Banerjee, S. (2017). Spatial Joint Species Distribution Modeling using Dirichlet Processes, 133(5). <https://doi.org/10.1542/peds.2014-0623>
- Siegel, L., Vandenakker-Albanese, C., & Siegel, D. (2012). Anterior cruciate ligament injuries: Anatomy, physiology, biomechanics, and management. *Clinical Journal of Sport Medicine*, 22(4), 349–355. <https://doi.org/10.1097/JSM.0b013e3182580cd0>
- Ueda, Y., Matsushita, T., Araki, D., Kida, A., Takiguchi, K., Shibata, Y., ... Kuroda, R. (2017). Factors affecting quadriceps strength recovery after anterior cruciate ligament reconstruction with hamstring autografts in athletes. *Knee Surgery, Sports Traumatology, Arthroscopy*, 25(10), 3213–3219. <https://doi.org/10.1007/s00167-016-4296-6>
- Ulliya, S., Soempeno, B., & Kushartanti, B. W. (2010). Pengaruh Latihan Range of Motion (Rom) Terhadap Fleksibilitas Sendi Lutut Pada Lansia Di Panti Wreda Wening Wardoyo Ungaran. *Nurse Media Journal of Nursing*, 1(2), 72–78. <https://doi.org/10.14710/nmjn.v1i2.718>
- Usia, L., Posyandu, D. I., Boyolali, D., & Publikasi, N. (2015). Hubungan Antara Kekuatan Otot Quadriceps Program Studi S1 Fisioterapi Fakultas Ilmu Kesehatan.
- Van Eck, C. F., & Fu, F. H. (2014). Anatomic anterior cruciate ligament reconstruction using an individualized approach. *Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology*, 1(1), 19–25. <https://doi.org/10.1016/j.aspmart.2013.12.008>
- Verstegen, M., Falsone, S., Orr, R., & Smith, S. (2012). Suggestions From the Field for Return to Sports Participation Following Anterior Cruciate Ligament Reconstruction: American Football. *Journal of Orthopaedic & Sports Physical Therapy*, 42(4), 337–344. <https://doi.org/10.2519/jospt.2012.4031>
- Wang, B., Zhong, J. L., Xu, X. H., Shang, J., Lin, N., & Lu, H. D. (2020). Incidence and risk factors of joint stiffness after Anterior Cruciate Ligament reconstruction. *Journal of Orthopaedic Surgery and Research*, 15(1), 1–10. <https://doi.org/10.1186/s13018-020-01694-7>
- Zein, M. I. (2013). Cedera Anterior Cruciate Ligament (ACL) Pada Atlet Berusia Muda. *Medikora*, XI(2), 111–121.
- Zein, M. I. (2013). Cedera Anterior Cruciate Ligament (ACL) Pada Atlet Berusia Muda. *Medikora*, XI(2), 111–121.

