

DAFTAR PUSTAKA

- Alves, N.O., Silva, G.T., Weber, D.M., Luchese, C., Wilhelm, A.R., Fajardo. (2016). Chitosan/poly (vinyl alcohol)/bovine bone powder biocomposites: A potential biomaterial for the treatment of atopic dermatitis-like skin lesions. *Carbohydrate Polymers*. 148: 115-124.
- Annisa, A. (2018). Uji toksisitas akut ekstrak rumput mutiara (*Hedyotis Corymbosa*) terhadap fungsi hati [skripsi]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam.Universitas Negeri Jakarta.
- Aprianto, Y. (2016). Aktivitas antigenotoksik ekstrak etanolik rumput mutiara (*Hedyotis Corymbosa* L.) pada mencit terinduksi siklofosfamid [skripsi]. Fakultas Farmasi.Universitas Gadjah Mada.
- Archer, C.B. (2017). Atopic dermatitis. *Medicine*. 45(6): 379-382.
- Argamula, G. (2008). Aktivitas Sediaan Salep Batang Pohon Pisang Ambon (*Musa paradisiaca* var sapientum) Dalam Proses Penyembuhan Luka Pada Mencit (*Mus musculus albinus*) [Skripsi]. Bogor: Fakultas Kedokteran Hewan Institut Pertanian Bogor.
- Aria, M., Verawati, Arel, A., Monika. (2015). Uji efek antiinflamasi daun piladang (*Solenostemons cutellarioides* (L.) Codd) terhadap mencit putih betina. *Scientia*. 5(2): 84-91.
- Arifin, H., Agustina, Rizal, Z. (2013). Pengaruh pemberian jus jambu biji merah (*Psidium guajava* L.) terhadap jumlah sel eritrosit, hemoglobin, trombosit dan hematokrit pada mencit putih. *Jurnal Sains dan Teknologi Farmasi*. 18(1): 43-48.
- Balittro, N.S. (2014). Potensi rumput mutiara (*Hedyotis Corymbosa*) sebagai antikanker. *Warta Penelitian dan Pengembangan Tanaman Industri*. 20(3): 11-13.
- Boguniewicz, M. (2017). Biologic therapy for atopic dermatitis: moving beyond the practice parameter and guidelines. *Journal Allergy Clinical Immunology*. 5: 1477-1487.
- Cecchi, L., D'Amato, G., Annesi-Maesano, I. (2018). External exposome and allergic respiratory and skin diseases. *Journal Allergy Clinical Immunology*. 141(3): 846-857.

- Čelakovská, J. danBukač, J. (2016). Eosinophils in patients suffering from atopic dermatitis and the relation to the occurrence of food allergy and other atopic diseases. *Food and Agricultural Immunology*:1-12.
- Chang, S.S., Lee, V.S., Tseng, Y.L., Chang, K.C., Chen, K.B., Chen, Y.L., Li, C.Y. (2012). Gallic Acid Attenuates Platelet Activation and Platelet-Leukocyte Aggregation: Involving Pathways of Akt and GSK3 β . *Evidence-Based Complementary and Alternative Medicine*: 1-9.
- Correia-Sa, I., Serrao, P., Marquess, M., Maria, A., Coelho, V. (2017). Hypertrophic scars: Are vitamins and biomarkers related with pathophysiology of wound healing. *Obesity Surgery* 27(12): 3170-3178.
- Cunningham. (2014). 24th*Edition William Obstetric*. Amerika Serikat: McGraw-Hill Education
- Evina, B. (2015). Clinical manifestations and diagnostic criteria of atopic dermatitis .*Journal Majority*. 4(4): 23-30
- Fachrudin, M.M. (2013). Jumlah leukosit, diferensiasi leukosit dan indeks stress luwak jawa (*Paradoxurus hermaphroditus*) [skripsi]. Bogor :Fakultas Kedokteran Hewan. Institut Pertanian Bogor.
- Faisal, S.F., Inggiyani, C.G., Mulia, V.D. (2018). Hubungan Jumlah Neutrofil dengan Umur Luka Memar pada Mencit (*Mus musculus*) Strain Balb-C. *Jurnal Ilmiah Mahasiswa Kedokteran Biomedis*. 4(1): 8-13.
- Gaudinski, M.R. dan Milner, J.D. (2016). Atopic dermatitis and allergic urticaria cutaneous manifestasions and immunodeficiency. *Journal Allergy Clinical Immunology*: 1-10.
- Golebiewska, E.M. dan Poole, A.W. (2015). Platelet secretion: From haemostasis to wound healing and beyond. *Blood Reviews*. 29: 153-162.
- Gunawan, F., Sulawesi, Soemartono. (2015). Perbedaan Kitosan Berat Molekul Rendah dan Tinggi Terhadap Jumlah Sel Limfosit pada Proses Penyembuhan Luka Pencabutan Gigi. *Denta Jurnal Kedokteran Gigi*. 9(1): 114-122.
- Gurkan, A., Zorlu, P., Senel, S. (2016). Clinical significance of platelet count in infantile atopic dermatitis. *European Journal of Pediatric Dermatology*. 26(1): 21-24.
- Gros, A., Olliver, V., Ho-Tin-Noe, B. (2015). Platelets in inflammation: regulation of leukocyte activities and vascular repair. *Frontiers in Immunology*. 5: 678-686.

- Hirano, T., Higa, S., Arimitsu, J., Naka, T., Shima, Y., Ohsima, S., Fujimoto, M., Yamadori, T., Kawase, I., Tanaka, T. (2004). Flavonoids such as Luteolin, Fisetin and Apigenin Are Inhibitors of Interleukin-4 and Interleukin-13 Production by Activated Human Basophils. *Int Arch Allergy Immunol.* 134: 135–140
- Ifora, Arifin, H., Silvia, R. (2017). Efek antiinflamasi krim ekstrak etanol daun kirinyuh (*Chromolaen aodorata* (L) R.M. King & H. Rob) secara topical dan penentuan jumlah sel leukosit pada mencit putih jantan. *Jurnal Farmasi Higea.* 9(1): 68-76.
- Izzaty, A., Dewi, N., Pratiwi, D.I. (2014). Ekstrak haruan (*Channa striata*) secara efektif menurunkan jumlah limfosit fase inflamasi dalam penyembuhan luka. *Dentofasial.* 13(3): 176-181.
- Jee, C.H., Eom, N.Y., Jang, H.M., Jung, H.W., Choi, E.S., Won, J.H., Wong, I.H., Kang, B.T., Jeong, D.W., Jung, D.I. (2016). Effect of autologous platelet-rich plasma application on cutaneous wound healing in dogs. *Journal Veteriner Science.* 17(1): 79-87.
- Jian, W., Tairan, Y., Ying, X., Yi, Z., Zheng, X. (2016). Comparative Chemical Composition of the Essential Oils from *Hedyotis Diffusa* WILLD and *Hedyotis Corymbosa* Lam by GC-MS. *International Journal of Pharmaceutical Sciences and Developmental Research.* 2(1): 1-5.
- Jiang, W., Kou, J., Zhang, Z., Yu, B. (2009). The effects of twelve representative flavonoids on tissue factor expression in human monocytes: Structure-activity relationships. *Thrombosis Research.* 124: 714–720.
- Kasraie, S. dan Werfel, T. (2013). Role of Macrophages in the Pathogenesis of Atopic Dermatitis. *Mediator of Inflammation:* 1-16.
- Kim, Z., Choi, B.S., Kim, J.K., Won, D. (2016). Basophil Markers for Identification and Activation in the Indirect Basophil Activation Test by Flow Cytometry for Diagnosis of Autoimmune Urticaria. *Annals Of Laboratory Medicine.* 36: 28-35.
- Kolaczewska, E. dan Kubes, P. (2013). Neutrophil recruitment and function in health and inflammation. *Immunology.* 13: 159-176.
- Kusuma, B.I., Munawir, A., Wahyudi, S.S. (2016). Pengaruh pemberian gel doksisilin terhadap jumlah makrofag pada proses penyembuhan dermatitis paederus akibat racun tomcat (*Paederus* sp.) pada mencit. *Jurnal Pustaka Kesehatan.* 4(3): 439-442.

- Kratofil, R.M., Kubes, P., Deniset, J.M. (2017). Monocyte Conversion During Inflammation and Injury. *Arterioscler Thromb Vasc Biol.* 37:35-42.
- Kruif, M.D., Lemaire, L.C., Giebelin, I.A., Van Zoelen, M.A., Pater, J.M., Pangart, P.S., Groot, A.P., Vos, A.S., Elliot, P.J., Meijers, J.C., Levi, M., Poll, T. (2018). Prednisolone Dose-Dependently Influences Inflammation and Coagulation during Human Endotoxemia. *The Journal of Immunology.* 178: 1845-1851.
- Lestariningrum, N.A., Karwur, F.F., Martosupono, M. (2012). Pengaruh Pemberian Vitamin E Tokotrienol dan Gabungannya dengan Asam Askorbat terhadap Jenis Leukosit Tikus Putih (*Rattus norvegicus* L.). *Sains Medika.* 4(1): 46-56.
- Limbong, R. (2018). Profil indeks stress pada mencit alergi yang diberikan ekstrak etanol rumput mutiara (*HedyotisCorymbosa*) [skripsi]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.
- Lokapirnasari, W.P. dan Yulianto, A.B. (2014). Gambaran sel eosinofil, monosit, dan basofil setelah pemberian spirulina pada ayam yang diinfeksi virus flu burung. *Jurnal Veteriner.* 15(4): 449-505.
- Metcalfe, D.D., Pawankar, R., Ackerman, S.J., Akin, C., Clayton, F., Falcone, F.H., Gleich, G.J., Irani, A.M., Johansson, M.W., Klion, A.D., Leberman, K.M., Schaffer, F. L., Nilson, G., Okayama, Y., Prussin, C., Schroeder, J.T., Schwartz, L.B., Simon, H.U., Walls, A.F., Triggiani, M. (2016). Biomarkers of the involvement of mast cells, basophils and eosinophils in asthma and allergic diseases. *World Allergy Organization Journal.* 9(7): 1-15.
- Mineoka, R.T. 2014. Important roles of platelets as immune cells in the skin. *Journal of Dermatological Science.* 77(2): 93-101.
- Mineoka, R.T., Yasuike, R., Hotta, E., Mizutani, H., Nakamura, N., Katoh, N. (2016). Platelets contribute to leukocyte recruitment to skin in allergic and irritant contact dermatitis. *Journal of Dermatological Science.* 84: 89-91.
- Miyake, K. dan Karasuyama, H. (2017). Emerging roles of basophils in allergic inflammation. *Allergology International.* 66: 382-391.
- Morton, J.J.P. dan Malone, M.H. (1972). *Arch Int Pharm.* 196: 117-126.
- Mudji, M.T.S. (2014). Total Leukosit Kelinci Post Infeksi “*Salmonella thypii*” Inaktif. *Jurnal Vitek.* 1(1): 4-29.

- Murti, D.A., Salim, M.N., Sabri, M. (2017). Efektifitas salep getah jarak pagar (*Jatropha curcas L.*) pada fase epitelisasi penyembuhan luka sayat kulit mencit (*Mus musculus*) dengan pewarnaan massontrichome. *Jurnal Ilmiah Mahasiswa Veteriner*.1(3): 465-472.
- Nambiar, R., Rohmawaty, E., Lismayanti, L. (2015). Propolis as an Anti-allergy Based on Decrease in Total Eosinophil Count in Rat Models. *Althea Media Journal*. 2(2): 208-212.
- Negera, E., Walker, S.L., Bobosha, K., Bekele, Y., Endale, B., Tarekegn, A., Abebe, M., Aseffa, A., Dockrell, H.M., Lockwood, D.N. (2018). The effect of prednisolone treatment of cytokine expression in patients with erythema nodosum leprosum reactions. *Frontiers in Immunology*. 9(189): 26-35.
- Netchiporouk, E., Moreau, L., Rahme, E., Maurer, M., Lejtenyi, D., Ben-Shoshan, M. (2016). Positive CD63 Basophil Activation Tests Are Common in Children with Chronic Spontaneous Urticaria and Linked to High Disease Activity. *International Archive Allergy and Immunology*. 171: 81-88.
- Nurdiana, A.R. (2013). Uji ekstrak daun singkong (*Manihot esculenta*) terhadap jumlah neutrofil pada proses penyembuhan luka tikus (*Rattus norvegicus*) [skripsi]. Jember: Fakultas Kedokteran Gigi. Universitas Negeri Jember.
- Nusa, K.C., Mantik, M.F., Rampengan, N. (2015). Hubungan ratio neutrofil dan limfosit pada penderita penyakit infeksi virus dengue. *Jurnal e-Clinic*. 3(1): 210-16.
- Nutten, S. (2015). Atopic Dermatitis: global epidemiology and risk factors. *Annals of Nutrition and Metabolism*. 66(1): 8-16.
- Park, B.K., Park, Y.C., Jung, I.C., Kim, S.H., Choi, J.J., Monhoo, D., Kim, S.Y., Jin, M. (2015). Gamisasangja-tang suppresses pruritus and atopic skin inflammation in the NC/Nga murine model of atopic dermatitis. *Journal of Ethnopharmacology*. 165: 54-60.
- Peng, W. dan Novak, N. (2015). Pathogenesis of atopic dermatitis. *Clinical&Eksperimental Allergy*. 45: 566-574.
- Rahayu, H. (2016). Perbedaan hitung jumlah trombosit menggunakan larutan Rees Ecker ,Amonium Oksalat 1% dan sediaan apus darah tepi. *Jurnal Biomedik*. 3(2): 6-15.
- Rakhmadi, I., Muladno, Siregar, H.C.H., Siagian, P.H. (2009). Performa mencit jantan (*Mus musculus*) umur 26-33 hari pada alas kendang sekam, pasir dan zeolite dengan dan tanpa sekat alas. *Jurnal Zeolit Indonesia*.8(2): 53-65.

- Riberio, D., Freitas, M., Lima, J.L.F., Fernandes, E. (2015). Proinflammatory Pathways: The Modulation by Flavonoids. *Medical Research Review*:1-57.
- Rinawati, Agustina, R., Suhartono, E. (2015). Penyembuhan luka dengan penurunan eritema pada tikus putih (*Rattus norvegicus*) yang diberikan getah batang jarak cina(*Jatropha multifida L.*). *Dunia Keperawatan*. 3(1): 1-11.
- Riwayati. (2015). Reaksi hipersensitivitas atau alergi. *Jurnal Keluarga Sehat Sejahtera*.13(26): 22-27.
- Sabirin, I.P., Maskoen, A.M., Hernowo, B.S. (2013). Peran ekstrak etanol topikal daun mengkudu (*Morinda citrifolia L.*) pada penyembuhan luka ditinjau dari imunoekspresso CD34 dan kolagen pada tikus galur Wistar. *Majalah Kedokteran Bandung*. 45(4): 226-233.
- Santoso, S., Rachmawati, B., Retnonigrum, B. (2018). Perbedaan jumlah leukosit, neutrofil dan limfosit absolute pada penderita DM tipe 2 terkontrol dan tidak terkontrol. *Jurnal Kedokteran Diponegoro*. 7(2): 854-862.
- Silverberg, N.B. (2017). Selected active naturals for atopic dermatitis. *Clinics in Dermatology*: 43-54.
- Silviera, R.C., Andrade, L.N., Sousa, D.P. (2013). A Review on Anti-Inflammatory Activity of Monoterpenes. *Molecules*. 18: 1227-1254.
- Sitepu L.L.E. (2016). Efek perendaman ekstrak *spirulina plantensis* sebagai imunostimulan terhadap jumlah leukosit dan jenis leukosit ikan gurame (*osphronemus goramy*) yang diinfeksi bakteri *Aeromonas hydrophila* [Skripsi]. Surabaya: Fakultas Kedokteran Hewan. Universitas Airlangga
- Soemardji, A.A., Anisa, I.N., Damayanti, N.A. (2015). Study on rumputmutiara (*Hedyotis Corymbosa*) herbs as medicine. *Journal of Medicine and Health*. 1(2): 187-199.
- Sullivan, M. dan Silverberg, N. (2017). Current and emerging concepts in atopic dermatitis pathogenesis. *Clinics in Dermatology*: 1-15.
- Suharto, I.P.S. (2015). Efek pemberian daging buah mahkota dewa (*Phaleria macocarpa*) terhadap jumlah sel neutrofil luka insisi pada tikus putih (*Rattus Norvegicus*). *Jurnal Care*. 3(3): 19-29.
- Supiyani, A. (2017). Karakterisasi dan Uji Toksisitas Akut Ekstrak Rumput Mutiara (*Hedyotis corymbosa*) Pada Larva *Artemia salina* Leach dan Mencit. Jakarta : Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.

- Supiyani, A., Irnidayanti, Y. (2018). Identifikasi Senyawa Gallic Acid dari Rumput Mutiara (*Hedyotis corymbosa* L. Lamk) yang Berpotensi Memiliki Aktivitas Alergi. Laporan Penlitian. Universitas Negeri Jakarta
- Suryadi,I.A., Asmarajaya, A.A.G., Maliawan, S. (2014). Proses Penyembuhan dan Penanganan Luka. *Jurnal Pustaka Kesehatan.*10(5): 4-10.
- Tamagawa-Mineoka, R., Yasuoka, N., Ueta, M., Katoh, N. (2018). Influence of topical steroids on intraocular pressure in patients with atopic dermatitis.*Allergology International:* 1-4.
- Thigita, A.P. dan Herry, E.J.P. (2014). Etiopatogenesis dermatitis atopik. *Jurnal Biomedik.* 6(2): 76-83.
- Tsang, M.S., Jiao, D., Chan, B.C., Hon, K.L., Leung, P.C., Lau, C.B., Wong, E.C., Cheng, L., Chan, C.K., Lam, C., Wong, C.K. (2016). Anti-Inflammatory Activities of Pentaherbs Formula, Berberine, Gallic Acid and Chlorogenic Acid in Atopic Dermatitis-Like Skin Inflammation. *Molecules.* 21 (519): 1-21.
- Udkoff, J., Waldman, A., Ahluwalia, J., Borok, J., Eichenfield, L.F. (2017). Current and emerging topical therapies for atopic dermatitis. *Clinics in Dermatology:* 16-42.
- Wang, Y., Wang, C., Lin, H., Liu, Y., Li, Y., Zhao, Y., Li, P., Liu, J. (2018). Discovery of the Potential Biomarkers for Discrimination between *Hedyotis diffusa* and *Hedyotis corymbosa* by UPLC-QTOF/MS Metabolome Analysis.*Molecules.* 23(1525): 1-24.
- Widhowati, D., Hidayah, N., Nugroho, R.F. (2015). Pengaruh pemberian perasan kunyit (*Curcuma domestica*) terhadap jumlah monosit dan heterofil yang dipapar antigen *Salmonella pullorum* ayam pedaging komersial. *Jurnal Vitek.* 2: 1-6.
- Wijayanti, T. (2017). Skrining senyawa metabolit sekunder ekstrak rumput mutiara (*Hedyotis Corymbosa* (L.) Lamk.) dengan metode GC-MS. *Jurnal Florea.* 4(1): 24-35.
- Wijonarko, B., Anies, Mardiono. (2016). Efektivitas Topikal Salep Ekstrak Binahong (*Anrederra Cordifolia* (Tenore) Steenis) terhadap Proses Penyembuhan Luka Ulkus Diabetik pada Tikus Wistar (*Rattus Novaezealandiae*). *Jurnal Ilmiah Kesehatan.* 9 (2): 1-11.

Wollenberg, A., Oranje, A., Deleuran, M., Simon, D., Szalai, Z., Kunz, B., Svensson, A., Barbarot, S., Von Kobyletzki, L., Taieb, A., de Bruin-Weller, M., Werfel, T., Trzeciak, M., Vestergaard, C., Ring, J., Darsow, U. (2016). ETFAD/EADV Eczema task force 2015 position paper on diagnosis and treatment of atopic dermatitis in adult and paediatric patients. *Journal European Academy of Dermatology and Venereology*. 30: 729-747.