

## DAFTAR PUSTAKA

- Akintunde, T. A., Abioye, O. P., Oyeleke, S. B., Boboye, B. E., Ijah, U. J. J. 2015. Remediation of iron using rhamnolipid-surfactant produced by *Pseudomonas aeruginosa*. *Res. J. Environ. Sci.* 9:169–177
- Banat, I. M., Satpute, S. K., Cameotra, S. S., Patil, R., Nyayanit, N. V. 2014. Cost effective technologies and renewable substrates for biosurfactants production. *J. Front. Microbiol.*, 5:697.
- Basuki, W. 2011. Biodegradasi Limbah Oli Bekas oleh *Lysinibacillus sphaericus* TCP C 2.1. *J. Tek. Ling.* 12(2): 111-119.
- Cameotra, S.S., Makkar, R.S. 2010. Biosurfactant-enhanced bioremediation of hydrophobic pollutants. *Pure. Appl. Chem.*, 82(1): 97-116.
- Caldeira, A.T., Arteiro, J.M.S., Coelho, A.V., Roseiro, J.C. 2011. Combined use of LC–ESI-MS and antifungal tests for rapid identification of bioactive lipopeptides produced by *Bacillus amyloliquefaciens* CCMI 1051. *Process Biochemistry*, 46 (9), 1738–1746
- De, S., Malik, S., Ghosh, A., Saha, R., Saha, B. 2015. A review on natural surfactants. *RSC. Adv.*, 5:65757-65767.
- Fakruddin, M. 2012. Biosurfactant : production and application. *J. Pet. Environ. Biotechnol.*, 3(4):1-5.
- Ferdes, M., Zabava, B.S, Dinca, N.M, Parachiv, G. 2018. Effect of ozone treatment on three bacterial strains of drinking water. *Eng. J. Develop.* 23:677-680.
- Fooladi, T., Moazami, N., Abdesahian, P., Kadier, A., Ghojavand, H., Yusoff, W. M. W., Hamid, A. A. 2016. Characterization production and optimization of lipopeptide biosurfactant by new strain *Bacillus pumilus* 2IR isolated from an Iranian oil field. *J. Petrol. Sci. Engineer.*, 145:510–519.
- Franzetti, A., Gandolfi, I., Bestetti, G., Banat, I.M. 2010. (Bio)surfactant and bioremediation, successes and failures. *Trends Bioremed. Phytoremed.*, 145-156.
- Greenwell, M., Sarker, M. H., Rahman, P.K.S.M. 2016. Biosurfactant production and biodegradation of leather dust from tannery. *Open Biotechnol. J.* 10:1–14.
- Gusmão, C.A.B., Rufino, R.D., Sarubbo, L.A. 2010. Laboratory production and characterization of a new biosurfactant from *Candida glabrata* UCP 1002 cultivated in vegetable fat waste applied to the removal of hydrophobic contaminant. *World. J. Microbiol. Biotechnol.* 26:1683–1692.

- Haritash, A.K., Kaushik, C.P. 2009 Biodegradation aspects of Polycyclic Aromatic Hydrocarbons (PAHs): A review. *J. Hazard. Mater.* 169:1–15.
- Ji, Y., Mao, G., Wang, Y., Bartlam, M. 2013. Structural insights into diversity and n-alkane biodegradation mechanisms of alkane hydroxylases. *J. Front. Microbiol.*, 4:58.
- Kaya, T., Aslim, B., Kariptas, E. 2014. Production of biosurfactant by *Pseudomonas spp.* isolated from industrial waste in Turkey. *Turkish J. Biol.*, 38(3):307-317.
- Kapadia, S.G., Yagnik, B.N. 2013. Current trend and potential of microbial biosurfactants. *Asian J. Exp. Biol. Sci.*, 4(1):1-8.
- Kimbal, J.W. 1997. Biologi Jilid 1. Soetarmi, S. Sugiri, N., penerjemah. Jakarta: Penerbit Erlangga.
- Kumar, M., Leona, V., Materano, A.D.S., Ilzins, O.A., Castro, I.G., Fuenmayor, S.L. 2006. Polycyclic aromatic hydrocarbon degradation by biosurfactant producing *Pseudomonas sp.* IR1. *Z Naturforsch.* 61c:203-212.
- Kurniati, T.H. 2016. Bakteri penghasil biosurfaktan dari lingkungan tercemar limbah minyak dan potensinya dalam mendegradasi hidrokarbon aromatik polisiklik (HAP). Disertasi Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Kuttuvan, V.S. 2015. Crude oil biodegradation aided by biosurfactants from *Pseudozyma sp.* NII 08165 or its culture broth. *Biores. Tech.* 191: 133–139.
- Madigan, M.T., Martinko, J.M., Bender, K.S., Buckley, D.H., Stahl, D.A . 2014. Brock Biologi Mikroorganisme, Ed.14, Vol. 1., Meliah, S., Mubarik, N.S., Jayadi, C.Y., Nirwanto, M.R., penerjemah. Jakarta: *EGC Med. Pub.* Terjemahan dari: Brock Biology of Microorganisms, 14<sup>th</sup> Edition.
- Makkar, R.S., Cameotra, S.S., Banat, I.M. 2011. Advances in utilization of renewable substrates for biosurfactant production. *AMB. Exp.* 1(5): 1-20.
- Nurfarahin, A.H., Mohamed, M.S., Phang, L.Y. 2018. Culture medium development for microbial-derived surfactants production. *Mol. Sci.*, 23(1049):1-26
- Oliveira, J. G., Cruz, C. H. G. 2013. Properties of a biosurfactant produced by *bacillus pumilus* using vinasse and waste frying oil as alternative carbon sources. *Braz. Arch. Biol. Technol.* 56 (1): 155-160.
- Pacwa-Plociniczak, M., Plaza, G.A., Piotrowska-Seget, Z., Cameotra, S.S. 2011. Environmental Applications of Biosurfactants: Recent Advances. *Int. J. Mol. Sci.*, 12:633-654.

- Parthipan, P., Preetham, E., Machuca, L.L., Rahman, P.K.S.M., Murugan, K., Rajasekar, A. 2017. Biosurfactant and degradative enzymes mediated crude oil degradation by bacterium *Bacillus subtilis* A1. *J. Front. Microbiol.*, 8:193.
- Parvathi, A., Krishna, K., Jose, J., Joseph, N., Nair, S. 2009. Biochemical and molecular characterization of *Bacillus pumilus* isolated from coastal environment in cochin, India. *Brazil. J. Microbiol.*, 40:269-275.
- Panadare. D.C., Rathod. K. 2015. Applications of waste cooking oil other than biodiesel: a review. *Iran. J. Chem. Eng.*, 12:3.
- Patowary, K., Patowary, R., Kalita, M. C., Deka, S. 2017. Characterization of biosurfactant produced during degradation of hydrocarbons using crude oil as sole source of carbon. *J. Front. Microbiol.*, 8:279.
- Perfumo, A., Smyth, T.J.P., Marchant, R., Banat, I. 2010. Production and roles of biosurfactants and bioemulsifiers in accessing hydrophobic substrates. In: handbook of hydrocarbon and lipid microbiology. (Eds: Timmis, KN), Springer-Verlag, pp. 1501-1512.
- Putra, S.A. 2018. Peran biosurfaktan dari proses *composting* untuk desorpsi hidrokarbon pada tanah terkontaminasi minyak bumi. Tesis Pascasarjana. Institut Teknologi Sepuluh Nopember. Surabaya.
- Putri, M., Hertadi, R. 2015. Effect of glycerol as carbon source for biosurfactant production by halophilic bacteria *Pseudomonas Stutzeri* BK-AB12. *Proc. Chem.*, 16:321-327.
- Saharan, B.S., Rahu, R.K, Sharma, D. 2011. A Review on biosurfactants: fermentation, current developments and perspectives. *Genet. Eng. Biotechnol.*, 97:336-341.
- Santos, D.K.F., Rufino, R.D., Luna, J.M., Santos, V.A., Sarubbo, L.A. 2016. Biosurfactants: Multifunctional Biomolecules of the 21st Century. *Int. J. Mol. Sci.*, 17(40):1-31.
- Sharma, D., Ansari, M.J., Gupta, S., Al Ghamdi, A., Pruthi. P., Pruthi, V. 2015. Structural characterization and antimicrobial activity of a biosurfactant obtained from *Bacillus pumilus* DSVP18 grown on potato peels. *Jundishapur. J. Microbiol.*, 8(9): e21257.
- Silva, R.d.C.F., Almeida, D.G., Rufino, R.D., Luna, J.M., Santos, V.A., Sarubbo, L.A. 2014. Applications of biosurfactants in the petroleum industry and the remediation of oil spills. *Int. J. Mol. Sci.*, 15:12523–12542
- Singh, V. 2012. Biosurfactant-isolation, production, purification and significance. *Int. J. Sci. Res. Pub.*, 2(7):1-4.

- Usman, M.M., Dadrasnia, A., Lim, K.T., Mahmud, A.F., Ismail, S. 2016. Application of biosurfactants in environmental biotechnology; remediation of oil and heavy metal. *AIMS. Bioenginee.*, 3(3): 289-304.
- Viramontes-Ramos, S., Portillo-Ruiz, M.C., Ballinas-Casarrubias, M.D.L., Torres-Muñoz, J.V., Rivera-Chavira, B.E., Nevárez-Moorillón, G.V. 2010. Selection of biosurfactant/bioemulsifier-producing bacteria from hydrocarbon-contaminated soil. *Braz. J. Microbiol.*, 41:668-675.
- Wang, M., Wang, C., Hu, X., Zhang, H., He, S., Li, S. 2015. Distributions and sources of petroleum, aliphatic hydrocarbons and polycyclic aromatic hydrocarbons (PAHs) in surface sediments from Bohai Bay and its adjacent river, China. *Mar. pollut. Bull.*, 90:88–94.