

DAFTAR PUSTAKA

- Adi, A. J., Noor, Z. M. (2009). Waste recycling: utilization of coffee grounds and kitchen waste in vermicomposting. *Bioresour. Technol.* **100**:1027-1030.
- Alhogbi, B. G. (2017). Potential of coffee husk biomass waste for the adsorption of Pb(II) ion from aqueous solutions. *Sustainable Chemistry and Pharmacy* **6** :21-25.
- Alvarez, J. M., Pasian, C., Lal, R., Lopez, R. D., Miaz, M. J., Fernandez, M. (2018). Morpho-physiological plant quality when biochar and vermicompost are used as growing media replacement in urban horticulture. *Urban Forestry and Urban Greening*.
- Alvareza, N. M. M., Pastrana, J. M., Lagos, Y., Lozada, J. J. (2018). Evaluation of mercury (Hg^{2+}) adsorption capacity using exhausted coffee waste. *Sustainable Chemistry and Pharmacy* **10** : 60-70.
- Arturo, E., Dinez, P. G., Lagunes, J., Juan, Z., Hernandez, C. (2017). Growth and reproductive potential of Eisenia foetida(Sav) on various zoo anoimal dungs two methods of precomposting followed by vermicomposting. *Waste Management* **64** : 67-78.
- Azizi, A.B., Lim, M. P. M., Noor, Z. M., Abdullah, N. (2013). Vermiremoval of heavy metal in sewage sludge by utilising Lumbricus rubellus. *Ecotoxicology and Environmental Safety* **90** : 13-20.
- Badan Standarisasi Nasional (BSN). SNI 19-7030-2004. Spesifikasi Kompos dari Sampah Organik Domestik.
- Bergmann, G. E. (2019). Impacts of *Pesticide Pollution on Soil Microbial Communities, Ecosystem Function and Human Health*. Reference module in earth systems and environmental sciences.
- Bhardwaj, S., Bhardwaj, N. K., Negi, Y.S. (2019). Cleaner approach for improving the papermaking from agro and hardwood blended pulps using biopolymers, *Journal of Cleaner Production* **213** : 134-142.
- Chawla, P., Kaushik, R., Swaraj, S. V. J., Kumar N. (2018). Organophosphorus pesticides residues in food and their colorimetric detection, *Environmental Nanotechnology, Monitoring and amp; Management*,10: 292-307.
- Chung, D. Y., Son, Y. J., Yoo, J. M., Kang, J. S., Ahn, C. Y., Park, S., Sung, Y.E. (2017). Coffee waste-derived hierarchical porous carbon as a highly active and durable electrocatalyst for electrochemical energy applications. *Appl. Mater. Interfaces* **9**:41303-41313.

- Costa, A. S. G., Alves, R. C., Vinha, A. F., Barreira, S. V. P., Nunes, M.A., Cunha, L. M., Oliveira, M. B. P. P. (2014). Optimization of antioxidants extraction from coffee silverskin, a roasting by-product, having in view a sustainable process. *Ind. Crop. Prod.* **53**: 350-357.
- Degefe, G., Mengistu, S., Dominguez, J. (2012). Vermicomposting as asustainable practice to manage coffee husk, enset waste (*Enset ventricosum*), khat waste (*Catha edulis*) and vegetable waste amended with cow dung using an epigeic earthworm *Eisenia andrei* (Bouch' 1972). *Int J PharmTech Res.* **4**:15–24.
- Doan, T. T., Tureaux, T. H. D., Rumpel, C., Janeau, J. L., Jouquet, P. (2015). Impact of compost, vermicompost and biochar on soil fertility, maize yield and soil erosion in Northern Vietnam: A three year mesocosm experiment. *Science of the Total Environment* **514** :147-154.
- Domínguez, J., Edwards, C. A. (2004). Vermicomposting organic wastes: a review. In: Hanna SHS, Mikhail WZA, editors. *Soil zoology for sustainable development in the 21st century*. Cairo : 369-95.
- Dong, W., Zhang, Y., Quan, X. (2020). Health risk assessment of heavy metals and pesticides: A case study in the main drinking water source in Dalian, China. *Chemosphere* **242** :125113.
- Edwards, C. A., Lofty, J. R. (1972). *Biology of Earthworms*. Chapman and Hall, London.
- Elida Novita., Anis Fathurrohman., Hendra Andiananta Pradana. (2018). Pemanfaatan Kompos Blok Limbah Kulit Kopi Sebagai Media Tanam. *Jurnal Agrotek Vol. 2 No. 2*.
- Fernandes, A. S., Melloa, F.V.C., Filhob, S. T., Carpesa, R. M., Honório, J. G., Marques, M. R. C., Felzenszwalba, I., Ferraz, E. R. A. (2017). Impacts of discarded coffee waste on human and environmental health. *Ecotoxicology and Environmental Safety* **141**: 30-36.
- GAEKI. (2012). https://bsn.go.id/main/berita/berita_det/3864/
- Gary, D. (2011). Waste Management Practice: Literatur Review. Dalhousie University-Office Sustainability. Retrieved 3 Maret 2017.
- Givens, D. I., Barber, W.P. (1986). In vivo evaluation of spent coffee grounds as a ruminant feed. *Agricultural Waste*. **18**:69-72.
- Gonga, X., Caia, L., Lia, S., Scott, X., Sun, C. X., Zhengfeng. (2018). A Bamboo biochar amendment improves the growth and reproduction of *Eisenia fetida* and the quality of green waste vermicompost. *Ecotoxicology and Environmental Safety* **156** :197-204.

- Goswami, L., Nath, A., Sutradhar, S., Bhattacharya, S. S., Kalamdhad, A., Vellingiri, K. S., Kim, K. H. (2017). Application of drum compost and vermicompost to improve soil health, growth, and yield parameters for tomato and cabbage plants. *Journal of Environmental Management* **200** : 243-252.
- Gouvea, B. M., Torres, C., Franca, A. S., Oliveira, L. S. (2009). Feasibility of ethanol production from coffee husks. *Biotechnol Lett* **31**:1315-1319.
- Grossman, J. E. (2003). Exploring farmer knowledge of soil processes in organic coffee systems of Chiapas, Mexico. *Geoderma* **211** : 267-287.
- Heeger, A., Cagnazzo, K. A., Cantergiani, E., Andlauer, W. (2017). Bioactives of coffee cherry pulp and its utilisation for production of Cascara beverage. *Food Chem.* **221**: 969-975.
- Hussain, N., Das, S., Goswami, L., Das, P., Sahariah, B., Bhattacharya, S. S. (2017). Intensification of vermitechnology for kitchen vegetable waste and paddy straw employing earthworm consortium: Assessment of maturity time, microbial community structure, and economic benefit. *Journal of Cleaner Production*.
- Jacobs, P. (2000). Agricultural Waste Managemet. Fisheries Agriculture and Environment, Canada.
- Jeon, C. (2017). Adsorption and recovery of immobilized coffee ground beads for silver ions from industrial waste water. *J. Ind. Eng. Chem.* **53**: 261-267.
- Jung, K. W., Choia, B. H., Hwang, M. J., Jeong, T. U., Ahn, K. H. (2016). Fabrication of granular activated carbons derived from spent coffee grounds by entrapment in calcium alginate beads for adsorption of acid orange 7 and methylene blue. *Bioresource Technology* **219**: 185-195.
- Kamoleka, M. M., Mkini, R. I., John, J. P. (2015). An efficient and environmental friendly modified natural draft coffee husks gasifier stove for coffee farmers in Tanzania. *Int. J. Eng. Res. Rev.* **3**: 105-111.
- Kementrian Perindusrian. (2017). <https://bisnis.tempo.co/read/1021199/>
- Kementrian Pertanian. (2017). <http://ditjenbun.pertanian.go.id/2017/09/>
- Khajeeeyana, R., Salehia, A., Dehnavia, M. M., Farajeea, H., Kohanmoo, M. H. (2019). Physiological and yield responses of Aloe vera plant to biofertilizers under different irrigation regimes. *Agricultural Water Management* **225**: 105768.
- Khan, K., Pankaj, U., Verma, S. K., Gupta, A. K., Singh,R. P., Verma, R. K. (2015). Bio-inoculants and vermicompost influence on yield, quality of Andrographis paniculata, and soil properties . *Industrial Crops and Products* **70** : 404-409.

- Khataee, A., Kayan, B., Kalderis, D., Karimi, A., Akay S., Konsolakis, M. (2017). Ultrasound-assisted removal of Acid Red 17 using nanosized Fe₃O₄-loaded coffee waste hydrochar. *Ultrason. Sonochem.* **35**:72-80.
- Kim, M. S. (2014). The effectiveness of spent coffee grounds and its biochar on the amelioration of heavy metals-contaminated water and soil using chemical and biological assessments. *J. Environ. Eng.* **146**: 124-130.
- Kua, T. A., Arulrajah, A., Mohammadinia, A., Horpibulsuk, S., Mirzababaei, M. (2017). Stiffness and deformation properties of spent coffee grounds based geopolymers. *Constr. Build. Mater.* **138** :79-87.
- Lalander, C. H., Komakech, A. J., Vinneras, B. (2015). Vermicomposting as manure management strategy for urban small-holder animal farms—Kampala case study. *Waste Management* **39** : 96-103.
- Lu Zhang., Xiangyang Sun. 2017. Using cow dung and spent coffee grounds to enhance the two-stage cocomposting of green waste. *Bioresource Technology* **245**:152-161.
- Marcia, G., Barros, M. A. S. D., Almeida, R. T. R., Pilau, E. J., Pinto, E., Soares, G., Santos, J. G. (2018). Cleaner production of antimicrobial and anti-UV cotton materials through dyeing with eucalyptus leaves extract. *Journal of Cleaner Production* **199**: 807-816.
- Martinez, S. N., Garcia, A. T., Perez, D. I., Hernanz, R. M., Mesias, M., Morales, F. J., Cabrejas, M. A., Del Castillo, M. D. (2017). Use of spent coffee grounds as food ingredient in bakery products. *Food Chem.* **216**:114-22.
- Mattei, C., Wortham, H., Quivet, E. (2019). Heterogeneous atmospheric degradation of current-use pesticides by nitrate radicals. *Atmospheric Environment* **211**:170-180
- Mazzafera, P. (2002). Degradation of caffeine by microorganisms and potential use of Decaffeinated husk and pulp in animal feeding. *Sceintia Agricola* **59**: 821-51.
- Meilana Dharma Putra., Chairul Irawan., Udiantoro., Yuli Ristianingsih., Iryanti Fatyasari Nata. (2018). A cleaner process for biodiesel production from waste cooking oil using waste material as a heterogeneous catalyst and its kinetic study. *Journal of Cleaner Production* **195**: 1249-1258.
- Mezenner, N. Y., Lagha, H., Kais, H., Trari M. (2017). Biosorption of diazinon by a pre-treated alimentary industrial waste: equilibrium and kinetic modeling. *Appl. Water Sci.* **7**: 4067-4076.
- Morais, F. M. C., Queda, C. A. C. (2003). *Study of storage influence on evolution of stability and maturity properties of MSW compost*. In: Proceedings of the Fourth International Conference of ORBIT Association on Biological Processing of Organics: Advances for a Sustainable Society Part II, Perth (Australia).

- Mussatto, S. I., Machado, E. M. S., Martins, S., Teixeira, J. A, (2011). Production, composition, and application of coffee and its industrial residues. *Food Bioprocess Technol.* **4**:661-672.
- Najjari, F., Ghasemi, S. (2018). Changes in chemical properties of sawdust and blood powder mixture during vermicomposting and the effects on the growth and chemical composition of cucumber. *Scientia Horticulturae* **232** : 250-255.
- Nejatzadeh, F. (2018). Data on growth and production of (*Aloe vera L.*) treated by different levels of vermicompost and nitrogen fertilizer . *Data in Brief*.
- Nilsson, L., Persson, P. O., Ryden, L., Darozhka, S., Zaliauskiene. (2007). Cleaner Production. The Baltic University Press, Uppsala.
- Norman, Q., Arancon., Clive, A., Edwards., Atiyeh, R., James, D., Metzger. (2004). Effects of vermicomposts produced from food waste on the growth and yields of greenhouse. *Bioresource Technology* **93** :139-144.
- Nurfeta, A. (2010). Feed intake, digestibility, nitrogen utilization, and body weight change of Sheep consuming wheat straw supplemented with local agricultural and agroindustrial by product *Tropical Animal Health and Production*. **42**:815-24.
- Oliveira, L. S., Franca, A. S. (2016). *Potential of spent coffee grounds as sources of dietary fiber with antioxidant activity*. In: Riley, G.L. (Ed.), Food Waste: Practices, Management and Challenge. Nova Publishers, New York, pp. 51-70.
- Panhwar, Q. A., Radziah, N. O., Shamshuddin, J and Mohd R. A. (2014). Bio-Fertilizer, Ground Magnesium Limestone and Basalt Applications May Improve Chemical Properties of Malaysian Acid Sulfate Soils and Rice Growth. *Pedosphere* **24**: 827-835.
- Papalia, D. E. (2014). Experience Human Development. Jakarta. Mc Graw Hill.
- Park, J., Kim, B., Son, J., Lee, J. W. (2018). Solvo-thermal in situ transesterification of wet spent coffee grounds for the production of biodiesel. *Bioresour. Technol.* **249**: 494-500.
- Park, M. H., Jeong, S., Lee, G., Park, H., Jae Yo, J. (2019). Removal of aqueous-phase Pb(II), Cd(II), As(III), and As(V) by nanoscale zero-valent iron supported on exhausted coffee grounds. *Waste Management* **92** : 49-58.
- Permen LH. (2009). Peraturan Menteri Negara Lingkungan Hidup No.31 tahun 2009 tentang Pembinaan dan Pengawasan Penerapan Sistem Manajemen Lingkungan, Ekolabel, Produksi bersih, dan Teknologi Berwawasan Lingkungan di Daerah. Pasal 1, ayat 4.

- Poopathi, S. C., Mani. (2015). Use of Coffee Husk Waste for Production of Biopesticides for Mosquito Control. *Coffee in health and disease preventiaon* **32** : 293-300.
- Pourfarzad, A., Mehr, M., Sedaghat, H. N. (2013). Coffee silverskin as a source of dietary fiber in bread-making: optimization of chemical treatment using response surface methodology. *LWT Food Sci. Technol.* **50**: 599-606.
- Raphael, K., Velmourougane, K., (2011). Chemical and microbiological changes during vermicomposting of coffee pulp using exotic (*Eudrilus eugeniae*) and native earthworm (*Perionyx ceylanensis*) species. *Biodegradation* .**22**:497-507.
- Rattanapan S., Srikaram, J., Kongsune, P. (2017). Adsorption Methyl orange on coffee ground activated carbon. *Energy Procedia* **158** : 949-954.
- Ren-yong Shi., Zhi-neng Hong., Jiu-yu Li., Jun Jiang., Kamran, M. A., Ren-kou Xu., Wei Qian. (2018). Peanut straw biochar increases the resistance of two Ultisols derivedfrom different parent materials to acidification: A mechanism study. *Journal of Environmental Management* **210** : 171-179
- Ribeiro, H., Marto, J., Raposo, S., Agapito, M., Isaac, V., Chiari, B. G., Lisboa, P. F., Paiva, A., Barreiros, S., Simoes, P. (2013). From coffee industry waste materials to skin friendly products with improved skin fat levels. *Eur. J. Lipid Sci. Technol.* **115**: 330-336.
- Ricciardi, P., Torchia, T., Belloni, E., Lascaro, E., Buratti, C. (2017). Environmental characterisation of coffee chaff, a new recycled material for building applications. *Constr. Build. Mater.* **147**:185-193.
- Siti Rohmah. , Himatul Miftah. , Arti Yoesdiarti. (2020). Analisis Kelayakan Usaha Pengolahan Kopi Robusta (*Coffea canephora*). Jurnal Agribisains Volume 6 Nomor 1.
- Santos, J. G. (2018). Cleaner production of antimicrobial and anti-UV cotton materials through dyeing with eucalyptus leaves extract. *Journal of Cleaner Production* **199**: 807-816.
- Sathianarayanan, A., Khan, A. (2008). An eco-biological approach for resource recycling and pathogen (*Rhizoctoniae Solani Kuhn.*) suppression. *J. Environ. Protect. Sci.* **2** :36-39.
- Sharma, K., Garg,V. K. (2017). Comparative analysis of vermicompost quality produced from rice straw and paper waste employing earthworm *Eisenia fetida* (Sav.). *Bioresource Technology*.
- Shi, R. Y., Hong, Z. N., Li, J. Y., Jiang, J., Kamran, M. A., Xu, R., Qian, W. (2018). Peanut straw biochar increases the resistance of two Ultisols derivedfrom different parent materials to acidification: A mechanism study. *Journal of Environmental Management* **210** : 171-179.

Simanihuruk K dan Sirait J. (2010). Silase Kulit Buah Kopi Sebagai Pakan Dasar Pada Kambing Boerka Sedang Tumbuh. SeiPutih, Galang: Loka Penelitian Kambing Potong.

Singh, J., Kaur, A. (2014). Vermicompost as a strong buffer and natural adsorbent for reducing transition metals, BOD, COD from industrial effluent. *Ecological Engineering* 74 : 13-19.

Singh, R., Srivastava, M., Shukla, A. (2016). Environmental sustainability of bioethanol Production from rice straw in India: A review. *Renew. Sustainable Energy Rev.* 54: 202-216.

Stapleton, P. J., Cooney, A. M., Hix, W. M. (1996). Environmental Management Systems: *An Implementation Guide for Small and Medium-Sized Organizations*. SF International Ann Arbor, Michigan

Surindra, S. (2009). Vermicomposting of vegetable-market solid waste using *Eisenia fetida*: Impact of bulking material on earthworm growth and decomposition rate. *Ecological Engineering* 35 : 914-920.

UNEP. (2001). International Declaration on Clean Production. United Nations Environment Programme Division of Technology, Industry, and Economic. Paris.

UNEP. (2011). Guidelines for National Waste Management Strategis Moving from Challenges to Opportunities. ISBN 978-92-807-3333-4.

Yanan, Zuo., Zhang, J., Zhao, R., Dai, H., Zhang, Z. (2018). Application of vermicompost improves strawberry growth and quality through increased photosynthesis rate, free radical scavenging and soil enzymatic activity. *Scientia Horticulturae* 233:132-140.

Ying Wang., YongAn Xu., Dan Li., BiCong Tang., ShuLei Man., YiFan Jia., Heng Xu. (2018). Vermicompost and biochar as bio-conditioners to immobilize heavy metal and improve soil fertility on cadmium contaminated soil under acid rain stress. *Science of the Total Environment*.