

Lampiran 4 . Hasil observasi dan wawancara di depot air minum isi ulang

Tabel 10. Hasil observasi depot air minum isi ulang

No	Faktor yang Mempengaruhi	Sampel (Depot)															
		A.1	A.2	A.3	A.4	A.5	B.1	B.2	C.1	C.2	D.1	D.2	E.1	E.2	F.1	F.2	F.3
1.	Sumber air baku	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	a. Gunung	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	b. PDAM																
	c. Air Tanah																
2.	Kondisi depot																
	a. Lokasi																
	1) Tersediri		✓	✓	✓			✓	✓			✓	✓				
	2) Bergabung dengan usaha lain	✓				✓	✓		✓		✓			✓	✓		✓
	b. Perawatan											✓					
	1) Terawat		✓	✓		✓	✓	✓	✓			✓	✓				
	2) Tidak terawat																
	3) Tidak diketahui	✓			✓				✓	✓				✓	✓		✓
	c. Tempat pengisian air minum																
	1) Tertutup kaca	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	2) Terbuka																
3.	Operator depot mencuci tangan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4.	Penanganan terhadap wadah pembeli																
	a. Penyikatan dan pembilasan	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	b. Pembilasan																
	c. Tidak ada																