

DAFTAR PUSTAKA

- Aden D. P., Fogel A., Plotkin S., Damjanov I., & Knowles B. B. (1979). Controlled synthesis of HBsAg in a differentiated human liver carcinoma-derived cell line. *Nature*, 282(5739), 615-616
- Ahmad, F. B., Holdsworth, D. K. (1995). Traditional medicinal plants of sabah, Malaysia part III. The rungus people of kudat. *Pharmaceutical Biology*, 33(3), 262–264. <https://doi.org/10.3109/13880209509065377>
- Ahmedin Jemal, D., Freddie B., Melissa M. C., Jacques. F., Elizabeth W., David F. (2011). Global cancer statistics. *CA Cancer J Clin.* 2011; *Ca Cancer J Clin*, 61(1), 69–90. <https://doi.org/10.3322/caac.20107>.
- Akbar, H. R. (2010). Isolasi dan identifikasi golongan flavonoid daun dandang gendis (*Clinacanthus nutans*) berpotensi sebagai antioksidan. *Institut Pertanian Bogor.(Online, http://repository.ipb.ac.id/handle/123456789/26741)*
- Anderson, J. E., Goetz, C. M., McLaughlin, J. L., & Suffness, M. (1991). A blind comparison of simple bench-top bioassays and human tumour cell cytotoxicities as antitumor prescreens. *Phytochemical Analysis*, 2(3), 107–111. <https://doi.org/10.1002/pca.2800020303>
- Arisandi, R., & Asep Sukohar. (2016). Seledri (*Apium graveolens L*) sebagai Agen Kemopreventif bagi Kanker. *Majority*, 5(2), 95–100.
- Armania, N., Yazan, L. S., Ismail, I. S., Foo, J. B., Tor, Y. S., Ishak, N., Ismail, M. (2013b). *Dillenia suffruticosa* extract inhibits proliferation of human breast cancer cell lines (MCF-7 and MDA-MB-231) via Induction of G2/M arrest and apoptosis. *Molecules*, 18(11), 13320–13339. <https://doi.org/10.3390/molecules18111320>
- ATCC (2020). Diakses pada Juli 22, 2020 dari ATCC.org: <https://www.atcc.org/products/htb-22>
- Bai J., & Cederbaum A.I. (2004). Adenovirus mediated overexpression of CYP2E1 increases sensitivity of HepG2 cells to acetaminophen induced cytotoxicity. *Molecular and cellular biochemistry*, 262(1-2), 165-176
- Blokhina, O., Virolainen, E., & Fagerstedt, K. V. (2003). Antioxidants, oxidative damage and oxygen deprivation stress: A review. *Annals of Botany*, 91, 179–194. <https://doi.org/10.1093/aob/mcf118>
- Bridgewater, J., Galle, P. R., Khan, S. A., Llovet, J. M., Park, J., Patel, T., Gores, G. J. (2014). Guidelines for the diagnosis and management of intrahepatic cholangiocarcinoma Guidelines Guidelines for the diagnosis and management of intrahepatic cholangiocarcinoma. *Journal of Hepatology*, 60(6), 1268–1289. <https://doi.org/10.1016/j.jhep.2014.01.021>
- Bueno, P. R., Buno, C. B., Santos, D. L., & Santiago, L. A. (2013). Antioxidant activity of *Ficus pseudopalma* Blanco and its cytotoxic effect on hepatocellular carcinoma and peripheral blood mononuclear cells. *Curr ResBio Pharma Sci* 2013; 2: 14, 21
- Chang, L. C., & Kinghorn, A. D. (2001). Flavonoid as Chemopreventive Agent, Boiactive Compound from Natural Sources, Isolation, Characterization and

- Biological Properties. New York: Tailor & Friends, 161-168
- Cooke, M. S., Evans, M. D., Dizdaroglu, M., & Lunec, J. (2003). Oxidative DNA damage: mechanisms, mutation, and disease. *The FASEB Journal*, 17(10), 1195–1214. <https://doi.org/10.1096/fj.02-0752rev>
- Ebada, S. S., Lin, W. H., & Proksch, P. (2010). Bioactive sesterterpenes and triterpenes from marine sponges: Occurrence and pharmacological significance. *Marine Drugs*, 8(2), 313–346. <https://doi.org/10.3390/md8020313>
- Fackler, O. T., & Grosse, R. (2008). Cell motility through plasma membrane blebbing. *Journal of Cell Biology*, 181(6), 879–884. <https://doi.org/10.1083/jcb.200802081>
- Fajarningsih N. D., Januar H. I., Nursid M., & Wikanta T. (2006). Potensi antitumor ekstrak spons Crella papilata asal Taman Nasional Laut Kepulauan Seribu. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 1(1), 35-42
- Federer W. (1977). Experimental Design Theory And Application. New Delhi: Oxford and IBH Publishing Co
- Foster, J. S., Henley, D. C., Bukovsky, A., Seth, P., & Wimalasena, J. (2001). Multifaceted Regulation of Cell Cycle Progression by Estrogen: Regulation of Cdk Inhibitors and Cdc25A Independent of Cyclin D1-Cdk4 Function. *Molecular and Cellular Biology*, 21(3), 794–810. <https://doi.org/10.1128/mcb.21.3.794-810.2001>
- Fridlender, M., Kapulnik, Y., & Koltai, H. (2015). Plant derived substances with anti-cancer activity: From folklore to practice. *Frontiers in Plant Science*, 6(OCTOBER), 1–9. <https://doi.org/10.3389/fpls.2015.00799>
- Gibbs, R. B. (2000). Long-term treatment with estrogen and progesterone enhances acquisition of a spatial memory task by ovariectomized aged rats. *Neurobiology of Aging*, 21(1), 107–116. [https://doi.org/10.1016/S0197-4580\(00\)00103-2](https://doi.org/10.1016/S0197-4580(00)00103-2)
- Gondhowiardjo, S. (2004). Proliferasi Sel dan Keganasan. *Majalah Kedokteran Indonesia*, 54(7), 289-299.
- Hanahan, D., & Weinberg, R. A. (2000). The hallmarks of cancer. *Cell*, 100(1), 57–70. [https://doi.org/10.1016/S0092-8674\(00\)81683-9](https://doi.org/10.1016/S0092-8674(00)81683-9)
- Hanahan, D., & Weinberg, R. A. (2011). Hallmarks of cancer: The next generation. *Cell*, 144(5), 646–674. <https://doi.org/10.1016/j.cell.2011.02.013>
- Hernandez-Gea, V., Toffanin, S., Friedman, S. L., & Llovet, J. M. (2013). Role of the microenvironment in the pathogenesis and treatment of hepatocellular carcinoma. *Gastroenterology*, 144(3), 512–527. <https://doi.org/10.1053/j.gastro.2013.01.002>
- Hidayati, D. N., Arifin, I., & Susilowati, S. (2010). Uji Sitotoksitas Fraksi Etil Asetat Ekstrak Etanol Herba Alfalfa (*Medicago sativa L.*) Terhadap Sel Kanker Payudara T47D dan Sel Kanker Leher Rahim (SEL HeLa). *Fakultas Farmasi Universitas Wahid Hasyim Semarang*, (2010), 75–83
- Javitt N. B. (1990). Hep G2 cells as a resource for metabolic studies: lipoprotein, cholesterol, and bile acids. *The FASEB Journal*, 4(2), 161-168
- Kakizoe, T. (2003). Chemoprevention of cancer - Focusing on clinical trials.

- Japanese Journal of Clinical Oncology*, 33(9), 421–442.
<https://doi.org/10.1093/jjco/hyg090>
- Kaufmann, S. H., & Gores, G. J. (2000). Apoptosis in cancer: Cause and cure. *BioEssays*, 22(11), 1007–1017. [https://doi.org/10.1002/1521-1878\(200011\)22:11<1007::AID-BIES7>3.0.CO;2-4](https://doi.org/10.1002/1521-1878(200011)22:11<1007::AID-BIES7>3.0.CO;2-4)
- Kitagawa S. (2006). Inhibitory effects of polyphenols on p-glycoprotein-mediated transport. *Biological and Pharmaceutical Bulletin*, 29(1), 1-6
- Knowles B.B., Howe C.C., & Aden D. P. (1980). Human hepatocellular carcinoma cell lines secrete the major plasma proteins and hepatitis B surface antigen. *Science*, 209(4455), 497-499.
- Kryston, T. B., Georgiev, A. B., Pissis, P., & Georgakilas, A. G. (2011). Role of oxidative stress and DNA damage in human carcinogenesis. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 711(1–2), 193–201. <https://doi.org/10.1016/j.mrfmmm.2010.12.016>
- Kumar, V., Cotran, R. S., & Robbins, S. L. (2013). Buku Ajar Patologi Volume 2. Jakarta: Penerbit Buku Kedokteran EGC
- Lee, B. M., & Kacew, S. (2012). *Lu's basic toxicology: fundamentals, target organs, and risk assessment*. CRC press.
- Linder, R., & Bernheimer, A. W. (1984). Action of bacterial cytotoxins on normal mammalian cells and cells with altered membrane lipid composition. *Toxicon*, 22(4), 641–651. [https://doi.org/10.1016/0041-0101\(84\)90004-7](https://doi.org/10.1016/0041-0101(84)90004-7)
- Lykkesfeldt, J., & Svendsen, O. (2007). Oxidants and antioxidants in disease: Oxidative stress in farm animals. *Veterinary Journal*, 173(3), 502–511. <https://doi.org/10.1016/j.tvjl.2006.06.005>
- Man, S., Gao, W., Zhang, Y., Huang, L., & Liu, C. (2010). Chemical study and medical application of saponins as anti-cancer agents. *Fitoterapia*, 81(7), 703–714. <https://doi.org/10.1016/j.fitote.2010.06.004>
- Maryati, M., Anas, A. N. N., & Khairudin, M. N. (2020). Aktivitas Sitotoksik Ekstrak Heksan, Ekstrak Etil Asetat, Ekstrak Etanol Buah Mengkudu (*Morinda citrifolia L.*) Terhadap Sel T47D. *Pharmacon: Jurnal Farmasi Indonesia*, 17(1), 54–60. <https://doi.org/10.23917/pharmacon.v17i1.10761>
- Matter, M. S., Marquardt, J. U., Andersen, J. B., Quintavalle, C., Korokhov, N., Stauffer, J. K., Thorgeirsson, S. S. (2016). Oncogenic driver genes and the inflammatory microenvironment dictate liver tumor phenotype. *Hepatology*, 63(6), 1888–1899. <https://doi.org/10.1002/hep.28487>
- McGill, G., & Fisher, D. E. (1997). Apoptosis in tumorigenesis and cancer therapy. *Frontiers in Bioscience : A Journal and Virtual Library*, 2(617), 353–379. <https://doi.org/10.2741/a197>
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., & McLaughlin, J. L. (1982). Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*, 45(1), 31–34. <https://doi.org/10.1055/s-2007-971236>
- Mosmann, T. (2016). Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays. *RSC Advances*, 6(80), 76600–76613. <https://doi.org/10.1039/c6ra17788c>
- Mudjiman, A. (1988). *Udang renik air asin: Artemia salina*. Bhratara Karya

- Aksara: Jakarta.
- Nurhayati, S., & Yanti, L. (2014). Apoptosis dan respon biologik sel sebagai faktor prognosa radioterapi kanker. *Iptek Ilmiah Populer*, 3, 57–66.
- Onuki R., Kawasaki H., Baba T., & Taira K. (2003). Analysis of a mitochondrial apoptotic pathway using Bid-targeted ribozymes in human MCF7 cells in the absence of a caspase-3-dependent pathway. *Antisense and Nucleic Acid Drug Development*, 13(2), 75-82
- Pamungkas, A. R., & Indrayudha, P. (2019). Aktivitas Sitotoksik Ekstrak Etanol, Fraksi Etanol-Air, Etil Asetat serta N-Heksana Buah Pare (*Momordica charantia*) pada Sel MCF-7 secara In-Vitro. *Pharmacon: Jurnal Farmasi Indonesia*, 16(2), 73–82. <https://doi.org/10.23917/pharmacon.v16i2.9049>
- Pan, M. H., Chen, W. J., Lin-Shiau, S. Y., Ho, C. T., & Lin, J. K. (2002). Tangeretin induces cell-cycle G1 arrest through inhibiting cyclin-dependent kinases 2 and 4 activities as well as elevating Cdk inhibitors p21 and p27 in human colorectal carcinoma cells. *Carcinogenesis*, 23(10), 1677–1684. <https://doi.org/10.1093/carcin/23.10.1677>
- Putra, A. Y. T., Santoso, U., & Supriyadi. (2019). Skrining Fitokimi Ekstrak Etil Asetat Daun Simpor (*Dillenia suffruticosa*). *Jurnal Teknologi Dan Industri Pangan*, 4(1), 36–40. <https://doi.org/10.33061/jtipari.v4i1.3017>
- Prunet C., Lemaire-Ewing S., Ménétrier F., Néel D., & Lizard G. (2005). Activation of caspase-3-dependent and-independent pathways during 7-ketcholesterol-and 7 β -hydroxycholesterol-induced cell death: A morphological and biochemical study. *Journal of biochemical and molecular toxicology*, 19(5), 311-326
- Puspitasari E., Rozirwan, Hendri M. (2018). Uji Sitotoksitas dengan Menggunakan Metode Brine Shrimp Lethal Test (Bslt) Pada Ekstrak Mangrove (*Avicennia marina*, *Rhizophora mucronata*, *Sonneratia alba* dan *Xylocarpus granatum*) yang Berasal dari Banyuasin, Sumatera Selatan. *Jurnal Biologi Tropis*, 18 (1)
- Putri H. (2013). Protokol: Uji Sitotoksik Metode MTT. *Cancer Chemoprevention Research Center. Fakultas Farmasi, UGM*
- Ren, W., Qiao, Z., Wang, H., Zhu, L., & Zhang, L. (2003). Flavonoids: Promising anticancer agents. *Medicinal Research Reviews*, 23(4), 519–534. <https://doi.org/10.1002/med.10033>
- Riss, T. L., & Moravec, R. A. (2004). Use of multiple assay endpoints to investigate the effects of incubation time, dose of toxin, and plating density in cell-based cytotoxicity assays. *Assay and Drug Development Technologies*, 2(1), 51–62. <https://doi.org/10.1089/154065804322966315>
- Salih Istifli, E., Tahir Hüsunet, M., & Basri Ila, H. (2019). Cell Division, Cytotoxicity, and the Assays Used in the Detection of Cytotoxicity. *Cytotoxicity - Definition, Identification, and Cytotoxic Compounds*, 1–19. <https://doi.org/10.5772/intechopen.88368>
- Sia, D., Villanueva, A., Friedman, S. L., & Llovet, J. M. (2017). Liver Cancer Cell of Origin, Molecular Class, and Effects on Patient Prognosis. *Gastroenterology*, 152(4), 745–761. <https://doi.org/10.1053/j.gastro.2016.11.048>

- Simic, M. G., Bergtold, D. S., & Karam, L. R. (1989). Generation of oxy radicals in biosystems. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 214(1), 3–12. [https://doi.org/10.1016/0027-5107\(89\)90192-9](https://doi.org/10.1016/0027-5107(89)90192-9)
- Simstein R., Burow M., Parker A., Weldon C. and Beckman B. (2003). Apoptosis, Chemoresistance, and Breast Cancer: Insights From the MCF-7 Cell Model System. *Exp Biol Med.* 228, 995–1003
- Simmons, T. L., Andrianasolo, E., McPhail, K., Flatt, P., & Gerwick, W. H. (2005). Marine natural products as anticancer drugs. *Molecular Cancer Therapeutics*, 4(2), 333–342
- Siregar F., & Hadijono B. S. (2000). UJI SITOKTOKSISITAS DENGAN ESEI MTT. *Journal of Dentistry Indonesia*, 7(1), 28-32
- Sledge, G. W., & Miller, K. D. (2003). Exploiting the hallmarks of cancer: The future conquest of breast cancer. *European Journal of Cancer*, 39(12), 1668–1675. [https://doi.org/10.1016/S0959-8049\(03\)00273-9](https://doi.org/10.1016/S0959-8049(03)00273-9)
- Smith, A., AF Parkes, M., K Atkin-Smith, G., Tixeira, R., & KH Poon, I. (2017). Cell disassembly during apoptosis. *WikiJournal of Medicine*, 4(1), 8. <https://doi.org/10.15347/wjm/2017.008>
- Solis, P. N., Wright, C. W., Anderson, M. M., Gupta, M. P., & Phillipson, J. D. (1993). A microwell cytotoxicity assay using *Artemia salina* (brine shrimp). *Planta medica*, 59(3), 250-252
- Sommer, S., & Fuqua, S. A. W. (2001). Estrogen receptor and breast cancer. *Seminars in Cancer Biology*, 11(5), 339–352. <https://doi.org/10.1006/scbi.2001.0389>
- Sormunen R., Eskelinen S., & Lehto V. P. (1993). Bile canaliculus formation in cultured HEPG2 cells. *Laboratory investigation; a journal of technical methods and pathology*, 68(6), 652
- Sosa, V., Moliné, T., Somoza, R., Paciucci, R., Kondoh, H., & LLeonart, M. E. (2013). Oxidative stress and cancer: An overview. *Ageing Research Reviews*, 12(1), 376–390. <https://doi.org/10.1016/j.arr.2012.10.004>
- Tong, X., & C Pelling, J. (2013). Targeting the PI3K/Akt/mTOR axis by apigenin for cancer prevention. *Anti-Cancer Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Cancer Agents)*, 13(7), 971-978.
- Tor, Yin S., Yazan, L. S., Foo, J. B., Armania, N., Cheah, Y. K., Abdullah, R., Ismail, M. (2014). Induction of apoptosis through oxidative stress-related pathways in MCF-7, human breast cancer cells, by ethyl acetate extract of *Dillenia suffruticosa*. *BMC Complementary and Alternative Medicine*, 14. <https://doi.org/10.1186/1472-6882-14-55>
- Tor, Yin Sim, Yazan, L. S., Foo, J. B., Wibowo, A., Ismail, N., Cheah, Y. K., Yeap, S. K. (2015). Induction of apoptosis in MCF-7 cells via oxidative stress generation, mitochondria-dependent and caspase-independent pathway by ethyl acetate extract of *Dillenia suffruticosa* and its chemical profile. *PLoS ONE*, 10(6), 1–25. <https://doi.org/10.1371/journal.pone.0127441>
- Ullah, M. F., & Aatif, M. (2009). The footprints of cancer development: Cancer biomarkers. *Cancer Treatment Reviews*, 35(3), 193–200. <https://doi.org/10.1016/j.ctrv.2008.10.004>

- Valeriote, F. A., Corbett, T. H., & Baker, L. H. (Eds.). (2012). *Cytotoxic Anticancer Drugs: Models and Concepts for Drug Discovery and Development: Proceedings of the Twenty-Second Annual Cancer Symposium Detroit, Michigan, USA—April 26–28, 1990* (Vol. 68). Springer Science & Business Media
- van der Pol, E., Böing, A. N., Gool, E. L., & Nieuwland, R. (2016). Recent developments in the nomenclature, presence, isolation, detection and clinical impact of extracellular vesicles. *Journal of Thrombosis and Haemostasis*, 14(1), 48–56. <https://doi.org/10.1111/jth.13190>
- Vermeulen, K., Van Bockstaele, D. R., & Berneman, Z. N. (2005). Apoptosis: Mechanisms and relevance in cancer. *Annals of Hematology*, 84(10), 627–639. <https://doi.org/10.1007/s00277-005-1065-x>
- Wang, Z., Cheng, Y., Wang, N., Wang, D. M., Li, Y. W., Han, F., Chen, J. P. (2012). Dioscin induces cancer cell apoptosis through elevated oxidative stress mediated by downregulation of peroxiredoxins. *Cancer Biology and Therapy*, 13(3), 137–147. <https://doi.org/10.4161/cbt.13.3.18693>
- Yeh, C. T., Rao, Y. K., Yao, C. J., Yeh, C. F., Li, C. H., Chuang, S. E., Tzeng, Y. M. (2009). Cytotoxic triterpenes from *Antrodia camphorata* and their mode of action in HT-29 human colon cancer cells. *Cancer Letters*, 285(1), 73–79. <https://doi.org/10.1016/j.canlet.2009.05.002>
- Zampieri L., Bianchi P., Ruff, P., & Arbuthnot P. (2002). Differential modulation by estradiol of P-glycoprotein drug resistance protein expression in cultured MCF7 and T47D breast cancer cells. *Anticancer research*, 22(4), 2253-2259
- Zarlaha, A., Kourkoumelis, N., Stanojkovic, T. P., & Kovala-Demertz, D. (2014). Cytotoxic activity of essential oil and extracts of *Ocimum Basilicum* against human carcinoma cells. Molecular docking study of isoeugenol as a potent cox and lox inhibitor. *Digest Journal of Nanomaterials and Biostructures*, 9(3), 907–917.