

```
NONPAR CORR  /VARIABLES=URHSLAK LAK AKO AKI AKP  /PRINT=SPEARMAN TWOTAIL
NOSIG  /MISSING=PAIRWISE.
```

Nonparametric Correlations

Notes

	Output Created	21-Dec-2010 15:40:19
	Comments	
Input	Data	D:\tes.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each pair of variables are based on all the cases with valid data for that pair.
	Syntax	NONPAR CORR /VARIABLES=URHSLAK LAK AKO AKI AKP /PRINT=SPEARMAN TWOTAIL NOSIG /MISSING=PAIRWISE.
Resources	Processor Time	0:00:00.031
	Elapsed Time	0:00:00.031
	Number of Cases Allowed	104857 cases ^a

a. Based on availability of workspace memory

[DataSet1] D:\tes.sav

Correlations

			URHSLAK	LAK	AKO
Spearman's rho	URHSLAK	Correlation Coefficient	1.000	.067	.304
		Sig. (2-tailed)	.	.725	.103
		N	30	30	30
	LAK	Correlation Coefficient	.067	1.000	.464**
		Sig. (2-tailed)	.725	.	.010
		N	30	30	30
	AKO	Correlation Coefficient	.304	.464**	1.000
		Sig. (2-tailed)	.103	.010	.
		N	30	30	30
AKI	Correlation Coefficient	-.175	-.377*	-.122	
	Sig. (2-tailed)	.356	.040	.522	
	N	30	30	30	
AKP	Correlation Coefficient	-.168	.216	.065	
	Sig. (2-tailed)	.376	.251	.732	
	N	30	30	30	

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Correlations

			AKI	AKP
Spearman's rho	URHSLAK	Correlation Coefficient	-.175	-.168
		Sig. (2-tailed)	.356	.376
		N	30	30
	LAK	Correlation Coefficient	-.377*	.216
		Sig. (2-tailed)	.040	.251
		N	30	30
	AKO	Correlation Coefficient	-.122	.065

	Sig. (2-tailed)	.522	.732
	N	30	30
AKI	Correlation Coefficient	1.000	-.057
	Sig. (2-tailed)	.	.766
	N	30	30
AKP	Correlation Coefficient	-.057	1.000
	Sig. (2-tailed)	.766	.
	N	30	30

*. Correlation is significant at the 0.05 level (2-tailed).