

```
EXAMINE VARIABLES=URHSLAK /PLOT BOXPLOT NPLOT /COMPARE GROUP
/STATISTICS EXTREME /MISSING LISTWISE /NOTOTAL.
```

Explore

Notes

	Output Created	21-Dec-2010 15:39:00
	Comments	
Input	Data	D:\tes.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data	30
	File	
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
	Syntax	EXAMINE VARIABLES=URHSLAK /PLOT BOXPLOT NPLOT /COMPARE GROUP /STATISTICS EXTREME /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	0:00:02.469
	Elapsed Time	0:00:02.563

[DataSet1] D:\tes.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
URHSLAK	30	100.0%	0	.0%	30	100.0%

Extreme Values

			Case Number	Value
URHSLAK	Highest	1	9	315.77112
		2	2	165.90829
		3	23	132.88875
		4	24	70.66627
		5	22	50.91817
	Lowest	1	29	-318.14486
		2	19	-279.62569
		3	5	-221.27372
		4	4	-213.62075
		5	16	-202.02076

Tests of Normality


	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
URHSLAK	.116	30	.200*	.963	30	.366

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

URHSLAK

Normal Q-Q Plot of URHSLAK



Detrended Normal Q-Q Plot of URHSLAK

