

DAFTAR PUSTAKA

- Acharya, P.R., Racey, P.A., Sotthibandhu, S., & Bamrungsri, S. (2015). Home-range and foraging areas of the dawn bat *Eonycteris spelaea* in agricultural areas of Thailand. *Acta Chiropterologica*, 17(2), 307-319. DOI: 10.3161/15081109ACC2015.17.2.006
- Altringham, J.D., McOwat, T., & Hammond, L. (1996). *Bats: Biology and Behaviour*. New York: Oxford University Press.
- Amarga, A.K., Lit, I., Alviola, P., & Yap, S. (2017). Checklist of ectoparasitic arthropods among cave-dwelling bats from Marinduque Island, Philippines. *Check List*, 13, 1. DOI: 10.15560/11.5.1777
- Aroon, S., Hill III, J. G., Artchawakom, T., Kupittayanant, S., & Thanee, N. (2015). Ectoparasites associated with bats in tropical forest of northeastern Thailand. *Journal of Agricultural Technology*, 11(8), 1781-1792. ISSN 1686-9141. Diakses di <http://www.ijat-aatsea.com>
- Azhar, I., Khan, F.A.A., Ismail, N., & Abdullah, M.T. (2015). Checklist of bat flies (Diptera: Nycteriidae and Streblidae) and their associated bat hosts in Malaysia. *Check List*, 11(5), 1777. DOI: 10.15560/11.5.1777
- Barbier, E., Hintze, F., Jardelino, A. C., & Bernard, E. (2018). First record of the bat ectoparasitic fly *Strebla proxima* Wenzel, 1976 (Diptera: Streblidae) from Brazil. *Entomological News*, 127(4), 369-374. DOI: 10.3157/021.127.0409
- Bolívar- Cimé, B., Cuxim- Koyoc, A., Reyes- Novelo, E., Morales- Malacara, J.B., Laborde, J., & Flores- Peredo, R. (2018). Habitat fragmentation and the prevalence of parasites (Diptera, Streblidae) on three Phyllostomid bat species. *Biotropica*, 50(1), 90-97. DOI: 10.1111/btp.12489
- Buczkowski, G., & Richmond, D. S. (2012). The effect of urbanization on ant abundance and diversity: a temporal examination of factors affecting biodiversity. *PloS one*, 7(8), e41729. DOI: 10.1371/journal.pone.0041729
- Bush, A. O., Lafferty, K. D., Lotz, J. M., & Shostak, A. W. (1997). Parasitology meets ecology on its own terms: Margolis et al. revisited. *The Journal of parasitology*, 575-583. DOI: 10.2307/3284227
- Calisher, C.H., Childs, J.E., Field, H.E., Holmes, K.V., & Schountz, T. (2006). Bats: important reservoir hosts of emerging viruses. *Clinical microbiology reviews*, 19(3), 531-545. DOI: 10.1128/CMR.00017-06

- Campbell, P., Reid, N.M., Zubaid, A., Adnan, A.M., & Kunz, T.H. (2006). Comparative Roosting Ecology of *Cynopterus* (Chiroptera: Pteropodidae) Fruit Bats in Peninsular Malaysia 1. *Biotropica*, 38(6), 725-734. DOI: 10.1111/j.1744-7429.2006.00203.x
- Christe, P., Glaizot, O., Evanno, G., Bruyndonckx, N., Devevey, G., Yannic, G., Patthey P., Maeder, A., Vogel, P. & Arlettaz, R. (2007). Host sex and ectoparasites choice: preference for, and higher survival on female hosts. *Journal of Animal Ecology*, 76(4), 703-710. DOI: 10.1111/j.1365-2656.2007.01255.x
- Czenze, Z.J., & Broders, H.G. (2011). Ectoparasite community structure of two bats (*Myotis lucifugus* and *M. septentrionalis*) from the Maritimes of Canada. *Journal of Parasitology Research*, 2011. DOI: 10.1155/2011/341535
- Delfinado, M. D., & Baker, E. W. (1963). Mites of the family Spinturnicidae from the Philippines (Acarina). *Pacific Insects*, 5(4), 905-920.
- D. H. Molyneux (1993). "Vectors". In Francis E. G. Cox (ed.). *Modern parasitology: a textbook of parasitology* (2nd ed.) (pp. 53–74). New Jersey: Wiley-Blackwell.
- Dick, C. W., & Patterson, B. D. (2006). Bat flies: obligate ectoparasites of bats. In *Micromammals and macroparasites* (pp. 179-194). Tokyo: Springer. DOI: 10.1007/978-4-431-36025-4_11
- Dick, C.W., & Dittmar, K. (2014). Parasitic bat flies (Diptera: Streblidae and Nycteribiidae): host specificity and potential as vectors. In *Bats (Chiroptera) as vectors of diseases and parasites* (pp. 131-155). Berlin: Springer. DOI: 10.1007/978-3-642-39333-4_6
- Fajri S.R., Primawati S.N., Hadi I., & Tresnani G. (2018). Ectoparasites diversity of bats species collected from Southern Lombok, West Nusa Tenggara, Indonesia. *Journal of Biological Series*, 1(2), 031-041. DOI: 10.15413/jbs.2018.0112
- Fakuara, Y. (1987). Hutan kota Ditinjau dari Aspek Nasional. In *Jakarta (ID): In: Seminar Hutan kota DKI*. Jakarta.
- Francis, C.M. (2008). *A field guide to the mammals of South-East Asia*. United Kingdom: New Holland Publishers.
- Fritz, G.N. (1983). Biology and ecology of bat flies (Diptera: Streblidae) on bats in the genus *Carollia*. *Journal of Medical Entomology*, 20(1), 1-10. DOI: 10.1093/jmedent/20.1.1

- Kabata, Z. (1985). *Parasites and diseases of fish cultured in the tropics*. London: Taylor & Francis Ltd.
- Korine, C., Arad, Z., & Arieli, A. (1996). Nitrogen and Energy Balance of the Fruit Bat *Rousettus aegyptiacus* on Natural Fruit Diets. *Physiological Zoology*, 69(3), 618-634.
- Leroy, E.M., Kumulungui, B., Pourrut, X., Rouquet, P., Hassanin, A., Yaba, P., Délicat, A., Paweska, J.T., Gonzalez, J.P., & Swanepoel, R. (2005). Fruit bats as reservoirs of Ebola virus. *Nature*, 438(7068), 575-576. DOI: 10.1038/438575a
- Lim, Z. X., Hitch, A. T., Lee, B. P. Y., Low, D. H., Neves, E. S., Borthwick, S. A., Smith G.J.D., & Mendenhall, I. H. (2020). Ecology of bat flies in Singapore: A study on the diversity, infestation bias and host specificity (Diptera: Nycteribiidae). *International Journal for Parasitology: Parasites and Wildlife*, 12, 29-33. DOI: 10.1016/j.ijppaw.2020.04.010
- Linares, O. J. (1998). *Mammals of Venezuela* (691 pp). Caracas: Sociedad de Conservación Audubon de Venezuela.
- Linhares, A.X., & Komeno, C.A. (2000). *Trichobius joblingi*, *Aspidoptera falcata*, and *Megistopoda proxima* (Diptera: Streblidae) parasitic on *Carollia perspicillata* and *Sturnira lillium* (Chiroptera: Phyllostomidae) in southeastern Brazil: Sex ratios, seasonality, host site preference, and effect of parasitism on the host. *Journal of Parasitology*, 86(1), 167-170. DOI: 10.1645/0022-3395(2000)086[0167:TJAFAM]2.0.CO;2
- Lochmiller, R. L., Vestey, M. R., & Boren, J. C. (1993). Relationship between protein nutritional status and immunocompetence in northern bobwhite chicks. *The Auk*, 110(3), 503-510. DOI: [10.2307/4088414](https://doi.org/10.2307/4088414)
- Loftis, A.D., Gill, J.S., Schriefer, M.E., Levin, M.L., Eremeeva, M.E., Gilchrist, M.R., & Dasch, G.A. (2005). Detection of rickettsia, borrelia, and bartonella in *Carios kelleyi* (Acari: Argasidae). *Journal of Medical Entomology*, 42(3), 473-480. DOI: 10.1093/jmedent/42.3.473
- Luz, J.L., Costa, L.D.M., Gomes, L.A.C., & Esbérard, C.E.L. (2009). The chiggerlea *Hectopsylla pulex* (Siphonaptera: Tungidae) as an ectoparasite of free-tailed bats (Chiroptera: Molossidae). *Memórias do Instituto Oswaldo Cruz*, 104(4), 567-569. DOI: 10.1590/S0074-02762009000400005
- Maa, T. C. (1971). Studies in batflies (Diptera: Streblidae, Nycteribiidae) Part I. *Pacific Insects Monograph*, 28, 1-247.

- Maa, T.C. (1975). On new Diptera, Pupipara from the Oriental region. *Pacific Insects*, 16, 465-486.
- Marshall, A. G. (1981). *The ecology of ectoparasitic insects*. Cambridge: Academic Press Inc. Ltd.
- Marshall, A.G. (1982). Ecology of insects ectoparasitic on bats. In *Ecology of bats* (pp. 369-401). Boston: Springer.
- Mbora, D.N., & McPeek, M.A. (2009). Host density and human activities mediate increased parasite prevalence and richness in primates threatened by habitat loss and fragmentation. *Journal of Animal Ecology*, 78(1), 210-218. DOI: 10.1111/j.1365-2656.2008.01481.x
- Miller, C. (2014). Host Specificity and Ectoparasite Load of Bat Flies in Utila, Honduras. *Senior Honors Theses, The University of New Orleans*. Diakses dari https://scholarworks.uno.edu/honors_theses/63
- Mohd-Azlan, J., Alek Tuen, A., & Abd Rahman, M. R. (2010). Preliminary assessment of activity pattern and diet of the lesser dog faced fruit bat *Cynopterus brachyotis* in a Dipterocarp Forest, Sarawak, Borneo. *Tropical Ecology*, 51(2), 297.
- Muñoz-Leal, S., Terassini, F.A., Luz, H.R., Fontana, I., Camargo, L.M.A., & Labruna, M.B. (2018). First report of *Ornithodoros peropteryx* in Brazil, and the occurrence of *Ornithodoros cavernicolous* in the western Brazilian Amazon. *Systematic and Applied Acarology*, 23(11), 2113-2121. DOI: 10.11118/saa.23.11.4
- Obame-Nkoghe, J., Rahola, N., Bourgarel, M., Yangari, P., Prugnolle, F., Maganga, G. D., Leroy, M.A., Fontenille, D., Ayala D., & Paupy, C. (2016). Bat flies (Diptera: Nycteribiidae and Streblidae) infesting cave-dwelling bats in Gabon: diversity, dynamics and potential role in *Polychromophilus melanipherus* transmission. *Parasites & vectors*, 9(1), 1-12. DOI: 10.1186/s13071-016-1625-z
- Patterson, B.D., Dick, C.W., & Dittmar, K. (2007). Roosting habits of bats affect their parasitism by bat flies (Diptera: Streblidae). *Journal of Tropical Ecology*, 23(2), 177-189. Diakses dari <http://www.jstor.org/stable/4499085>
- Pearce, R. D., & O'shea, T. J. (2007). Ectoparasites in an urban population of big brown bats (*Eptesicus fuscus*) in Colorado. *Journal of Parasitology*, 93(3), 518-530. DOI: 10.1645/GE-973R.1

- Piksa, K., Skwarek, M., & Siuda, K. (2011). Argasid and Spinturnicid mite load on swarming bats in the Tatra Mountains, Poland. *Folia parasitologica*, 58(4), 322.
- Pilosof, S., Dick, C.W., Korine, C., Patterson, B.D., & Krasnov, B.R. (2012). Effects of anthropogenic disturbance and climate on patterns of bat fly parasitism. *PLoS one*, 7(7), e41487. DOI: 10.1371/journal.pone.0041487
- Postawa, T., & Nagy, Z. (2016). Variation of parasitism patterns in bats during hibernation: the effect of host species, resources, health status, and hibernation period. *Parasitology research*, 115(10), 3767-3778. DOI: 10.1007/s00436-016-5138-7
- Prasetyo, P. N., Noerfahmy, S., & Tata, H. L. (2011). *Jenis-Jenis Kelalawar Agroforest Sumatera*. Bogor: World Agroforestry Centre-ICRAF.
- Putra, M. I. H. (2014). Hubungan Inang-Ektoparasit Pada Kelelawar Pemakan Buah di Kampus Universitas Indonesia, Depok. Skripsi, Universitas Indonesia. Diakses dari <http://lib.ui.ac.id/naskahringkas/2016-05/S58030-Muhammad%20Iqbal%20Hariadi%20Putra>.
- Saari, S., Näreaho, A., & Nikander, S. (2018). *Canine Parasites and Parasitic Diseases*. Cambridge: Academic Press.
- Salkeld, D. J., Padgett, K. A., & Jones, J. H. (2013). A meta-analysis suggesting that the relationship between biodiversity and risk of zoonotic pathogen transmission is idiosyncratic. *Ecology Letters*, 16, 679–686. DOI: 10.1111/ele.12101
- Scott, H. (1917). Notes on Nycteribiidae, with descriptions of two new genera. *Parasitology*, 9(4), 593-610. DOI: 10.1017/S0031182000006211
- Seneviratne, S.S., Fernando, H.C., & Udagama-Randeniya, P.V. (2009). Host specificity in bat ectoparasites: a natural experiment. *International journal for parasitology*, 39(9), 995-1002. DOI: 10.1016/j.ijpara.2008.12.009
- Simmons, N. B., Conway, T. M., Kunz, T. H., & Fenton, M. B. (2003). *Bat ecology*. Chicago: University of Chicago Press
- Suwandi. (2001). Mengenal berbagai penyakit parasit pada ternak. *Temu Teknis Fungsional Non Peneliti*. Bogor: Balai Penelitian Ternak.
- Suyanto, A. (2001). *LIPI- Seri Panduan Lapangan: Kelelawar di Indonesia*. Bogor, Indonesia: Puslitbang Biologi LIPI.

- Szentiványi, T., Christe, P., & Glaizot, O. (2019). Bat flies and their microparasites: current knowledge and distribution. *Frontiers in Veterinary Science*, 6, 115. DOI: 10.3389/fvets.2019.00115
- Tahir, D., Socolovschi, C., Marié, J. L., Ganay, G., Berenger, J. M., Bompar, J. M., Blanchet D., Cheuret, M., Mediannikov, O., Raoult, D., & Davoust, B. (2016). New Rickettsia species in soft ticks *Ornithodoros hasei* collected from bats in French Guiana. *Ticks and tick-borne diseases*, 7(6), 1089-1096. DOI: 10.1016/j.ttbdis.2016.09.004
- Talbot, B., Vonhof, M.J., Broders, H.G., Fenton, B., & Keyghobadi, N. (2017). Comparative analysis of landscape effects on spatial genetic structure of the big brown bat and one of its cimicid ectoparasites. *Ecology and evolution*, 7(20), 8210-8219. DOI: 10.1002/ece3.3329
- Ter Hofstede, H. M., & Fenton, M. B. (2005). Relationships between roost preferences, ectoparasite density, and grooming behaviour of neotropical bats. *Journal of Zoology*, 266(4), 333-340. DOI: 10.1017/S095283690500693X
- Theodor, O. (1967). illustrated catalogue of the Rothschild collection of Nycteribiidae (Diptera) in the British Museum (Natural History); with keys and short descriptions for the identification of subfamilies, genera, species and subspecies.
- Turbill, C., Bieber, C., & Ruf, T. (2011). Hibernation is associated with increased survival and the evolution of slow life histories among mammals. *Proceedings of the Royal Society B: Biological Sciences*, 278(1723), 3355-3363. DOI: 10.1098/rspb.2011.0190
- Urbíeta, G.L., Torres, J.M., Carvalho Dos Anjos, E.A., Espínola Carvalho, C.M., & Graciolli, G. (2018). Parasitism of bat flies (Nycteribiidae and Streblidae) on bats in urban environments: lower prevalence, infracommunities, and specificity. *Acta Chiropterologica*, 20(2), 511-518. DOI: 10.3161/15081109ACC2018.20.2.021
- Wilkinson, G. S., & South, J. M. (2002). Life history, ecology and longevity in bats. *Aging cell*, 1(2), 124-131. DOI: 10.1046/j.1474-9728.2002.00020.x
- Williams, E. H., & Bunkley-Williams, L. (1996). *Parasites of offshore big game fishes of Puerto Rico and the western Atlantic*. Puerto Rico: University of Puerto Rico Press.
- Whitaker Jr, J. O. (1988). Food habits analysis of insectivorous bats. *Ecological and behavioral methods for the study of bats.*, 171-189.