

DAFTAR PUSTAKA

- A, Rasyidi Fachry, e. (2014). Mencari Suhu Optimal Proses Karbonisasi dan Pengaruh Pencampuran Batu Bara Terhadap Kualitas Briket Eceng Gondok. *Jurnal Teknik Kimia*, 59.
- Alder, E. (1997). Lignin Chemistry, Past, Present, and Future. *Wood Sci. Technol*, 169-218.
- Anonim. (1992). *Mutu Kayu Lapis Penggunaan Umum*. Jakarta: SNI.
- Ariani Lubis ; Idiawati, N. (2011). Penentuan Lignin dan Kadar Glukosa dalam Hidrolisis Organosolv dan Hidrolisis asam. *Jurnal Sains dan Terapan Kimia Vol. 5 No. 2*.
- Arni, S. (2018). Extraction and isolation methods for lignin separation from sugarcane bagasse. *A review. Industrial Crops & Products*, 330-339.
- ASTM. (1995). *Annual book of ASTM Standards. Volume 04.10 wood. Section 4*. Philadelphia: American Society Testing Materials.
- Atta-obeng, E. (2011). Characterization of Phenol Formaldehyde Adhesive and Adhesive-Wood Particle Composites Reinforced with Microcrystalline Cellulose (Thesis). *Auburn University*.
- Badan Standardisasi Nasional . (2002). SNI 01-5008.2-2000 Kayu lapis. *Badan Standardisasi Nasional*.
- Badan Standardisasi Nasional [BSN]. (1998). Kumpulan SNI Perekat. *Standar Nasional Indonesia*.
- Blomquist, R., Christiansen, A., Gillespie, R., & Myers, G. (1983). Adhesive Bonding of Wood and Other Structural Materials. *Forest Product Technology USDA Forest Service*.

- Budiman. (1995). *Proses Perekatan Barito* . Sidangoli Maluku Utara: Pasific Timber Group.
- Citranintyas, E.R. (2002). Kualitas Tanin Kulit Kayu Akasia (*Acacia mangium* Willd) dan Pemanfaatannya Sebagai Bahan Perekat. *kripsi. Bogor: Jurusan Teknologi Hasil Hutan Fakultas Kehutanan.*
- Derkyi, N. S. A et al.,. (2008). EFFECT OF CASSAVA FLOUR AS UREA-FORMALDEHYDE ADHESIVE EXTENDER ON THE BONDING STRENGTH OF PLYWOOD. *Ghana Journal of Forestry.*
- Ebnesajjad, C. (2006). *Surface Treatment of Materials for Adhesion Bonding.* Norwich, NY: William Andrew, Inc.
- Eka Prihatinningtyas ; Agus Jatnika Effendi. (2018). Karakterisasi Ekstrak Tapioka dan Tapioka Ionik sebagai Biokoagulan dalam Proses Pengolahan Air. *Jurnal Teknologi Lingkungan.*
- Esse, Indo. (2018). Pemanfaatan Lignin Hasil Delignifikasi Ampas Tebu Sebagai Perekat Lignin Resorsinol Formaldehida (LRF). *Skripsi.*
- Faris, A.H. et.al. (2017). Preparation of environmental friendly phenol-formaldehyde wood adhesive modified with kenaf lignin. *Journal of Basic and Applied Sciences.*
- Faris, A. e. (2017). Preparation of environmental friendly phenol-formaldehyde wood adhesive modified with kenaf lignin. *Journal of Basic and Applied Sciences.*
- Iskandar, M. I., & Supriadi, A. (2014). PEMANFAATAN BUNGKIL BIJI KARET SEBAGAI EKSTENDER PEREKAT PADA KAYU LAPIS PULAI (*Alstonia angustiloba* Miq.). *Jurnal Sains Natural Universitas Nusa Bangsa*, 85 - 91.
- Kim, H., ; M.K Hill ; A.L. Fricke. (1987). Preparation of Kraft Lignin From Black Liquor. *Tappi Journal* 12.

- Kim, S. (2009). Environment-friendly adhesives for surface bonding of wood-based flooring using natural tannin to reduce formaldehyde and TVOC emission. *Bioresource Technology*, 744-748.
- Lee, W. J., & Lan, W. C. (2006). Properties of resorcinol-tannin-formaldehyde copolymer resins prepared from the bark extracts of taiwan acacia and china fir. *Bioresource Technology*, 257-264.
- Lempang, M. (2016). Pemanfaatan Lignin sebagai Bahan Perekat Kayu. *Info Teknis EBONI*, 139-150.
- Li, J., Luo, J., Li, X., Yi, Z., Gao, Q., & Li, J. (2015). Soybean meal-based wood adhesive enhanced by ethylene glycoldiglycidyl ether and diethylenetriamine. *Industrial Crops and Products*, 613-618.
- Lisperguer, J., Saravia, Y., & Vergara, E. (2016). Structure and thermal behavior of tannins from *Acacia dealbata* bark and their reactivity toward formaldehyde. *Journal of the Chilean Chemical Society*, 3188-3190.
- Mankar, S. C. (2016). Lignin In Phenol-Formaldehyde Adhesives. *International Journal of Lignin In Phenol-Formaldehyde Adhesives*.
- Moubarik A, e. (2013). Isolation and characterization of lignin from Moroccan sugar cane bagasse : Production of lignin – phenol-formaldehyde wood adhesive. *Industrial & Crops Products*, 296-302.
- Moubarik,A. ; Grimi,N., ; Boussetta,N., ;and Pizzi A. (2013). Isolation and Characterization of Lignin from Moroccan Sugarcane Bagasse:Production of Lignin-Phenol-Formaldehyde Wood Adhesive. *Industrial Crops and Products*, 296-302.
- Panamgama, L. &. (2018). Coconut coir pith lignin: A physicochemical and thermal characterization. Available at: <https://doi.org/10.1016/j.ijbiomac.2018.03.012>.

- Pang B, e. (2017). Industrial Crops & Products Structure-property relationships for technical lignins for the production of lignin-phenol-formaldehyde resin. *Industrial & Crops Products*, 316-326.
- Poljanšek, I. &. (2005). Characterization of Phenol-Formaldehyde Prepolymer Resins by In Line FT-IR Spectroscopy. 238-244.
- Pratiwi, V. (2009). Uji Aktivitas Antioksidan Lignin dari Tandan Kosong Kelapa Sawit. *IPB*.
- Prayitno, T. (1986). *Ekstender Dan Filler Pada Perekatan Kayu Lapis*. Perum Perhutani. Jakarta: Duta Rimba 77-78/XII/1986.
- Rambe A, e. (2013). Pengaruh Katalis NaOH Pada Proses Isolasi Lignin Dari Tandan Kosong Kelapa Sawit. 25-27.
- Rencoret, J. e. (2011). Structural Characterization Of The Lignin Of Coconut (*Cocos Nucifera*) Coir. 2-5.
- Restu, A., Yusmaniar, Kurniadewi, F., & Nurhidayani. (2019). Synthesis of Tannin Phenol Formaldehyde (Tpf) Copolymer from Ethyl Acetate Extract of Green Tea Leaf (*Camellia sinensis*) as Bioadhesive Wood. *AIP Conference Proceedings*. Jakarta: AIP Publishing.
- Rismawati, I. N., Yusmaniar, & Kurniadewi, F. (2019). Sintesis Kopolimer Lignin Fenol Formaldehid dari Sabut Kelapa (*Cocos nucifera*) sebagai Adhesive Kayu Ramah Lingkungan. *Jurnal Riset Sains dan Kimia Terapan*.
- Rokhati, N. (2008). Pembuatan Resin Phenol Formaldehid Terhadap Aplikasinya Sebagai Vernis. 42-47.
- Saad H, e. (2014). Characterization Of Tunisian Aleppo Pine Tannins For A Potential Use In Wood Adhesive Formulati. *Industrial Crops & Product*, 517-525.
- Santoso, A. (2000). Pengaruh Komposisi Perekat Lignin Fenol Formaldehida Terhadap Keteguhan Rekat Kyu Lapis Tusam (The Effect Of

Composition In Ugnin-Phenol- Formaldehyile Fjluc On Its. *Buletin Peneliitian Hasil Hutan Vol. 17 No. 4*, 189-198.

Santoso, Adi;. (2005). PEMANFAATAN LIGNIN DAN TANIN SEBAGAI ALTERNATIF SUBSTITUSI BAHAN PEREKAT KAYU KOMPOSIT. *Jurnal Sains Natural Universitas Nusa Bangsa*.

Setiati R, e. (2016). Sulfonasi lignin ampas tebu menjadi surfaktan natrium lignosulfonat. 35-41.

Siruru H. (2014). Pengaruh Ekstender dan Bahan Pengisi Perekat Urea Formaldehida Terhadap Delaminasi Papan Blok.

Siruru, H. (2006). Pengaruh Ekstender dan Bahan Pengisi Perekat Urea Formaldehida. *Jurnal Agroforestri*, 19-25.

Suryanto H, e. (2016). *Review Serat Alam : Komposisi , Struktur , Dan Sifat Mekanis*. Dipetik Oktober 1, 2019, dari 309421383 REVIEW SERAT ALAM KOMPOSISI STRUKTUR DAN SIFAT MEKANIS: <http://www.researchgate.net/publication/>

Sutarno, Rika Julfana, dkk. (2012). Hidrolisis Enzimatik Selulosa dari Ampas Sagu Menggunakan Campuran Selulase dari Trichoderma Resei dan Aspergillus Niger. *JKK Vol.2 No.1*.

Sutigno.P. (1988). *Perekat Dan Perekatan*. Bogor: Departemen Kehutanan Badan Penelitian Dan Pengembangan.

Verma D, e. a. (2013). Coir Fibre Reinforcement and Application in Polymer Composites . A review. *Journal Material Environment Science*. 4(2), 263-276.

Verma, D., & Gope, P. (2014). The use of coir/coconut fibers in composites. *Biofiber Reinforcements in Composite Materials*, 285-319.