

## DAFTAR PUSTAKA

- Alamsyah, M., & Marhento, G. (2016). Identifikasi keanekaragaman jenis burung dan kearifan tradisional masyarakat dalam upaya konservasi di Pulau Rambut Kepulauan Seribu. *Jurnal Formatif*, 6(2), 119--461.
- Atluri, J. B., Ramana, S. P. V., & Reddi, C. S. (2004). Ecobiology of the tropical pierid butterfly *Catopsilia pyranthe*. *Current Science*, 86(3), 457--461.
- Azuma, H., Toyota, M., Yoshinori, A., Takaso, T., & Tobe, H. (2002). Floral scent chemistry of mangrove plants. *Journal of Plant Research*, 115, 47–53.
- Baba, S., Chan, H. T., & Aksornkoae, S. (2013). *Useful Products from Mangrove and Other Coastal Plants*. International Society for Mangrove Ecosystem, International Tropical Timber Organization.
- Brittain, C., Wiliams, N., Kremen, C., & Klein, A. (2012). Synergetic effects of non-*Apis* bees and honey bees for pollination services. *Proceedings of the Royal Society B*, 280(20122767).
- Corbet, S. A. (2003). Nectar sugar content: estimating standing crop and secretion rate in the field. *Apidologie*, 34, 1--10.
- Darjanto, & Satifah, S. (1982). *Biologi Bunga dan Teknik Penyerbukan Silang Buatan*. Gramedia.
- Darwin, C. R. (1877). *The different forms of flowers on plants of the same species*. John Murray. <http://darwin-online.org.uk/content/frameset?itemID=F1277&viewtype=text&pageseq=1>
- de Wilde, W. J. J. O., & Duyfjes, B. E. E. (2016). Lythraceae. In *Flora Malesiana Series I-Seed Plants* (pp. 1--64). Foundation Flora Malesiana.
- Ellison, J., Koedam, N. E., Wang, Y., Primavera, J., Jin Eong, O., Wan-Hong Yong, J., & Ngoc Nam, V. (2010). *Pemphis acidula*. *The IUCN Red List of Threatened Species*, e.T178838A.
- Escalante-Perez, M., & Heil, M. (2012). Nectar Secretion: Its Ecological Context and Physiological Regulation. In J. M. Vivanco & F. Baluska (Eds.), *Secretion and Exudates in Biological Systems* (pp. 187--219).
- FAO. (2007). *FAO 07 The world's mangrove 1980-2005*.
- FAO. (2018). The pollination of cultivated plants: A compendium for practitioners. In *Fao*.
- Friedman, J., & Barret, s. C. H. (2009). The consequences of monoecy and protogyny for mating in wind-pollinated *Carex*. *New Phytologist*, 181(2), 489-497.
- Ganders, F. R. (1979). The biology of heterostyly. *New Zealand Journal of Botany*,

- 17(4), 607--635.
- Giesen, W., Wulffraat, S., Zieren, M., & Scholten, L. (2006). *Mangrove guidebook for Southeast Asia*. FAO dan Wetlands International.
- Goutham-Bharathi, M. P., Immanuel, T., Kaliyamoorthy, M., Gogoi, N. K., Sankar, R. K., & Roy, S. D. (2015). Notes on *Pemphis acidula* J. R. Forst. & G. Forst. (Myrtales: Lythraceae) from Andaman Island, India. *Journal of Threatened Taxa*, 7(8), 7471--7474.
- Hardjito, L., & Harianja, D. W. (2006). Kajian biodesinfektan dari ekstrak sentigi (*Pemphis acidula*) sebagai alternatif pengganti klorin dalam industri pengolahan udang. *Jurnal Biofarmasetikal Tropis*, 1(2), 149--156.
- Hoeltgebaum, M., Montagna, T., Lando, A. P., Puttkammer, C., Orth, A. I., Guerra, M. P., & Dos Reis, M. S. (2018). Reproductive biology of *Varronia curassavica* Jacq. (Boraginaceae). *Anais Da Academia Brasileira de Ciencias*, 90(1), 59–71.
- Iwanda, R., & Parikesit, D. B. (2019). *Distribusi dan aktivitas harian burung madu sriganti dan burung madu kelapa di Kampus Dramaga Bogor*. Institut Pertanian Bogor.
- Jablonski, B. (2002). Notes on the method to investigate nectar secretion rate in flowers. *Journal of Apicultural Science*, 46(2), 117--125.
- Kadono, Y., & Schneider, E. L. (1986). Floral biology of *Trapa natans* var. *japonica*. *The Botanical Magazine Tokyo*, 99(4), 435--439.
- Khanduri, V. P., Sharma, C. M., Kumar, K. S., & Ghildiyal, S. K. (2013). Annual variation in flowering phenology, pollination, mating system, and pollen yield in two natural populations of *Schima wallichii* (DC.) Korth. *The Scientific World Journal*, 2013, 1--11.
- Kustanti, A. (2011). *Manajemen Hutan Mangrove* (C. Kusman (Ed.)). Penerbit IPB Press.
- Lestari, G. S. (2019). *Kunjungan burung-madu pada bunga mangrove di Pulau Untung Jawa Kepulauan Seribu*. Universitas Negeri Jakarta.
- Lewis, D. (1975). Heteromorphic incompatibility system under disruptive selection. *Proceedings of the Royal Society of London. Series B. Biological Sciences*, 188, 247--256.
- Lewis, D., & Rao, A. N. (1971). Evolution of dimorphism and population polymorphism in *Pemphis acidula* Forst. *Proceedings of the Royal Society of London. Series B. Biological Sciences*, 178, 79--94.
- Maloof, J. E., & Inouye, D. W. (2000). Are nectar robbers cheaters or mutualists? *Ecology*, 81(10), 2651--2661.
- Mao, L., Batten, D. J., Fujiki, T., Li, Z., Dai, L., & Weng, C. (2012). Key to

- mangrove pollen and spores of southern China: An aid to palynological interpretation of Quartenary deposits in South China Sea. *Review of Palaeobotany and Palynology*, 176--177, 41--67.
- Masuda, T., Iritani, K., Yonemori, S., & Oyama, Y. (2001). Isolation and antioxidant activity of galloyl flavonol glycosides from the Seashore Plant, *Pemphis acidula*. *Biosciense Biotechnology and Biochemistry*, 65(6), 1302--1309.
- Mitra, B., Biswas, O., Roy, S., & Chakraborti, U. (2014). Pollinators of mangroves in the perspective of Indian Sunderbans. *ENVIS Newsletter*, 7--11.
- Mulyani, S. (2019). *Anatomi Tumbuhan* (Revisi). Penerbit PT Kanisius.
- Ngoma, R. B., Hendrik, A. C., & Ballo, A. (2020). Keanekaragaman Mangrove dan Pemanfaatannya di Desa Daiama, Kecamatan Landu Leko, Kabupaten Rote Ndao, Propinsi Nusa Tenggara Timur. *Simbiosa*, 9(2), 118--128.
- Nicolson, S. W., & Fleming, P. A. (2003). Nectar as food for birds: The physiological consequences of drinking dilute sugar solutions. *Plant Systematics and Evolution*, 238(1–4), 139--153.
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (1999). *Panduan Pengenalan Mangrove di Indonesia* (Issue May). PHKA/WI-IP.
- Noske, R. A. (1993). *Bruguiera hainesii*: Another Bird-Pollinated Mangrove? *Biotropica*, 25(4), 481. <https://doi.org/10.2307/2388873>
- Nurhidayati, T., Saptarini, D., Jadid, N., & Listiani. (2009). Ethnobotanical and plant profile studies at Karimunjawa Village of Jepara Regency, Central Java. *The Journal of Technology and Science*, 20(1), 1--10.
- Ollerton, J., Winfree, R., & Tarrant, S. (2011). How many flowering plants are pollinated by animals? *Oikos*, 120(3), 321--326. <https://doi.org/10.1111/j.1600-0706.2010.18644.x>
- Ornelas, J. F., Ordano, M., De-Nova, A. J., Quintero, M. E., & Garland, T. (2007). Phylogenetic analysis of interspecific variation in nectar of hummingbird-visited plants. *Journal of Evolutionary Biology*, 20(5), 1904--1917.
- Pemphis acidula*. (2013). <http://www.theplantlist.org/tpl1.1/record/tro-19200012>
- Peter, C. I., & Johnson, S. D. (2009). Autonomous self-pollination and pseudo-fruit set in South African species of *Eulophia* (Orchidaceae). *South African Journal of Botany*, 75(4), 791--797. <https://doi.org/10.1016/j.sajb.2009.07.007>
- Prana, M. S. (2007). Study on flowering biology of taro (*Colocasia esculenta* (L.) Schott.). *Biodiversitas Journal of Biological Diversity*, 8(1), 63--66.
- Quartel, S., Kroon, A., Augustinus, P., Van Santen, P., & Tri, N. H. (2007). Wave attenuation in coastal mangroves in Red River Delta, Vietnam. *Journal of Asian Earth Science*, 29(4), 576--584.

- Rahayu, S., Trisnawati, D. E., & Qoyim, I. (2007). Biologi Bunga Picis Kecil (*Hoya lacunosa* Bl.) di Kebun Raya Bogor. *Biodiversitas*, 8(1), 7–11.
- Raju, A. J. S. (2005). Passerine bird pollination and seed dispersal in *Woodfordia floribunda* Salisb. (Lythraceae), a common low altitude woody shrub in the Eastern Ghats forests of India. *Ornithological Science*, 4(2), 103–108.
- Raju, A. J. S., & Rao, S. P. (2006). Nesting habits, floral resources and foraging ecology of large carpenter bees (*Xylocopa latipes* and *Xylocopa pubescens*) in India. *Current Science*, 90(9), 1210–1217.
- Ren, J., & Ramos, J. (2017). The Ecophysiological Characteristics of *Pemphis Acidula*, A Tropical Beach Plant. *Caribbean Journal of Science*, 50(2–3), 29–34.
- Samidurai, K., Jebanesan, A., Saravanakumar, A., Govindarajan, M., & Pushpanathan, T. (2009). Larvicidal, Ovicidal and Repellent Activities of *Pemphis acidula* Forst. (Lythraceae) Against Filarial and Dengue Vector Mosquitoes. 2(2), 62–66.
- Samidurai, K., & Saravanakumar, A. (2009). Antibacterial Activity of *Pemphis Acidula* Forst. *Global Journal of Pharmacology*, 3(2), 113–115.
- Simpson, M. G. (2006). *Plant Systematics*. Elsevier Academic Press.
- Souza, C. V., Nepi, M., Machado, S. R., & Guimarães, E. (2017). Floral biology, nectar secretion pattern and fruit set of a threatened Bignoniaceae tree from Brazilian tropical forest. *Flora*, 227, 46–55.
- Takkis, K., Tscheulin, T., Tsalkatis, P., & Petanidou, T. (2015). Climate change reduces nectar secretion in two common Mediterranean plants. *AoB PLANTS*, 7, 1–13.
- Tomlinson, P. B. (1986). *The botany of mangroves*. Press Syndicate of the University of Cambridge.
- Tomlinson, P. B., Primack, R. B., & Bunt, J. S. (1979). Preliminary observations on floral biology in mangrove Rhizophoraceae. *Biotropica*, 11(4), 256–277.
- Untu, S. D. (2019). Aktivitas antibakteri kulit batang santigi *Pemphis acidula* Forst terhadap *Staphylococcus aureus* dan *Pseudomonas aeruginosa*. *Jurnal Biofarmasetikal Tropis*, 2(2), 61–68.
- Utami, S., Anggoro, S., & Soeprabowati, T. S. (2017). The Diversity and Regeneration of Mangrove on Panjang Island Jepara Central Java. *International Journal of Conservation Science*, 8(2), 289–294.
- Wu, L. Y., Chang, F. F., Liu, S. J., Scott Armbruster, W., & Huang, S. Q. (2018). Heterostyly promotes compatible pollination in buckwheats: Comparison of intraflower, intraplant, and interplant pollen flow in distylous and homostylous *Fagopyrum*. *American Journal of Botany*, 105(1), 108–116.

- Yamano, H., Kayanne, H., Yamaguchi, T., Kuawahara, Y., Yokoki, H., Shimazaki, H., & Masashi, C. (2007). Atoll island vulnerability to flooding and inundation revealed by historical reconstruction: Fongafale Islet, Funafuti Atoll, Tuvalu. *Global and Planetary Change*, 57(2007), 407--416.
- Yang, Q., Peng, D., Duan, Z. B., Wang, Z. L., & Sun, Q. X. (2007). Study on pollination biology of *Jatropha curcas*. *Journal of South China Agricultural University*, 28(3), 62--66.
- Yuan, S., Barrett, S. C. H., Li, C., Li, X., Xie, K., & Zhang, D. (2019). Genetics of distyly and homostyly in a self-compatible *Primula*. *Heredity*, 122, 110–119.
- Zander, R. H. (2003). *Glycerin Jelly as a Substitute for Hoyer's Solution Mountant Revisited*.  
<http://www.mobot.org/plantscience/ResBot/Meth/GlycerinJellyB.htm>
- Zhou, W., Barret, S. C. H., Li, H. D., Wu, Z. K., Wang, X. J., Wang, H., & Li, D. Z. (2017). Phylogeographic insights on the evolutionary breakdown of heterostyly. *New Phytologist*, 214, 1368–1380.

