

DAFTAR PUSTAKA

- [ASTDR] Agency for Toxic Substances and Disease Registry. (2008). Draft toxicological Profile for Aluminium. Atlanta, US Department of health and human services, Public health services, Agency for toxic substances and disease registry.
- Airey, D. C., Lu, L., & Williams, R. W. (2001). Genetic control of the mouse cerebellum: identification of quantitative trait loci modulating size and architecture. *Journal of Neuroscience*, 21(14), 5099-5109.
- Anderton, B. H. (2002). Ageing of the brain. Mechanisms of ageing and development, 123(7), 811-817.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014.
- Banks, W. J. (1993). Applied veterinary histology 3rd (edn). *Mosby Year Book*, St. Louis, USA.
- Becaria, A., Campbell, A., & Bondy, S. C. (2002). Aluminum as a toxicant. *Toxicology and Industrial Health*, 18(7), 309-320.
- Berihu, B. A., Afwerk, M., Debeb, Y. G., & Gebreslassie, A. (2015). Review on histological and functional effect of aluminium chloride on cerebral cortex of the Brain. *International Journal of Pharmacology Sciences and Research*, 6(8): 0975-9492.
- Bhalla, P., & Dhawan, D. K. (2009). Protective role of lithium in ameliorating the aluminium-induced oxidative stress and histological changes in rat brain. *Cellular and molecular neurobiology*, 29(4), 513-521.
- Borra, M. T., Smith, B. C., & Denu, J. M. (2005). Mechanism of human SIRT1 activation by resveratrol. *Journal of Biological Chemistry*, 280(17), 17187-17195.
- Buraimoh, A. A., Ojo, S. A., Hambolu, J. O., & Adebisi, S. S. (2012). Effects of Aluminium Chloride Exposure on the Cerebral Cortex of Adult Wistar Rats Were Not Transferable to the Offspring. *Am Int J Contemp Res*, 2(8), 294-303.
- Della-Morte, D., Dave, K. R., DeFazio, R. A., Bao, Y. C., Raval, A. P., & Perez-Pinzon, M. A. (2009). Resveratrol pretreatment protects rat brain from cerebral ischemic damage via a sirtuin 1–uncoupling protein 2 pathway. *Neuroscience*, 159(3), 993-1002.
- Dellmann, H. D., Brown, E. M., & Hartono, R. (1988). *Buku Teks Histologi Veteriner*. Penerbit Universitas Indonesia.
- Dewi, S., Mulyawan, W., Wanandi, S. I., & Sadikin, M. (2018). The effect of intermittent hypobaric hypoxia on oxidative stress status and antioxidant enzymes activity in rat brain. *Acta Biochimica Indonesiana*, 1(2), 46-51.
- Darwin, E., Elfi, E. F., & Elvira, D. (2018). *Endotel: Fungsi dan Disfungsi*. Andalas University Press.
- Dias, K., & Nikolaou, S. (2011). Does the combination of resveratrol with Al (III) and Zn (II) improve its antioxidant activity?. *Natural product communications*, 6(11), 1934578X1100601127.

- Drago, D., Cavaliere, A., Mascetra, N., Ciavardelli, D., Di Ilio, C., Zatta, P., & Sensi, S. L. (2008). Aluminum modulates effects of β Amyloid1–42 on neuronal calcium homeostasis and mitochondria functioning and is altered in a triple transgenic mouse model of Alzheimer's disease. *Rejuvenation research*, 11(5), 861-871.
- Drazba, D. (2019). Long-term effects of aluminium on lipid peroxidation and antioxidant protection in experimental mice brain.
- Elizabeth, M. A., Samson, P., & Itohan, O. R. (2020). Histomorphological evaluations on the frontal cortex extrapyramidal cell layer following administration of N-Acetyl cysteine in aluminum induced neurodegeneration rat model. *Metabolic brain disease*, 35(5), 829.
- Espinoza, J. L., Kurokawa, Y., & Takami, A. (2019). Rationale for assessing the therapeutic potential of resveratrol in hematological malignancies. *Blood reviews*, 33, 43-52.
- [FBR] Foundation for Biomedical Research. (2016). Mice and rats: the essential needs for animals in medical research. <https://fbresearch.org/wp-content/uploads/2016/04/Mice-Rats-In-Biomedical-Research-FBR.pdf>
- Federer, W. T. (1967). *Experimental Design, Theory, and Application*. New Delhi: Ramsey SC. Galeano.
- Gad, S. C. (Ed.). (2006). *Animal models in toxicology*. CRC press.
- Guo, C. H., Huang, C. J., Chen, S. T., & Hsu, G. S. W. (2001). Serum and testicular testosterone and nitric oxide products in aluminum-treated mice. *Environmental toxicology and pharmacology*, 10(1-2), 53-60.
- Hagan, C. E., Bolon, B., Keene, C. D., Treuting, P. M., & Dintzis, S. M. (2012). *Comparative anatomy and histology: a mouse and human atlas*.
- Inglés de la Torre, M. (2014). Identificación de biomarcadores de fragilidad en estudio de Toledo de envejecimiento saludable.
- Irnidayanti, Y., & Sutiono, D. R. (2019). Tempeh & Soybean Seed Coat: The Alternative Sources of Trans-Resveratrol as Neuroprotective Agents. *International Journal of Morphology*, 37(3).
- Irnidayanti, Y., & Aprilyanti, R. E. (2021). Effect of aluminum chloride against changes of the histological structure of the cerebral cortex of mice (swiss webster). *Berkala Penelitian Hayati*, 26(2), 66-71.
- Johns, P. (2014). Neurons and glial cells. *Clinical Neuroscience*, 61-69.
- Kawahara, M. (2005). Effects of aluminum on the nervous system and its possible link with neurodegenerative diseases. *Journal of Alzheimer's Disease*, 8(2), 171-182.
- Kawahara, M., & Kato-Negishi, M. (2011). Link between aluminum and the pathogenesis of Alzheimer's disease: the integration of the aluminum and amyloid cascade hypotheses. *International journal of Alzheimer's disease*, 2011.
- Kiernan, J. A. (1999). Histological and histochemical methods: theory and practice. *Shock*, 12(6), 479.
- Kirkcaldie, M. T. (2012). Neocortex. In *The mouse nervous system* (pp. 52-111). Academic Press.

- Kohila, T., Parkkonen, E., & Tähti, H. (2004). Evaluation of the effects of aluminium, ethanol and their combination on rat brain synaptosomal integral proteins in vitro and after 90-day oral exposure. *Archives of toxicology*, 78(5), 276-282.
- Kumar, A., Dogra, S., & Prakash, A. (2009). Protective effect of curcumin (Curcuma longa), against aluminium toxicity: Possible behavioral and biochemical alterations in rats. *Behavioural brain research*, 205(2), 384-390.
- Li, H. (2014). Sirtuin 1 (SIRT1) and oxidative stress. *Systems Biology of Free Radicals and Antioxidants*, 417-435.
- Laabbar, W., Elgot, A., Kissani, N., & Gamrani, H. (2014). Chronic aluminum intoxication in rat induced both serotonin changes in the dorsal raphe nucleus and alteration of glycoprotein secretion in the subcommissural organ: Immunohistochemical study. *Neuroscience letters*, 577, 72-76.
- Liang, L., Tajmir-Riahi, H. A., & Subirade, M. (2008). Interaction of β -lactoglobulin with resveratrol and its biological implications. *Biomacromolecules*, 9(1), 50-56.
- Lide, D. R. (Ed.). (2004). *CRC handbook of chemistry and physics* (Vol. 85). CRC press.
- Martínez-Cerdeño, V., & Noctor, S. C. (2014). Cajal, retzius, and cajal-retzius cells. *Frontiers in neuroanatomy*, 8, 48.
- McFarland, G., La Joie, E., Thomas, P., & Lyons-Weiler, J. (2020). Acute exposure and chronic retention of aluminum in three vaccine schedules and effects of genetic and environmental variation. *Journal of Trace Elements in Medicine and Biology*, 58, 126444.
- Michan, S., & Sinclair, D. (2007). Sirtuins in mammals: insights into their biological function. *Biochemical Journal*, 404(1), 1-13.
- Mokni, M., Elkahoui, S., Limam, F., Amri, M., & Aouani, E. (2007). Effect of resveratrol on antioxidant enzyme activities in the brain of healthy rat. *Neurochemical research*, 32(6), 981-987.
- Moriwaki, K., Shiroishi, T., & Yonekawa, H. (Eds.). (1994). *Genetics in wild mice: Its application to biomedical research*. S Karger Ag.
- Nalagoni, C. S. R., & Karnati, P. R. (2016). Protective effect of resveratrol against neuronal damage through oxidative stress in cerebral hemisphere of aluminum and fluoride treated rats. *Interdisciplinary toxicology*, 9(2), 78.
- Navarro-Cruz, A. R., Ramírez y Ayala, R., Ochoa-Velasco, C., Brambila, E., Avila-Sosa, R., Pérez-Fernández, S., ... & Aguilar-Alonso, P. (2017). Effect of chronic administration of resveratrol on cognitive performance during aging process in rats. *Oxidative medicine and cellular longevity*, 2017.
- Nehru, B., & Anand, P. (2005). Oxidative damage following chronic aluminium exposure in adult and pup rat brains. *Journal of Trace Elements in Medicine and Biology*, 19(2-3), 203-208.
- [NIEHS] National Institute of Environmental Health Science. (2019). Brain and pituitary: revised guides for organ sampling and trimming in rats and mice. *National Toxicology Program*. <https://www.niehs.nih.gov/research/resources/visual-guides/guides/brain-pituitary/index.cfm>

- Onyango, A. N., & Baba, N. (2010). New hypotheses on the pathways of formation of malondialdehyde and isofurans. *Free Radical Biology and Medicine*, 49(10), 1594-1600.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., ... & Bitto, A. (2017). Oxidative stress: harms and benefits for human health. *Oxidative medicine and cellular longevity*, 2017.
- Raval, A. P., Dave, K. R., & Pérez-Pinzon, M. A. (2006). Resveratrol mimics ischemic preconditioning in the brain. *Journal of Cerebral Blood Flow & Metabolism*, 26(9), 1141-1147.
- Schmitt, C. A., Heiss, E. H., & Dirsch, V. M. (2010). Effect of resveratrol on endothelial cell function: Molecular mechanisms. *Biofactors*, 36(5), 342-349.
- Sharma, S., Anjaneyulu, M., Kulkarni, S. K., & Chopra, K. (2006). Resveratrol, a polyphenolic phytoalexin, attenuates diabetic nephropathy in rats. *Pharmacology*, 76(2), 69-75
- Shubin, A. V., Demidyuk, I. V., Komissarov, A. A., Rafieva, L. M., & Kostrov, S. V. (2016). Cytoplasmic vacuolization in cell death and survival. *Oncotarget*, 7(34), 55863.
- Sivakumar, S., Khatiwada, C. P., & Sivasubramanian, J. (2012). Aluminum and the effects of chelating agents on muscle, kidney and liver of *Cirrhinus mrigala*. *Journal of Chemical and Pharmaceutical Research*, 4(6), 3020-3030.
- Soni, M. G., White, S. M., Flamm, W. G., & Burdock, G. A. (2001). Safety evaluation of dietary aluminum. *Regulatory toxicology and pharmacology*, 33(1), 66-79.
- Song, J., Huang, Y., Zheng, W., Yan, J., Cheng, M., Zhao, R., ... & Jia, W. (2018). Resveratrol reduces intracellular reactive oxygen species levels by inducing autophagy through the AMPK-mTOR pathway. *Frontiers of medicine*, 12(6), 697-706.
- Storer T. I. and Usinger R. L. (1957). *General Zoology*. McGraw-Hill, New York
- Tair, K., Kharoubi, O., Tair, O. A., Hellal, N., Benyettou, I., & Aoues, A. (2016). Aluminium-induced acute neurotoxicity in rats: Treatment with aqueous extract of *Arthrophytum* (*Hammada scoparia*). *Journal of acute disease*, 5(6), 470-482.
- Tokuşoğlu, Ö., Ünal, M. K., & Yemiş, F. (2005). Determination of the phytoalexin resveratrol (3,5,4'-trihydroxystilbene) in peanuts and pistachios by high-performance liquid chromatographic diode array (HPLC-DAD) and gas chromatography– mass spectrometry (GC-MS). *Journal of Agricultural and Food Chemistry*, 53(12), 5003-5009.
- Yokel, R. A. (2006). Blood-brain barrier flux of aluminum, manganese, iron and other metals suspected to contribute to metal-induced neurodegeneration. *Journal of Alzheimer's Disease*, 10(2-3), 223-253.
- Zheng, Y., Liu, Y., Ge, J., Wang, X., Liu, L., Bu, Z., & Liu, P. (2010). Resveratrol protects human lens epithelial cells against H₂O₂-induced oxidative stress by increasing catalase, SOD-1, and HO-1 expression. *Molecular vision*, 16, 1467.

Zhuang, H., KIM, Y. S., Koehler, R. C., & Doré, S. (2003). Potential mechanism by which resveratrol, a red wine constituent, protects neurons. *Annals of the New York Academy of Sciences*, 993(1), 276-286.

