

## DAFTAR PUSTAKA

- Allendorf, F. W., & Luikart. (2007). *Conservation and the genetics of populations*. Blackwell Publishing Ltd.
- Applied Biosystems. (2016). *DNA sequencing by capillary electrophoresis chemistry guide third edition*. Thermo Fisher Scientific Inc.
- Badan Standardisasi Nasional. (2008). *[SNI] Standar nasional Indonesia nomor 3932 tentang mutu karkas dan daging sapi*. Badan Standardisasi Nasional.
- Baggerman, J. O., Thompson, A. J., Jennings, M. A., Hergenreder, J. E., Rounds, W., Smith, Z. K., & Johnson, B. J. (2021). Effects of encapsulated methionine on skeletal muscle growth and development and subsequent feedlot performance and carcass characteristics in beef steers. *Animals*, 11(6), 1-17. <https://doi.org/10.3390/ani11061627>
- Blakely, J., & Bade, D. H. (1992). *Pengantar Ilmu Peternakan*. Edisi keempat. Gadjah Mada University Press.
- Bugiwati, S. R. A. (2009). Pengaruh genetik dan lingkungan terhadap sifat karkas sapi Jepang Coklat. *Jurnal Bionatura*, 11(2), 155-165.
- Chambaz, A., Scheeder, M. R. L., Kreuzer, M., & Dufey, P. A. (2003). Meat quality of Angus, Simmental, Charolais and Limousin steers compared at the same intramuscular fat content. *Meat Science*, 63(4), 491–500. [https://doi.org/10.1016/S0309-1740\(02\)00109-2](https://doi.org/10.1016/S0309-1740(02)00109-2)
- Chiang, H. L., Wu, J. Y., & Chen, Y. T. (2017). Identification of functional single nucleotide polymorphisms in the branchpoint site. *Human Genomics*, 11(27), 1-6. <https://doi.org/10.1186/s40246-017-0122-6>
- Direktorat Jendral Peternakan dan Kesehatan Hewan. (2021). *Kementan upayakan ketersediaan daging pada ramadan dan hari raya idul fitri tahun 2021*. <http://pspk.ditjennak.pertanian.go.id/kementan-upayakan-ketersediaan-daging-pada-ramadan-dan-hari-rama-idul-fitri-tahun-2021>
- Eberlein, A., Takasuga, A., Setoguchi, K., Pfuhl, R., Flisikowski, K., Fries, R., Klopp, N., Furbass, R., Weikard, R., & Kuhn, C. (2009). Dissection of genetic factors modulating fetal growth in cattle indicates a substantial role of the non-smc condensin i complex, subunit g (*NCAPG*) gene. *Genetics Society of America*, 183(3), 951-964. <https://doi.org/10.1534/genetics.109.106476>
- Fatchiyah, A. E. L., Widyarti, S., & Rahayu, S. (2011). *Biologi molekuler prinsip dasar analisis*. Erlangga.
- Forester, J. V., Dick, A. D., McMenamin, P.G., Roberts, F., & Pearlman, E. (2016). *The eye : Basic sciences in practice 4<sup>th</sup> edition*. Elsevier Ltd.
- Furlan, E., Stoklosa, J., Griffiths, J., Gust, N., Ellis, R., Huggins, R. M., & Weeks, A. R. (2012). Small population size and extremely low levels of genetic

- diversity in island populations of the platypus, *Ornithorhynchus anatinus*. *Ecology and Evolution*, 2(4), 844–857. <https://doi.org/10.1002/ece3.195>
- Guo, C., McDowell, I. C., Nodzenski, M., Scholtens, D. M., Allen, A. S., Lowe, W. L., & Reddy, T. E. (2017). Transversions have larger regulatory effect than transitions. *BioMed Central Genetics*, 18 (394), 1-9. <https://doi.org/10.1186/s12864-017-3785-4>
- Hall, T. A. (1999). BioEdit a user-friendly biological sequence alignment editor and analysis program for windows 95/98/NT. *Nucleic Acids Symposium Series*, (41), 95-98.
- Hara, K., Kinoshita, K., Migita, T., Murakami, K., Shimizu, K., Takeuchi, K., Hirano, T., & Hashimoto, H. (2019). Structural basis of HEAT- kleisin interactions in the human condensin I subcomplex. *EMBO Reports*, 20(5), 1-12. <https://doi.org/10.15252/embr.201847183>
- Hirano, T. (2005). Condensins: Organizing and segregating the genome. *Current Biology*, 15(7), 265-275. <https://doi.org/10.1016/j.cub.2005.03.037>
- Hirano, T. (2012). Condensins: Universal organizers of chromosomes with diverse functions. *Genes & Development*, 26(15), 1659–1678. <https://doi.org/10.1101/gad.194746.112>
- Hirwa, C. D., Wallacece, P., Shen, X., Nie, Q., Yang, G., & Zhang, X. (2011). Genes related to economically important traits in beef cattle. *Asian Journal of Animal Sciences*, 5(1), 34-45. <https://doi.org/10.3923/ajas.2011.34.45>
- Hu, X., Xing, Y., Fu, X., Yang, Q., Ren, L., Wag, Y., Li, Q., Li, J., & Zhang, L. (2020). NCAPG dynamically coordinates the myogenesis of fetal bovine tissue by adjusting chromatin accessibility. *International Journal of Molecular Sciences*, 21(4), 1-15. <https://doi.org/10.3390/ijms21041248>
- Jalali, M., Saldanha, F. Y. L., & Jalali, M. (2017). *Basic science methods for clinical reseachers*. Academic Press
- Kassam, S., Meyer, P., Corfield, A., Mikuz, G., & Sergi, C. (2005). *Single Nucleotide Polymorphisms (SNPs): History, biotechnological outlook and practical applications*. *Current Pharmacogenomics*, 3(3), 237-245. <https://doi.org/10.2174/1570160054864021>
- Kawaguchi, F., Tsuchimura, M., Oyama, K., Matsubishi, T., Maruyama, S., Mannen, H., & Sasazaki, S. (2020). Effect of DNA markers on the fertility traits of Japanese Black cattle for improving beef quantity and quality. *Archives Animal Breeding*, 63(1), 9-17. <https://doi.org/10.5194/aab-63-9-2020>
- Kementerian Perdagangan. (2014). *Laporan ringkas: Analisis outlook pangan 2015-2019*. Pusat Kebijakan Perdagangan Dalam Negeri, Kementerian Perdagangan.
- Kementerian Pertanian. (2020). *Pusat data dan sistem informasi pertanian: outlook komoditas peternakan daging sapi*. Kementrian Pertanian.

- Kwok, P. Y., & Chen, X. (2003). Detection of single nucleotide polymorphisms. *Current Issues in Molecular Biology*, 5(2), 43-60.
- Lazar, I. (2021). *GelAnalyzer 19.1*. <https://www.gelanalyzer.com>
- Lee, P. Y., Costrumbrado, J., Hsu, C. Y., & Kim, Y. H. (2012). Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiment*, (62), 1-5. <https://doi.org/doi:10.3791/3923>
- Lewin, B. (1994). *Genes V*. Oxford University Press.
- Lindholm-Perry, A. K., Kuehn, L. A., Oliver, W. T., Sexten, A. K., Miles, J. R., Rempel, L. A., Cushman, R. A., & Freetly, H. C. (2013). Adipose and muscle tissue gene expression of two genes (*NCAPG* and *LCORL*) located in a chromosomal region associated with cattle feed intake and gain. *PLoS One*, 8(11), 1-7. <https://doi.org/10.1371/journal.pone.0080882>
- Liu, S., Sun, Y., Zhao, R., Wang, Y., Zhang, W., & Pang, W. (2020). Isoleucine increases muscle mass through promoting myogenesis and intramyocellular fat deposition. *Food & Function*, 12(1), 144-153. <https://doi.org/10.1039/D0FO02156C>
- Lorenz, T. C. (2012). Polymerase chain reaction: Basic protocol plus troubleshooting and optimization strategies. *Journal of Visualized Experiments*, 63, 1-15. <https://doi.org/10.3791/3998>
- Mohammadabadi, M., Bordbar, F., Jensen, J., Du, M., & Guo, W. (2021). Key genes regulating skeletal muscle development and growth in farm animal. *Animals*, 11(3), 835. <https://doi.org/10.3390/ani11030835>
- Moioli, B., Napolitano, F., & Catilo, G. (2004). Genetic diversity between Piedmontese, Maremmana and Podolica cattle breeds. *Journal of Heredity*, 95(3), 250-256. <https://doi.org/10.1093/jhered/esh032>
- National Center for Biotechnology Information. (2020). [*NCAPG*] non-SMC condensin I complex subunit G [*Bos taurus* (cattle)]. <https://www.ncbi.nlm.nih.gov/gene/531234>
- Nei, M. (1987). *Molecular evolution and genetics*. Columbia University Press.
- Nei, M., & Kumar S. (2000). *Molecular evolution and phylogenetics*. Oxford University Press.
- Nusi, M., Utomo, R., & Soeparno. (2011). Pengaruh penggunaan tongkol jagung dalam complete feed dan suplementasi undergrade protein terhadap pertambahan bobot badan dan kualitas daging pada sapi Peranakan Ongole. *Buletin Peternakan*, 35(3), 173-181. <https://doi.org/10.21059/buletinpeternak.v35i3.1090>
- Ota, M., Fukushima, H., Kulski, J. K., & Inoko, H. (2007). Single nucleotide polymorphism detection by polymerase chain reaction-restriction fragment length polymorphism. *Nature Protocols*, 2(11), 2857-2864. <https://doi.org/10.1038/nprot.2007.407>



- Pane, I. (1993). *Pemuliabiakan ternak sapi*. Gramedia.
- Pegolo, S., Cecchinato, A., Savoia, S., Stasio, L. D., Pauciullo, A., Brugiapaglia, A., Bittante, G., & Albera, A. (2020). Genome-wide association and pathway analysis of carcass and meat quality traits in Piemontese young bulls. *Animal*, 14(2), 243-252. <https://doi.org/10.1017/S1751731119001812>
- Pesonen, M., & Huuskonen, A. (2015). Production, carcass characteristics and valuable cuts of beef breed bulls and heifers in Finnish beef cattle population. *Agricultural and Food Science*, 24(3), 164-172. <https://doi.org/10.23986/afsci.50930>
- Pradana, W., Rudyanto, M. D., & Suada, I. K. (2014). Hubungan umur, bobot dan karkas sapi Bali betina yang dipotong di Rumah Potong Hewan Temesi. *Indonesia Medicus Veterinus*, 3(1), 37-42.
- Prihandini, P. W., Primasari, A., Luthfi, M., Pamungkas, D., & Wibowo, T. B. (2019). Identification of polymorphism follicle stimulating hormon beta sub-unit (*FSH-β*) gene from three Indonesian local cattle genetic resources. *Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner*, 183-191. <http://doi.org/10.14334/Pros.Semnas.TPV-2019-p.171-179>
- Roy, D., Perreault, M., & Marette, A. (1998). Insulin stimulation of glucose uptake in skeletal muscles and adipose tissues in vivo is NO dependent. *American Journal of Physiology-Endocrinology and Metabolism*, 274(4), 692-699. <https://doi.org/10.1152/ajpendo.1998.274.4.E692>
- Rubin, C. J., Megens, H. J., Barrio, M. A., Maqbool, K., Sayyab, S., Schwochow, D., Wang, C., Carlborg, Ö., Jern, P., Jørgensen, C. B., Archibald, A. L., Fredholm, M., Groenen, M. A. M., & Andersson, L. (2012). Strong signatures of selection in the domestic pig genome. *Proceedings of the National Academy of Sciences*, 109(48), 19529–19536. <https://doi.org/10.1073/pnas.1217149109>
- Sahana, G., Hoglund, J. K., Guldbrandtsen, B. & Lund M. S. (2015). Loci associated with adult stature also affect calf birth survival in cattle. *BioMed Central Genetics*, 16(47), 1-12. <https://doi.org/10.1186/s12863-015-0202-3>
- Sasmito, D. E. K., Kurniawan, R., & Muhimmah, I. (2014). Karakteristik primer pada polymerase chain reaction (PCR) untuk sekuensing DNA: Mini review. *Seminar Nasional Informatika Medis*, 5, 93-102.
- Schork, N. J., Fallin, D., & Lanchbury, S. (2000). Single nucleotide polymorphisms and the future of genetic epidemiology. *Clinical Genetics*, 58(4), 250-264. <https://doi.org/10.1034/j.1399-0004.2000.580402.x>
- Seipold, S., Priller, F. C., Goldsmith, P., Harris, W. A., Baier, H. & Seyfried, A. (2009). Non-SMC condensin I complex proteins control chromosome segregation and survival of proliferating cells in the Zebrafish neural retina. *BioMed Central Development Biology*, 9(40), 1-14. <https://doi.org/10.1186/1471-213X-9-40>

- Setiawan, A., Sebastian, A., & Purwestri, Y. A. (2021). Deteksi gen ketahanan hawar daun bakteri Xa21 pada padi (*Oryza sativa* L.) hitam dan merah lokal Indonesia. *Vegetalika*, 10(2), 120-132. <https://doi.org/10.22146/veg.36625>
- Setiyono, Kusuma, A. H. A., & Rusman. (2017). Pengaruh bangsa, umur, jenis kelamin terhadap kualitas daging sapi potong di Daerah Istimewa Yogyakarta. *Buletin Peternakan*, 41(2), 176-186. <https://doi.org/10.21059/buletinpeternak.v41i2.9935>
- Setoguchi, K., Furuta, M., Hirano, T., Nagao, T., Watanabe, T., Sugimoto, Y., & Takasuga, A. (2009). Cross-breed comparisons identified a critical 591-kb region for bovine carcass weight QTL (CW-2) on chromosome 6 and the Ile-442-Met substitution in *NCAPG* as a positional candidate. *BioMed Central Genetics*, 10(43), 1-12. <https://doi.org/10.1186/1471-2156-10-43>
- Setoguchi, K., Watanabe, T., Weikard, R., Albrecht, E., Kühn, C., Kinoshita, A., Sugimoto, Y., & Takasuga, A. (2011). The SNP *c.1326T>G* in the non-SMC Condensin I Complex, Subunit G (*NCAPG*) Gene Encoding a p.Ile442Met variant is associated with an increase in body frame size at puberty in cattle. *Animal Genetics*, 42(6), 650-655. <https://doi.org/10.1111/j.1365-2052.2011.02196.x>
- Soeparno. (2005). *Ilmu dan teknologi daging*, cetakan keempat. Gadjah Mada University Press.
- Sofro, A. S. M. (1994). *Keanekaragaman genetik*. Andi Offset.
- Sogandi. (2018). *Biologi molekuler: Identifikasi bakteri secara molekuler*. Universitas 17 Agustus 1945.
- Sudjana & Ibrahim. (1989). *Penelitian dan penilaian pendidikan*. Sinar Baru Algesindo.
- Sutarno & Setyawan, A. (2015). Review: Genetic diversity of local and exotic cattle and their crossbreeding impact on the quality of Indonesian cattle. *Biodiversitas*, 16(2), 327-354. <https://doi.org/10.13057/biodiv/d160230>
- Syamsul, F., & Ruhyadi, D. (2012). *Bisnis penggemukan sapi*. PT Agromedia Pustaka.
- Takasuga, A. (2016). *PLAG1* and *NCAPG-LCORL* in livestock. *Animal Science Journal*, 87(2), 159-167. <https://doi.org/10.1111/asj.12417>
- Tetens, J., Widmann, P., Kühn, C., & Thaller G. (2013). A genome-wide association study indicates *LCORL/NCAPG* as a candidate locus for withers height in German Warmblood horses. *Animal Genetics*, 44(4), 67-71. <https://doi.org/10.1111/age.12031>
- Tong, B., Muramatsu, Y., Fuke, N., Himizu, Y., Katou, H., Ohta, T., Kose, H., & Yamada, T. (2016). Allele frequency distribution of the *NCAPG c.1326 T>G* SNP associated with growth-related traits in Nigata population of Japanese Black beef cattle. *Open Journal of Animal Sciences*, 6(3), 202-206. <https://doi.org/10.4236/ojas.2016.63026>

- Trakovicka, A., Gabor, M., Miluchova, M., Minarovic, T., & Stastna, D. (2012). Detection of the Non-SMC condensin I complex subunit G gene polymorphism (*NCAPG c.1326 T>G*) in different breeds of cattle. *Scientific Papers: Animal Sciences and Biotechnologies*, 45(1), 262-264.
- Van Eenennaam, A. L., Li, J., Thallman, R. M., Quaas, R. L., Dikeman, M. E., Gill, C. A., Franke, D. E., & Thomas, M. G. (2007). Validation of commercial DNA tests for quantitative beef quality traits. *Journal of Animal Science*, 85(4), 891-900. <https://doi.org/10.2527/jas.2006-512>
- Weikard, R., Altmaier, E., Suhre, K., Weinberger, K. M., Hammon, H. M., Albrecht, E., Setoguchi, K., Takasuga, A., & Kühn, C. (2010). Metabolomic profiles indicate distinct physiological pathways affected by two loci with major divergent effect on *Bos taurus* growth and lipid deposition. *Physiological Genomics*, 42A(2), 79-88. <https://doi.org/10.1152/physiolgenomics.00120.2010>
- Widi, T. S. M., Udo, H. M. J., Oldenbroek, K., Budisatria, I. G. S., Baliarti, E., & Van der Zijpp, A. (2015). Is crossbreeding of cattle beneficial for mixed farming systems in Central Java?. *Animal Genetic Resources*, 56, 127-144.
- Williams, R. C. (1989). Restriction Fragment Length Polymorphism (RFLP). *American Journal of Physical Anthropology*, 32(10), 159-184. <https://doi.org/10.1002/ajpa.1330320508>
- Williams, R. E., Bertrand, J. K., Williams, S. E., & Benyshek, L. L. (1997). Biceps femoris and rump fat as additional ultrasound measurements for predicting retail product and trimmable fat in beef carcasses. *Journal of Animal Science*, 75(1), 7-13. <https://doi.org/10.2527/1997.7517>
- Yahyaoui, M. H., Coll, A., Sanchez, A., & Folch J. M. (2001). Genetic polymorphism of the caprine kappa casein gene. *Journal Dairy Research*, 68(2), 209-216. <https://doi.org/10.1017/s0022029901004733>
- Yuenleni, Y. (2019). Langkah-Langkah Optimasi PCR. *Indonesian Journal of Laboratory*, 1(3), 51-56. <https://doi.org/10.22146/ijl.v1i3.48723>