

## DAFTAR PUSTAKA

- Adeyemi, G. A., Ayanda, I. O., & Dedeke, G. A. (2019). The interplay between sea turtle population and income generation in south-west Nigeria coastal environment. *Journal of Physics: Conference Series*. <https://doi.org/10.1088/1742-6596/1299/1/012127>.
- Agustina, A. E. (2009). Habitat Bertelur Dan Tngkat Keberhasilan Penetasan Telur Penyu Abu-Abu (*Lepidochelys olivacea*) Di Pantai Samas Dan Pantai Trisik Yogyakarta. Yogyakarta: Jurusan Biologi. Fakultas Teknobiologi. Universitas Atma Jaya Yogyakarta.
- Agustina, A. E. (2009). Habitat Bertelur Dan Tngkat Keberhasilan Penetasan Telur Penyu Abu-Abu (*Lepidochelys olivacea*) Di Pantai Samas Dan Pantai Trisik Yogyakarta. Yogyakarta: Jurusan Biologi. Fakultas Teknobiologi. Universitas Atma Jaya Yogyakarta.
- Arianto, A. (2014). Studi Kondisi Biofisik Penyu di Kelurahan Koto Jaya, Kecamatan Kota Mukomuko, Kabupaten Mukomuko Propinsi Bengkulu. Skripsi. Padang: Fakultas Perikanan dan Ilmu Kelautan, Universitas Bung Hatta.
- Ario, R., Wibowo, E., Pratikto, I., & Fajar, S. (2016). Pelestarian Habitat Penyu Dari Ancaman Kepunahan Di Turtle Conservation And Education Center (TCEC), Bali. *Jurnal Kelautan Tropis*. <https://doi.org/10.14710/jkt.v19i1.602>.
- Ayu R.U., Tjuk I.R., Ragil A.P., Erma S., Amung L.S., Aditya Y., Wiyanto H. (2020). Penetasan Telur Penyu Lekang (*Lepidochelys olivacea*) pada Sarang Semi Alami di Pantai Boom Banyuwangi Periode Tahun 2018. *Jurnal Medik Vetertner*, April 2020, Vol.3 No.1, 17-24. DOI: 10.20473/jmv.
- Bell, I., & Pike, D. A. (2012). Somatic growth rates of hawksbill turtles *Eretmochelys imbricata* in a northern Great Barrier Reef foraging area. *Marine Ecology Progress Series*, 446(May), 275–283. <https://doi.org/10.3354/meps09481>.
- Birkenmeier, E., (1971). Juvenile leatherback turtles, *Dermochelys coriacea* (Linnaeus), in captivity Brunei Mus.J. 2:160-172.
- Bjorndal, K. A., Bolten, A. B., Dellinger, T., Delgado, C., & Martins, H. R. (2003). Compensatory growth in oceanic loggerhead sea turtles: Response to a stochastic environment. *Ecology*.
- Bjorndal K.A., Jackson J.B.C. Roles of sea turtles in marine ecosystems: reconstructing the past. In: Lutz P., Musick J., Wyneken J., editors. *The Biology of Sea Turtles Vol II*. CRC Press; (2003). pp. 259–273.
- Bjorndal KA, Chaloupka M, Saba VS, Diez CE and others (2016) Somatic

growth dynamics of West Atlantic hawksbill sea turtles: a spatio-temporal perspective. *Ecosphere* 7:e01279.

- Blumenthal JM, Austin TJ, Bell CDL, Bothwell JB and others (2009b) Ecology of hawksbill turtles, *Eretmochelys imbricata*, on a western Caribbean foraging ground. *Chelonian Conserv Biol* 8:1–10.
- Bolten AB (2003) Variation in sea turtle life history patterns: neritic versus oceanic developmental stages. In: Lutz PL, Musick J, Wyneken J (eds) *The biology of sea turtles, Vol II*. CRC Press, Boca Raton, FL, pp 243–257.
- Boulon R, Frazer N (1990) Growth of wild juvenile Caribbean green turtles, *Chelonia mydas*. *J Herpetol* 24:441–445.
- Brost, B., Witherington, B., Meylan, A., Leone, E., Ehrhart, L., Bagley, D. (2015). Sea Turtle Hatchling Production from Florida (USA) Beaches, 2002-2012, with Recommendations for Analyzing Hatching Success. *Endangered Species Res.*, 27(1), 53-68.
- Casale P, Heppell SS (2016) How much sea turtle bycatch is too much? A stationary age distribution model for simulating population abundance and potential biological removal in the Mediterranean. *Endang Species Res* 29:239–254.
- Chaloupka MY, Limpus CJ (1997) Robust statistical modelling of hawksbill sea turtle growth rates (southern Great Barrier Reef). *Mar Ecol Prog Ser* 146:1–8.
- Chan, E.H., (1988). A Note on the Feeding of Leatherback *Dermochelys coriacea* hatchlings. *Pertanika* 11 (1), 147–149.
- Chevis MG, Godley BJ, Lewis JP, Jackson Lewis J, Scales KL, Graham RT (2017) Movement patterns of juvenile hawksbill turtles *Eretmochelys imbricata* at a Caribbean coral atoll: long-term tracking using passive acoustic telemetry. *Endang Species Res* 32:309–319.
- Chuen-Im, Thanaporn, Mayuva Areekijseree, Sukumal Chongthammakun, and Sheila V. Graham. (2010). “Aerobic Bacterial Infections in Captive Juvenile Green Turtles (*Chelonia Mydas*) and Hawksbill Turtles (*Eretmochelys Imbricata*) from Thailand.” *Chelonian Conservation and Biology*.
- Collins. (2013). Long-term climate change: projections, commitments and irreversibility. In: Stocker, et al. (Eds.), *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, UK and New York, USA.
- Colman LP, Patricio ARC, McGowan A, Santos AJB, Marco-valdi MA, Bellini C, Godley BJ (2015) Long-term growth and survival dynamics of green turtles (*Chelonia mydas*) at an isolated tropical archipelago in Brazil. *Mar Biol* 162:111–122.

- D’Cruze, N., Alcock, R., & Donnelly, M. (2014). The Cayman Turtle Farm: Why We Can’t Have Our Green Turtle and Eat it Too. In *Journal of Agricultural and Environmental Ethics*. <https://doi.org/10.1007/s10806-014-9519-6>.
- Damanti, R. R. (2001). Studi Kesukaan Makanan dan Laju Pertumbuhan Juvenil Penyu Sisik (*Eretmochelys imbricata*) di Pulau Pramuka Taman Nasional Laut Kepulauan Seribu Jakarta. [Skripsi]. Fakultas Perikanan dan Ilmu Kelautan, Intitut Pertanian Bogor. Bogor. X + 42 hal.
- da Silva, V. R. F., Mitraud, S. F., Ferraz, M. L. C. P., Lima, E. H. S. M., Melo, M. T. D., Santos, A. J. B., da Silva, A. C. C. D., de Castilhos, J. C., Batista, J. A. F., Lopez, G. G., Tognin, F., Thomé, J. C., Baptistotte, C., da Silva, B. M. G., Becker, J. H., Wanderline, J., de Vasconcellos Pegas, F., Róstan, G., dei Marcovaldi, G. G., & dei Marcovaldi, M. Â. G. (2016). Adaptive threat management framework: integrating people and turtles. *Environment, Development and Sustainability*. <https://doi.org/10.1007/s10668-015-9716-0>.
- Dermawan, A., Naitja, N. S., Soedharma, D., Halim, M. H., Kusri, M. D., Lubis, S. B., Alhanif, R., Khazali, Murdiah, M., Wahjhardini, P. L., Setiabudiningsih, & Mashar, A. (2009). Pedoman Teknis: Pengelolaan Konservasi Penyu. Direktorat Konservasi Dan Taman Nasional Laut.
- Daley B, Griggs P, Marsh H (2008) Exploiting marine wildlife in Queensland: the commercial dugong and marine turtle fisheries, 1847–1969. *Aus Econ Hist Rev* 48:227–265.
- Diez CE, van Dam RP (2002) Habitat effect on hawksbill turtle growth rates on feeding grounds at Mona and Monito Islands, Puerto Rico. *Mar Ecol Prog Ser* 234:301–309.
- Duncan EM, Botterell ZLR, Broderick AC, Galloway TS, Lin-deque PK, Nuno A, Godley BJ (2017) A global review of marine turtle entanglement in anthropogenic debris: a baseline for further action. *Endang Species Res* 34:431–448.
- Fish, M.R., Cote, I.M., Gill, J.A., Jones, A.P., Renshoff, S., Watkinson, A.R., (2005). Predicting the impact of sea-level rise on Caribbean sea turtle nesting habitat. *Conserv. Biol.* 19, 482–491.
- Frazer, N. B. and F. J. Schwartz. (1984). Growth curves for captive loggerhead turtles, *Caretta caretta*, in North Carolina, USA. *Bulletin of Marine Science* 34:485–489.
- Gaos AR, Lewison RL, Yanez IL, Wallace BP and others (2012) Shifting the life-history paradigm: discovery of novel habitat use by hawksbill turtles. *Biol Lett* 8: 54–56.
- Gatto, C. R., & Reina, R. D. (2020). Sea turtle hatchling locomotor performance: incubation moisture effects, ontogeny and species-specific patterns. *Journal of Comparative Physiology B: Biochemical,*

Systemic, and Environmental Physiology.  
<https://doi.org/10.1007/s00360-020-01307-z>.

- Hamann, M., Limpus, C.J., Read, M.A., (2007). Vulnerability of marine reptiles in the Great Barrier Reef to climate change. In: Johnson, J.E., Marshall, P.A. (Eds.), *Climate Change and the Great Barrier Reef*. Great Barrier Reef Marine Park Authority and Australian Greenhouse Office, Australia Chapter 15.
- Hamuna, B., Rosye, H.R., Suwito., Maury, H.K., dan Alianto. (2018). Kajian Kualitas Air Laut dan Indeks Pencemaran Berdasarkan Parameter Fisika-Kimia Di Perairan Distrik Depapre, Jayapura. *Jurnal Ilmu Lingkungan*, 16 (1), 35-43.
- Hanipa, S., Utami, E., & Umroh, U. (2018). Pengaruh Pakan Terhadap Pertumbuhan Tukik Penyu Hijau (*Chelonia Mydas*) di Penangkaran Pantai Tongaci Sungailiat. *Akuatik:Jurnal Sumberdaya Perairan*. <https://doi.org/10.33019/akuatik.v1i12.246>.
- Hardiono, E. B., Sri Rejeki dan E. Wibowo. (2012). Pengaruh Pemberian Udag Ebi dengan Konsentrasi yang Berbeda terhadap Pertumbuhan Tukik Penyu Lekang (*Lepidochelys Olivacea*) di Pantai Samas, Bantul. *Jurnal Ilmu Kelautan.*, 1 (2) : 67-72.
- Hatase, H., Omuta, K., & Tsukamoto, K. (2010). Oceanic residents, neritic migrants: A possible mechanism underlying foraging dichotomy in adult female loggerhead turtles (*Caretta caretta*). *Marine Biology*. <https://doi.org/10.1007/s00227-010-1413-9>.
- Hawkes, L.A., Broderick, A.C., Godfrey, M.H., Godley, B.J., (2007). Investigating the potential impacts of climate change on a marine turtle population. *Glob. Chang. Biol.*13, 923–932.
- Hawkes, Lucy A, McGowan, Andrew, Broderick, Annette C, Gore, Shannon, Wheatley, Damon, White, Jim, Witt, Matthew J, Godley, Brendan J. (2014). High rates of growth recorded for hawksbill sea turtles in A negada, British Virgin Islands. *Ecology and Evolution*; *Bognor Regis*. Vol. 4, Iss. 8,1255-1266. DOI:10.1002/ece3.1018.
- Higgins, B. M. 2003. Sea turtle husbandry. p. 411–440. *In*: P. L. Lutz, J. A. Musick, and J. Wyneken (eds.), *The Biology of Sea Turtles Volume II*. CRC Press, Boca Raton.
- Hirth, H. F. (1977). Synopsis of biological data on the green sea turtle, *Chelonia mydas*. *FAO Fisheries Synopsis*.
- Hutabarat, Sahala dan Stewart M. Evans. (2001). *Pengantar Oseanografi*, (Jakarta: Universitas Indonesia Press), cet III.
- Iskandar, D.T. (2000). Kura-kura dan Buaya Indonesia & Papua Nugini. *International Union For Conservation Of Nature And Natural Resources (IUCN) Regional Biodiversity Programme for South*.



- IUCN (International Union For Conservation Of Nature And Natural Resources), (2020). Red Data Book : Hawksbill Turtle. July. 2 pp.
- Jensen, M.P., Allen, C.D., Eguchi, T., Bell, I.P., LaCasella, E.L., Hilton, W.A., Hof, C.A.M., Dutton, P.H., (2018). Environmental warming and feminization of one of the largest sea turtle population in the world. *Curr. Biol.* 28, 154–159.
- Jones, T. T., Salmon, M., Wyneken, J., & Johnson, C. (2000). Rearing leatherback hatchlings: protocols, growth and survival. *Marine Turtle Newsletter*.
- Jualaong, Suthep, Hirun Kanghae, Karun Thongprajukaew, Suktianchai Saekhow, Natthida Amartiratana, and Piyanan Sotong. (2021). "Optimal Feeding Frequency for Captive Hawksbill Sea Turtle (*Eretmochelys imbricata*)" *Animals* 11, no. 5: 1252. <https://doi.org/10.3390/ani11051252>.
- Kanghae, H.; Thongprajukaew, K.; Yeetam, P.; Jarit-ngam, T.; Hwan-air, W.; Rueangjeen, S.; Kittiwattanawong, K. (2017). Optimal feeding frequency of captive head-started green turtles (*Chelonia mydas*). *J. Anim. Physiol. Anim. Nutr.* 101, 667–675.
- Kelez, S., Velez-Zuazo, X., (2014). Sea turtle nesting expansion into Peru brings new management challenges. (SWOT report 9) [http://seaturtlestatus.org/sites/swot/files/report/042814\\_SWOT9\\_20-21\\_Kelez.pdf](http://seaturtlestatus.org/sites/swot/files/report/042814_SWOT9_20-21_Kelez.pdf).
- Kristina. (2017). Studi Komparasi Pertumbuhan Biawak Air (*Varanus salvator bivittatus*) Antara yang diberi Pakan Daging Ayam Broiler dengan yang diberi Pakan Jangkrik. Jurusan Pendidikan Biologi, Universitas Pendidikan Ganesha.
- Krueger BH, Chaloupka MY, Leighton PA, Dunn JA, Horrocks JA (2011) Somatic growth rates for a hawksbill turtle population in coral reef habitat around Barbados. *Mar Ecol Prog Ser* 432:269–276.
- Kusriani Kusriani, P Widjanarko, N. R. (2012). Uji Pengaruh Sublethal Pestisida Diazinon 60 EC terhadap Rasio Konversi Pakan (FCR) dan Pertumbuhan Ikan Mas (*Cyprinus carpio* L.). *Jurnal Penelitian Perikanan*.
- Lei, S.J. (2006). Effects of ration level and feeding frequency on digestibility in juvenile soft-shelled turtle, *Pelodiscus sinensis*. *J. Zhejiang Univ. Sci.* 7B, 580–585.
- León YM, Bjorndal KA (2002) Selective feeding in the hawksbill turtle, an important predator in coral reef eco-systems. *Mar Ecol Prog Ser* 245:249–258.
- Lewison, R. L., Crowder, L. B., Wallace, B. P., Moore, J. E., Cox, T., Zydelsis, R., McDonald, S., DiMatteo, A., Dunn, D. C., Kot, C. Y., Bjorkland, R., Kelez, S., Soykan, C., Stewart, K. R., Sims, M.,

- Boustany, A., Read, A. J., Halpin, P., Nichols, W. J., & Safina, C. (2014).
- Limpus, C.J., (2008). In: Fein, L. (Ed.), A Biological Review of Australian Marine Turtle Species. 1. Loggerhead Turtle, *Caretta caretta* (Linnaeus). Queensland Environmental Protection Agency.
- Lotze HK, Coll M, Magera AM, Ward-Paige C, Airoldi L (2011) Recovery of marine animal populations and ecosystems. *Trends Ecol Evol* 26:595–605.
- Magurran AE, Baillie SR, Buckland ST, Dick JM and others (2010) Long-term datasets in biodiversity research and monitoring: assessing change in ecological communities through time. *Trends Ecol Evol* 25:574–582.
- Matheus, Z., Francini-Filho, R. B., Pereira-Filho, G. H., Moraes, F. C., Moura, R. L., Brasileiro, P. S., et al. (2019). Benthic reef assemblages of the Fernando de Noronha Archipelago, tropical South-west Atlantic: effects of depth, wave exposure and cross-shelf positioning. *PLoS One* 14:e0210664. doi: 10.1371/journal.pone.0210664.
- Mazaris, A. D., Schofield, G., Gkazinou, C., Alpanidou, V., & Hays, G. C. (2017). Global sea turtle conservation successes. *Science Advances* <https://doi.org/10.1126/sciadv.1600730>.
- Miller, J.D., (1997). Reproduction in sea turtles. In: Lutz, P.L., Musick, J.A. (Eds.), *The Biology of Sea Turtles*. CRC Press, Boca Raton, FL, pp. 51–83.
- Mills LS (2013) Estimating population vital rates. In: Mills S(ed) *Conservation of wildlife populations: demography, genetics and management*. Wiley Blackwell, Oxford, p 54–76.
- Milton, S. L. and Lutz, P. L. 2003. Physiological and genetic responses to environmental stress. p. 163–197. In: P. L. Lutz, J. A. Musick, and J. Wyneken (eds.), *The Biology of Sea Turtles Volume II*. CRC Press, Boca Raton.
- Mortimer, J.A., (1995). Head starting as a management tool. In: Bjorndal, K.A.(Ed.), *Biology and Conservation of Sea Turtles*. Smithsonian Institution Press, London, pp. 613–615 (revised edition).
- Mortimer, J., & Donnelly, M. (2008). *Eretmochelys imbricata*. The IUCN Red List of Threatened Species. IUCN SSC Marine Turtle Specialist Group.
- Muchlisin, Z. A., Afrido, F., Murda, T., Fadli, N., Muhammadar, A. A., Jalil, Z., & Yulvizar, C. (2016). The Effectiveness of Experimental Diet with Varying Levels of Papain on The Growth Performance, Survival Rate and Feed Utilization of Keureling Fish (*Tor tambra*). *Biosaintifika: Journal of Biology & Biology Education*. <https://doi.org/10.15294/biosaintifika.v8i2.5777>.

- National Marine Fisheries Service and U. S. Fish and Wildlife Service (2013) Hawksbill sea turtle (*Eretmochelys imbricata*) 5 year status review: Summary and conclusion. National Marine Fisheries Service, St. Petersburg, Florida.
- Ngabito, M., & Rahim, S. (2021). The Biophysical Characteristics of Sea Turtle Spawning Beaches: A Study in Mas Popaya Raja Nature Reserve. The International Journal of Social Sciences World. <https://www.growingscholar.org/journal/index.php/TIJOSSW>.
- Nicola W., Sam B., Brendan J., Jacqui E., Matthew W., Annette C., (2013). Telemetry as a tool for improving estimates of marine turtle abundance. *Biological Conservation* 167'
- Nicolas J., Lisa P., Marina A., Mohamed A., Abdel-Moati, Thabit Z., Abdessalaam, M A., Mehsin A. A., Salman F., Robert B., Ahmed C., Himansu S, Shafeeq H., Oliver J., Ali A K., Asghar M., Hana S., Ali S., Moaz Sawaf , Christophe T., James W., Andrew W. (2014). Short-term behavioural responses to thermal stress by hawksbill turtles in the Arabian region. *Journal of Experimental Marine Biology and Ecology*, Vol. (8), Pages 190-198.
- ORO S, J., CALABUIG, P., AND DE NIZ, S. (2004). Digestive pathology of sea turtles stranded in the Canary Islands between 1993 and 2001. *Veterinary Record* 155:169–174.
- Parmesan, C., (2006). Ecological and evolutionary responses to recent climate change. *Annu. Rev. Ecol. Evol. Syst.* 37, 637–669.
- Patino-Martinez, J., Marco, A., Quiñones, L., & Hawkes, L. (2012). A potential tool to mitigate the impacts of climate change to the caribbean leatherback sea turtle. *Global Change Biology*. <https://doi.org/10.1111/j.1365-2486.2011.02532.x>
- Patrício R, Diez CE, van Dam RP (2014) Spatial and temporal variability of immature green turtle abundance and somatic growth in Puerto Rico. *Endang Species Res* 23: 51–62.
- Pelletier, D., Roos, D., & Ciccione, S. (2003). Oceanic survival and movements of wild and captive-reared immature green turtles (*Chelonia mydas*) in the Indian Ocean. *Aquatic Living Resources*. [https://doi.org/10.1016/S0990-7440\(03\)00005-6](https://doi.org/10.1016/S0990-7440(03)00005-6).
- Plotkin, P., & Amos, A. . A. F. (1989). Effects of anthropogenic debris on sea turtles in the Northwestern Gulf of Mexico. *Proceedings of the Second International Conference on Marine Debris*.
- Prabowo, B., Rifan, M., Subekti, M. (2019). Audit Sistem Pembangkit Tenaga Surya Di Pulau Sabira. *Journal of Electrical and Vocational Education and Technology*, Vol.4, No.2, 32- 39.
- Radhiyufa M. (2011). Dinamika Fosfat dan Klorofil Dengan Penebaran Ikan Nila (*Oreochromis niloticus*) Pada Kolam Budidaya Ikan Lele (*Clarias*

gariepinus) Sistem Heterotrofik, Skripsi S1 (Tidak dipublikasikan). Program Studi Biologi Fakultas Sains dan Teknologi Universitas Islam Negeri Syarif Hidayatullah Jakarta, Jakarta.

Reich, K. J., Bjorndal, K. A., & Bolten, A. B. (2007). The “lost years” of green turtles: Using stable isotopes to study cryptic lifestages. *Biology Letters*. <https://doi.org/10.1098/rsbl.2007.0394>.

Rofiah, A., Hartati, R., Wibowo, E. (2012). Pengaruh Naungan Sarang Terhadap Presentase Penetasan Telur Penyu Lekang (*Lepidochelys olivacea*) di Pantai Samas Bantul, Yogyakarta. *J. Marine Res.*, 1(2), 103-108.

Rohim, H., Rifanjani, S., Erianto. (2017). Studi Habitat Tempat Bertelur Penyu Hijau (*Chelonia Mydas*) di Kawasan Tambling Wildlife Nature Conservation (Twnc) Taman Nasional Bukit Barisan Selatan (Tnbbs) Tanggamus Pesisir Barat. *Jurnal Hutan Lestari*, 5(2), 313-318.

Rustam. A., &Prabawa,F.Y. (2015). Kualitas Perairan Di Pantai Punai Dan Pantai Tambak Kabupaten Belitung Timur. *Jurnal Segara*, 11(1):75-84.

Santidrián Tomillo, P., Suss, S.J., Wallace, B.P., Magrini, K.D., Blanco, G., Paladino, F., Spotila, J.R., (2009). Influence of emergence success on the annual reproductive output of leatherback turtles. *Mar. Biol.* 156, 2021–2031.

Santidrián Tomillo, P., Wallace, B. P., Paladino, F. V., Spotila, J. R., & Genovart, M. (2021). Short-term gain, long-term loss: How a widely-used conservation tool could further threaten sea turtles. *Biological Conservation*. <https://doi.org/10.1016/j.biocon.2021.109260>.

Simanjuntak, M. (2009). Hubungan faktor lingkungan kimia, fisika terhadap distribusi plankton di perairan Belitung Timur, Bangka Belitung. *Journal of Fisheries Sciences*, 11(1), 31-45.

Simanjuntak, M. (2012). Kualitas Air laut Ditinjau Dari Aspek Zat Hara, Oksigen Terlarut dan pH di Perairan Banggai, Sulawesi Tengah. *Penelitian Oseanografi-LIPI*. Jakarta: 290-303.

Snover, M. L., Hohn, A. A., Crowder, L. B., & Macko, S. A. (2010). Combining stable isotopes and skeletal growth marks to detect habitat shifts in juvenile loggerhead sea turtles *Caretta caretta*. *Endangered Species Research*. <https://doi.org/10.3354/esr00311>.

Southwood, A., & Avens, L. (2010). Physiological, behavioral, and ecological aspects of migration in reptiles. In *Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology*. <https://doi.org/10.1007/s00360-009-0415-8>.

Spotila, J.R. (2004). *Sea Turtles: A Complete Guide to the Biology, Behavior, and Conservation*; The Johns Hopkins University Press:



Baltimore, MD, USA, 227p.

- Sulaiman, P. S., Silfia, U., dan Utama, A. A. (2010). Konservasi Penyu di Pantai Batavia Kabupaten Bangka Provinsi Bangka Belitung. Prosiding Forum Nasional Pemacuan Sumber daya ikan III. Bangka 18 Oktober 2011.
- Sumarno, Dedi. (2013). Kadar Salinitas di Beberapa Sungai yang Bermuara di Teluk Cempi, Kabupaten Dompu-Provinsi Nusa Tenggara Barat. Balai Penelitian Pemulihan dan Konservasi Sumber Daya Ikan: Jatiluhur.
- Susanto, Agus. (2007). Penangkaran Penyu. Buku. Angkasa. Bandung. 68p.
- Suryan, R. M., Saba, V. S., Wallace, B. P., Hatch, S. A., Frederiksen, M., & Wanless, S. (2009). Environmental forcing on life history strategies: Evidence for multi-trophic level responses at ocean basin scales. *Progress in Oceanography*. <https://doi.org/10.1016/j.pcean.2009.04.012>.
- Swingle, W. M., D. I. Warmolts, J. A. Keinath, and J. A. Musick. (1993). Exceptional growth rates of captive loggerhead sea turtles, *Caretta caretta*. *Zoo Biology* 12:491–497.
- Taquet, C., Taquet, M., Dempster, T., Soria, M., Ciccione, S., Roos, D., & Dagorn, L. (2006). Foraging of the green sea turtle *Chelonia mydas* on seagrass beds at Mayotte Island (Indian Ocean), determined by acoustic transmitters. *Marine Ecology Progress Series*. <https://doi.org/10.3354/meps306295>.
- Valente, A.L.; Marco, I.; Parga, L.; Lavin, S.; Alegre, F.; Cuenca, R.(2008). Ingesta passage and gastric emptying times in loggerhead sea turtles (*Caretta caretta*). *Res. Vet. Sci.*84, 132–139.
- Valverde RA, Wingard S, Gómez F, Tordoir MT, Orrego CM. (2012). Field lethal incubation temperature of olive ridley sea turtle *Lepidochelys olivacea* embryos at a mass nesting rookery. *Endanger. Species Res.* 12:77–86.
- Von Brandis, R.G.; Mortimer, J.A.; Reilly, B.K.; van Soest, R.W.M.; Branch, G.M. (2014). Diet composition of hawksbill turtles (*Eretmochelys imbricata*) in the Republic of Seychelles. *West. Indian Ocean J. Mar. Sci.* 13, 81–91.
- Wallace, B. P., DiMatteo, A. D., Bolten, A. B., Chaloupka, M. Y., Hutchinson, B. J., Abreu-Grobois, F. A., Mortimer, J. A., Seminoff, J. A., Amoroch, D., Bjørndal, K. A., Bourjea, J., Bowen, B. W., Dueñas, R., Casale, P., Choudhury, B. C., Costa, A., Dutton, P. H., Fallabrino, A., Finkbeiner, E. M., ... Mast, R. B. (2011). Global conservation priorities for Marine turtles. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0024510>.
- Wallace, B. P., Kot, C. Y., Dimatteo, A. D., Lee, T., Crowder, L. B., &

Lewison, R. L. (2013). Impacts of fisheries bycatch on marine turtle populations worldwide: Toward conservation and research priorities. *Ecosphere*. <https://doi.org/10.1890/ES12-00388.1>.

Wirdatei, W., Farida, W. R., & Dahrudin, H. (2016). Uji palatabilitas pakan pada kukang (*Nycticebus coucang*) di penangkaran. In *ZOO INDONESIA*.

Zonnevald, N., Huisman. E.A dan Boon. J.H. (1991). Prinsip-Prinsip Budidaya Ikan. Gramedia Pustaka Utama, Jakarta, 318 hlm.

