

DAFTAR PUSTAKA

- Adnyana, I.B.W., Hitipeuw, C. (2009). *Panduan Melakukan Pemantauan Populasi Penyu di Pantai Peneluran di Indonesia*. WWF-Indonesia Marine Program. Jakarta.
- Agung, Pribadi. Wawancara pribadi. 24 Januari 2021
- Andrew S. Maurer, Kevin, G., Seth, P., Stapleton. (2022). Beached Sargassum alters sand thermal environments: Implications for incubating sea turtle eggs, *Journal of Experimental Marine Biology and Ecology*, 10.1016/j.jembe.2021.151650, 546, (151650).
- Barton, B.T., Roth, J.D. (2008). Implications of intraguild predation for sea turtle nest protection. *Biol. Conserv.* 141, 2139–2145.
- Behera, S.K., Mohanta, R.K., Kar, C., Mishra, S.S. (2014). Impacts of the Super Cyclone Philine on Sea Turtle Nesting Habitats at the Rushikulya Rookery, Ganjam Coast, India. *Poult. Fisheries Wildl. Sci.* 2, 114: 1-5.
- Bézy, V.S., Valverde, R.A., Plante, C.J. (2015). Olive Ridley Sea Turtle Hatching Success as a Function of the Microbial Abundance in Nest Sand at Ostional, Costa Rica. *PloS one*, 10(2), e0118579.
- Booth, D.T., Astrill, K. (2001). Temperature variation and between nests of the green sea turtle, *Chelonia mydas* (Chelonia: Cheloniidae) on Heron Island, Great Barrier Reef. *Aust. J. Zool.* 49, 71-84.
- Booth, D. T. (2017). Influence of incubation temperature on sea turtle hatchling quality. *Integrative Zoology* 12, 352–360. doi:10.1111/ 1749-4877.12255
- Brost, B., Witherington, B., Meylan, A., Leone, E., Ehrhart, L., and Bagley, D. (2015). Sea Turtle Hatching Production from Florida (USA) Beaches, 2002-2012, with Recommendations for Analyzing Hatching Success. *Endangered Species Research*, 27(1): 53-68.
- Broderick, A. C., Godley, B. J., and Hays, G. C. (2001). Metabolic heating and the prediction of sex ratios for green turtles (*Chelonia mydas*). *Physiological and Biochemical Zoology*. 74, 161–170. doi:10.1086/ 319661
- Burger, J. (1976). Determinants of hatchling success in diamondback terrapin, *Malaclemys terrapin*. *Am. Midl. Nat.* 97, 444-464.
- Bustard, H. R., and Greenham, P. (1968). Physical and chemical factors affecting

hatching in the green sea turtle, *Chelonia mydas*. *Ecology* 49, 269–276.
doi:10.2307/1934455

Carr, A., H. Hirth and L. Ogren. (1966). The ecology and migrations of sea turtles. 6. The hawksbill turtle in the Carribean Sea. *Am. Mus. Novit.* 2248, 29 p

Dermawan, A., Nuitja, I.N.S., Soedharma., Halim, M.H., Kusrini, M.D., Lubis, S.B., Alhanif, R., Khazali, M., Murdiah, M., Wahjuhardini, P.L., Setiabudiningsih., Mashar, A. (2009). *Pedoman Teknis Pengelolaan Konservasi Penyu*. Direktorat Konservasi dan Taman Nasional Laut. Direktorat Konservasi dan Taman Nasional Laut, Direktorat Jenderal Kelautan, Pesisir dan Pulau-Pulau Kecil, Departemen Kelautan dan Perikanan RI. Jakarta. Hal 123

Direktorat Konservasi dan Taman Nasional Laut. (2009). *Pedoman Teknis Pengelolaan konservasi Penyu*. Jakarta: Direktorat Jenderal Kelautan, Pesisir dan Pulau-Pulau Kecil, Departemen Kelautan dan Perikanan RI.

Ditmer MA, Stapleton SP. (2012). Factors Affecting Hatch Success of Hawksbill Sea Turtles on Long Island, Antigua, West Indies. *PLoS ONE* 7(7): e38472. doi:10.1371/journal.pone.0038472

Dobbs, K.A., Miller, J.D., Limpus, C., Landry Jr., A.M. (2010). Hawksbill turtle hatchling sex ratios and incubation and pivotal temperatures from milman island, great barrier reef. Australia. *Mar. Turtle Newsl*, 128, 12–16.

Doody, J.S., James, H., Colyvas, K., Mchenry, C.R., Clulow, S. (2015). Deep nesting behavior affects hatchling survival and sex ratio in the loggerhead sea turtle: Implications for conservation programmes. *Ethol. Ecol. Evol*, 30, 141-155.

Dutton, D.L, Dutton, P.H., Chaloupka, M, And Boulon, R.H. (2005). Increase of a Caribbean leatherback turtle *Dermochelys coriacea* nesting population linked to long-term nest protection. *Biological Conservation* 126(2):186–194.

Einum, S., Nislow, K., H. (2005). Local-scale density-dependent survival of mobile organisms in continuous habitats: an experimental test using Atlantic salmon. *Oecologia*, 143: 203-210.

Garcia A, Ceballos G, Adaya R. (2003). Intensive beach management as an

- improved sea turtle conservation strategy in Mexico. *Biol Conserv* 111(2):253–261. doi:10.1016/S0006-3207(02)00300-2
- Garrett, K., Wallace, B.P., Garner, J., And Paladino, F.V. (2010). Variations in leatherback turtle nest environments: consequences for hatching success. *Endangered Species Research* 11:147–155.
- Gomuttapong, S., In, W. K., Kitana, J., Pariyanonth, P., Thirakhupt, K., and Kitana, N. (2013). Green Turtle, *Chelonia mydas*, Nesting and Temperature Profile of the Nesting Beach at Huyong Island, the Similan Islands in Andaman Sea. *Natural Resources*. 4: 357-361.
- Hamann M, Limpus C, Read M. (2007). Vulnerability of marine reptiles in the Great Barrier Reef to climate change. In: Johnson J, Marshall P, editors. Climate change and the Great Barrier Reef: a vulnerability assessment, Great Barrier Reef Marine Park Authority. pp. 465–496.
- Harisakti, W.,H.,D. (1999). Penetasan Semi Alami Telur Penyu Sisik (*Eretmochelys imbricata*) di Pulau Segamat Besar, Kabupaten Lampung Tengah. [Skripsi]. Jurusan Konservasi Sumber Daya Hutan. Fakultas Kehutanan, IPB: Bogor.
- Hatase, H., Omuta, K., & Tsukamoto, K. (2010). Oceanic residents, neritic migrants: A possible mechanism underlying foraging dichotomy in adult female loggerhead turtles (*Caretta caretta*). *Marine Biology*. <https://doi.org/10.1007/s00227-010-1413-9>.
- Hatasura, I. N. (2004). Pengaruh Karakteristik Media Pasir Sarang terhadap Keberhasilan Penetasan Telur Penyu Hijau (*Chelonia mydas*). [Skripsi]. Fakultas Perikanan dan Ilmu Kelautan IPB, Bogor.
- Hernández-Cortés, Juan Alberto; Núñez-Lara, Enrique; Cuevas, Eduardo; Guzmán-Hernández, Vicente. (2018). Natural Beach Vegetation Coverage and Type Influence the Nesting Habitat of Hawksbill Turtles (*Eretmochelys imbricata*) in Campeche, Mexico. *Chelonian Conservation & Biology*. Jun2018, Vol. 17 Issue 1, p94-103. 10p.
- Heryanto. (2018). Benthic Molluscs Communities in the Intertidal Coast of Tanimbar Islands, West Southeast Mollucas. *Jurnal Biologi Indonesia*. 14 (1): 73-80.

- Hirth, H. (1971). Synopsys of Biologi Data on The Green Turtle, *Chelonia mydas* (Linnaeus, 1758). FAO, Fisheries Synopsys.
- Hitchins, P., Bourquin, O., Hitchins, S. (2004). Nesting success of hawksbill turtles (*eretmochelys imbricata*) on Cousine Island. Seychelles. *J. Zool.* 264, 383–389.
- Hutabarat, H. Studi awal keberhasilan penetasan dan masa inkubasi telur penyu sisik (*Eretmochelys imbricata*) di empat kedalaman sarang semi-alami di Taman Nasional Kepulauan Seribu. Fakultas Biologi, UNAS: Jakarta.
- Irawan, H. (2016). Tingkat Keberhasilan Penetasan Telur Penyu Sisik (*Eretmochelys Imbricata*) Pulau Durai Kepulauan Anambas Di Lagoi. *Repositori Tugas Akhir Universitas Maritim Raja Ali Haji*. Retrieved from <http://jurnal.umrah.ac.id/?p=4789>
- Ismu, S., S. (1992). Penyu sisik di indonesia. *Oseana*, volume xvii, nomor 3 : 97-109.
- IUCN (International Union For Conservation Of Nature And Natural Resource). (2020). Red Data Book : hawksbill Turtle. July. 2 pp.
- IUCN. (2000). IUCN Redlist of Threatened Species. The IUCN Species Survival Commission. www.redlist.org.
- Juliono, & Ridhwan, M. (2017). Penyu dan Usaha Pelestariannya. *Serambi Sainia*, 5(1), 45–54.
- Kamel, S.J. And Mrosovsky, N. (2006). Deforestation: risk of sex ratio distortion in hawksbill sea turtles. *Ecological Applications* 16(3):923–931.
- Karnan. (2008). Penyu Hijau dan Konservasinya. *Jurnal Pijar MIPA*. 8 (1) : 39-46.
- Kristina. (2017). Studi Komparasi Pertumbuhan Biawak Air (*Varanus salvator bivittatus*) Antara yang diberi Pakan Daging Ayam Broiler dengan yang diberi Pakan Jangkrik. Jurusan Pendidikan Biologi, Universitas Pendidikan Ganesha.
- Kushartono W. K., Endang S., Fatchiyyah S. (2014). Pengaruh Selang Waktu Peletakkan Terhadap Keberhasilan Penetasan Telur Penyu Hijau (*Chelonia mydas* L.). *Jurnal Kelautan*, 19(3) : 159-164
- Leips, J., Richardson, J.M.L., Rodd, H.F., Travis, J. (2009). Adaptive maternal

adjustments of offspring size in response to conspecific density in two population of the least killfish, *Heterandria formosa*. *Evolution*, 63: 1341-1347.

Limpus, C J. & N. Mclachian. (1996). The Conservation Status of the leatherback turtle, *Dermochelys coriacea*, in Australia. in R. James, ed. Proc. Marine Turtle Conservation Workshop, pp. 68-72. Canberra. Australia, Australian National Parks and Wildlife Service.

Listiani, F., Mahardika, H.R., Prayogo, N.A. (2015). Pengaruh Karakteristik Pasir dan Letak Sarang Terhadap Penetasan Telur Penyu Hijau (Chelonian mydas) di Pantai Goa Cemara, Bantul. *Omni-Akuatika*, 14(20), 63- 68.

Mann, T.M. (1977). Impact of Developed Coastline on Nesting and Hatchling Sea Turtles in Southeastern Florida. Unpublished M.S. Thesis. Florida Atlantic University, Boca Raton.

Marco, A., Abella, E., Martina, S., Lopez, O., Patino-Martinez, J. (2018). Female nesting behavior affects hatchling survival and sex ratio in the loggerhead sea turtle: Implications for conservation programmes. *Ethol. Ecol. Evol*, 30, 141-155.

Matsuzawa, Y., Sato, K., Sakamoto, W., Bjorndal, K. (2002). Seasonal fluctuations in sand temperature: effects on the incubation period and mortality of loggerhead sea turtle (*Caretta caretta*) pre-emergent hatchlings in Minabe. Japan. *Mar. Biol.* 140, 639–646.

Maulany R, Booth D, Baxter G. (2012). The effect of incubation temperature on hatchling quality in the olive ridley turtle, *Lepidochelys olivacea*, from Alas Purwo National Park, East Java, Indonesia: implications for hatchery management. *Mar Biol* 159(12): 2651–2661.

Matsuzawa, Y., Sato, K., Sakamoto, W., & Bjorndal, K. A. (2002): Seasonal fluctuations in sand temperature: effects on the incubation period and mortality of loggerhead sea turtle (*Caretta caretta*) pre-emergent hatchlings in Minabe, Japan. *Marine Biology*, 140, 639–646.

Maulany, R.I., Baxter, G.S., Booth, D.T., Spencer, R.J. (2017). Population Viability Analysis (PVA) for Ridley Turtles (*Lepidochelys olivacea*) Nesting in Alas Purwo National Park, Indonesia. *Malay. Forester*, 80(2),

198-217

- McGehee, M. A. (1990). Effects of moisture on eggs and hatchlings of loggerhead sea turtles (*Caretta caretta*). *Herpetologica*, 251–258.
- Merwe, V.D., Ibrahim, K., Whittier, J. (2005). Effect of hatchery shading and nest depth on development and quality of *Chelonia mydas* hatchlings: Implications for hatchery management in Peninsular, Malaysia. *Aust. J. Zool.*, 53, 205-211.
- Merwe, V.D., Jason., Ibrahim, K., Whittier, J. (2006). Effects of Nest Depth, Shading, and Metabolic Heating on Nest Temperatures in Sea Turtle Hatcheries. *Chelonian Conservation and Biology* 5.2 Malaysia. 210-215.
- Mortimer JA, Donnelly M. (2008). *Eretmochelys imbricata*. The IUCN Red List of Threatened Species 2008: e.T8005A12881238. DOI: 10.2305/IUCN.UK.2008.RLTS.T8005A12881238.e [14 Jan 2018].
- Mortimer JA. (1990). The influence of beach sand characteristics on the nesting behavior and clutch survival of green turtles (*Chelonia mydas*). *Copeia* 1990: 802– 817.
- Mortimer, J.A. & R. Bresson. (1994). The hawksbill nesting population at Cousin Island, Republic of Seychelles: 1971-72 to 1991-92. In: Proc. 13th Ann. Symp. Sea Turtle Biol. Conserv. (Schroeder, B.A. & B.E. Witherington, Compilers). NOAA Tech. Mem. NMFS-SEFSC-341:115-117
- Neeman, N., Robinson, N.J., Paladino, F.V., Spotila, J.R., O'Connor, M.P. (2015). Phenology Shifts in Leatherback Turtle (*Dermochelys coriacea*) due to Changes in Sea Surface Temperature. *J. Exp. Marine Biol. Ecol.*, 462, 113-120.
- Ningsih, F., Umroh, U. (2017). Perbandingan Keberhasilan Penetasan Telur Penyu Sisik (*Eretmochelys imbricata*) di Penangkaran Penyu Pantai Tongaci dan UPT Penangkaran Penyu Guntung. *Akuatik: Jurnal Sumberdaya Perairan*, 11(1), 77-81
- Nuitja, I.N. (1992). *Biologi dan Ekologi Pelestarian Penyu Laut*. Bogor. Penerbitan Institut Pertanian Bogor.
- Nupus, S. (2001). Pertumbuhan Tukik Penyu Hijau (*Chelonia mydas* L.) pada Tingkat Pemberian Jumlah Pakan yang Berbeda. Skripsi. Fakultas Perikanan

dan Ilmu Kelautan. Institut Pertanian Bogor.

- Oliveira, M. A., Siqueira-Silva, I. S., Hackradt, C. W., Schiavetti, S. (2020). Environmental and anthropogenic factors affecting nesting site selection by sea turtles. *Marine Environmental Research*, 162(4):105090 <https://doi.org/10.1016/j.marenvres.2020.105090>.
- O'Brien, N. (2018). A Correlation Study of the Nest Incubation Period and Hatchling Development and Success Rate for Olive Ridley Sea Turtles (*Lepidochelys olivacea*) Turtle Conservation: Playa Junquillal, Costa Rica. Honors Research Projects. 762, 1-23.
- O'Connor, J.M., Limpus, C.J., Hofmeister, K.M., Allen, B.L., Burnett, S.E. (2017). Anti-Predator Meshing May Provide Greater Protection for Sea Turtle Nes Oliveira G. C. dos Santos, G. Corso, D. M. Medeiros, I. De Mendonça Silva, A. J. B. Santos, M. F. Nakamura, H. M. de Aquino Carmo, G. Z. dos Santos Lima,. (2020). Later Nesting by Hawksbill Turtle following Sea Surface Warming, *Journal of Herpetology*, 10.1670/19-062, 54, 3. Crossrefts than Predator Removal. *PloS one*, 12(2), e0171831.
- Packard, G., Packard, M. (1988). The physiological ecology of reptilian eggs and embryos. *Biol. Reptil.* 16, 523–605.
- Parawangsa, I., Arthana, I., & Ekawaty, R. (2018). Characteristic influence of sand beach about percentage hatching success olive ridley sea turtle egg on conservation effort sea turtle in Bali. *Metamorfosa: Journal of Biological Sciences*, 5(1), 36-43. doi: 10.24843/metamorfosa.2018.vo5.i01.p06
- Pike, D. A. (2013). Climate Influences The Global Distribution of Sea Turtle Nesting. *Global Ecology and Biogeography*, 22, 555-566.
- Poloczanska, E. S., C. J. Limpus, and G. C. Hays. (2009). Chapter 2 Vulnerability of marine turtles to climate change. *Advances in Marine Biology*, 56, 151–211.
- Poloczanska, E. S., Burrows, M. T., Brown, C. J., Garcia Molinos, J., Halpern, B. S., Hoegh-guidberg, O., Kappel, C. V., Moore, P. J., Richardson, A. J., Schoeman, D. S., & Sydeman, W. J. (2016). Responses of Marine Organism to Climate Change across Oceans. *Frontiers in Marine Science*, 3 [62]. <https://doi.org/10.3389/fmars.2016.00062>

- Praja, NR., Y. Aditya., W. Haditanojo. (2018). Isolasi dan Identifikasi Jamur Pada Cangkang Telur Penyu Lekang (*Lepidochelys olivacea*) Gagal Menetas di Pantai Boom Banyuwangi. *Jurnal Medic Veteriner*. 1(2) :43-47.
- Prabowo, B., Rifan, M., Subekti, M. (2019). Audit Sistem Pembangkit Tenaga Surya Di Pulau Sabira. *Journal of Electrical and Vocational Education and Technology*, 4, No.2, 32-39.
- Prakoso, Y.A., Komala, R., Ginanjar M. (2018). Karakteristik Habitat Peneluran Penyu Sisik (*Eretmochelys imbricata*) di Kawasan Taman Nasional Kepulauan Seribu, Jakarta. PROS SEMNAS MASY BIODIV INDON, 5: 112-116.
- Purwanasari, H.N., (2006). Beberapa Karakteristik Reproduksi Penyu Hijau di Pantai Peneluran Sukomade, Taman Nasional Meru Betiri [Skripsi]. Bali. Universitas Udayana.
- Rianda, F., Sari, W., & Muhammadar, A. A. (2017). Pengaruh Naungan Terhadap Pertumbuhan Enbrio Penyu Lekang (*Lepidochelys olivacea*) di Lhok Pante Tibang Syiah Kuala, Banda Aceh. *Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah*, 2, 1, 119-129.
- Rianto, A. A. A. 2012. Studi Kasus Penangkaran Penyu Hijau (*Chelonia mydas*), di Pantai Pangumbahan, Kabupaten Sukabumi, Jawa Barat. [Skripsi]. Universitas Hasanuddin. Makassar.
- Richayasa, A. (2015). Karakteristik Habitat Peneluran Penyu Sisik (*Eretmochelys imbricata*) di Pulau Geleang, Karimun Jawa. [Skripsi]. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Semarang. Semarang.
- Riza, A.U., Tjuk, I.R., Ragil, A.P., Erma, S., Amung, L.S., Aditya, Y., Wiyanto, H. (2020). Penetasan Telur Penyu Lekang (*Lepidochelys olivacea*) pada Sarang Semi Alami di Pantai Boom Banyuwangi Periode Tahun 2018. *Jurnal Medik Vetertner*, April 2020, Vol.3 No.1, 17-24. DOI: 10.20473/jmv.
- Rofiah, A., Hartati, R., Wibowo, E. (2012). Pengaruh Naungan Sarang Terhadap Presentase Penetasan Telur Penyu Lekang (*Lepydochelys olivacea*) Pantai Samas Bantul, Yogyakarta. *J. Marine Res.*, 1(2), 103-108.
- Rollinson, N. (2010). Effect of egg size and egg density on offsring phenotypes in Atlantic salmon (*Salmo salar*). *Evolutionary Ecology Research*, 12, 949-960.

- Rudiana, E. (2004). Tingkat Keberhasilan Penetasn Dan Masa Inkubasi Penyu Hijau, *Chelonia Mydas L* Pada Perbedaan Waktu Pemindahan. *Jurnal Ilmu Kelautan*, Vol. 9 (4) : 202 – 205. Universitas Dipenogoro, Semarang, Indonesia.
- Ruhollah Zare., Mahdieh E.V., Stephanie J.K. (2012). Nest Location and Clutch Success of the Hawksbill Sea Turtle (*Eretmochelys imbricata*) at Shidvar Island, Iran. *Chelonian Conservation and Biology*. Chelonian Research Foundation, 11(2): 229–234.
- Ruthig, G.R., Gramera, A.E. (2019). Aggregations of Olive Ridley Sea Turtle (*Lepidochelys olivacea* Eschholtz, 1829) Nests is Associated with Increased Human Predation during an Arribada event. *Herpetolo. Notes*, 12, 1-7.
- Samosir, S.H., Hernawati, T., Aditya, Y., Wiyanto, H. (2018). Perbedaan Sarang Alami dengan Semi Alami Mempengaruhi Masa Inkubasi dan Keberhasilan Menetas Telur Penyu Lekang (*Lepidochelys olivacea*) di Pantai Boom Banyuwangi. *Jurnal Medik Veteriner*, 1(2): 33-37.
- Syaiful, B. N., Nurdin, J., dan Zukaria, J. I. (2013). Penetasan Telur Penyu Lekang (*Lepidochelys olivacea*) Pada Lokasi Berbeda Di Kawasan Konservasi Penyu Kota Pariaman. *Jurnal Biologi*. 2(3) : 175-180.
- Setyawatiningsih, S.C. (2011). Karakteristik Biofisik Tempat Peneluran Penyu Sisik (*Eretmochelys imbricata*) Di Pulau Anak Ieuh Kecil, Kepulauan Riau. *Jurnal TEKNOLOGI*, II (1) 2011:17– 22.
- Sim, E.L., Booth, D.T., Limpus, C.J. (2015). Incubation Temperature, Morphology and Performance in Loggerhead (*Caretta Caretta*) Turtle Hatchlings from Mon Repos, Queensland, Australia. *Biol. Open.*, 4, 685692.
- Sheavtiyan., Setyawati, R., & Irwan, L. (2014). Tinghkat Keberhasilan Penetasan Telur Penyu Hijau (*Chelonia mydas* Linnaeus 1758) di Pantai Sebusub, Kabupaten Sambas. (*Jurnal Protobiont*), 3(1), 46-54.
- Snover, M. L., Hohn, A. A., Crowder, L. B., & Macko, S. A. (2010). Combining stable isotopes and skeletal growth marks to detect habitat shifts in juvenile loggerhead sea turtles *Caretta caretta*. *Endangered Species Research*. <https://doi.org/10.3354/esr00311>.
- Solomon, S.E. & Baird, T. (1980). The Effect of Fungal Penetration of the

Effshell of the Green Turtle. (Electron Microscopy), 2.

Stapleton SP, Mason P, Qian S, Winter A, Munhofen J, et al. (2010). Phenological shifts in a nesting colony of hawksbill sea turtles in Antigua, West Indies. In: Dean K, Lopez-Castro MC (Comps.). Proceedings of the twentyeighth annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-602. 189.

Stewart, Taylor & Booth, David & Rusli, Uzair. (2019). Influence of sand grain size and nest microenvironment on incubation success, hatchling morphology and locomotion performance of green turtles (*Chelonia mydas*) at the Chagar Hutang Turtle Sanctuary, Redang Island, Malaysia. *Australian Journal of Zoology*. 66. 10.1071/ZO19025.

Sumarmin, R., Helendra, H., Putra, A.E. (2012). Daya Tetas Telur Penyu Sisik (*Eretmochelys imbricate* L.) pada Kedalaman Sarang dan Strata Tumpukan Telur Berbeda. *Eksakta*, 1(8), 70-77.

Suryan, R. M., Saba, V. S., Wallace, B. P., Hatch, S. A., Frederisken, M., & Wanless, S. (2009). Environmental forcing on life history strategies: Evidence for multi-trophic level responses at ocean basin scales. *Progress in Oceanography*. <https://doi.org/10.1016/j.pocean.2009.04.012>.

Suwelo, I. S., Ramono, W. S., & Somantri, A. (1992). Penyu Sisik di Indonesia. *Oseana*, 27(3), 97–109.

Triantoro, Richard, G.N. (2008). Karakteristik Biologi Penyu Belimbing (*Dermochelys coriacea Vandelli*) di Suaka Margasatwa Jamursba Medi, Papua Barat. *Info Hutan*, 5(2), 189-198

Tucker, C.,R; Strickland, J.,T;Delaney, D.,K; Ligon, D.,B. (2017). Thermal consequences of subterranean nesting behavior in prairie-dwelling turtle, the Ornate Box Turtle (*Terrapene ornate*). *Can. J. Zool.* 9, 9, 123-131.

Tuttle, J., & Rostal, D. (2010). Effects of nest relocation on nest temperature and embryonic development of loggerhead sea turtles (*Caretta c retta*). *Chelonian Conservation and Biology*, 9(1), 1–7. <https://doi.org/10.2744/CCB-0769.1>

Wallace, B. P., DiMatteo, A. D., Hurley, B. J., Finkbeiner, E. M., Bolten, A. B., Chaloupka, M. Y., ... Mast, R. B. (2010). Regional Management Units for Marine Turtles: A Novel Framework for Prioritizing Conservation and

- Research across Multiple Scales. *PLoS ONE*, 5(12), 1–11.
<https://doi.org/10.1371/journal.pone.0015465>
- Wicaksono, M.A., Nurhasanah, F., Elfidasari, D. (2017). Cemaran Mikroba Pada Telur Penyu Sisik (*Eretmochelys imbricata*) di Pulau Kelapa Dua, Taman Nasional Laut Kepulauan Seribu, DKI Jakarta. *J. 1-Azhar Indon. Seri Sains Tek.*, 4(2): 83-90.
- Wirabakti, C.M. (2006). Laju Pertumbuhan Ikan Nila Merah (*Oreochromis niloticus* L) Yang Dipelihara pada Perairan Rawa dengan Sistem Keramba dan Kolam. <http://google.com./jurnal.upr.ac.id>. Diakses tanggal 05 Mei 2021 pukul 08.20 wib.
- Witzell, W. N. (1983). Synopsis of Biological Data on the Hawksbill Turtle *Eretmochelys Imbricata*. FAO Fisheries Synopsis No. 137. Rome, Italy: Food and Agriculture Organization of the United Nations.
- Witt, M. J., L. A. Hawkes, M. H. Godfrey, B. J. Godley, and A. C. Broderick. (2010). Predicting the impacts of climate change on a globally distributed species: the case of the loggerhead turtle. *Journal of Experimental Biology* 213:901–911.
- Wood, L. D., Milton, S. L., & Maple, T. L. (2017). Foraging Behavior of Wild Hawksbill Turtles (*Eretmochelys imbricata*) in Palm Beach County, Florida, USA. *Chelonian Conservation and Biology*, 16(1), 70–75.
<https://doi.org/10.2744/ccb-1242.1>
- Yntema, C., Mrosovsky, N. (1980). Sexual differentiation in hatchling loggerheads (*Caretta caretta*) incubated at different controlled temperatures. *Herpetologica* 33–36.
- Yulmeirina, Thamrin & Nasution, S. (2016). Karakteristik Habitat Lingkungan Bersarang Penyu Sisik (*Eretmochelys imbricata*) di Taman Nasional Pulau Seribu Pulau Yu Timur. Universitas Riau.
- Zarnetske, P. L., Skelly, D. K., and Urban, M. C. (2012). *Biotic Multipliers of Climate Change*. *Science AAAS*. 336 : 1516-1518.
- Zbinden, J., A., Margaritoulis, D., Arlettaz, R. (2006). Metabolic heating in Mediterranean loggerhead sea turtle clutches. *Journal of Experimental Marine Biology and Ecology*, 334: 151-157.