

## DAFTAR PUSTAKA

- Ackah, E., Kotei, R. (2021). Effect of Drought Length on The Performance of Cabbage (*Brassica oleracea* var *capitata*) in The Forest-Savannah Transition Zone, Ghana. *Plant Physiology Report*. 26 (1): 74–83.
- Ahmad, P. (2016). *Water Stress and Crop Plants: A Sustainable Approach*. New York: John Wiley & Sons, Ltd.
- Aini, Q., Jamarun, N., Sowmen, S., Sriagtula, R. (2019). Pengaruh Cekaman Kekeringan terhadap Pertumbuhan Berbagai Galur Sorgum Mutan *Brown Midrib* sebagai Pakan Ternak. *Pastura*. 8 (2): 110-112.
- Aisyah, Y., Rusdiansyah, Muhammin. (2014). Pengaruh Pemanasan terhadap Aktivitas Antioksidan pada Beberapa Jenis Sayuran. *Jurnal Teknologi dan Industri Pertanian Indonesia*. 4 (2): 28-32.
- Al-qumboz, M.N.A, Samy, S., Abu-Naser. (2019). Spinach Expert System: Diseases and Symptoms. *IJAISR*. 3 (3): 16-22.
- Al-Wahsh, I.A., Wu, Y., Liebman, M.A. (2012). A Comparison of Two Extraction Methods for Food Oxalate Assessment. *Journal of Food Research*. 1 (2): 233-239.
- Aneja S., Vats M., Sardana S., Aggarwal S. (2011). Pharmacognostic Evaluation and Phytochemical Studies on The Roots of *Amaranthus tricolor* (Linn.). *International Journal of Pharmaceutical Sciences and Research*. 2 (9): 2332-2336.
- Anitha, R. Sandhiya, T. (2014). Occurrence of Calcium Oxalate Crystals in The Leaves of Medicinal Plants. *International Journal of Pharmacognosy*. 1 (6): 389-393.
- Anjum, S.A., Ashraf, U., Zohaib, A., Tanveer, M., Naeem, M., Ali, I., Tabassum, T., Nazir, U. (2017). Growth and Developmental Responses of Crop Plants Under Drought Stress: A Review. *Zemdirbyste-Agriculture*. 104 (3): 267–276.
- Aslam, M., Zamir, M.S.I., Anjum, S.A., Khan, I., Tanveer, M. (2015). An Investigation into Morphological and Physiological Approaches to Screen Maize (*Zea mays L.*) Hybrids for Drought Tolerance. *Cereal Research Communications*. 43 (1): 41–51.
- Azhar, N., Hussain, B., Muhammad, Y.A., Karim, Y.A. (2011). Water Stress Mediated Changes in Growth, Physiology and Secondary Metabolites of Desi Ajwain (*Trachyspermum ammi* L.). *Pakistan Journal of Botany*. 43: 15-19.

- BALITSA. (2021). *Bayam Varietas Giti Hijau.* <https://balitsa.litbang.pertanian.go.id/ind/index.php/varieta.../36-halaman/676-bayam-varieta...-giti-hijau>. Diakses pada 21 Oktober 2021.
- BALITSA. (2021). *Bayam Varietas Giti Merah.* <https://balitsa.litbang.pertanian.go.id/ind/index.php/varieta.../36-halaman/677-bayam-varieta...-giti-merah>. Diakses pada 21 Oktober 2021.
- Besharati, M.J., Shirmardi, Meftahizadeh, H., Ardakani, M.D., Ghourbanpur, M. (2021). Changes in Growth and Quality Performance of Roselle (*Hibiscus sabdariffa* L.) in Response to Soil Amendments with Hydrogel and Compost Under Drought Stress. *South African Journal of Botany*. 000: 1-14.
- Bhargava, A., Srivastava, S. (2019). *Vegetables*. Singapore: Springer.
- Bhattarai, G. (2018). Amaranth: A Golden Crop for Future. *Himalayan Journal of Science and Technology*. 2: 108-116.
- Bhusal, N., Lee, M., Han, A.R., Han, A., Kim, H.S. (2020). Responses to Drought Stress in *Prunus Sargentii* and *Larix Kaempferi* Seedlings Using Morphological and Physiological Parameters. *Forest Ecology and Management*. 465: 118099.
- Bidgoli, R.D. (2018). Effect of Drought Stress on Some Morphological Characteristics, Quantity and Quality of Essential Oil in Rosemary (*Rosmarinus officinalis* L.). *Advancement in Medicinal Plant Research*. 6: 40–45.
- Brogren, M., Savage, G.P. (2003). Bioavailability of Soluble Oxalate from Spinach Eaten With and Without Milk Products. *Asia Pacific Journal of Clinical Nutrition*. 12 (2): 219-224.
- Brown, S.L., Warwick, N.W.M., Prychid, C.J. (2013). Does aridity influence the morphology, distribution and accumulation of calcium oxalate crystals in *Acacia* (Leguminosae: Mimosoideae)?. *Plant Physiology and Biochemistry*. 73: 219-228.
- Bündig C, Vu TH, Meise P, Seddig S, Schum A, Winkelmann T. (2016). Variability In Osmotic Stress Tolerance of Starch Potato Genotypes (*Solanum tuberosum* L.) as Revealed by An in Vitro Screening: Role of Proline, Osmotic Adjustment, and Drought Response in Pot Trials. *Journal of Agronomy and Crop Science*. 203 (3): 206-218.
- Capacio, A.F.Z., belonias, B.S. (2018). Occurrence and variation of Calcium Oxalate Crystals in Selected Medicinal Plant Species. *Annals of Tropical Research*. 40 (2): 45-60.
- Chairiyah, N., Harijati, N., Mastuti, R. (2011). Kristal Kalsium Oksalat ( $CaOx$ ) pada Porang (*Amorphopallus muelleri* Blume) yang Terpapar dan Tidak Terpapar Matahari. *Natural B*. 1 (2): 130-138.

- Chen, Y.C., Chang, C.C., Chiu, T.H.T., Lin, M.N., Lin, C.L. (2020). The Risk of Urinary Tract Infection in Vegetarians and Non-Vegetarians: A Prospective Study. *Scientific Reports*. 10: 906.
- Djazuli, M. (2010). Pengaruh Cekaman Kekeringan Terhadap Pertumbuhan Dan Beberapa Karakter Morfo-Fisiologis Tanaman Nilam. *Buletin Penelitian Tanaman Rempah dan Obat*. 21 (1): 8-17.
- Doğru, A., Bayram, N.E. (2016). Study on Drought Stress Tolerance in Some Maize (*Zea mays L.*) Cultivars. *Sakarya Üniversitesi Fen Bilimleri Enstitüsü Dergisi*. 20 (3): 509-519.
- Edi, S., Bobihoe, J. (2010). *Budidaya Tanaman Sayuran*. Jambi: BPTP Jambi.
- Efendi, R., Azrai, M. (2015). Kriteria Indeks Toleran Jagung terhadap Cekaman Kekeringan dan Nitrogen Rendah. *Prosiding Seminar Nasional Serealia*: 1-12.
- Faheed, F., Ahmed, M., Shereen, A.E. (2013). Physiological and Ultrastructural Studies on Calcium Oxalate Crystal Formation in Some Plants. *Turkish Journal of Botany*. 37: 139-152.
- Fernández, G.C.J. (1992). Effective Selection Criteria for Assessing Plant Stress Tolerance. *Proceedings of the International Symposium on "Adaptation of Vegetables and other Food Crops in Temperature and Water Stress"*, Taiwan: 257-270.
- Fitriani, H., Nurlailah, Rakhmina, D. (2016). Kandungan Asam Oksalat Sayur Bayam. *Medical Laboratory Technology Journal*. 2 (2): 51-55.
- Fletcher, L. R., Cui, H., Callahan, H., Scoffoni, C., John, G.P., Bartlett, M.K., Burge, D.O., Sack, L. (2018). Evolution of Leaf Structure and Drought Tolerance in Species of Californian *Ceanothus*. *American Journal of Botany*. 105 (10): 1672-1687.
- Foster, J., Luo, B., Nakata, P.A. (2016). An Oxalyl-CoA Dependent Pathway of Oxalate Catabolism Plays a Role in Regulating Calcium Oxalate Crystal Accumulation and Defending Against Oxalate-Secreting Phytopathogens in *Medicago truncatula*. *Plos One*. 11 (2): 1-15.
- Gallaher, R. N. (2008). The Occurrence of Calcium in Plant Tissue as Crystals of Calcium Oxalate. *Communications in Soil Science and Plant Analysis*. 6 (3): 315-330.
- Gano, B., Dembele, J.S.B., Tovignan, T.K., Sine, B., Vadez, V., Diouf, D., Audebert, A. (2021). Adaptation Responses to Early Drought Stress of West Africa Sorghum Varieties. *Agronomy*. 11: 443.

- Gao, X.B., Can, G., Li, F.M., Ming, L., Jin, H. (2020). High Soybean Yield and Drought Adaptation Being Associated with Canopy Architecture, Water Uptake, and Root Traits. *Agronomy*. 10 (608).
- Gouveia, C. S. S., Ganança, J. F. T., Lebot, V., Carvalho, M. Â. A. P. (2018). Quantitation of Oxalates in Corms and Shoots of *Colocasia esculenta* (L.) Schott Under Drought Conditions. *Acta Physiologiae Plantarum*. 40 (12): 214.
- Gouveia, C. S. S., Ganança, J. F. T., Lebot, V., Carvalho, M. Â. A. P. (2019). Changes in Oxalate Composition and Other Nutritive Traits in Root Tubers and Shoots of Sweet Potato (*Ipomoea batatas* L. [Lam.]) Under Water Stress. *Journal of the Science of Food and Agriculture*. 100 (4): 1702-1710.
- Gouveia, C.S.S., Lebot, V., Carvalho, M.P. (2020). NIRS Estimation of Drought Stress on Chemical Quality Constituents of Taro (*Colocasia esculenta* L.) and Sweet Potato (*Ipomoea batatas* L.) Flours. *Applied Sciences*. 10: 8724.
- Guntarti, A., Ruliyani, A. (2020). Total Flavonoid Determination and Antioxidant Activity Study of Spinach (*Amaranthus tricolor* L.) Red Giti and Green Giti Variety. *Jurnal Farmasi Sains dan Praktis*. 6 (1): 51-59.
- Harijati, N., Arumingtyas, E.L., Handayani, R. (2011). The Effect of Calcium on The Size and Density of Crystal of Calcium Oxalate in Porang (*Amorphophallus muelleri* Blume). *Indonesian Journal of Environment and Sustainable Development*. 1 (2): 72-139.
- Haryadi, J. (2013). *Fakta Buah dan Sayur yang Berbahaya*. Cetakan Ke I. Jakarta: Niaga Swadaya.
- Hasin, A., Zain, R. (2019). Analisis Kadar Kalsium Oksalat ( $\text{CaC}_2\text{O}_4$ ) pada Daun dan Batang Tanaman Bayam di Pasar Tradisional Kota Makassar. *Jurnal Media Laboran*. 9 (1): 6-11.
- He, H., Veneklaas, E.J., Kuo, J., Lambers, H. (2014). Physiological and Ecological Significance of Biominerization in Plants. *Trends in Plant Science*. 19: 166-174.
- Hidayati, N., Rina, L.H., Arie, T., Sudjino. (2017). The Effect of Drought on Growth and Development of Nyamplung (*Callophylum inophyllum* L.) and Johar (*Cassia florida* Vahl.) Plant from The Different Provenance. *Jurnal Pemuliaan Tanaman Hutan*. 11 (2): 99-111.
- Horner, H.T., Wagner, B.L. (1992). Association of Four Different Calcium Crystals in The Anther Connective Tissue and Hypodermal Stomium Of *Capsicum annuum* (Solanaceae) During Microsporogenesis. *American Journal of Botany*. 79: 531–541.

- Horner, H.T., Wanke, S., Samain, M.S. (2012). A Comparison of Leaf Crystal Macropatterns in The Two Sister Genera *Piper* and *Peperomia* (Piperaceae). *American Journal of Botany*. 99: 983-997.
- Hughes, J., Hepworth, C., Dutton, C., Dunn, J.A., Hunt, L., Stephens, J., Waugh, R., Cameron, D.D., Gray, J.E. (2017). Reducing Stomatal Density in Barley Improves Drought Tolerance without Impacting on Yield. *Plant Physiology*. 174: 776–787.
- Hwang, S.G., Chao, H.C., Lin, H.L. (2018). Differential Responses of Pak Choi and Edible Amaranth to an Elevated Temperature. *Horticultural Science*. 53 (2): 195–199.
- Imran, M., Abdul, R., Ishfaq, A.H., Shuaib, K., Ahmad, A.K., Abdul, Q., Muhammad, A. (2012). Interaction of Callus Selection Media and Stress Duration for in Vitro Selection of Drought Tolerant Callus of Wheat. *African Journal of Biotechnology*: 4000-4006.
- Indriyani, S., Arisoesilaningsih, E., Wardiyati, T., Purnobasuki, H. (2011). A Model of Relationship Between Climate and Soil Factors Related to Oxalate Content in Porang (*Amorphophallus muelleri* Blume) Corm. *Biodiversitas*. 12 (1): 45-51.
- Jafari, S., Hashemi, G.S.E., Azadegan, B. (2019) Effects of Drought Stress on Morphological, Physiological, and Biochemical Characteristics of Stock Plant (*Matthiola incana* L.). *Scientia Horticulturae*. 253: 128–133.
- Jiang, Y., Feng, N., Sun, Y., Zheng, D., Han, C., Wang, X., Cao, K., Xu. L., Liu, S. (2022). Uniconazole Mitigates Disadvantageous Effects of Drought Stress on *Cannabis sativa* L. Seedlings. *Pakistan Journal of Botany*. 54 (1): 83-93.
- Jun-Feng, S., Guo, M.X., Lian, J.R., Xiaobin, P., Guo, W.Y., Ping, C.X. (2010). Gene Expression Profiles of Response to Water Stress at The Jointing Stage in Wheat. *Agricultural Sciences in China*. 9 (3): 323-330.
- Kapoor, D., Savita, B., Marco, L., Arti, S., Muthusamy, R., Anket, S. (2020). The Impact of Drought in Plant Metabolism: How to Exploit Tolerance Mechanisms to Increase Crop Production. *Applied Sciences*. 10: 5692.
- Karimi, S., Rahemi, M., Rostami, A.A., Sedaghat, S. (2018). Drought Effects on Growth, Water Content and Osmoprotectants in Four Olive Cultivars with Different Drought Tolerance. *International Journal of Fruit Science*. 18 (3): 254-267.
- Kasimala, M.B., Tedros, B., Weldeyesus, M., Imru, H., Negasi, T.K. (2018). Determination of Oxalates and Investigation of Effect of Boiling on Oxalate Content from Selected Vegetables Commonly Grow in Eritrea. *Journal of Atoms and Molecules*. 8 (4): 1175-1180.

- Kasmira, L., Fadillah, R. (2018). Analysis of Changes in Chemical Components Green Spinach Chips (*Amaranthus tricolor*L) Due to Frying Process. *Jurnal Pendidikan Teknologi Pertanian*. 4 : 49-55.
- Khakwani, A.A., Dennett, M.D., Munir, M., Abid, M. (2012). Growth and yield response of wheat varieties to water stress at booting and anthesis stages of development. *Pakistan Journal of Botany*. 44 (3): 879-886.
- Khan, A.S., Siddiqi, R. (2014). Environmental Factors Affect Calcium Oxalate Crystals Formation in *Tradescantia pallida* (Commelinaceae). *Pakistan Journal of Botany*. 46 (2): 477-482.
- Khurana, D.S., Singh, J., Kaur, B. (2013). Genetic Variability, Correlation and Path Coefficient Analysis in Amaranthus. *Vegetable Science*. 40 (2): 238-240.
- Kumar, S. (2020). Abiotic Stresses and Their Effects on Plant Growth, Yield and Nutritional Quality of Agricultural Produce. *International Journal of the Science of Food and Agriculture*. 4 (4): 367-378.
- Kuo-Huang, L.L. Ku, M., Franceschi, V.R.. (2007) Correlations Between Calcium Oxalate Crystals and Photosynthetic Activities in Palisade Cells of Shade Adapted *Peperomia glabella*. *Botanical Studies*. 48: 155–164.
- Kusumawati, K., Muhartini, S., Rogomulyo, R. (2015). The Effect of Industrial Tofu Liquid Waste with Different Concentrations and Frequencies on Growth and Yield of Spinach (*Amaranthus tricolor* L.) Cultivated on The Beach Sand. *Vegetalika*. 4 (2) : 48-62.
- Laisina, J.K.J, Awang, M., Sobir, Agus, P. (2021). Drought Adaptive Prediction in Potato (*Solanum tuberosum*) Using in Vitro and in Vivo Approaches. *Biodiversitas*. 22 (2): 537-545.
- Lakitan, B. (2013). *Dasar-Dasar Fisiologi Tumbuhan*. Jakarta: Rajawali Press.
- Maughan, P. J., Smith, S. M., Fairbanks, D. J., Jellen, E. N. (2011). Development, Characterization, and Linkage Mapping of Single Nucleotide Polymorphisms in The Grain Amaranths (*Amaranthus* spp.). *The Plant Genome*. 4 (1): 92-101.
- Mazen, A.M.A. (2004). Calcium Oxalate Deposits in Leaves of *Corchorus olitorius* as Related to Accumulation of Toxic Metals. *Russian Journal of Plant Physiology*. 51 (2): 281–285.
- Mirakhori, M., Paknejad, F., Foad, M., Ardakani, M., Hossein, Z., Parisa, N. (2009). Effect of Drought Stress and Methanol on Yield and Yield Components of Soybean Max (L 17). *American Journal of Biochemistry and Biotechnology*. 5 (4): 162-169.

- Mitchell, T., Kumar, P., Reddy, T., Wood, K. D., Knight, J., Assimos, D. G., Holmes, R. P. (2018). Dietary Oxalate and Kidney Stone Formation. *American Journal of Physiology-Renal Physiology*. 316 (3): 409-413.
- Mukhtar, R.B. (2016). Effect of Drought Stress on Early Growth of *Adansonia digitata* (L.) in Semi-Arid Region of Nigeria. *Journal of Research in Forestry, Wildlife & Environment*. 8 (4): 109-115.
- Nagayam, J.R., Rajan, R. (2021). Calcium Oxalate Crystals as Raw Food Antinutrient: A Review. *Journal of Pharmaceutical Research International*. 33 (41): 295-301.
- Nakata, P.A. (2012). Engineering Calcium Oxalate Crystal Formation in *Arabidopsis*. *Plant Cell Physiology*. 53: 1275-1282.
- Nakata, Paul, A. (2003). Advances in Our Understanding of Calcium Oxalate Crystal Formation and Function in Plants. *Plant Science*. 164: 901-909.
- Ngadisih, K., M., Maftukah, R., Murtiningrum, R., Rico, D.U.C, Nadeak, B.D.A, Nugroho. (2021). Ameliorating Sandy Soil Properties: Application of Mathematical Model to Explore Spinach (*Amaranthus tricolor* L.) Plant Response. *IOP Conference Series: Earth and Environmental Science*. 686: 012061.
- Nimse, S.B., Pal, D. (2015). Free Radicals, Natural Antioxidants, and Their Reaction Mechanisms. *Royal Society of Chemistry Advances*. 5 (35): 7986–8006.
- Noonan, S.C., Savage, G.P. (1999). Oxalate Content of Foods and Its Effect on Humans. *Asia Pacific Journal of Clinical Nutrition*. 8: 64-67.
- Nurcahyani, E., Alfiah, D., Wahyuningsih, S., Mahfut. (2020). Analisis Kandungan Karbohidrat pada Planlet Buncis (*Phaseolus vulgaris* L.) secara In Vitro Hasil Induksi Kalium dalam Cekaman Kekeringan. *Analytical and Environmental Chemistry*. 5 (1): 34-41.
- Onrizal. (2009). *Pertumbuhan Pohon Kaitannya dengan Tanah, air dan Iklim*. Medan: Fakultas Pertanian Universitas Sumatra Utara.
- Osakabe, Y., Osakabe, K., Shinozaki, K., Tran, L.S.P. (2014). Response of Plants to Water Stress. *Frontiers in Plant Science*. 5: 1-9.
- Paredes-López, O. (2018). *Amaranth Biology, Chemistry, and Technology*. Boca Raton: CRC Press.
- Pierantoni, M., Tenne, R., Rephael, B., Brumfeld, V., Van, A.C., Kupczik, K., Oron, D., Addadi, L., Weiner, S. (2018). Mineral Deposits in *Ficus* Leaves: Morphologies and Locations in Relation to Function. *Plant Physiology*. 176: 1751-1763.

- Polania, J., Rao, I.M., Cajiao, C., Grajales, M., Rivera, M., Velasquez, F., Raatz, B., Beebe, S.E. (2017). Shoot and Root Traits Contribute to Drought Resistance in Recombinant Inbred Lines of MD 23–24 × SEA 5 of Common Bean. *Frontiers in Plant Science*. 8: 296.
- Preeyanuch, L., Nounjan, N., Siangliw, J.L., Toojinda, T., Sanitchon, J., Jongdee, B., Piyada, T. (2018). Physiological Responses under Drought Stress of Improved Drought-Tolerant Rice Lines and their Parents. *Notulae Botanicae Horti Agrobotanici*. 46 (2): 679-687.
- Prochazkova, D., Sairam, R.K., Srivastava, G.C., Singh, D.V. (2001). Oxidative Stress and Antioxidant Activity as The Basis of Senescence in Maize Leaves. *Plant Sci.* 161: 765–771Prasad, R., Shivay, Y.S. (2017). Oxalic acid/oxalates in plants: from self-defence to phytoremediation. *Current Science*. 112 (8): 1665-1667.
- Puslitbanghorti. (2015). *Budidaya Tanaman Bayam*. <http://hortikultura.litbang.pertanian.go.id/teknologi-detail-44.html>. Diakses pada 21 Oktober 2021.
- Rahbarian, R., R., Khavari-Nejad, A., Ganjeali, A., Bagheri, F., Najafi. (2011). Drought Stress Effect On Photosynthesis, Chlorophyll Fluorescence, and Water Relation in Tolerant and Susceptible Chickpea (*Cicer arietinum* L.) Genotype. *Acta Biologica Cracoviensia series Botanica*. 53 (1): 47-56.
- Rahman, A.H.M.M., Gulshana, M.I.A. (2014). Taxonomy and Medicinal Uses on Amaranthaceae Family of Rajshahi, Bangladesh. *Applied Ecology and Environmental Sciences*. 2 (2): 54-59.
- Rahman, M.M., Kawamura, O. (2011). Oxalate Accumulation in Forage Plants: Some Agronomic, Climatic and Genetic Aspects. *Asian-Aust. Journal of Animal Science*. 24 (3): 439-448.
- Rakesh, M., Bradley, C., Stephanie, L., Swathi, A.T., Gloria, Q. (2015). Extraction and Estimation of The Quantity of Calcium Oxalate Crystals in The Foliage of Conifer and Hardwood Trees. *Tress Physiology*. 35 (5): 574-580.
- Raman, V., Horner, H.T., Khan, I.A. (2014). New and Unusual Forms of Calcium Oxalate Raphide Crystals in The Plant Kingdom. *Journal of Plant Research*. 127: 721-730.
- Rani, K.R., Pathima, D., Hindu, V., Latta, P., Usha, R. (2019). Morphophysiological and Anatomical Responses of Groundnut (*Arachis hypogaea* L.) to Drought Stress. *International Journal of Recent Scientific Research*. 10 (12): 6241-36247.
- Rawtiya, A.K., Kasal, Y.G. (2021). Drought Stress and Wheat (*Triticum aestivum* L.) Yield: A Review. *The Pharma Innovation Journal*. 10 (5): 1007-1012.

- Riaz, A., Younis, A., Taj, A.R., Karim, A., Tariq, U., Munir, S., Riaz, S. (2013). Effect of Drought Stress on Growth and Flowering of Marigold (*Tagetes erecta* L.). *Pakistan Journal of Botany*. 45 (1): 123-131.
- Rizki, Farah. (2013). *The Miracle of Vegetables. Cetakan Ke I.* Jakarta: PT Argomedia Pustaka.
- Ronzio, R.A. (2020). *Naturally Occurring Antioxidants 5<sup>th</sup> Edition.* London: Churchill Livingstone.
- Rosa, L.N., Müller, G.B. (2021). *Evolutionary Developmental Biology.* Switzerland: Springer.
- Ross, J. (2009). *Introduction to Image Analysis.* New Zealand: Biomedical Imaging Research Unit, The University of Auckland.
- Rucker, K.S., Kvien, C.K., Holbrook, C.C., Hook, J.E. (1995). Identification of Peanut Genotypes with Improved Drought Avoidance Traits 1. *Peanut Science*. 22: 14–18.
- Sage, R.F., Sage, T.L., Kocacinar, F. (2012). Photorespiration and the Evolution of C4 Photosynthesis. *Annual Review of Plant Biology*. 63:19–47.
- Samanhudi. (2010). Pengujian Cepat Ketahanan Tanaman Sorgum Manis terhadap Cekaman Kekeringan. *Agrosains*. 12 (1): 9-13.
- Santoso, A.M. (2013). Distribution of Calcium Oxalate Cristal, Reduction of Oxalates, and The Effect of Cultivation Method on Its Formation in Some Vegetables. *Proceeding Biology Education Conference*. 10 (2): 1-6.
- Saparinto, C. (2013). *Grow Your Vegetable.* Penebar Swadaya: Yogyakarta.
- Setiawan, Tohari, D. Shiddieq. (2012). Pengaruh Cekaman Kekeringan terhadap Akumulasi Prolin Tanaman Nilam (*Pogostemon cablin* Benth.). *Ilmu Pertanian*. 15 (2): 85-99.
- Shanker, A.K., Venkateswarlu, B. (2011). *Abiotic Stress in Plants – Mechanisms and Adaptations.* Croatia: InTech.
- Shao, H.B., Chu, L.Y., Jaleel, C.A., Zhao, C.X. (2008). Water-Deficit Stress-Induced Anatomical Changes in Higher Plants. *Comptes Rendus Biologies*. 331: 215-225.
- Soni, P., Abdin, M.Z. (2017). Water deficit-induced oxidative stress affects artemisinin content and expression of proline metabolic genes in *Artemisia annua* L. *Federation of European Biochemical Societies Open Bio*. 7 (3): 367-381.

- Subashini, S., Kumar, K.S. (2017). Physicochemical Characteristics Calcium Oxalate Crystals in *Spinacia oleracea* L. *Indian Journal of Biochemistry & Biophysics*. 54: 156-163.
- Sun, S., Liu.L., Yang, S. (2015). Research on the Effects of Water Stress on Growth Traits and Water Use Efficiency of Winter Wheat. *Materials Science, Engineering and Chemistry Web of Conferences*. 25: 01010.
- Taiz, L., Zeiger, E. (2015). *Plant Physiology and Development*. Sunderland, MA, USA: Sinauer Associates.
- Tooulakou, G., Andreas, G., Dimosthenis, N., Panagiota, B., Elissavet, D., Malvina, G.O., Christos, G.K., Costas, F., Georgios, L., Maria, I.K., George, K. (2016). Reevaluation of The Plant “Gemstones”: Calcium Oxalate Crystals Sustain Photosynthesis Under Drought Conditions. *Plant Signaling & Behavior*. 11 (9): 1-4.
- Truffault, V., Fry, S.C., Stevens, R.G., Gautier, H. (2016). Ascorbate Degradation in Tomato Leads to Accumulation of Oxalate, Threonate, and Oxalyl Threonate. *Plant Journal*. 89: 996-1008.
- Uren, N.C. (2018). Calcium Oxalate in Soils, Its Origins and Fate. *Soil Research*. 56 (5): 443-450.
- Vogan, P. J., Sage, R. F. (2011). Effects of low atmospheric CO<sub>2</sub> and elevated temperature during growth on the gas exchange responses of C<sub>3</sub>, C<sub>3</sub>-C<sub>4</sub> intermediate, and C<sub>4</sub> species from three evolutionary lineages of C<sub>4</sub> photosynthesis. *Oecologia*, 169 (2): 341–352.
- Wahyudie, T. (2020). *Pengelolaan Komoditas Hortikultura Unggulan Berbasis Lingkungan*. Nusa Tenggara Barat: FP. Aswaja.
- Wang, J., R., Zheng, S., Bai, X., Gao, M., Liu, W., Yan. (2015). Mongolian Almon (*Prunus mongolica* Maxim): The Morpho-Physiological, Biochemical, and Transcriptomic Response to Drought Stress. *Plos One*. 10 (4): e0124442.
- Waraich, E.A., Ahmad, R., Ashraf, M.Y., E.H., Saifullah. (2011). Role of Mineral Nutrition in Alleviation of Drought Stress in Plants. *Australian Journal of Crop Science*. 5: 764-777.
- Webb, M. C. (1999). Cell-Mediated Crystallization of Calcium Oxalate in Plants. *The Plant Cell*. 11: 751–761.
- Wei, X., Deng, X., Xiang, W., Lei, P., Ouyang, S., Wen, H., Chen, L. (2018). Calcium Content and High Calcium Adaptation of Plants in Karst Areas of Southwestern Hunan, China. *Biogeosciences*. 15: 2991-3002.

- Wibowo, S., Asriyanti, SA. (2017). Aplikasi Hidroponik NFT pada Budidaya Pakcoy (*Brassica rapa* Var. *Chinensis*). *Jurnal Penelitian Pertanian Terapan*. 13 (3): 159-167.
- Widiatmoko, T., Agustono, T., Imania, M. (2012). Pertumbuhan dan Hasil Beberapa Genotip Kedelai Berbiji Besar pada Cekaman Kekeringan di Berbagai Stadia Pertumbuhan. *Jurnal Agrin*. 16 (1).
- Xiao Z., Lester G.E., Luo Y., Wang Q. (2012). Assessment of Vitamin and Carotenoid Concentrations of Emerging Food Products: Edible Microgreens. *Journal of Agricultural and Food Chemistry*. 60: 7644-7651.
- Xu, Z., Zhou, G., Shimizu, H. (2010). Plant Responses to Drought and Rewatering. *Plant signaling & behavior*. 5 (6): 649–654.
- Yang, J., Miaomiao, F., Chen J., Yongcai, H., Yongrui, W. (2018). Maize Oxalyl-CoA Decarboxylase1 Degrades Oxalate and Affects the Seed Metabolome and Nutritional Quality. *The Plant Cell*. 30 : 2447-2462.
- Yang, X., Lu, M., Wang, Y., Wang, Y., Liu, Z., Chen, S. (2021). Response Mechanism of Plants to Drought Stress. *Horticulturae*. 7: 50.
- Younis, A., Riaz, A., Qasim, M., Mansoor, M., Zulfiqar, F., Tariq, U., Ahsan, M., Naseem, M.K., Bhatti, Z.M. (2017). Screening of Marigold (*Tagetes erecta* L.) Cultivars for Drought Stress Based on Vegetative and Physiological Characteristics. *International Journal of Food and Allied Sciences*. 3 (2): 56-63.
- Younis, A., Riaz, A., Tariq, U., Nadeem, M., Khan, M.A., Ahsan, M., Adil, W., Naseem, M.K. (2017). Drought Tolerance of *Leucophyllum frutescens*: Physiological and Morphological Studies Reveal The Potential Xerophyte. *Acta Scientiarum Polonorum Hortorum Cultus*. 16 (6): 89–98.
- Yu, L., Jiang, J., Zhang, C., Jiang, L., Ye, N., Lu, Y., Yang, G., Liu, E., Peng, C., He, Z., Peng, X. (2010). Glyoxylate Rather than Ascorbate is An Efficient Precursor for Oxalate Biosynthesis in Rice. *Journal of Experimental Botany*. 61: 1625-1634.