

DAFTAR PUSTAKA

- Abbott, W. S. (1987). A Method of Computing the Effectiveness of an Insecticide. *Journal of the American Mosquito Control Association*, 3(2), 302–303. <https://doi.org/10.1093/jee/18.2.265a>
- Abdelgaleil, S. A. M., Zoghroban, A. A. M., El-Bakry, A. M., & Kassem, S. M. I. (2019). Insecticidal and Antifungal Activities of Crude Extracts and Pure Compounds from Rhizomes of *Curcuma longa* L. (Zingiberaceae). *Journal of Agricultural Science and Technology*, 21(4), 1049–1061.
- Abdullah, F., Subramanian, P., Ibrahim, H., Abdul Malek, S. N., Lee, G. S., & Hong, S. L. (2015). Chemical Composition, Antifeedant, Repellent, and Toxicity Activities of the Rhizomes of Galangal, *Alpinia galanga* Against Asian Subterranean Termites, *Coptotermes gestroi* and *Coptotermes curvignathus* (Isoptera: Rhinotermitidae). *Journal of Insect Science*, 15(1), 7–7. <https://doi.org/10.1093/jisesa/ieu175>
- Ahmed, M., & Mamun, M. S. A. (2014). Tea Mosquito Bug, *Helopeltis theivora* Waterhouse (Hemiptera: Miridae): A Threat to Tea Cultivation in Bangladesh. *Regional Seminar of Zoological Society of Bangladesh*.
- Ahmed, P., Bhagawati, P., Das, S. K., Kalita, M. C., & Das, S. (2013). Hypersensitive Reaction and Anatomical Changes of Young Tea Leaf (*Camellia sinensis*, clone TV1) During Feeding by Tea Mosquito Bug (*Helopeltis theivora* Waterhouse: Hemiptera: Miridae). *International Journal of Current Microbiology and Applied Sciences*, 2(8), 187–195.
- Ahmed, Q., Agarwal, M., Al-Obaidi, R., Wang, P., & Ren, Y. (2021). Evaluation of Aphicidal Effect of Essential Oils and Their Synergistic Effect against *Myzus persicae* (Sulzer) (Hemiptera: Aphididae). *Molecules*, 26(10), 3055. <https://doi.org/10.3390/molecules26103055>
- Akarchariya, N., Sirilun, S., Julsrigival, J., & Chansakaowa, S. (2017). Chemical Profiling and Antimicrobial Activity of Essential Oil from *Curcuma aeruginosa* Roxb., *Curcuma glans* K. Larsen & J. Mood and *Curcuma cf. xanthorrhiza* Roxb. collected in Thailand. *Asian Pacific Journal of Tropical Biomedicine*, 7(10), 881–885. <https://doi.org/10.1016/j.apjtb.2017.09.009>
- Alonso-Amelot, M. E. (2016). Multitargeted Bioactive Materials of Plants in the *Curcuma* Genus and Related Compounds: Recent Advances. In *Studies in Natural Products Chemistry* (Vol. 47, Issue 3467, pp. 111–200). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63603-4.00004-8>
- AlShebly, M. M., AlQahtani, F. S., Govindarajan, M., Gopinath, K., Vijayan, P., & Benelli, G. (2017). Toxicity of Ar-Curcumene and epi- β -bisabolol from *Hedychium larsenii* (Zingiberaceae) Essential Oil on Malaria, Chikungunya and Japanese Encephalitis Mosquito Vectors. *Ecotoxicology and Environmental Safety*, 137(November 2016), 149–157. <https://doi.org/10.1016/j.ecoenv.2016.11.028>
- Anggakusuma, Yanti, Lee, M., & Hwang, J.-K. (2009). Estrogenic Activity of

Xanthorrhizol Isolated from *Curcuma xanthorrhiza* ROXB. *Biological and Pharmaceutical Bulletin*, 32(11), 1892–1897.
<https://doi.org/10.1248/bpb.32.1892>

Asmaliyah, Wati, E. E., Utami, S., Mulyadi, K., Yudhistira, & Sari, F. W. (2010). Pengenalan Tumbuhan Penghasil Pestisida Nabati dan Pemanfaatannya secara Tradisional (I. Anggraeni (ed.)). Pusat Penelitian dan Pengembangan Produktivitas Hutan.

Atmadja, W. R. (2012). Pengendalian Helopeltis secara Terpadu pada Tanaman Perkebunan. In *Sirkuler Teknologi Tanaman Rempah dan Obat*. Unit Penerbitan dan Publikasi Balittro.

Aurélie, G., Foko, D., Tchakouan, A. M., Abe, H., Zeukeng, F., Parfait Awono-Ambene, H., Njiokou, F., & Tamesse, J. L. (2018). Chemical Composition and Toxicity of *Zingiber officinale* (Roscoe, 1807) (Zingiberaceae) Essential Oil on the Aquatic Stages of the Malaria Vector *Anopheles coluzzii*. *International Research Journal of Public and Environmental Health*, 5(2), 25–31.
<https://doi.org/10.15739/irjpeh.18.005>

Awin, T., Mediani, A., Maulidiani, Leong, S. W., Muhd Faudzi, S. M., Shaari, K., & Abas, F. (2019). Phytochemical and Bioactivity Alterations of *Curcuma* Species Harvested at Different Growth Stages by NMR-Based Metabolomics. *Journal of Food Composition and Analysis*, 77, 66–76.
<https://doi.org/10.1016/j.jfca.2019.01.004>

Azeem, M., Iqbal, Z., Emami, S. N., Nordlander, G., Nordenhem, H., Mozūratīs, R., El-Seedi, H. R., & Borg-Karlson, A. K. (2020). Chemical Composition and Antifeedant Activity of some Aromatic Plants against Pine Weevil (*Hylobius abietis*). *Annals of Applied Biology*, 177(1), 121–131.
<https://doi.org/10.1111/aab.12586>

Balfas, R., & Mardiningsih, T. (2016). Pengaruh Minyak Atsiri terhadap Mortalitas dan Penghambatan Peneluran *Crocidolomia pavonana* F. *Buletin Littro*, 27(1), 85–92.

Başer, K. H. C., & Buchbauer, G. (2015). Handbook of Essential Oils. In K. H. C. Baser & G. Buchbauer (Eds.), *Taylor & Francis* (2nd Editio). CRC Press.
<https://doi.org/10.1201/b19393>

Benelli, G., Govindarajan, M., AlSalhi, M. S., Devanesan, S., & Maggi, F. (2018). High Toxicity of Camphene and γ -Elemene from *Wedelia prostrata* Essential Oil Against Larvae of *Spodoptera litura* (Lepidoptera: Noctuidae). *Environmental Science and Pollution Research*, 25(11), 10383–10391.
<https://doi.org/10.1007/s11356-017-9490-7>

Benelli, G., Pavela, R., Rakotosaona, R., Randrianarivo, E., Nicoletti, M., & Maggi, F. (2017). Chemical Composition and Insecticidal Activity of the Essential Oil from *Helichrysum faradifani* Endemic to Madagascar. *Natural Product Research*, 32(14), 1690–1698. <https://doi.org/10.1080/14786419.2017.1396590>

Bett, P. K., Deng, A. L., Ogendo, J. O., Kariuki, S. T., Kamatenesi-Mugisha, M., Mihale, J. M., & Torto, B. (2017). Residual Contact Toxicity and Repellence of

- Cupressus lusitanica Miller and Eucalyptus saligna Smith Essential Oils Against Major Stored Product Insect Pests. *Industrial Crops and Products*, 110(April), 65–74. <https://doi.org/10.1016/j.indcrop.2017.09.046>
- Bhattacharjee, R., & Akoroda, M. (2018). *Taxonomy and Classification of Cacao* (P. Umaharan (ed.); Issue October). Burleigh Dodds Science Publishing Limited. <https://doi.org/10.19103/as.2017.0021.01>
- Blok, C., Baumgarten, A., Baas, R., Wever, G., & Lohr, D. (2019). Analytical Methods Used with Soilless Substrates. In M. Raviv, A. Bar-Tal, & J. H. Lieth (Eds.), *Soilless Culture: Theory and Practice* (Second Ed., pp. 509–564). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63696-6.00011-6>
- Budiyati, E., Nugroho, A. F., & Fauziati, R. (2022). Pengaruh Ukuran Partikel dan Rasio Bahan terhadap Pelarut Air pada Distilasi Minyak Atsiri Temulawak. *Buletin Penelitian Tanaman Rempah Dan Obat*, 32(2), 52. <https://doi.org/10.21082/bullitro.v32n2.2021.52-61>
- Cahyono, B., Ariani, J., Failasufa, H., Suzery, M., Susanti, S., & Hadiyanto, H. (2019). Extraction of Homologous Compounds of Curcuminoid Isolated from Temulawak (*Curcuma xanthorrhiza* Roxb.) Plant. *Rasayan Journal of Chemistry*, 12(1), 7–13. <https://doi.org/10.31788/RJC.2019.1213092>
- Campos, M. G., Oropeza, M. V., Villanueva, T., Aguilar, M. I., Delgado, G., & Ponce, H. A. (2000). Xanthorrhizol Induces Endothelium-Independent Relaxation of Rat Thoracic Aorta. *Life Sciences*, 67(3), 327–333. [https://doi.org/10.1016/S0024-3205\(00\)00619-6](https://doi.org/10.1016/S0024-3205(00)00619-6)
- Carr, M. K. V., & Lockwood, G. (2011). The Water Relations and Irrigation Requirements of Cocoa (*Theobroma cacao* L.): A Review. *Experimental Agriculture*, 47(4), 653–676. <https://doi.org/10.1017/S0014479711000421>
- Chaubey, M. K. (2019). Essential Oils as Green Pesticides of Stored Grain Insects. *European Journal of Biological Research*, 9(4), 202–244. <https://doi.org/10.5281/zenodo.3528366>
- Chu, S. S., Jiang, G. H., & Liu, Z. L. (2011). Insecticidal Compounds from the Essential Oil of Chinese Medicinal Herb *Atractylodes chinensis*. *Pest Management Science*, 67(10), 1253–1257. <https://doi.org/10.1002/ps.2180>
- Costa, E. C. C., Christofoli, M., Costa, G. C. de S., Peixoto, M. F., Fernandes, J. B., Forim, M. R., Pereira, K. de C., Silva, F. G., & Casal, C. de M. (2017). Essential Oil Repellent Action of Plants of the Genus *Zanthoxylum* Against *Bemisia tabaci* biotype B (Hemiptera: Aleyrodidae). *Scientia Horticulturae*, 226(August), 327–332. <https://doi.org/10.1016/j.scienta.2017.08.041>
- Crozier, S. J., Preston, A. G., Hurst, J. W., Payne, M. J., Mann, J., Hainly, L., & Miller, D. L. (2011). Cacao Seeds are a “Super Fruit”: A Comparative Analysis of Various Fruit Powders and Products. *Chemistry Central Journal*, 5(1), 4–9. <https://doi.org/10.1186/1752-153X-5-5>
- da Silva, E. N., Da Cruz Ramos, D., Miranda Menezes, L., De Souza, A. O., Da Silva Lannes, S. C., & Da Silva, M. V. (2014). Nutritional Value and Antioxidant

- Capacity of “Cocoa Honey” (*Theobroma cacao* L.). *Food Science and Technology*, 34(4), 755–759. <https://doi.org/10.1590/1678-457X.6447>
- Dadang. (2015). Pengembangan Pestisida Nabati untuk Mendukung Pertanian Ramah Lingkungan dan Berkelanjutan. *Orasi Ilmiah Guru Besar IPB, September*, 82.
- Dadang, Fitriyani, E. D., & Prijono, D. (2011). Field Efficacy of Two Botanical Insecticide Formulations Against Cabbage Insect Pests, *Crociodomia pavonana* (F.) (Lepidoptera: Pyralidae) and *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae). *Journal of the International Society for Southeast Asian Agricultural Sciences*, 17(2), 38–47.
- Dadang, Isnaeni, N., & Ohsawa, K. (2007). Ketahanan dan Pengaruh Fitotoksik Campuran Ekstrak *Piper retrofractum* dan *Annona squamosa* pada Pengujian Semi Lapangan. *Jurnal Hama Dan Penyakit Tropika*, 7(2), 91–99.
- Dambolena, J. S., Zunino, M. P., Herrera, J. M., Pizzolitto, R. P., Areco, V. A., & Zygadlo, J. A. (2016). Terpenes: Natural Products for Controlling Insects of Importance to Human Health—A Structure-Activity Relationship Study. *Psyche: A Journal of Entomology*, 1–17. <https://doi.org/10.1155/2016/4595823>
- De Oliveira, H. L. M., Bortolucci, W. de C., Silva, E. S., Campos, C. F. de A. A., Gonçalves, J. E., Piau Júnior, R., Linde, G. A., & Gazim, Z. C. (2019). Bioinsecticide Potential of *Curcuma zedoaria* Rhizome Essential Oil. *Bioscience Journal*, 35(4), 1198–1212. <https://doi.org/10.14393/BJ-v35n4a2019-42012>
- de Souza, P. A., Moreira, L. F., Sarmiento, D. H. A., & da Costa, F. B. (2018). Cacao— *Theobroma cacao*. In S. Rodrigues, E. de O. Silva, & E. S. de Brito (Eds.), *Exotic Fruits* (Vol. 3, Issue 2001, pp. 69–76). Elsevier. <https://doi.org/10.1016/B978-0-12-803138-4.00010-1>
- Dono, D., Prijono, D., Manuwoto, S., Buchori, D., Dadang, & Hasim. (2006). Fitotoksitas Rokaglamida dan Ekstrak Ranting *Aglaia odorata* (Meliaceae) terhadap Tanaman Brokoli dan Kedelai. *Jurnal Agrikultura*, 17(1), 7–14.
- Dosoky, N., & Setzer, W. (2018). Chemical Composition and Biological Activities of Essential Oils of *Curcuma* Species. *Nutrients*, 10(9), 1196. <https://doi.org/10.3390/nu10091196>
- El-Habashy, D. E., Abdel Rasoul, M. A., & Abdelgaleil, S. A. M. (2020). Nematicidal Activity of Phytochemicals and their Potential use for the Control of *Meloidogyne javanica* Infected Eggplant in the Greenhouse. *European Journal of Plant Pathology*, 158(2), 381–390. <https://doi.org/10.1007/s10658-020-02079-6>
- ERDB. (2015). Cacao (*Theobroma cacao* Linnaeus). *Rise Research Information Series on Ecosystems*, 27(1), 1–11.
- FAO. (2020). World Food and Agriculture - Statistical Yearbook 2020. In *FAO Statistics*. FAO. <https://doi.org/10.4060/cb1329en>
- Fernández-Murga, L., Tarín, J. J., García-Perez, M. A., & Cano, A. (2011). The Impact of Chocolate on Cardiovascular Health. *Maturitas*, 69(4), 312–321.

<https://doi.org/10.1016/j.maturitas.2011.05.011>

- Fishel, F. M. (2009). Pesticides and Cholinesterase. *UF/IFAS Extension*, 10, 1–3. <https://doi.org/10.32473/edis-pi221-2009>
- Forbes, S. J., & Northfield, T. D. (2017). Increased Pollinator Habitat Enhances Cacao Fruit Set and Predator Conservation. *Ecological Applications*, 27(3), 887–899. <https://doi.org/10.1002/eap.1491>
- Gangwar, P., & Tiwari, S. N. (2017). Insecticidal Activity of Curcuma longa Essential Oil and its Fractions against Sitophilus oryzae L. and Rhyzopertha dominica F. (Coleoptera). *International Journal of Pure & Applied Bioscience*, 5(3), 912–921. <https://doi.org/10.18782/2320-7051.2595>
- Ghada, A.-A. E., & Naglaa, Y. M. (2020). Efficacy of Cinnamon Oil and its Active Ingredient (Cinnamaldehyde) on the Cotton Mealy Bug Phenacoccus solenopsis Tinsley and the Predator Chrysoperla carnea. *Bulletin of the National Research Centre*, 44(1), 154. <https://doi.org/10.1186/s42269-020-00404-x>
- Govindarajan, M., Rajeswary, M., Senthilmurugan, S., Vijayan, P., Alharbi, N. S., Kadaikunnan, S., Khaled, J. M., & Benelli, G. (2018). Curzerene, trans- β -elemenone, and γ -elemene as Effective Larvicides against Anopheles subpictus, Aedes albopictus, and Culex tritaeniorhynchus: Toxicity on Non-Target Aquatic Predators. *Environmental Science and Pollution Research*, 25(11), 10272–10282. <https://doi.org/10.1007/s11356-017-8822-y>
- Guerreiro, A. C., Cecati, F. M., Ardanáz, C. E., Donadel, O. J., Tonn, C. E., & Sosa, M. E. (2018). Assessment of the Insecticidal Potential of the Eupatorium buniifolium Essential Oil Against Triatoma infestans (Hemiptera: Reduviidae). A Chiral Recognition Approach. *Neotropical Entomology*, 47(3), 418–428. <https://doi.org/10.1007/s13744-018-0601-z>
- Hamdi, I., & Lakani, I. (2021). Tingkat Keparahan Penyakit Vascular Streak Dieback (Ceratobasidium theobromae) pada Tanaman Kakao (Theobroma cacao L.) setelah Pemberian Perlakuan Infus Akar. *Jurnal Agrotekbis*, 9(1), 188–196.
- Hannum, S. M., & Erdman, J. W. (2000). Emerging Health Benefits from Cocoa and Chocolate. *Journal of Medicinal Food*, 3(2), 73–75. <https://doi.org/10.1089/109662000416276>
- Hasyim, A., Setiawati, W., Jayanti, H., & Krestini, E. (2014). Repelensi Minyak Atsiri terhadap Hama Gudang Bawang Ephestia cautella (Walker) (Lepidoptera: Pyralidae) di Laboratorium. *Jurnal Holtikultura*, 24(4), 336–345.
- Indriati, G., & Soesanthy, F. (2014). Hama Helopeltis spp. dan Teknik Pengendaliannya pada Pertanaman Teh (Camellia sinensis). *SIRINOV*, 2(3), 189–198.
- IRAC. (2021). IRAC Mode of Action Classification Scheme. In *Insecticide Resistance Action Committee: Vol. 10.1* (Issue February).
- Jalgaonkar, V. N., Gawankar, M. S., Bendale, V. W., & Patil, P. D. (2009). Efficacy of some Insecticides Against Cashew Tea Mosquito Bug Helopeltis antonii Sign. *The Journal of Plant Protection Sciences*, 1(1), 96–97.

- JALIL, M., PURWANTORO, A., DARYONO, B. S., & PURNOMO, P. (2020). Distribution, Variation, and Relationship of *Curcuma soloensis* Valetton in Java, Indonesia Based on Morphological Characters. *Biodiversitas Journal of Biological Diversity*, 21(8), 3867–3877. <https://doi.org/10.13057/biodiv/d210856>
- Jantan, I., Raweh, S. M., Sirat, H. M., Jamil, S., Yasin, Y. H. M., Jalil, J., & Jamal, J. A. (2008). Inhibitory Effect of Compounds from Zingiberaceae Species on Human Platelet Aggregation. *Phytomedicine*, 15(4), 306–309. <https://doi.org/10.1016/j.phymed.2007.08.002>
- Jantan, I., Saputri, F. C., Qaisar, M. N., & Buang, F. (2012). Correlation Between Chemical Composition of *Curcuma domestica* and *Curcuma xanthorrhiza* and Their Antioxidant Effect on Human Low-Density Lipoprotein Oxidation. *Evidence-Based Complementary and Alternative Medicine*, 2012(May), 1–10. <https://doi.org/10.1155/2012/438356>
- Jarikasem, S., Thubthimthed, S., Chawananaseth, K., & Suntornanatsat, T. (2005). Essential Oils from Three *Curcuma* Species Collected in Thailand. *Acta Horticulturae*, 675(675), 37–40. <https://doi.org/10.17660/ActaHortic.2005.675.4>
- Joshi, P., Jain, S., & Sharma, V. (2009). Turmeric (*Curcuma longa*) a Natural Source of Edible Yellow Colour. *International Journal of Food Science and Technology*, 44(12), 2402–2406. <https://doi.org/10.1111/j.1365-2621.2009.01914.x>
- Karmawati, E. (2010). Pengendalian Hama *Helopeltis* spp. pada Jambu Mete Berdasarkan Ekologi: Strategi dan Implementasi. *Pengembangan Inovasi Pertanian*, 3(2), 102–119.
- Karmawati, E., Mahmud, Z., Syakir, M., Munarso, S. J., Ardana, I. K., & Rubiyo. (2010). Budidaya dan Pasca Panen Kakao. In *Pusat Penelitian dan Pengembangan Perkebunan*. Pusat Penelitian dan Pengembangan Perkebunan.
- Kerimi, A., & Williamson, G. (2015). The Cardiovascular Benefits of Dark Chocolate. *Vascular Pharmacology*, 71, 11–15. <https://doi.org/10.1016/j.vph.2015.05.011>
- Khani, A., Rashid, B., & Mirshekar, A. (2017). Chemical Composition and Insecticidal Efficacy of *Juniperus polycarpus* and *Juniperus sabina* Essential Oils against *Tribolium confusum* (Coleoptera: Tenebrionidae). *International Journal of Food Properties*, 20(2), 1–9. <https://doi.org/10.1080/10942912.2017.1338726>
- Kilin, D., & Atmaja, W. R. (2000). Perbanyak Serangga *Helopeltis antonii* Sign. pada Buah Ketimun dan Pucuk Jambu Mete. *Jurnal Littri*, 5(4), 119–122.
- Kim, M.-B., Kim, C., Song, Y., & Hwang, J.-K. (2014). Antihyperglycemic and Anti-Inflammatory Effects of Standardized *Curcuma xanthorrhiza* Roxb. Extract and Its Active Compound Xanthorrhizol in High-Fat Diet-Induced Obese Mice. *Evidence-Based Complementary and Alternative Medicine*, 1–10. <https://doi.org/10.1155/2014/205915>

- Kim, S. H., Hong, K. O., Chung, W. Y., Hwang, J. K., & Park, K. K. (2004). Abrogation of Cisplatin-Induced Hepatotoxicity in Mice by Xanthorrhizol is Related to It's Effect on the Regulation of Gene Transcription. *Toxicology and Applied Pharmacology*, 196(3), 346–355. <https://doi.org/10.1016/j.taap.2004.01.002>
- Kordali, Ş., Usanmaz, A., Bayrak, N., & Çakır, A. (2017). Fumigation of Volatile Monoterpenes and Aromatic Compounds Against Adults of *Sitophilus granarius* (L.) (Coleoptera: Curculionidae). *Records of Natural Products*, 11(4), 362–373.
- Kueh, B. W. Bin, Yusup, S., Osman, N., & Ramli, N. H. (2019). Analysis of Melaleuca cajuputi Extract as the Potential Herbicides for Paddy Weeds. *Sustainable Chemistry and Pharmacy*, 11(December 2018), 36–40. <https://doi.org/10.1016/j.scp.2018.12.004>
- Kustina, E., Zulharmita, & Misfadhila, S. (2020). Traditional Uses, Phytochemistry and Pharmacology of *Curcuma xanthorrhiza* Roxb.: A Review. *International Journal of Science and Healthcare Research*, 5(3), 494–500.
- Langsi, J. D., Nukenine, E. N., Oumarou, K. M., Moktar, H., Fokunang, C. N., & Mbata, G. N. (2020). Evaluation of the Insecticidal Activities of α -Pinene and 3-Carene on *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae). *Insects*, 11(8), 540. <https://doi.org/10.3390/insects11080540>
- Lestari, P., & Purnomo, P. (2018). Intensitas Serangan Hama Penggerek Batang Kakao di Perkebunan Rakyat Cipadang, Gedongtataan, Pesawaran. *Jurnal Agro Industri Perkebunan*, 6(1), 1. <https://doi.org/10.25181/jaip.v6i1.746>
- Liang, J., You, C., Guo, S., Zhang, W., Li, Y., Geng, Z., Wang, C., Du, S., Deng, Z., & Zhang, J. (2016). Chemical Constituents of the Essential Oil Extracted from *Rhododendron thymifolium* and Their Insecticidal Activities Against *Liposcelis bostrychophila* or *Tribolium castaneum*. *Industrial Crops and Products*, 79, 267–273. <https://doi.org/10.1016/j.indcrop.2015.11.002>
- Liendo, R., Padilla, F. C., & Quintana, A. (1997). Characterization of Cocoa Butter Extracted from Criollo Cultivars of *Theobroma cacao* L. *Food Research International*, 30(9), 727–731. [https://doi.org/10.1016/S0963-9969\(98\)00025-8](https://doi.org/10.1016/S0963-9969(98)00025-8)
- Lim, C. S., Jin, D.-Q., Mok, H., Oh, S. J., Lee, J. U., Hwang, J. K., Ha, I., & Han, J.-S. (2005). Antioxidant and Antiinflammatory Activities of Xanthorrhizol in Hippocampal Neurons and Primary Cultured Microglia. *Journal of Neuroscience Research*, 82, 831–838. <https://doi.org/10.1002/jnr.20692>
- Liu, Z., Zhao, N., Liu, C., Zhou, L., & Du, S. (2012). Identification of Insecticidal Constituents of the Essential Oil of *Curcuma wenyujin* Rhizomes Active against *Liposcelis bostrychophila* Badonnel. *Molecules*, 17(10), 12049–12060. <https://doi.org/10.3390/molecules171012049>
- Ma, S., Jia, R., Guo, M., Qin, K., & Zhang, L. (2020). Insecticidal Activity of Essential Oil from *Cephalotaxus sinensis* and its Main Components Against Various Agricultural Pests. *Industrial Crops and Products*, 150(February), 112403. <https://doi.org/10.1016/j.indcrop.2020.112403>

- Martín, M., Goya, L., & Ramos, S. (2016). Preventive Effects of Cocoa and Cocoa Antioxidants in Colon Cancer. *Diseases*, 4(1), 6. <https://doi.org/10.3390/diseases4010006>
- Mary, H. P. A., Susheela, G. K., Jayasree, S., Nizzy, A. M., Rajagopal, B., & Jeeva, S. (2012). Phytochemical Characterization and Antimicrobial Activity of *Curcuma xanthorrhiza* Roxb. *Asian Pacific Journal of Tropical Biomedicine*, 2(2 SUPPL.), 1–4. [https://doi.org/10.1016/S2221-1691\(12\)60288-3](https://doi.org/10.1016/S2221-1691(12)60288-3)
- Melina, S., Martono, E., & Trisyono, Y. A. (2016). Confirmation that *Helopeltis* Species Attacking Cacao in Yogyakarta is *Helopeltis bradyi* Waterhouse, not *Helopeltis antonii* Signoret (Heteroptera: Miridae). *Jurnal Entomologi Indonesia*, 13(1), 9–20. <https://doi.org/10.5994/jei.13.1.9>
- Melina, S., Martono, E., Trisyono, Y. A., Moechtar, S., & Radek, R. (2016). Morphology of Adult *Helopeltis bradyi* (Heteroptera: Miridae) of Java, Resolving a Longstanding Species Uncertainty. *North-Western Journal of Zoology*, 12(1), 110–121.
- Mishra, J., Bhardwaj, A., & Misra, K. (2018). *Curcuma* sp.: The Nature's Souvenir for High-Altitude Illness. In *Management of High Altitude Pathophysiology* (pp. 153–169). Elsevier. <https://doi.org/10.1016/B978-0-12-813999-8.00008-2>
- Mladenović, M., Arsić, B. B., Stanković, N., Mihović, N., Ragno, R., Regan, A., Milićević, J. S., Trtić-Petrović, T. M., & Micić, R. (2018). The Targeted Pesticides as Acetylcholinesterase Inhibitors: Comprehensive Cross-Organism Molecular Modelling Studies Performed to Anticipate the Pharmacology of Harmfulness to Humans In Vitro. *Molecules*, 23(2129), 1–37. <https://doi.org/10.3390/molecules23092192>
- Naik, C. M., Chakravarthy, A. K., Timmanna, & Thyagaraj, N. E. (2015). Sustainable Management of Tea Mosquito Bug *Helopeltis antonii* Signoret (Miridae: Hemiptera) on Cashew. In A. K. Chakravarthy (Ed.), *New Horizons in Insect Science: Towards Sustainable Pest Management* (pp. 389–396). Springer India. <https://doi.org/10.1007/978-81-322-2089-3>
- Navarro-Rocha, J., F. Barrero, A., Burillo, J., Olmeda, A. S., & González-Coloma, A. (2018). Valorization of Essential Oils from Two Populations (Wild and Commercial) of *Geranium macrorrhizum* L. *Industrial Crops and Products*, 116(February), 41–45. <https://doi.org/10.1016/j.indcrop.2018.02.046>
- Navik, O., Godase, S. K., & Mehendale, S. K. (2019). Biology of *Helopeltis antonii* Signoret and *Pachypeltis measarum* Kirkaldy (Hemiptera: Miridae) on Cashew. *Journal of Entomological Research*, 43(3), 319. <https://doi.org/10.5958/0974-4576.2019.00059.8>
- Nirala, Y. S., Ramteke, V., Mandawi, N., Nanda, H., & Roy, S. (2021). Influence of Weather Factors on the Incidence of Pest Complex of Cashew. *International Journal of Chemical Studies*, 7(5), 961–963.
- Nur, S., Baitanu, J. A., & Gani, S. A. (2019). Pengaruh Tempat Tumbuh dan Lama Penyulingan secara Hidrodestilasi terhadap Rendemen dan Profil Kandungan Kimia Minyak Daun Kemangi (*Ocimum canum* Sims L.). *Jurnal Fitofarmaka*

Indonesia, 6(2), 363–367.

- Nurchahyo, H., & Prabandari, S. (2016). Pengaruh Tingkat Derajat Kehalusan Serbuk Kering Temulawak (*Curcuma xanthorrhiza* Roxb.) terhadap Hasil Rendeman Minyak Atsiri dengan Metode Water Destilation. *Prosiding Seminar Nasional IPTEK Terapan (SENIT)*, Vol 1, No 1: Pengembangan Sumber Daya Lokal Berbasis IPTEK, 6–8.
- Oon, S. F., Nallappan, M., Tee, T. T., Shohaimi, S., Kassim, N. K., Sa'ariwijaya, M. S. F., & Cheah, Y. H. (2015). Xanthorrhizol: A Review of Its Pharmacological Activities and Anticancer Properties. *Cancer Cell International*, 15(1), 1–15. <https://doi.org/10.1186/s12935-015-0255-4>
- Orwa. (2009). Cacao (*Theobroma cacao* L.). *Agroforestry Database*, 1–5. https://doi.org/10.1007/978-3-642-61535-1_11
- Paiman. (2019). *Teknik Analisis Korelasi dan Regresi Ilmu-Ilmu Pertanian* (N. N. S. Dwipa (ed.)). UPY Press. <http://repository.upy.ac.id/2068/1/paiman.pdf>
- Pandey, A. K., Silva, A. S., Varshney, R., Chávez-González, M. L., & Singh, P. (2021). Curcuma-Based Botanicals as Crop Protectors: From Knowledge to Application in Food Crops. *Current Research in Biotechnology*, 3(July), 235–248. <https://doi.org/10.1016/j.crbiot.2021.07.004>
- Pandey, A. K., Tripathi, S., & Singh, P. (2018). Plant Essential Oils: A Substitute for Conventional Insecticides Against *Tribolium* Species (Coleoptera: Tenebrionidae)-Achievements and Challenges. *Archives of Phytopathology and Plant Protection*, 51(13–14), 696–728. <https://doi.org/10.1080/03235408.2018.1495875>
- Pohlan, H. A. J., & Perez, V. D. (2015). Growth and Production of Cacao. In *Encyclopedia of Life Support Systems (EOLSS)* (Issue June). UNESCO-EOLSS Publishers.
- Poudel, D. K., Ojha, P. K., Rokaya, A., Satyal, R., Satyal, P., & Setzer, W. N. (2022). Analysis of Volatile Constituents in Curcuma Species, viz. *C. aeruginosa*, *C. zedoaria*, and *C. longa*, from Nepal. *Plants*, 11(15), 1932. <https://doi.org/10.3390/plants11151932>
- Prihastanti, E., & Nurchayati, Y. (2020). Differences in Leaf Area, Trichome Density, and Xylem Structure between the Two Types of *Theobroma cacao* L. Cultivation: With or without Shade Plants. *International Journal of Plant Biology*, 11(1), 8790. <https://doi.org/10.4081/pb.2020.8790>
- Rafi, M., Septaningsih, D. A., & Heryanto, R. (2018). Metabolite Profiling of Java Turmeric (*Curcuma xanthorrhiza*) Essential Oil with Different Harvest Times. *Jurnal Kimia Sains Dan Aplikasi*, 21(4), 237–241. <https://doi.org/10.14710/jksa.21.4.237-241>
- Rahmat, E., Lee, J., & Kang, Y. (2021). Javanese Turmeric (*Curcuma xanthorrhiza* Roxb.): Ethnobotany, Phytochemistry, Biotechnology, and Pharmacological Activities. *Evidence-Based Complementary and Alternative Medicine*, 15. <https://doi.org/10.1155/2021/9960813>

- Raje, K. R., Hughes, G. P., Gondhalekar, A. D., Ginzler, M. D., & Scharf, M. E. (2015). Toxicity of Turmeric Extracts to the Termite *Reticulitermes flavipes* (Blattodea: Rhinotermitidae). *Journal of Economic Entomology*, *108*(4), 1479–1485. <https://doi.org/10.1093/jee/tov109>
- Rajmohana, K., Srikumar, K. K., Bhat, P. S., Raviprasad, T. N., & Jalali, S. K. (2013). A New Species of Platygastriid *Telenomus cuspis* sp. nov. (Hymenoptera), Egg Parasitoid of Tea Mosquito Bug from India, with Notes on Its Bionomics and mtCol Data. *Oriental Insects*, *47*(4), 226–232. <https://doi.org/10.1080/00305316.2013.871819>
- Raveau, R., Fontaine, J., & Sahraoui, A. L.-H. (2020). Essential Oils as Potential Alternative Biocontrol Products Against Plant Pathogens and Weeds: A Review. *Foods*, *9*(3), 1–31. <https://doi.org/10.3390/foods9030365>
- Rohimatun. (2021). *Pengembangan Formulasi Nanoemulsi Insektisida Nabati Campuran Ekstrak Piper retrofractum Vahl. dan Curcuma xanthorrhiza Roxb. untuk Pengendalian Helopeltis antonii Sign. (Hemiptera: Miridae) pada Tanaman Kakao*. Institut Pertanian Bogor.
- Rohimatun, Yuliani, S., Winasa, I. W., & Dadang. (2020). Efficacy of Selected Piperaceae, Asteraceae, and Zingiberaceae Plant Extracts Against *Helopeltis antonii* Sign. *Journal of the International Society for Southeast Asian Agricultural Sciences*, *26*(2), 145–157.
- Roy, S., Mukhopadhyay, A., & Gurusubramanian, G. (2009). Varietal Preference and Feeding Behaviour of Tea Mosquito Bug (*Helopeltis theivora* Waterhouse) on Tea Plants (*Camellia sinensis*). *Academic Journal of Entomology*, *2*(1), 1–9.
- Rucker, R. (2009). Nutritional Properties of Cocoa. In Grivetti & Shapiro (Eds.), *Chocolate: History, Culture, and Heritage* (pp. 943–946). John Wiley & Sons, Inc. <https://doi.org/10.1002/9780470411315.app10>
- Rukayadi, Y., & Hwang, J. (2013). In Vitro Activity of Xanthorrhizol Isolated from the Rhizome of Javanese Turmeric (*Curcuma xanthorrhiza* Roxb.) Against *Candida albicans* Biofilms. *Phytotherapy Research*, *27*(7), 1061–1066. <https://doi.org/10.1002/ptr.4834>
- Rusconi, M., & Conti, A. (2010). *Theobroma cacao* L., the Food of the Gods: A Scientific Approach Beyond Myths and Claims. *Pharmacological Research*, *61*(1), 5–13. <https://doi.org/10.1016/j.phrs.2009.08.008>
- Saenong, M. S. (2016). Tumbuhan Indonesia Potensial sebagai Insektisida Nabati untuk Mengendalikan Hama Kumbang Bubuk Jagung (*Sitophilus* spp.). *Jurnal Penelitian Dan Pengembangan Pertanian*, *35*(3), 131–142. <https://doi.org/10.21082/jp3.v35n3.2016.p131-142>
- Sakti, Y., Wijayanti, R., & Sholahuddin, S. (2018). Efektivitas Ekstrak Daun Beluntas (*Pluchea Indica*) Terhadap Mortalitas Ulat Kubis *Plutella Xylostella*. *Agrotechnology Research Journal*, *2*(2), 74–79. <https://doi.org/10.20961/agrotechresj.v2i2.24600>
- Sang, Y.-L., Dai, L., Wang, P., Chen, L.-J., Jiao, M.-L., Liu, J.-Y., Zhang, N.-Z., Fan,

- G.-W., Hao, Y.-J., & Wang, X.-L. (2022). Investigation of Insecticidal Activity of Two *Rhododendron* Species on Stored-Product Insects. *Journal of Plant Diseases and Protection*, 0123456789. <https://doi.org/10.1007/s41348-022-00654-z>
- Sankarganesh, E., Balguri, L. S., Balakumar, R., & MN, M. (2020). Tea Mosquito Bug (*Helopeltis* spp.) - A Pest of Economically Important Fruit and Plantation Crops: Its Status and Management Prospects. *Journal of Plant Health Issues*, 1(1), 014–024.
- Sarker, M., & Mukhopadhyay, A. (2006). Studies on Salivary and Midgut Enzymes of a Major Sucking Pest of Tea, *Helopeltis theivora* (Heteroptera: Miridae) from Darjeeling Plains, India. *Journal of Entomological Research Society*, 8(1), 27–36.
- Saroj, P. L., Bhat, P. S., & Srikumar, K. K. (2016). Tea Mosquito Bug (*Helopeltis* spp.) - A Devastating Pest of Cashew Plantations in India: A Review. *Indian Journal of Agricultural Sciences*, 86(2), 151–162.
- Schmidt, E., Ryabchenko, B., Wanner, J., Jäger, W., & Jirovetz, L. (2015). Cytotoxic Active Constituents of Essential Oils of *Curcuma longa* and *Curcuma zanthorrhiza*. *Natural Product Communications*, 10(1), 139–141. <https://doi.org/10.1177/1934578X1501000132>
- Setyani, W., & Astuti, D. W. (2013). Perbandingan Rendemen Minyak Atsiri Rimpang Temulawak (*Curcuma xanthorrhiza* Roxb.) yang Dikeringkan dengan Diangin-anginkan, Panas Matahari, dan Oven 50°C serta Identifikasi secara Kromatografi Lapis Tipis. *Media Farmasi Indonesia*, 3(1), 216–222.
- Shah, S., Yadav, R., & Borua, P. (2014). Biochemical Defence Mechanism in *Camellia sinensis* Against *Helopeltis theivora*. *International Journal of Plant, Animal, and Environmental Sciences*, 4(3), 246–253.
- Sharma, A., Khan, A. N., Subrahmanyam, S., Raman, A., Taylor, G. S., & Fletcher, M. J. (2014). Salivary Proteins of Plant-Feeding Hemipteroids – Implication in Phytophagy. *Bulletin of Entomological Research*, 104(2), 117–136. <https://doi.org/10.1017/S0007485313000618>
- Singh, H. P., Batish, D. R., Kaur, S., Kohli, R. K., & Arora, K. (2006). Phytotoxicity of the Volatile Monoterpene Citronellal against Some Weeds. *Zeitschrift Fur Naturforschung - Section C Journal of Biosciences*, 61(5–6), 334–340. <https://doi.org/10.1515/znc-2006-5-606>
- Siswanto, & Karmawati, E. (2012). Pengendalian Hama Utama Kakao (*Conopomorpha cramerella* dan *Helopeltis* spp.) dengan Pestisida Nabati dan Agens Hayati. *Perspektif*, 1(2), 103–112.
- Siswanto, Muhamad, R., Omar, D., & Karmawati, E. (2008). Population Fluctuation of *Helopeltis antonii* Signoret on Cashew *Anacardium occidentale* L., in Java, Indonesia. *Pertanika Journal of Tropical Agricultural Science*, 31(2), 191–196.
- Skornickova, J., & Sabu, M. (2005). The Identity and Distribution of *Curcuma zanthorrhiza* Roxb. (Zingiberaceae). *Gardens' Bulletin Singapore*, 57, 199–210.

- Soesanthy, F., & Trisawa, I. M. (2011). Pengelolaan Serangga-Serangga yang Berasosiasi dengan Tanaman Jambu Mete. *Buletin RISTRI*, 2(2), 221–230.
- Soetjipto, H., Elok, E. B., & Linawati, L. (2014). Pengaruh Berbagai Metoda Penyulingan terhadap Komponen Penyusun Minyak Atsiri Tanaman Baru Cina (*Artemisia vulgaris* L.) serta efek Antibakterinya. *Jurnal Penelitian Saintek*, 19(2), 75–83.
- Sokolinskaya, E. L., Kolesov, D. V., Lukyanov, K. A., & Bogdanov, A. M. (2020). Molecular Principles of Insect Chemoreception. *Acta Naturae*, 12(3), 81–91. <https://doi.org/10.32607/actanaturae.11038>
- Sopialena. (2018). *Pengendalian Hayati Dengan Memberdayakan Potensi Mikroba*. Mulawarman University Press.
- Srikumar, K. K., & Bhat, P. S. (2012). Field Survey and Comparative Biology of Tea Mosquito Bug (*Helopeltis* spp.) on Cashew (*Anacardium occidentale* Linn.). *Journal of Cell and Animal Biology*, 6(14), 200–206. <https://doi.org/10.5897/jcab11.094>
- Srikumar, K. K., & Bhat, P. S. (2013a). Biology and Feeding Behaviour of *Helopeltis antonii* (Hemiptera: Miridae) on Singapore Cherry (*Muntingia calabura*) - A Refuge Host. *Journal of Entomological Research*, 37(1), 11–16.
- Srikumar, K. K., & Bhat, P. S. (2013b). Demographic Parameters of *Helopeltis antonii* Signoret (Heteroptera: Miridae) on Neem, Cocoa and Henna. *African Journal of Agricultural Research*, 8(35), 4466–4473. <https://doi.org/10.5897/AJAR2012.2157>
- Srikumar, K. K., Bhat, P. S., Raviprasad, T. N., & Vanitha, K. (2014). Biology, Behaviour and Functional Response of *Cydnocoris gilvus* Brum. (Heteroptera: Reduviidae: Harpactorinae) a Predator of Tea Mosquito Bug (*Helopeltis antonii* Sign.) on Cashew in India. *Journal of Threatened Taxa*, 6(6), 5864–5870. <https://doi.org/10.11609/JoTT.o3815.5864-70>
- Srinivasan, V., Thankamani, C. K., Dinesh, R., Kandiannan, K., Zachariah, T. J., Leela, N. K., Hamza, S., Shajina, O., & Ansha, O. (2016). Nutrient Management Systems in Turmeric: Effects on Soil Quality, Rhizome Yield and Quality. *Industrial Crops and Products*, 85, 241–250. <https://doi.org/10.1016/j.indcrop.2016.03.027>
- Sulianti, S. B. (2008). Studi Fitokimia *Ocimum* spp.: Komponen Kimia Minyak Atsiri Kemangi dan Ruku-ruku. *Berita Biologi*, 9(3), 237–241.
- Sullivan, M. L. (2015). Beyond Brown: Polyphenol Oxidases as Enzymes of Plant Specialized Metabolism. *Frontiers in Plant Science*, 5(783), 1–7. <https://doi.org/10.3389/fpls.2014.00783>
- Sungkawati, M., Hidayati, L., Daryono, B. S., & Purnomo. (2019). Phenetic Analysis of *Curcuma* spp. in Yogyakarta, Indonesia Based on Morphological and Anatomical Characters. *Biodiversitas Journal of Biological Diversity*, 20(8), 2340–2347. <https://doi.org/10.13057/biodiv/d200832>
- Syam, S., Harahap, I. S., & Dadang, N. (2018). Fumigant and Repellent Effects of

- Essential Oil Fractions of *Mentha piperita* against *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Buletin Penelitian Tanaman Rempah Dan Obat*, 28(2), 181. <https://doi.org/10.21082/bullittro.v28n2.2017.181-190>
- Syukur, K. Y., Anwar, C., Dalilah, Salni, & Novrikasari. (2018). The Efficacy of Red Ginger Fraction (*Zingiber officinale* Roscoe var. *rubrum*) as Insecticidal *Aedes aegypti*. *Bioscientia Medicina*, 2(2), 31–41. <https://doi.org/10.32539/bsm.v2i2.40>
- Tavares, W. de S., de Sousa Freitas, S., Graziotti, G. H., Parente, L. M. L., Lião, L. M., & Zanuncio, J. C. (2013). Ar-turmerone from *Curcuma longa* (Zingiberaceae) Rhizomes and Effects on *Sitophilus zeamais* (Coleoptera: Curculionidae) and *Spodoptera frugiperda* (Lepidoptera: Noctuidae). *Industrial Crops and Products*, 46, 158–164. <https://doi.org/10.1016/j.indcrop.2013.01.023>
- Utami, A., Dadang, Nurmansyah, A., & Laba, I. W. (2017). Tingkat Resistensi *Helopeltis antonii* (Hemiptera: Miridae) pada Tanaman Kakao terhadap Tiga Golongan Insektisida Sintesis. *Jurnal Tanaman Industri Dan Penyegar*, 4(2), 89–98.
- van Vliet, J. A., & Giller, K. E. (2017). Mineral Nutrition of Cocoa: A Review. In *Advances in Agronomy* (1st ed., Vol. 141, pp. 185–270). Elsevier Inc. <https://doi.org/10.1016/bs.agron.2016.10.017>
- Verdeguer, M., Sánchez-Moreiras, A. M., & Araniti, F. (2020). Phytotoxic Effects and Mechanism of Action of Essential Oils and Terpenoids. *Plants*, 9(11), 1571. <https://doi.org/10.3390/plants9111571>
- Vokou, D., Douvli, P., Blionis, G. J., & Halley, J. M. (2003). Effects of Monoterpenoids, Acting Alone or in Pairs, on Seed Germination and Subsequent Seedling Growth. *Journal of Chemical Ecology*, 29(10), 2281–2301. <https://doi.org/10.1023/A:1026274430898>
- Wang, C. F., Yang, K., Zhang, H. M., Cao, J., Fang, R., Liu, Z. L., Du, S. S., Wang, Y. Y., Deng, Z. W., & Zhou, L. (2011). Components and Insecticidal Activity against the Maize Weevils of *Zanthoxylum schinifolium* Fruits and Leaves. *Molecules*, 16(4), 3077–3088. <https://doi.org/10.3390/molecules16043077>
- Wati, S. S., Aisyah, & Risnawati. (2021). Uji Fitotoksisitas Sediaan Sederhana Buah Cabe Jawa (*Piper retrofractum* Vahl.) terhadap Tanaman Hidroponik. *Jurnal Pertanian Presisi*, 5(1), 1–5. <https://doi.org/10.35760/jpp.2021.v5i1.3831>
- Wicaksono, A. J., Yuniarti, N., & Pramono, S. (2015). Analgesic Effect of Combination of Essential Oil *Curcuma xanthorrhiza* Roxb. and its Curcuminoids in Mice. *Traditional Medicine Journal*, 20(1), 16–23.
- Wijetunge, P. M. A. P. K., Ahangama, D., & Ranaweera, B. (2003). Biology of the Cashew Pest *Helopeltis antonii* Sign. and its Predators. *Tropical Agricultural Research & Extension*, 15, 188–198.
- Wilson, P. K. (2015). Chocolate in Science, Nutrition and Therapy: An Historical Perspective. In P. K. Wilson & J. W. Hurst (Eds.), *Chocolate and Health* (pp.

1–27). Royal Society of Chemistry. <https://doi.org/10.1039/9781782622802-00001>

Wollgast, J., & Anklam, E. (2000). Polyphenols in Chocolate: Is there a Contribution to Human Health? *Food Research International*, 33(6), 449–459. [https://doi.org/10.1016/S0963-9969\(00\)00069-7](https://doi.org/10.1016/S0963-9969(00)00069-7)

Xu, S., Jiang, B., Wang, H., Shen, C., Chen, H., & Zeng, L. (2017). Curcumin Suppresses Intestinal Fibrosis by Inhibition of PPAR γ -Mediated Epithelial-Mesenchymal Transition. *Evidence-Based Complementary and Alternative Medicine*, 1–12. <https://doi.org/10.1155/2017/7876064>

Yi, J. H., Perumalsamy, H., Sankarapandian, K., Choi, B.-R., & Ahn, Y.-J. (2015). Fumigant Toxicity of Phenylpropanoids Identified in *Asarum sieboldii* Aerial Parts to *Lycoriella ingenua* (Diptera: Sciaridae) and *Coboldia fuscipes* (Diptera: Scatopsidae). *Journal of Economic Entomology*, 108(3), 1208–1214. <https://doi.org/10.1093/jee/tov064>

Yulianto, F. T., Khasanah, L. U., & Anandito, R. B. K. (2012). Pengaruh Bahan dan Metode Destilasi (Destilasi Air dan Destilasi Uap-Air) terhadap Kualitas Minyak Atsiri Kulit Kayu Manis (*Cinnamomum burmannii*). *Jurnal Teknosains Pangan*, 1(1), 12–23.

Zhang, C., Wang, J. Da, Zhang, Y. R., & Fan, P. H. (2013). Chemical Constituents of *Curcuma xanthorrhiza* Roxb. and their Acetylcholinesterase Inhibitory Activity. *Journal of Shandong University*, 48(7), 20–23. <https://doi.org/10.6040/j.issn.1671-9352.0.2013.198>

Zhang, Y., Song, H., Wang, X., Zhou, X., Zhang, K., Chen, X., Liu, J., Han, J., & Wang, A. (2020). The Roles of Different Types of Trichomes in Tomato Resistance to Cold, Drought, Whiteflies, and *Botrytis*. *Agronomy*, 10(3), 411. <https://doi.org/10.3390/agronomy10030411>

Zolfaghari, M., Nazeri, V., Sefidkon, F., & Rejali, F. (2013). Effect of Arbuscular Mycorrhizal Fungi on Plant Growth and Essential Oil Content and Composition of *Ocimum basilicum* L. *Iranian Journal of Plant Physiology*, 3(2), 643–650.