

DAFTAR PUSTAKA

- Aji, D. P., Sri, U., & Suparwi. (2013). Fermentasi kulit buah kakao (*Theobroma cacao* L.) Menggunakan *Aspergillus niger* pengaruhnya terhadap kadar VFA dan N-NH₃ secara in-vitro. *Jurnal Ilmu Peternakan*, 1-774-778.
- Akin, D.E., et al. (2010). Screening of *Saccharomyces cerevisiae* Strains for Rapid Breakdown of Lignocellulosic Biomass. *Bioresource Technology*, 101(22), 8862-8869
- Andarwulan, N., et al. (2011). Protein content and amino acid composition of selected edibles wild mushrooms from Indonesia. *Food Chemistry Journal*, 129(4), 1706-1711.
- Anggraeni, R. S., & Rahmiati. (2016). Analisa Sifat Fisiko Kimia dan Sensoris Tempe Ampas Tahu Dengan Penambahan *Lactobacillus plantarum*. *Jurnal Pangan dan Agroindustri*, 4(2), 160-168.
- Amri, F. (2021). Evaluation of *Black Soldier Fly* (*Hermetia illucens*) larvae meal as a sustainable protein source for African catfish (*Clarias gariepinus*). *Aquaculture Reports*, 20, 100-613.
- Apriyanto, M., Sutardi, Harmayani, E. dan Supriyanto. (2016). Perbaikan proses fermentasi biji kakao non fermentasi dengan penambahan biakan murni *Saccharomyces cerevisiae*, *Lactobacillus lactis*, dan *Acetobacter aceti*. *Jurnal Agritech* 36(4): 410-415.
- Arifin, A. I., RamLi, S. S., Salleh, A. B., Sabri, M. F., & Fauzi, M. F. (2016). The Effect of Different Microorganisms on The Nutritional Value of *Black Soldier Fly* Larvae Grown on Palm Kernel Cake. *Journal of Insects as Food and Feed*, 2(2). 105-112.
- Azir, A., Harris, H., dan Haris, B. K. (2017). Produksi Dan Kandungan Nutrisi Maggot (*Hermetia illucens*) Menggunakan Komposisi Media Kultur Berbeda Production and Nutrition Maggot (*Hermetia illucens*). *Jurnal Ilmu-ilmu Perikanan dan Budidaya Perairan*, 1(74).
- Balqis, A. (2021). Cocoa husk morphometric characteristics as affected by age and harvesting time. *Journal of Agricultural Sciences*, 13(1), 33-39.
- Barragan-Fonseca. (2017). Evaluation of the suitability of different yeast species for *Black Soldier Fly* (*Hermetia illucens* L.) larval development. *Journal of Insects as Food and Feed*, 3(4), 249-259.
- Batista, N.N., Ramos C. L., Ribeiro, A. C. N. Pinheiro, R. F. Schwan. (2015). Dynamic behavior of *Saccharomyces cerevisiae*, *Pichia kluyveri* and *Hanseniaspora uvarum* during spontaneous and inoculated cocoa fermentations and their effect on sensory characteristics of chocolate. *LWT - Food Science and Technology*, 63 (1), pp. 221-227.
- Beski, S. S. M., Swick, R. A., Iji, P. A. (2015). Specialised protein products in broiler chicken nutrition: A review. *Anim Nutr*. 1:47-53.

- Bidura, I G.N.G., Mahardika, I G., Suyadnya, I P., Partama, I.B.G., Oka, I.G.L., Candrawati, D.P.M.A. and Aryani, I G.A. (2012). The implementation of *Saccharomyces* spp.n-2 isolat culture (isolation from traditional yeast culture) for improving feed quality and performance of male bali ducking. *Agricultural Science Research Journal*. September: Vol. 2 (9): 486-492.
- Bourdichon, F., Casaregola, S., Farrokh, C., Frisvad, J.C., Gerds, M.L., Hammes, W.P. (2012) Food Fermentations: Microorganisms with Technological Beneficial Use. *International Journal of Food Microbiology*, 154,87-97. <https://doi.org/10.1016/j.ijfoodmicro.2011.12.030>
- Bussu, D. (2019). Dietary effect of feeding lignocellulosic biomass derived-ingredients on broiler meat quality and safety characteristics. *Animals*, 9(12), 11-26.
- Cahyani, D., et al. (2020). Uji Kandungan Protein dan Lemak pada Larva Maggot *Black Soldier Fly (Hermetia illucens)*. *Jurnal Ilmiah Peternakan Terpadu*, 8(1), 35-42.
- Carraso, M., Villarreal, P., Barahona, S., Alcaino, J., Cifuentes, V., & Baeza, M. (2016) Screening and Characteriation of Amylase and Cellulase activities in Psychrotolerant Yeast. *BMC Microbiology*, 16(1), 1-9
- Chairul, M. (2014). Maggot BSF (*Hermetia illucens*) Sebagai Sumber Protein Pembalikan Tepung Ikan Sebagai Bahan Pakan Ikan Predasius. *Jurnal Ilmiah Sains dan Teknologi*, 8(1), 34-41.
- Chelliah, R., Ramakrishnan, S. R., Prabhu, P. R., & Antony, U. (2016). *Evaluation of antimicrobial activity and probiotic properties of wild-strainPichia kudriavzeviisolatd from frozenidlibatter. Yeast*, 33(8), 385–401. <https://doi.10.1002/yea>
- Cicilia, A., & Susila, P. (2012). Pengaruh pemberian ampas tahu dalam produksi maggot black soldier fly. *Jurnal Agrobiologi*, 34(2), 78-84.
- Číčková H, Newton GL, Lacy RC, Kozánek M. (2015). *The use of fly larvae for organik waste treatment*. Waste Manag. 35:68-80.
- De Vuyst, L., & Weckx, S. (2016). The cocoa bean fermentation process: from ecosystem analysis to starter culture development. *Journal of Applied Microbiology*, 121(1), 5–17. doi:10.1111/jam.13045
- Denoth-Lippuner, A., & Jessberger, S. (2019). *Mechanisme of cellular rejuvenation*. FEBS Letters, 593(23), 3381-3392
- Diana, L., & Lasmini, T. (2016) Isolasi dan Indetifikasi Khamir Selulotik Dari Tanah Rizosfer Anggrek Puser Bumi (*Pecteilis susannae* L.) di Hutan Wonosadi Gunung Kidul DIY. Biogenesis: *Jurnal Ilmiah Biologi*, 4(1), 21-28
- Dias, A.C.S., Missawa, S.K., Silva, R.C., Lopes, W.A.F., and Silva, C.A. (2018). Bioconversion of fruit and vegetable waste into valuable products: A review. *Food Research International*, 105, 41-63.

- Diener, S., Studt Solano, N. M., Roa Gutierrez, F., Zurbrugg, C., & Tockner, K. (2011) Biological treatment of municipal organic waste using *Black Soldier Fly* larvae. *Waste and Biomass Valorization*, 2(4), 357-363
- Dillon, R. J. (2015). The *Black Soldier Fly* (*Hermetia illucens*) as a potential enzyme cellulase and protease source for livestock feeds. *Journal of Insects as Food and Feed*, 1(4), 268-273.
- Dortmans, B., et al. (2017). Pengolahan Sampah Organik Menggunakan Larva *Black Soldier Fly* (*Hermetia illucens*) Sebagai Upaya Pengelolaan Sampah Terpadu. *Jurnal Rekayasa Makanan dan Pertanian*, 5(1), 56-64.
- Elghandour, M.M.Y., Tan, Z.L., Abu Hafsa, S.H., Adegbeye, M. J., Greiner, R., Ugbogu, E.A., Cedillo, J. M., and Salem, A.Z.M. (2019). *Saccharomyces cerevisiae* as a probiotic feed additive for tonon and pseudo-ruminant feeding: a review. *Journal of Applied Microbiology*. Mexico.
- Fahmi, M. R. (2015). Optimalisasi proses biokonversi dengan menggunakan mini-larva *Hermetia illucens* untuk memenuhi kebutuhan pakan ikan. *Pros SemNas Masy Biodiversitas Indonesia*. Volume 1, Nomor 1. Hal 139 - 144. <https://doi.10.13057/psnmbi/m010124>.
- Fahrizal, A. (2019). Kombinasi Ampas Kelapa dan Kotoran Ayam yang Difermentasi terhadap Pertumbuhan dan Produksi Maggot (*Hermetia illucens*) sebagai Alternatif Pakan Ikan. Skripsi. Program Studi Budidaya Perairan, Fakultas Pertanian, Universitas Islam Riau. Pekanbaru.
- Faridah, F., dan Cahyono, P. (2019). Pelatihan Budidaya Maggot Sebagai Alternative Pakan Ternak Didesa Baturono Lamongan. Abdimas Berdaya: *Jurnal Pengabdian Masyarakat* Vol. 2 No. 1, P-ISSN: 2685-1563.
- Fatmasari, L. 2017. Tingkat Densitas Populasi, Bobot dan Panjang Maggot (*Hermetia illucens*) pada Media yang Berbeda. Skripsi. Fakultas Tarbiyah Dan Keguruan, Universitas Islam Negeri Raden Intan. Lampung.
- Fleet, G. H. (2003). Yeasts in Foods and Beverages: Impact on Product Quality and Safety. *Current Opinion in Biotechnology*, 14(2), 170-175.
- Fynnisa, R., & Hasanah, S. (2020). The potential of cocoa husk (*Theobroma cacao* L.) as an antioxidant source. *Journal of Nutrition Science*, 5(2), 112-118.
- Gautam, S. P., Bundela, P. S., Pandey, A. K., Khan, J., Awasthi, M. K., & Sarsaiya, S. (2011). Optimization for the Production of Cellulase Enzyme from Municipal Solid Waste Residue by Two Novel Cellulolytic Fungi. *Biotechnology Research International*, 2011, 1-8.
- Genesig, N. (2018). *Pichia kudriavzevii*: A Review on Its Potential Applications in Industry and Biotechnology. *International Journal of Microbiology*, 2018, Article ID 6548182.
- Gobbi, P. (2015). Quality and Quantity of Feed Substrates Digestion by *Black Soldier Fly* (*Hermetia illucens*) Larvae (Diptera: Stratiomyidae): A Prospective Study. *Journal of Economic Entomology*, 108(2), 640-647.

- Godam, A. G. (2014). Studi Karakteristik Tofu Dari Kedelai Varietas Grobogan dengan Variasi Ampas Tahu dan Kapur Tohor. *Jurnal Aplikasi Teknologi Pangan*, 3(4), 135-140.
- Han, Q., Wang, Y., Zhang, J., Qi, Y., Zhou, M., Ma, X., & Tomberlin, J. K. (2019). Enhancing Black Soldier Fly (*Hermetia illucens*) Larvae Biomass and Lipid Yield through Substrate Pre-treatments. *Frontiers in Physiology*, 9, 1916
- Hassan MS, Soltan MA, Abdel-Moez AM. (2015). Nutritive value of soybean meal after solid state fermentation with *Saccharomyces cerevisiae* for Nile tilapia, *Oreochromis niloticus*. *Animal Feed Science and Technology* 201: 89-98.
- Hassan MS, Soltan MA, Eman Y, Mohammady, Elashry AM, El-Haroun ER, Davies SJ. (2019). Growth and physiological responses of nile tilapia, *Oreochromis niloticus* fed dietary fermented sunflower meal inoculated with *Saccharomyces cerevisiae* and *Bacillus subtilis*. *Aquaculture* 495: 592-601.
- Hem, S., Toure, S., Sagbla, C., & Legendre, M. (2008) Bioconversion of Palm Kernel Meal for Aquaculture: Experience from The Forest Region (Republic of Guinea). *African Journal Biotechnol*, 7(8): 1192-1198.
- Hemming, J. D. C., Houghton, J. O., & Lee, C. Y. (2018). The Effects of Macronutrient Balance on Growth and Development of Black Soldier Fly (*Hermetia illucens*) Larvae. *Journal of Insect Science*, 18(3), 576
- Hidayah, Fifi Fata'tiatul, Destya Nurfrida Rahayu, and Candra Budiman. 2020. Pemanfaatan Larva Black Soldier Fly (*Hermetia illucens*) Sebagai Penanggulangan Sampah Organik Melalui Budidaya Magot. *Jurnal Pusat Inovasi Masyarakat* 2, no. 4.
- Huang, C. (2020). The effect of co-culture on the growth characteristics of *Saccharomyces cerevisiae* and *Pichia kudriavzevii*. *Journal of Food Science and Technology*, 57(8), 3025-3035.
- Huda, C. 2012. Pengaruh Kombinasi Media Ampas Kelapa dan Dedak Padi Terhadap Produksi Maggot Black Soldier Fly (*Hermentia illucens*) sebagai Bahan Pakan Ikan. Abstrak Skripsi. Fakultas Perikanan dan Kelautan, Universitas Airlangga.
- Indariyanti, N., & Rakhmawati, R. (2013). Peningkatan Kualitas Nutrisi Limbah Kulit Kakao dan Daun Lamboro Melalui Fermentasi Sebagai Basis Protein Pakan Ikan Nila. *Jurnal Pertanian Terapan*, 13(2).
- Indarmawan, A. (2014). Penggunaan hewan avertebrata sebagai pakan ikan lele. *Jurnal Akuakultur Indonesia*, 9(1), 42-49.
- Idzni, N. (2020). Karakterisasi Mikrobiologis dan Kecernaan Bahan Kering Ampas Tahu Menggunakan *Lactobacillus* spp. pada Kondisi Perakitan In Vitro. *Jurnal Pangan dan Agroindustri*, 8(2), 69-77.
- Johnston, J.R. (2014). The Genome of *Saccharomyces cerevisiae*. *Cold Spring Harbor Perspectives in Biology*, 6(4), a018308.

- Kohajdova, Z., Karovicova, J., and Greif, G. (2016). Degradation of lignin by *Pichia kudriavzevii* (*Issatchenka orientalis*). *Biotechnology Letters*, 38(6), 975-983.
- Kamelia, L., Harnita, W., & Harianie, L. (2017). Chemical Components of Cocoa Pod Husk (*Theobroma cacao* L.) peelings as growing medium materials for virus free banana production. *Annual Research & Review in Biology*, 19(3), 1-8.
- Katayane AF, Wolayan FR, Imbar MR. 2014. Produksi dan kandungan protein maggot (*Hermetia illucens*) dengan menggunakan media biakan berbeda. *Journal Zoo Technology*. 34:27-36.
- Khatun, R. (2018). Effect of *Saccharomyces cerevisiae* on Growth Performance, Nutrient Digestibility and Intestinal Morphology of Broilers. *Journal of Animal Science and Technology*, 60(3), 210-218.
- Koné, M. K., Guéhi, S. T., Durand, N., Ban-Koffi, L., Berthiot, L., Tachon, A. F., Brou, K., Boulanger, R., & Montet, D. (2016). Contribution of predominant yeasts to the occurrence of aroma compounds during cocoa bean fermentation. *Food Research International*, 89, 910-917. doi:10.1016/j.foodres.2016.04.010
- Kumajas, W. P., & Onibala, F. (2022). The Effect of Incubation Time on Microorganism Used in Chicken Feather Waste Fermentation Using *Bacillus* sp. *International Journal of Recent Research in Chemistry and Pharmaceutical Sciences*, 9(1), 25-32.
- Kumar, V. (2018). *Lignocellulose biodegradation: Fundamentals and applications*. CRC Press.
- Kurnia, D. (2016). The effect of fermentation duration of bovine manure with Bioactivator EM4 on the yield and quality of biofertilizer. *IOP Conference Series: Earth and Environmental Science*, 31(1), 012003. <https://doi.org/10.1088/1755-1315/31/1/012003>
- Kurzman, C. P. (2011). Recognition of Yeast Species from Gene Sequence Comparisons. *The Open Applied Informatics Journal*, 5(1), 20-29.
- Kustyawati, M., & Setani, S. (2008) Pengaruh penambahan inokulum campuran terhadap perubahan kimia dan mikrobiologi selama fermentasi cokelat. *Jurnal Teknologi Industri dan Hasil Pertanian*, 13(2), 73-84
- Kustyawati, M.E., Sari, M., and Haryati T. 2013. Effect of fermentation using *Saccharomyces cerevisiae* on the biochemical properties tapioca. *Agritech* Vol. 3 (3) : 281-287.
- Leong, Y. K. (2015). Maintenance and Care of *Black Soldier Fly* (*Hermetia illucens*) in the Laboratory. *Tropical Life Sciences Research*, 26(1), 99-110.
- Li, P. (2014). Molecular genetic tools for *Pichia kudriavzevii*. *Fungal Genetics and Biology*, 68, 54-62.
- Li Q, Zheng L, Qiu N, Cai H, Tomberlin JK, Yu Z. (2011). *Bioconversion of dairy manure by Black Soldier Fly (Diptera: Stratiomyidae) for biodiesel and sugar production*. *Waste Manag*. 31:1316-1320.

- Li, Q., Zheng, L., Cai, H., Garza, E., Yu, Z., & Zhou, S. (2019). Evaluation of the Potential of Tofu Residue as a Nutritional Feed for *Hermetia illucens* (Diptera: Stratiomyidae) Larvae. *Journal of economic entomology*, 112(3), 1373-1379. <https://doi.org/10.1093/jee/toz037>
- Limbongan, H. (2012). Anatomical and morphological characteristics of cocoa (*Theobroma cacao* L.) fruits during development. *Journal of Tropical Crop Science*, 4(2), 71-76.
- Liu, Q., Tomberlin, J.K., Brady, J.A., Sanford, M.R., Yu, Z. (2008). Black Soldier Fly (Diptera: Stratiomyidae) larvae reduce *Escherichia coli* in dairy manure. *Environmental Entomology*, 37(6), 1525-1530.
- Liu, X., Yu, G., Zou, Y., Chen, X., Wang, M., Zhang, W., & Wu, X. (2020). Optimazation of Fermentation Conditions of Corn Straw for The Production of Black Soldier Fly Larvae (BSFL) (*Hermentia illucens*) using response surface methodology. *Journal of Analytical and Applied Pyrolysis*, 148, 1048833.
- Lalander, C., Diener, S., Magri, M.E., Zurbrugg, C., Lindstrom, A., & Vinneras, B. (2013). Faecal sludge management with the larvae of the Black Soldier Fly (*Hermetia illucens*)-from a hygiene aspect. *Science of The Total Environment*. 458-460(1):312-318.
- Lalander, C. H., Diener, S., Magri, M. E., Zurbrügg, C., & Lindström, A. (2015). Faecal sludge management with the larvae of the Black Soldier Fly (*Hermetia illucens*)—From a hygiene aspect. *Science of the Total Environment*, 518, 315-322. <https://doi.org/10.1016/j.scitotenv.2015.03.022>
- Lalander, C., Diener, S., Eriksson, S., Vinnerås, B. (2018). Growth performance and risk assessments of salmonella and associated spoilage flora in Black Soldier Fly larvae (*Hermetia illucens*) reared on household organic waste. *Food Control*, 90, 372-381.
- Lestari, F. (2019). Pengaruh Penambahan Jahe Merah (*Zingiber officinale* var. Rubrum) dalam Reduksi Bau Khas pada Proses Pembuatan Ampas Tahu. *Jurnal Litbang Industri*, 9(2), 101-107.
- Machmud, M. (2001). Teknik Penyimpanan dan Pemeliharaan Mikroba. *Jurnal Tinjauan Ilmiah Riset Biologi dan Bioteknologi Pertanian*, 4(2), 24-32.
- Mangunwardoyo, W., Aulia, A., & Hem, S. (2011). Penggunaan Bungkil Inti Kelapa Sawit Hasil Biokonversi sebagai Substrat Pertumbuhan Larva *Hermentia illucens* L (Maggot). *Journal of Biota*, 16(2), 166-172. <https://doi.org/10.24002/biota.v16i2.95>
- Manoppo, H dan M. E. F. Kolopita. 2015. Pengimbuhan Ragi Roti dalam Pakan Meningkatkan Respons Imun Nonspesifik dan Pertumbuhan Ikan Nila. *Jurnal Veteriner*, 16(2): 204-211.
- Marham, H. D., Rustam, Y., & Sukmawati, D. (2017). Uji Kemampuan Antagonisme Khamir Asal Daun Jati (*tectona grandis*) Terhadap Kapang Pengkontaminan Pada Pakan Ternak Ayam. *Bioma*, 12(2), 118.

- Martono, B. (2014). Karakteristik Morfologi dan Kegiatan Plasma Nuthfah Tanaman Kakao. *Inovasi Teknologi Bioindustri Kakao*, 15-27.
- Mcshaffrey, D. (2013). *Black soldier fly*: A promising candidate for sustainable waste management and animal feed. *Journal of Waste Conversion, Management and Recycling*, 1(1), 32-39.
- Meersman, E., Stensels, J., Mathawan, M., Witcock, P.J., Seals, V., Struyf, N., Bernaert, H., Vrancken, G. dan Verstrepen, K.J. (2013). Detailed analysis of the microbial population in Malaysian Spontaneous cocoa pulp fermentations reveals a core and variable microbiota. *Plus One Journal* 8(12): 1–10.
- Melta, R. (2015). Potensi *Maggot Black Soldier Fly (Hermetia illucens)* Sebagai Sumber Protein Tepung dalam Ransum Ayam Petelur. *Jurnal Ilmu Ternak*, 15(3), 189-198.
- Merdekawangi, D., Widayat, W., & Darmadji, P. (2013). Delignification and cellulose cracking process by enzymatic treatment. *Procedia Environmental Sciences*, 17, 126-135. <https://doi.org/10.1016/j.proenv.2013.02.019>
- Moriyama, R., Hirata, Y., Uchida, S., Hayakawa, Y., & Futahashi, R. (2019). Effect of feeding behavior of *Black Soldier Fly* (Diptera: Stratiomyidae) larvae on fermentation in relation to feed differentiation. *Applied entomology and zoology*, 54(2), 199-207.
- Mosquera, J., Guzmán, H. M., & De Grave, S. (2019). Growth and survival of *Black Soldier Fly* larvae (*Hermetia illucens*, Linnaeus, 1758) under different feeding regimes. *Journal of Insects as Food and Feed*, 5(3), 211-219.
- Mukherjee, V., Steensels, J., Lievens, B., Van de Voorde, I., Verplaetse, A., Aerts, G., & Thevelein, J. M. (2017). Phenotypic landscape of non-conventional yeast species for different stress tolerance traits desirable in bioethanol fermentation. *Biotechnology for Biofuels*, 10(1), 216. <https://doi.org/10.1186/s13068-017-0907-y>.
- Mulia, M. (2015). Kandungan Nutrisi, Pencernaan Bahan Kering dan Energi Metabolis Ayam Broiler yang Diberi Ransum dengan Penambahan Tepung Ampas Tahu Fermentasi. *Jurnal Ilmu Ternak dan Veteriner*, 20(2), 58-66.
- Nelson. 2011. Degradasi Bahan Kering dan Produksi Asam Lemak Terbang In Vitro pada Kulit Buah Kakao Terfermentasi. *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, Vol. XIV, No.1.
- Nguyen TT, Tomberlin JK, Vanlaerhoven S. (2013). Influence of resources on *Hermetia illucens* (Diptera: Stratiomyidae) larval development. *Ann Entomol Soc Am*. 2013;106(5):675-685. doi:10.1603/an13006
- Nguyen, T. T., Tomberlin, J. K., & Vanlaerhoven, S. (2015). The Performance of *Black Soldier Fly (Hermetia illucens)* Larvae Fed on Different Organic Waste Materials. *Journal of Insects as Food and Feed*, 1(4), 249–259.
- Nuraini, M. E. Mahata dan Nirwansyah. 2013. Respon of broiler feed cocoa pod fermented by *Phanerochaete chrysosporium* and *Monascus purpureus* in the diet. *Pakistan Journal of Nutrition*. 12(9):889-896.

- Nurhayati, A. (2019). The Utilization of Soy Pulp Waste Through the Process of Solid State Fermentation Using *Saccharomyces cerevisiae* and *Trichoderma viride*. In *IOP Conference Series: Materials Science and Engineering* (Vol. 835, No. 1, p. 012098).
- Nurhayati, S., Suparno, O., Putra, D.P.E., and Widayastuti, T. (2019). The use of *Pichia kudriavzevii* as a probiotic yeast for enhancing the growth performance of *Hermetia illucens* larvae fed with cocoa pod husk substrate. *Journal of Applied Microbiology*, 127(5), 1335-1343.
- Nurhidayah, M. (2018). Female *Black Soldier Fly* (*Hermetia illucens*) larvae as biological control for house fly (*Musa domestica*) in poultry farm. *Journal of Biological Control*, 2(1), 7-11.
- Nurhidayah, F., & Antriayandarti, E., (2022). Bauran Pemasaran Maggot BSF (*Black Soldier Fly*) di Dinas Ketahanan Pangan dan Pertanian Kota Surakarta. *Jurnal Viabel Pertanian*, 16(2). <https://Doi.10.35457/viabel.v16i2.2264>.
- Oon, Y. L., Wong, C. L., & Chong, K. H. (2020). A Review of *Black Soldier Fly* (*Hermetia illucens*) as Animal Feed and Human Food. *Foods*, 9(7), 918. <https://doi.10.3390/foods9070918>
- Oon, Y. L., Yee, W. L., & Abdullah, A. G. (2017). Improving the Efficiency of Waste Conversion to Value-Added Products Using Intermediate Storage Strategy in Black Soldier Fly (*Hermetia illucens*) Larval System. *Bioresource Technology*, 226, 156-163.
- Ongsongo, O., et al. (2018). Maggot production using *black soldier fly* (BSF) larvae for organic waste management: Bottlenecks and potential. *Journal of Environmental Science and Management*, 21(1), 10-19.
- Owusu-Sekyere, E., Johnson, P. N. T., Acheampong, E., Galyuon, I. K., & Boadu, P. (2019). Black Soldier Fly Larvae for Processing Organic Waste and as a Potential Feed Ingredient for Farmed Fish. *Agronomy*, 9(10), 595. <https://doi.org/10.3390/agronomy9100595>
- Ozturk, G., & Young, G. M. (2017). Food Evolution: The Impact of Society and Science on the Fermentation of Cocoa Beans. *Foof Sciens and Food Safety*, 16, 431-455.
- Pangestu, W., Prasetya, A., & Cahyono, R., B. (2017). Pengolahan Limbah Kulit Pisang dan Nangka Muda Menggunakan Larva Black Soldier Fly (*Hermentia illucens*). *Simposium Nasional RAPI XVI*, 97-110
- Pargiyanti, V.R. (2019). Fatty Acid Profile and Lipid Content of Gelam (*Melaleuca leucadendra* L.) Honey from South Borneo. *Journal of Apiculture and Honey Science*, 4(1), 35-40.
- Piper, P.W. (2011). Stress and Stressors of Yeast. *Microbiology and Molecular Biology Reviews*, 75(2), 16-43.
- Prasetyo, A. (2019). The Potential Use of *Saccharomyces cerevisiae* in Maggot Production for Animal Feed. *Jurnal Pertanian Tropik*, 20(2), 123-136.

- Pronk, J. T. (2002). Auxotrophic Yeasts in Fundamental and Applied Research. *Applied and Environmental Microbiology*, 68(5), 2095-2100.
- Puastuti, W., & Susana, IWR. 2014. Potensi dan Pemanfaatan Kulit Buah Kakao sebagai Pakan Alternatif Ternak Ruminansia. *Wartazoa*, 24(3), 151-159.
- Rachmawati, D., & I. Samidjan. (2013) Efektifitas Substitusi Tepung Ikan Dengan Tepung Maggot Dalam Pakan Buatan Terhadap Pertumbuhan Dan Kelulushidupan Ikan Patin. *Saintek Perikanan: Indonesian Journal Of Fisheries Science And Technology*. 9(1):62-67
- Radecka, D., Mukherjee, V., Mateo, R. Q., Stojiljkovic, M., Foulquié-Moreno, M. R., Thevelein, J. M., & Devreese, B. (2015). Looking beyond Saccharomyces: the potential of non-conventional yeast species for desirable traits in bioethanol fermentation. *FEMS Yeast Research*, 15(6), 1-21. <https://doi.org/10.1093/femsyr/fov053>
- Raharjo, E. I., Rachimi., M. Arief. 2016. Pengunaan Ampas Tahu dan Kotoran Ayam Untuk Meningkatkan Produksi Maggot (*Hermetia illucens*). *Jurnal Ruaya*. Vol 4 (1) : 33-38.
- Rannca, G. T., Alawiyah, T., & Hadi, T. 2017. Kajian Pengolahan Sampah Organik Dengan BSF (*Black Soldier Fly*) di TPA Kebon Kongok. *Jurnal Ilmu Sosial Dan Pendidikan*, 1(1), 1–6.
- Razak, A. P., R. L. Kreckhoff dan J. C. Watung. 2017. Administrasi Oral Imunostimulan Ragi Roti (*Saccharomyces cerevisiae*) untuk Meningkatkan Pertumbuhan Ikan Mas (*Cyprinus Carpio L.*). *Budidaya Perairan*, 5(2): 27-36.
- Rofi, D. Y. (2020). Modifikasi pakan untuk meningkatkan kualitas *larva black soldier fly* sebagai pakan alternatif. *Jurnal Ilmiah Perikanan dan Kelautan*, 15(2), 102-109.
- Saleh, M. R., Soler-Rivas, C., Polaina, J., López-López, A., & Efecto, D. (2018). Utilization of soybean waste through fermentation by *Bacillus subtilis* as an alternative feed for the black soldier fly larvae, *Hermetia illucens*. *Waste management*, 78, 485-492.
- Salmina, E. S. (2010). Effect of rearing media on productivity of *Black Soldier Fly* (*Hermetia illucens* L.) larvae (Diptera: Stratiomyidae) as prepupae. *Plant Protection News*, 71(1), 60-69.
- Sandhya, M. V. S., Yallappa, B. S., Varadaraj, M. C., Puranaik, J., rao, L. J., Janardhan, P., & Murthy, P. S. (2016). Inoculum of the starter consortia and interactive metabolic process in enhancing quality of cocoa bean (*Theobroma cacao L.*) fermentation. *LWT – Food Science and Technology*, 63, 731-738. <https://doi.org/10.1016/j.lwt.2015.09.002>
- Sangwan, S. (2018). *Black Soldier Fly (Hermetia illucens): A Sustainable Approach for Organic Waste Management*. *Waste and Biomass Valorization*, 9(12), 2467-2482.
- Sanger, G. (2004). *Molecular Genetics of Yeast: A Practical Approach*. Oxford University Press.

- Santos, E., Carvalho, A.F., Hebert, E.M., Schumacher, R.I., and Rosa, C.A. (2019). Screening of yeasts with cellulolytic activity for application in ruminant feeding. *Brazilian Journal of Microbiology*, 50(1), 45-54.
- Sari, N. M. L P., Bidura, I.G.N.G., & Siti, N.W. (2016). Pengaruh ransum yang mengandung ampas tahu difermentasi dengan khamir *Saccharomyces* sp. terhadap komposisi fisik karkas broiler umur 6 minggu. *Peternakan Tropika*, 4(1): 170 -183.
- Sari, M. P. 2018. Stadia dan Fekunditas Lalat Tentara Hitam *Hermentia illucens* (L) (Diptera: Stratiomydes) yang Dibiakan pada Media Sampah dan Buah-Buahan. *Skripsi*. Fakultas Pertanian, Universitas Lampung. Bandar lampung.
- Setyani, W. A., Martani, E., Triyanto, T., & Zaenuddin, M. (2015). Growth kinetics and Protease Activity 36K Isolates Derived from Mangrove Ecosystem Sediment, Karimunjawa, Jepara (Kinetika Pertumbuhan dan Aktivitas Protease isolat 36k Berasal dari Sedimen Ekosistem Mangrove, Karimunjawa, Jepara). *Ilmu Kelautan: Indonesia Journal of Marine Sciences*, 20(3), 163.
- Sharifah, K. S. Y., Amirul, A. A., Faiz, A. R. M., & Ooi, B. H. (2018). Growth profile of *Black Soldier Fly* larvae on putative prebiotic sources and non-prebiotic sources. *CYTA-Journal of Food*, 16(1), 622-628.
- Sipayung, P. Y. E. 2015. Pemanfaatan Larva *Black Soldier Fly* (*Hermentia illucens*) Sebagai Salah Satu Teknologi Reduksi Sampah Di Daerah Perkotaan. *Skripsi*. Jurusan Teknik Lingkungan, Institut Teknologi Sepuluh November.
- Sinaga, C. S. D. (2021). The Effect of Nitrogen Sources on Protein Content of Tofu Waste (Okara). *Journal of Physics: Conference Series*, 1866(1), 012024.
- Sitohang, R. V., Herawati, T., & Lili, W. (2012). Pengaruh Pemberian Dedak Padi Hasil Fermentasi Ragi (*Saccharomyces cerevisiae*) Terhadap Pertumbuhan Biomassa *Daphnia* sp. *Jurnal Perikanan dan Kelautan*, 3(1): 65-72.
- Smukowska, E. (2018). Characterization of *Pichia kudriavzevii* strains for cellulose ethanol production. *FEMS Yeast Research*, 18(4), foy038.
- Souza, A. C. de., Carvalho, F. P., Silvia e Batista, C. F., Schwan, R. F., & Dias, D. R. (2013). Sugarcane bagasse hydrolysis using yeast cellulolytic enzymes. *Journal of Microbiology and Biotechnology*, 23(10), 1403-1412.
- Souza, A.B.G., Tedeschi, R.L., and Pires, A.V. (2019). Effects of dietary supplementation with multi-strain probiotics on growth performance, rumen fermentation, and microbial diversity in growing beef cattle. *Livestock Science*, 225, 61-66.
- Spranghers, T., Ottoboni, M., Klootwijk, C., Ovyn, A., Deboosere, S., De Meulenaer, B., Michiels, J., Eeckhout, M., De Clercq, P., & De Smet, S. (2017). Nutritional Composition of *Black Soldier Fly* (*Hermetia illucens*) Prepupae Reared on Different Organic Waste Substrates. *Journal of the Science of Food and Agriculture*. 97: 2594-2600.

- Suciati, R., dan H. Faruq. 2017. Efektifitas Media Pertumbuhan Maggot *Hermentia illucens* (Lalat Tentara Hitam) Sebagai Solusi Pemanfaatan Sampah Organik. Biofer. *Jurnal Biologi & Pendidikan Biologi* Vol 2 (1): 8-13.
- Sukmawati, D., Arman, Z., Sondana, G. A., Fikriyah, N. N., Hasanah, R., Afifah, Z. N., Balqis, M., Enhasy, A. E., Husna S. N., rahayu, S., Kurniati, T. H., & Puspitaningrum, R. (2019). Potential amylase-producing yeast isolated from indigenous fermented beverages originating from Bali, Indonesia. *Journal of Physics: Conference Series*, 1402(5), 0-7.
- Suprapti, S., & RamLah, R. (2013). The effect of cocoa husk mulch on the growth and yield of cocoa trees (*Theobroma cacao* L.). *Journal of Crop Science and Technology*, 1(2), 45-51.
- Superianto, D., (2018). The effect of fermentation time on the biochemical properties of *Black Soldier Fly* larvae (*Hermetia illucens* L.) for animal feed. *AIP Conference Proceedings*, 2049(1), 020002.
- Supriyadi, S. (2012). Utilization of *Saccharomyces cerevisiae* Yeast for Solid Substrate Fermentation in the Production of Protein and Other Nutrients from Organic Waste. *Jurnal Teknik Kimia*, 6(2), 95-100.
- Suryani, Y., Hermanwan, I., dan Hamidah, N. H. 2017. Pengaruh Tingkat Penggunaan Em4 (Effective Microorganisms-4) Pada Fermentasi Limbah Padat Bioetanol Terhadap Kandungan Protein Dan Serat Kasar. *Jurnal Istek*. Edisi Mei Volume X No. 1.
- Susanto, R. (2002). Penerapan pertanian organik dalam sistem budidaya tanaman. *Jurnal Ilmu Pertanian dan Perikanan Organik*, 25(1), 27-34.
- Syahputra, M. A. 2019. Pengaruh Kombinasi Ampas Tahu dan Ubi Kayu yang Difermentasi dengan Konsentrasi Berbeda Terhadap Pertumbuhan dan Produksi Maggot (*Hermentia illucens*). *Skripsi*. Jurusan Budidaya Perairan, Fakultas Pertanian, Universitas Islam Riau. Pekanbaru.
- Syahrizal, E., & Ridwan, M.. 2014. Kombinasi Limbah Kelapa Sawit dan Ampas Tahu Sebagai Media Budidaya Maggot (*Hermentia illucens*) Salah Satu Alternatif Pakan Ikan. *Jurnal Ilmiah Universitas Batanghari Jambi*. Vol. 14 (4): 108-113.
- Tomberlin, J. K., Adler, P. H., Myers, H. M., & Kattes, D. (2009). Selection of *Black Soldier Fly* (Diptera: Stratiomyidae) Strains for High-Level Waste Conversion. *Journal of Economic Entomology*, 102(2), 736–744.
- Tomberlin, J. K., Nguyen, T. T. X., & Vanlaerhoven, S. (2015). Influence of resources on *Hermetia illucens* (Diptera: Stratiomyidae) larval development. *Forensic Science International*, 254, 127-132.
- Truman, J. W., & Riddiford, L. M. (2002). The Role of Hormones in Insect Development. In Gilbert, L.I. et al. (Eds.). *Insect Endocrinology*, 3rd edition.
- Vitriani, N. F. (2016). Pengaruh Pemberian Limbah Cairan Kelapa Sawit Terhadap Pertumbuhan Mikroalga *Chlorella* sp. dalam Skala Outdoor. *Skripsi*. Fakultas Perikanan Dan Ilmu Kelautan Universitas Riau. Pekanbaru.

- Wang, Y. (2017). Cellulases from the mesophilic fungi *Penicillium expansum* and *Rhizopus oryzae* improve the feed conversion efficiency of broiler chickens. *AMB Express*, 7(1), 56.
- Wardhana, A. H., (2016). Black Soldier Fly (*Hermetia illucens*) sebagai sumber protein alternatif untuk pakan ternak. *Wartazoa*, vol 26, No. 2. Hal 69-78. doi.org/10.14334/wartazoa.v26i2.1218
- Warisah, W. (2005). *Saccharomyces cerevisiae*: Characteristics, classification, and utilization. *Organic Agriculture Resource Journal*, 6(1), 47-56.
- Warisah, W. (2015). Advantages of Using *Saccharomyces cerevisiae* in Fermentation Technology. *International Journal of Technology*, 6(1), 87-95.
- Widianingsih, I. (2020). Kandungan Protein Pada Media biakan Berpengaruh Terhadap Pertumbuhan Larva Black Soldier Fly (*Hermetia illucens*) sebagai Sumber Protein Pakan Ternak. *Skripsi*. Institut Pertanian Bogor.
- Yu, G., Liu, X., Zou, Y., Chen, X., Wang, M., Zhang, W., & Wu, X. (2020). Optimization of fermentation conditions of corn straw for the production of Black Soldier Fly larvae (BSFL) (*Hermetia illucens*) using response surface methodology. *Journal of Analytical and Applied Pyrolysis*, 148, 104833.
- Yunanto, A. (2020). Utilization Potential of Greater Yam (*Dioscorea alata* L.) Flour as Probiotic *Saccharomyces cerevisiae* Fermentation. *IOP Conference Series: Earth and Environmental Science*, 478, 012076.
- Yuwono, S. A., & Mentari, D. O. (2018). Penggunaan Larva Black Soldier Fly (*Hermetia illucens*) sebagai Bahan Pakan Alternatif Ikan Mas (*Cyprinus carpio*). *Jurnal Akuakultur Rawa Indonesia*, 6(2), 85-92.
- Zainodin, J., Abdullah, N., & Hassan, M. A. (2018). Generation of Organic Acids During Fermentation Process of Cocoa (*Theobroma cacao* L.) Pod Husk and Its Potential as pH Buffer. *International Journal of Engineering & Technology*, 7(4.31), 25-29
- Zhang, H., & Mounguengui, S. E. (2019). Procyanidins In Cocoa And Cocoa Products: Implications For Cardiovascular Health. *Nutrients*, 11(5), 1084.
- Zhao, H. (2020). Effects of co-cultivation of *Saccharomyces cerevisiae* and *Pichia kudriavzevii* on the fermentation kinetics and volatile flavor compounds of spicy rice wine. *Food Research International*, 137, 109612.
- Zulkifli, F. C. (2022). The use of Black Soldier Fly Larvae (*Hermetia illucens*) in the conversion of organic waste into valuable bio-products: A review. *Journal of Environmental Chemical Engineering*, 10(3), 106358.