

DAFTAR PUSTAKA

- [1] M. H. Pasaribu, “STUDI EKSPERIMENTAL PERBANDINGAN KARAKTERISTIK KEBISINGAN KNALPOT STANDART SATRIA FU 150 DENGAN KNALPOT KOMPOSIT SERAT BATANG KELAPA SAWIT BERDASARKAN PADA KECEPATAN,” 2016.
- [2] N. Movahedi dan E. Linul, “Quasi-static compressive behavior of the ex-situ aluminum-alloy foam-filled tubes under elevated temperature conditions,” *Mater Lett*, vol. 206, hlm. 182–184, 2017.
- [3] S. Neves Monteiro *dkk.*, “Fique fabric: a promising reinforcement for polymer composites,” *Polymers (Basel)*, vol. 10, no. 3, hlm. 246, 2018.
- [4] M. M. Zagho, E. A. Hussein, dan A. A. Elzatahry, “Recent Overviews in Functional Polymer Composites for Biomedical Applications,” *Polymers (Basel)*, vol. 10, no. 7, 2018, doi: 10.3390/polym10070739.
- [5] T. W. Clyne dan D. Hull, *An Introduction to Composite Materials*, 3 ed. Cambridge: Cambridge University Press, 2019. doi: DOI: 10.1017/9781139050586.
- [6] Y. Liu, B. Zwingmann, dan M. Schlaich, “Carbon fiber reinforced polymer for cable structures-a review,” *Polymers*, vol. 7, no. 10. MDPI AG, hlm. 2078–2099, 2015. doi: 10.3390/polym7101501.
- [7] H. Ardhyanta dan A. Rasyida, “Tinjauan Pengaruh Jenis Material Sizing Poliuretan, Silane Coupling Agent, dan Poliimida pada Serat Karbon terhadap Morfologi dan Sifat Mekanik Komposit Epoksi/Serat Karbon untuk Aplikasi Bilah Turbin Angin,” *Jurnal Teknik ITS*, vol. 9, no. 2, hlm. F123–F130, 2021.
- [8] P. L. Nguyen, X. H. Vu, dan E. Ferrier, “Elevated temperature behaviour of carbon fibre-reinforced polymer applied by hand lay-up (M-CFRP) under simultaneous thermal and mechanical loadings: Experimental and analytical investigation,” *Fire Saf J*, vol. 100, hlm. 103–117, Sep 2018, doi: 10.1016/j.firesaf.2018.07.007.

- [9] M. A. M. Siregar, "Penelitian Terhadap Pengaruh Zat Tahan Api Berbasis Halogen Terhadap Sifat Mampu Bakar Dari Komposit Serat Karbon Menggunakan Kalorimeter Kerucut," *Presisi*, vol. 23, no. 1, hlm. 30–38, 2021.
- [10] D. Ambar Wati, "PENGARUH EKSTRAKSI SILIKA DARI ABU SEKAM PADI TERHADAP LAJU RAMBAT API."
- [11] R. Wirawan, H. H. Sutrisno, D. Ambarwati, dan A. Febriyani, "Characteristic of Silica Level (SiO_3) Resulted from the Extraction of Rice Husk Ash with KOH Solvent towards the Amount of Heating Time," *International Journal of Engineering & Technology*, 2019.
- [12] C. Asa Rahmatillah, "PENGARUH PENAMBAHAN SILIKA DARI ABU SEKAM PADI PADA MATERIAL KOMPOSIT CFRP (CARBON FIBER REINFORCED POLYMER) TERHADAP SIFAT TERMAL".
- [13] M. P. Todor, C. Bulei, I. Kiss, dan V. G. Cioatã, "Recycling of textile wastes into textile composites based on natural fibres: The reinforcement type and the architecture," dalam *IOP Conference Series: Materials Science and Engineering*, IOP Publishing, 2019, hlm. 012055.
- [14] D. W. Van Krevelen, "Properties of Polymers, Their Correlation with Chemical Structure, Their Numerical Estimated and Prediction from Additional Group Contributions," *Threed Edition. Elsevier Science BV Amsterdam. Nederlands*, 1994.
- [15] W. F. Smith, "Foundation of Materials Science ann Engiineering," *Mc Graww Hill, Toronto*, 1993.
- [16] S. T. Burhanuddin, M. T. Penerbit, P. Teknik, A. Uin, dan A. Makassar, *TEKNOLOGI DAN REKAYASA MATERIAL POLIMER KOMPOSIT*.
- [17] A. B. Strong, *Plastics: materials and processing*. Prentice Hall, 2006.
- [18] R. E. Smallman dan R. J. Bishop, "Metalurgi fisik modern dan rekayasa material," *Jakarta: Erlangga*, 2000.
- [19] K. Friedrich dan A. A. Almajid, "Manufacturing aspects of advanced polymer composites for automotive applications," *Applied Composite Materials*, vol. 20, hlm. 107–128, 2013.

- [20] A. Kumar dan M. Kumar, "Implementation of Analytic Hierarchy Process (AHP) as a Decision-Making Tool for Selection of Materials for the Robot Arm," 2019. [Daring]. Tersedia pada: <http://www.ripublication.com>
- [21] C. Meola dan C. Toscano, "NonDestructive evaluation of carbon fiber reinforced polymers with ultrasonics and infrared thermography: An overview on historical steps and patents," *Recent Patents on Materials Science*, vol. 5, no. 1, hlm. 48–67, 2012.
- [22] L. Zhou *dkk.*, "Study on the mechanism of quasi-continuous wave (QCW) fiber laser low-damage processing of carbon fiber-reinforced plastics," *International Journal of Advanced Manufacturing Technology*, vol. 124, no. 1–2, hlm. 429–447, Jan 2023, doi: 10.1007/s00170-022-10374-1.
- [23] A. K. Bhargava, *Engineering materials: polymers, ceramics and composites*. PHI Learning Pvt. Ltd., 2012.
- [24] K. Friedrich dan A. A. Almajid, "Manufacturing aspects of advanced polymer composites for automotive applications," *Applied Composite Materials*, vol. 20, no. 2, hlm. 107–128, Apr 2013, doi: 10.1007/s10443-012-9258-7.
- [25] S. M. Rangappa, J. Parameswaranpillai, S. Siengchin, dan M. Ramesh, "Biodegradable polymers, blends and composites," 2021.
- [26] V. Boháč, "Thermal properties of materials and their characterization by classic and transient methods," dalam *2017 11th International Conference on Measurement*, IEEE, 2017, hlm. 53–62.
- [27] N. Benichou, M. Green, L. A. Bisby, dan V. R. Kodur, "The fire performance of FRP-strengthened concrete systems Environmental Studies View project Structural behaviour of cross-laminated timber elements in fires View project." [Daring]. Tersedia pada: <https://www.researchgate.net/publication/44091814>
- [28] V. Kodur, S. Venkatachari, V. A. Matsagar, dan S. B. Singh, "Test Methods for Characterizing the Properties of Fiber-Reinforced Polymer Composites at Elevated Temperatures. *Polymers* 2022, 14, 1734." s Note: MDPI stays neutral with regard to jurisdictional claims in published ..., 2022.

- [29] F. W. Billmeyer, "Polymer chains and their characterization," *Textbook of Polymer Science*, hlm. 84–85, 1971.
- [30] T. A. Saleh, *Polymer Hybrid Materials and Nanocomposites: Fundamentals and Applications*. William Andrew, 2021.
- [31] F. Zhou, J. Zhang, S. Song, D. Yang, dan C. Wang, "Effect of temperature on material properties of carbon fiber reinforced polymer (CFRP) tendons: Experiments and model assessment," *Materials*, vol. 12, no. 7, hlm. 1025, 2019.
- [32] B. Mutnuri, *Thermal conductivity characterization of composite materials*. West Virginia University, 2006.
- [33] P. K. Mallick, *Processing of polymer matrix composites*. CRC Press, 2017.
- [34] J. N. Sultan dan F. J. McGarry, "Effect of rubber particle size on deformation mechanisms in glassy epoxy," *Polym Eng Sci*, vol. 13, no. 1, hlm. 29–34, 1973.
- [35] A. Kausar, "Role of Thermosetting Polymer in Structural Composite," *Issue 1 Kausar A. American Journal of Polymer Science & Engineering*, vol. 5, hlm. 1–12, 2017, [Daring]. Tersedia pada: <http://www.ivyunion.org><http://www.ivyunion.org/index.php/ajpse><http://www.ivyunion.org>
- [36] B. Z. Dholakiya, "Use of non-traditional fillers to reduce flammability of polyester resin composites," *polimeri*, vol. 30, no. 1, hlm. 10–17, 2009.
- [37] I. J. Fernandes *dkk.*, "Characterization of silica produced from rice husk ash: comparison of purification and processing methods," *Materials Research*, vol. 20, hlm. 512–518, 2017.
- [38] L. F. Aprida, D. Dermawan, dan R. Bayuaji, "Identifikasi potensi pemanfaatan limbah karbit dan abu sekam padi sebagai bahan alternatif pengganti semen," dalam *Conference Proceeding on Waste Treatment Technology*, 2018, hlm. 13–16.
- [39] V. B. Carmona, R. M. Oliveira, W. T. L. Silva, L. H. C. Mattoso, dan J. M. Marconcini, "Nanosilica from rice husk: extraction and characterization," *Ind Crops Prod*, vol. 43, hlm. 291–296, 2013.

- [40] U. S. Silica Company, "Silica Material Safety Data Sheet." [Daring]. Tersedia pada: www.lagunaclay.com
- [41] A. H. Siregar, B. A. Setyawan, dan A. Marasabessy, "Komposit fiber reinforced plastic sebagai material bodi kapal berbasis fiberglass tahan api," *Bina Teknika*, vol. 12, no. 2, hlm. 261–266, 2016.
- [42] R. Rosalia, D. Asmi, dan D. E. Ginting, "Preparasi dan Karakterisasi Keramik Silika (SiO_2) Sekam Padi dengan Suhu Kasinasi 800 o C-1000 o C," 2016.
- [43] J. Cooley, "AN INTRODUCTION TO COMMON HAND-LAYUP METHODS WITH COMPOSITE MATERIALS," 2018.
- [44] "Ever J. Barbero - Introduction to Composite Materials Design-CRC Press (2017) (1)".
- [45] H. Alhashmy, *Fabrication of aluminium matrix composites (amcs) by squeeze casting technique using carbon fiber as reinforcement*. University of Ottawa (Canada), 2012.
- [46] H. A. Aisyah *dkk.*, "A comprehensive review on advanced sustainable woven natural fibre polymer composites," *Polymers*, vol. 13, no. 3. MDPI AG, hlm. 1–45, 1 Februari 2021. doi: 10.3390/polym13030471.
- [47] S. Ekşi dan K. Genel, "Comparison of mechanical properties of unidirectional and woven carbon, glass and aramid fiber reinforced epoxy composites," dalam *Acta Physica Polonica A*, Polish Academy of Sciences, Sep 2017, hlm. 879–882. doi: 10.12693/APhysPolA.132.879.
- [48] X.-S. Yi, "An introduction to composite materials," *Composite Materials Engineering, Volume 1: Fundamentals of Composite Materials*, hlm. 1–61, 2018.
- [49] A. L. Brown, "The Decomposition Behavior of Thermoset Carbon Fiber Epoxy Composites in the Fire Environment."
- [50] V. Saetang, K. Khamwiset, dan H. Qi, "Investigation into laser machining of carbon fiber reinforced plastic in a flowing water layer," *The International Journal of Advanced Manufacturing Technology*, vol. 104, Okt 2019, doi: 10.1007/s00170-019-04131-0.

- [51] S. R. Udupi dan L. Lester Raj Rodrigues, "Detecting Safety Zone Drill Process Parameters for Uncoated HSS Twist Drill in Machining GFRP Composites by Integrating Wear Rate and Wear Transition Mapping," *Indian Journal of Materials Science*, vol. 2016, hlm. 1–8, Jul 2016, doi: 10.1155/2016/9380583.
- [52] M. Elkington, D. Bloom, C. Ward, A. Chatzimichali, dan K. Potter, "Hand layup: understanding the manual process," *Advanced manufacturing: polymer & composites science*, vol. 1, no. 3, hlm. 138–151, 2015.
- [53] F. W. J. Van Hattum, F. Regel, dan M. Labordus, "Cost reduction in manufacturing of aerospace composites," *Plastics, Rubber and Composites*, vol. 40, no. 2, hlm. 93–99, 2011.
- [54] Y. Mujahid, N. Sallih, M. Z. Abdullah, dan M. Mustapha, "Effects of processing parameters for vacuum-bag-only method on void content and mechanical properties of laminated composites," *Polym Compos*, vol. 42, no. 2, hlm. 567–582, Feb 2021, doi: 10.1002/pc.25848.
- [55] Y. O. Bani, D. P. Mangesa, J. S. Bale, dan J. T. Mesin, "Pembuatan Dan Pengujian Alat Fabrikasi Komposit Vacuum Bag Dengan Menggunakan Metode VDI 2221," 2017, [Daring]. Tersedia pada: <http://ejournal-fst-unc.com/index.php/LJTMU>
- [56] Gougeon Brothers, "A guide to the principles and practical application of vacuum bagging for laminating composite materials with WEST SYSTEM ® Epoxy," 1990.
- [57] N. A. Mufarida, *Perpindahan Panas dan Massa pada Spray Dryer: Buku Referensi untuk Praktisi, Mahasiswa dan Umum*. Pustaka Abadi, 2016.
- [58] R. Hull dan A. A. Stec, "Polymers and fire: Chemical and physical processes," 2009. [Daring]. Tersedia pada: <https://www.researchgate.net/publication/285736205>
- [59] E. Prasetya, Z. Arifin, dan T. Joko, "MEKANIKA SIMULASI PERPINDAHAN PANAS KONDUKSI PADA PENGELASAN LOGAM TAK SEJENIS ANTARA BAJA TAHAN KARAT AISI 304 DAN BAJA KARBON RENDAH SS 400 DENGAN METODE BEDA HINGGA," 2010.

- [60] F. M. Dewadi *dkk.*, *PERPINDAHAN PANAS: DASAR DAN PRAKTIS DARI PERSPEKTIF AKADEMISI DAN PRAKTISI*. Indie Press, 2022.
- [61] E. Eswanto, “Buku Ajar Pindah Panas 1: Teori–Soal dan Pembahasan,” 2023.
- [62] D. Drysdale, *An introduction to fire dynamics*. John Wiley & Sons, 2011.
- [63] “GHS SAFETY DATA SHEET (SDS) SECTION 1-PRODUCT AND COMPANY IDENTIFICATION.”
- [64] M. A. M. Siregar, “Penelitian Terhadap Pengaruh Zat Tahan Api Berbasis Halogen Terhadap Sifat Mampu Bakar Dari Komposit Serat Karbon Menggunakan Kalorimeter Kerucut,” *Presisi*, vol. 23, no. 1, hlm. 30–38, 2021.
- [65] H. E. Mayasari dan A. Yuniari, “Karakteristik termogravimetri dan kinetika dekomposisi EPDM dengan bahan pengisi carbon black,” *Majalah Kulit, Karet, dan Plastik*, vol. 32, no. 2, hlm. 125, Nov 2016, doi: 10.20543/mkcp.v32i2.1591.
- [66] R. Wirawan, R. D. Pasaribu, D. Permatasari, dan H. H. Sutrisno, “Stabilitas termal komposit eceng gondok (*Eichhornia crassipes*) dengan matriks HDPE,” dalam *Proceeding seminar nasional tahunan teknik mesin XI (SNTTM XI) & thermofluid IV Universitas Gadjah Mada (UGM)*, Yogyakarta, 2012.
- [67] “ASTM E2550 – 17 Standard Test Method for Thermal Stability by Thermogravimetry”, doi: 10.1520/E2550-17.
- [68] N. S. Sukmadinata, “Metode Penelitian Pendidikan, Penerbit PT,” *Remaja Rosdakarya, Bandung*, 2010.
- [69] D. Sugiyono, “Metode penelitian pendidikan pendekatan kuantitatif, kualitatif dan R&D,” 2013.
- [70] W. Xu, S. Li, N. Whitely, dan W.-P. Pan, “Fundamentals of TGA and SDT,” 2005.
- [71] R. L. Blaine dan J. E. Rose, “Validation of Thermogravimetric analysis performance using mass loss reference materials,” *TA Instruments*, hlm. 1–10, 2009.

- [72] P. Tranchard, S. Duquesne, F. Samyn, B. Estebe, dan S. Bourbigot, “Kinetic analysis of the thermal decomposition of a carbon fibre-reinforced epoxy resin laminate,” *J Anal Appl Pyrolysis*, vol. 126, hlm. 14–21, 2017.
- [73] N. M. Yatim, Z. Shamsudin, A. Shaaban, N. A. Sani, R. Jumaidin, dan E. A. Shariff, “Thermal analysis of carbon fibre reinforced polymer decomposition,” *Mater Res Express*, vol. 7, no. 1, hlm. 015615, 2020.
- [74] C. Minsun, J. Houman, dan L. Zejin, “Determination of thermal decomposition kinetic parameters of glass-fiber/epoxy composite,” *High Power Laser and Particle Beams*, vol. 22, no. 9, hlm. 1971–1973, 2010.
- [75] H. Kim, J. Kim, J. Lee, dan M. W. Lee, “Thermal barrier coating for carbon fiber-reinforced composite materials,” *Compos B Eng*, vol. 225, hlm. 109308, 2021.
- [76] J. H. Gibbons, “Polymer Matrix Composites,” dalam *Advanced materials by design [online]*. Washington: US Congress, 1988, hlm. 73–93.
- [77] K. Abdurrohman, T. Satrio, N. L. Muzayadah, dan Teten, “A comparison process between hand lay-up, vacuum infusion and vacuum bagging method toward e-glass EW 185/lycal composites,” dalam *Journal of Physics: Conference Series*, Institute of Physics Publishing, Nov 2018. doi: 10.1088/1742-6596/1130/1/012018.