

DAFTAR PUSTAKA

- Abdullah, B., Tjokrowidjojo, S., & Sularjo, S. 2008. Perkembangan dan Prospek Perakitan Padi Tipe Baru di Indonesia. *Jurnal Litbang Pertanian*, 27(1), 1-9.
- Afshari, H., Eftekhari, M., Faraji, M., Ebadi, A. G., & Ghanbarimalidareh, A. (2011). Studying the effect of 1000 grain weight on the sprouting of different species of *Salvia L.* grown in Iran. *Journal of Medicinal Plants Research*, 5(16), 3991-3993.
- Apriliani, N. Z., & Yuliani, Y. (2020). Respons Anatomi dan Kadar Asam Oksalat Tumbuhan *Amorphophallus muelleri* Blume Pada Lingkungan yang Berbeda. *LenteraBio: Berkala Ilmiah Biologi*, 9(2), 137-145. <https://doi.org/10.26740/lenterabio.v9n2.p137-145>.
- Anhar, R., Hayati, E., & Efendi, E. (2016). Pengaruh Dosis Pupuk Urea Terhadap Pertumbuhan dan Produksi Plasma Nutfah Padi Lokal Asal Aceh. *Jurnal Kawista Agroteknologi*, 1(1), 30-36.
- Armita, Devi., Wahdaniyah., Hafsan & Amanah, H. A. (2022). Diagnosis Masalah Unsur Hara Esensial pada Berbagai Jenis Tanaman. *Teknosains: Media Informasi Sains dan Teknologi*, 16(1), 139-50. <https://doi.org/10.24252/teknosains.v16i1.28639>
- Badan Pusat Statistik. (2023). Jumlah Penduduk Pertengahan Tahun (Ribuan Jiwa) 2020-2022.
- Bakrie, M. M., Anas, I., Sugiyanta, S., & Idris, K. (2010). Aplikasi pupuk anorganik dan organik hayati pada budidaya padi SRI (System of Rice Intensification). *Jurnal Ilmu Tanah dan Lingkungan*, 12(2), 25-32. <https://doi.org/10.29244/jitl.12.2.25-32>.
- Balai Besar Penelitian Tanaman Padi. (2021). *Deskripsi Varietas Unggul Baru Padi*. Publisher: Badan Litbang Pertanian, Kementan. ISBN: 978-979-540-080-6
- Balemi, T., & Negisho, K. (2012). Management of soil phosphorus and plant adaptation mechanisms to phosphorus stress for sustainable crop production: a review. *Journal of soil science and plant nutrition*, 12(3), 547-562. <http://dx.doi.org/10.4067/S0718-95162012005000015>.
- Bhoomika, K., Pyngrupe, S., & Dubey, R. S. (2013). Differential responses of antioxidant enzymes to aluminum toxicity in two rice (*Oryza sativa L.*) cultivars with marked presence and elevated activity of Fe SOD and enhanced activities of Mn SOD and catalase in aluminum tolerant cultivar. *Plant growth regulation*, 71, 235-252. <https://doi.org/10.1007/s10725-013-9824-5>.

- Chaniago, N. (2019). Potensi Gen-gen Ketahanan Cekaman Biotik dan Abiotik pada Padi Lokal Indonesia: A Review. *Agriland: Jurnal Ilmu Pertanian*, 7(2), 86-93. <https://doi.org/10.30743/agr.v7i2.2010>.
- Cock, J., Yoshida, S., & Forno, D. A. (1976). *Laboratory manual for physiological studies of rice*. Int. Rice Res. Inst..
- Drescher, G. L., da Silva, L. S., Sarfaraz, Q., Roberts, T. L., Nicoloso, F. T., Schwalbert, R., & Marques, A. C. R. (2020). Available nitrogen in paddy soils depth: influence on rice root morphology and plant nutrition. *Journal of Soil Science and Plant Nutrition*, 20, 1029-1041. <https://doi.org/10.1007/s42729-020-00190-5>.
- Dufey, I., Gheysens, S., Ingabire, A., Lutts, S., & Bertin, P. (2014). Silicon application in cultivated rices (*Oryza sativa* L and *Oryza glaberrima* Steud) alleviates iron toxicity symptoms through the reduction in iron concentration in the leaf tissue. *Journal of agronomy and crop science*, 200(2), 132-142. <https://doi.org/10.1111/jac.12046>.
- Fadhli, Y., & Sofyan, A. (2011). Plot scale nitrogen balance of newly opened wetland rice at Bulungan District. *International Research Journal of Agricultural Science and Soil Science*, 1(7), 234-241.
- Fageria, N. K. (2004). Dry matter yield and nutrient uptake by lowland rice at different growth stages. *Journal of plant nutrition*, 27(6), 947-958. <https://doi.org/10.1081/PLN-120037529>.
- Fageria, N. K., & Baligar, V. C. (2008). Ameliorating soil acidity of tropical Oxisols by liming for sustainable crop production. *Advances in agronomy*, 99, 345-399. [https://doi.org/10.1016/S0065-2113\(08\)00407-0](https://doi.org/10.1016/S0065-2113(08)00407-0).
- Fageria, N. K., & Moreira, A. (2011). The role of mineral nutrition on root growth of crop plants. *Advances in agronomy*, 110, 251-331. <https://doi.org/10.1016/B978-0-12-385531-2.00004-9>.
- Fagi, A. M., & Las, I. (1988). Lingkungan tumbuh padi. *Padi. Buku*, 1, 167-214.
- Fajrina, H. N., & Kuswanto, K. (2019). Uji Viabilitas Benih Melon (*Cucumis melo* L.) Pada Berbagai Taraf Waktu Penyimpanan Buah dan Pengeringan Biji. *PLANTROPICA: Journal of Agricultural Science*, 4(1), 19-29. <http://dx.doi.org/10.21776/ub.jpt.2019.004.1.3>
- Famoso, A. N., Clark, R. T., Shaff, J. E., Craft, E., McCouch, S. R., & Kochian, L. V. (2010). Development of a novel aluminum tolerance phenotyping platform used for comparisons of cereal aluminum tolerance and investigations into rice aluminum tolerance mechanisms. *Plant physiology*, 153(4), 1678-1691. <https://doi.org/10.1104/pp.110.156794>.
- Fittschen, U. E. A., Kunz, H. H., Höhner, R., Tyssebotn, I. M. B., & Fittschen, A. (2017). A new micro-X-ray fluorescence spectrometer for in vivo

elemental analysis in plants. *X-Ray Spectrometry*, 46(5), 374-381. <https://doi.org/10.1002/xrs.2783>.

Gardner, F. P., Pearce, R. B., & Mitchell, R. L. (1991). *Physiology of Crop Plants (Fisiologi Tanaman Budidaya)*. Terjemahan oleh Herawati Susilo. Penerbit Universitas Indonesia. Jakarta.

Ghidan, W., Ke, X., Yin, F., Yu, T., Xiao, S., Zhong, Q., & Cheng, Z. (2018). Assessment of some heavy and essential elements accumulation in seeds and leaves of parent and introgression lines in *Oryza* sp. *Asian Research Journal of Agriculture*, 10(1), 1-14. <https://doi.org/10.9734/ARJA/2018/45221>.

Ginting, C. (2019). *Nutrisi Tanaman*. Instiper Press.

Goldsworthy, R.P, & N.M Fisher. (1996). *Fisiologi Tanaman Budidaya Tropik*. Terjemahan oleh Tohari. Gajah Mada University Press, Yogyakarta.

Hardiyanti, S. M. (2020). Respon Pertumbuhan dan Seleksi Lima Galur Padi (*Oryza sativa* L.) Terhadap Kondisi Cekaman Besi Pada Fase Vegetatif Awal [skripsi]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.

Hadid, A., Wahyudi, I., & Sarif, P. (2015). Pertumbuhan dan hasil tanaman sawi (*Brassica juncea* L.) akibat pemberian berbagai dosis pupuk urea. *Jurnal Agrotekbis*, 3(5), 585-591

Huang, D., Qin, G., Liu, C., Ma, Z. F., Zhang, Y. X., & Yan, Y. (2013). Feasibility of utilization of wild rice (*Oryza rufipogon* Griff.) genetic diversity in rice breeding for high yield. *Adv J Food Sci Technol*, 5(5), 640-645.

Huang, W., Ratkowsky, D. A., Hui, C., Wang, P., Su, J., & Shi, P. (2019). Leaf fresh weight versus dry weight: which is better for describing the scaling relationship between leaf biomass and leaf area for broad-leaved plants. *Forests*, 10(3), 256. <https://doi.org/10.3390/f10030256>.

Jagau, Y. (2000). Fisiologi dan pewarisan efisiensi nitrogen dalam keadaan tercekam aluminium pada padi gogo (*Oryza sativa* L) Disertasi. Program Pascasarjana, Institut Pertanian Bogor, Bogor.

Jiaying, M., Tingting, C., Jie, L., Weimeng, F., Baohua, F., Guangyan, L., & Guanfu, F. (2022). Functions of nitrogen, phosphorus and potassium in energy status and their influences on rice growth and development. *Rice Science*, 29(2), 166-178. <https://doi.org/10.1016/j.rsci.2022.01.005>.

Johnson, V. J., & Mirza, A. (2020). Role of Macro and Micronutrients in the Growth and Development of Plants. *Int. J. Curr. Microbiol. Appl. Sci*, 9, 576-587. <https://doi.org/10.20546/ijcmas.2020.911.071>.

- Julia, C. C., Rose, T. J., Pariasca-Tanaka, J., Jeong, K., Matsuda, T., & Wissuwa, M. (2018). Phosphorus uptake commences at the earliest stages of seedling development in rice. *Journal of Experimental Botany*, 69(21), 5233-5240. <https://doi.org/10.1093/jxb/ery267>.
- Juliano, L. M., Donayre, D. K. M., Martin, E. C., & Beltran, J. C. (2020). Weedy rice: An expanding problem in direct-seeded rice in the Philippines. *Weed Biology and Management*, 20(2), 27-37. <https://doi.org/10.1111/wbm.12196>
- Kaskes, P., Déhais, T., de Graaff, S. J., Goderis, S., & Claeys, P. (2021). Micro-X-ray fluorescence (μ XRF) analysis of proximal impactites: High-resolution element mapping, digital image analysis, and quantifications. [https://doi.org/10.1130/2021.2550\(07\)](https://doi.org/10.1130/2021.2550(07)).
- Khairullah, I., & Saleh, M. (2014). *Sumberdaya lokal tanaman pangan lahan rawa*. Biodiversiti Rawa: Eksplorasi, Penelitian dan Pelestariannya. IAARD Press, Jakarta.
- Khairullah, I. (2020). Indigenous knowledge cultivation of local rice varieties “Siam Mutiara” and “Siam Saba” at tidal swampland. In *BIO Web of Conferences* (Vol. 20, p. 01007). EDP Sciences. <https://doi.org/10.1051/bioconf/20202001007>.
- Kopriva, S., & Chu, C. (2018). Are we ready to improve phosphorus homeostasis in rice?. *Journal of experimental botany*, 69(15), 3515-3522. <https://doi.org/10.1093/jxb/ery163>
- Kurnia, N. H., Sasli, I., & Wasian, W. (2021). Pengaruh Pemupukan Fosfat Dan Kalium Terhadap Pertumbuhan Dan Hasil Gabah Padi Hitam Di Sawah Tadah Hujan. *Jurnal Teknologi Pangan dan Industri Perkebunan (LIPIDA)*, 1(1), 31-39. <https://doi.org/10.58466/lipida.v1i1.1366>.
- Lestari, P. I., Arif, W. P., & Murti, W. (2019). Pemberdayaan Kelompok Wanita Tani dan Usaha Dagang dalam Pengembangan Liquid State Fermentation di Kecamatan Bantimurung. *Celebes Abdimas: Jurnal Pengabdian Kepada Masyarakat*, 1(1), 53-61.
- Liu, Q. L., Xu, X. H., Ren, X. L., Fu, H. W., Wu, D. X., & Shu, Q. Y. (2007). Generation and characterization of low phytic acid germplasm in rice (*Oryza sativa* L.). *Theoretical and Applied Genetics*, 114, 803-814. <https://doi.org/10.1007/s00122-006-0478-9>.
- Lu, L., Tian, S., Liao, H., Zhang, J., Yang, X., Labavitch, J. M., & Chen, W. (2013). Analysis of metal element distributions in rice (*Oryza sativa* L.) seeds and relocation during germination based on X-ray fluorescence imaging of Zn, Fe, K, Ca, and Mn. *PLoS One*, 8(2), e57360. <https://doi.org/10.1371/journal.pone.0057360>.

- Ma, T. L., Wu, W. H., & Wang, Y. (2012). Transcriptome analysis of rice root responses to potassium deficiency. *BMC Plant Biology*, *12*, 1-13. <https://doi.org/10.1186/1471-2229-12-161>.
- Ma, B., Liu, Y., Li, X., Fang, Z., Zhang, L., & He, Z. (2022). A combined approach to evaluate total phosphorus/inorganic phosphate levels in plants. *STAR protocols*, *3*(3), 101456. <https://doi.org/10.1016/j.xpro.2022.101456>.
- Mohapatra, P. K., Panda, B. B., & Kariali, E. (2011). Plasticity of tiller dynamics in wild rice *Oryza rufipogon* Griff.: A strategy for resilience in suboptimal environments. *International Journal of Agronomy*, *2011*. <https://doi.org/10.1155/2011/543237>
- Marlina, M., Setyono, S., & Mulyaningsih, Y. (2017). Pengaruh umur bibit dan jumlah bibit terhadap pertumbuhan dan hasil panen padi sawah (*Oryza sativa*) varietas Ciherang. *Jurnal Pertanian*, *8*(1), 26-35.
- Masganti, A. S., Khairullah, I., & Anwar, K. (2019). Pengendalian keracunan besi untuk peningkatan produktivitas padi di lahan rawa pasang surut bukaan baru. *Jurnal Sumberdaya Lahan*, *13*(2), 103-113.
- Meeker, J. E. (1996). Wild-rice and sedimentation processes in a Lake Superior coastal wetland. *Wetlands*, *16*, 219-231. <https://doi.org/10.1007/BF03160695>.
- Miranda-Villagómez, E., Trejo-Téllez, L. I., Gómez-Merino, F. C., Sandoval-Villa, M., Sánchez-García, P., & Aguilar-Méndez, M. Á. (2019). Nanophosphorus fertilizer stimulates growth and photosynthetic activity and improves P status in rice. *Journal of Nanomaterials*, *2019*, 1-11. <https://doi.org/10.1155/2019/5368027>
- Mitra, G. (2017). Essential plant nutrients and recent concepts about their uptake. *Essential Plant Nutrients: Uptake, Use Efficiency, and Management*, 3-36. https://doi.org/10.1007/978-3-319-58841-4_1.
- Mullins, G. L., Reeves, D. W., Burmester, C. H., & Bryant, H. H. (1994). In-row subsoiling and potassium placement effects on root growth and potassium content of cotton. *Agronomy Journal*, *86*(1), 136-139. <https://doi.org/10.2134/agronj1994.00021962008600010025x>.
- Mulyani, A., Ritung, S., & Las, I. (2011). Potensi dan ketersediaan sumber daya lahan untuk mendukung ketahanan pangan. *Jurnal Litbang Pertanian*, *30*(2), 73-80.
- Mulyani, A., & Hikmatullah, S. H. (2004). Karakteristik dan potensi tanah masam lahan kering di Indonesia. *Prosiding Simposium Nasional Pendugaan Tanah Masam. Bogor (Indones): Pusat Penelitian dan Pengembangan Tanah dan Agroklimat*, 1-32.

- Noor, M., & Rahman, A. D. I. T. Y. A. (2015). Biodiversitas dan kearifan lokal dalam budidaya tanaman pangan mendukung kedaulatan pangan: Kasus di lahan rawa pasang surut. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 1(8), 1861-1867. <https://doi.org/10.13057/psnmbi/m010819>.
- Novelia, T. L., Prasetyono, J., Isminingsih, S., & Hilal, S. (2019). Seleksi Fenotipe Dan Molekuler Galur Galur Padi (*Oryza Sativa* L.) Lokus PUP1 dan ALT pada Larutan Hara Yoshida. *Jurnal Agroekoteknologi*, 11(2), 150-161. <http://dx.doi.org/10.33512/jur.agroekotetek.v11i2.7692>.
- Nugraha, Y., Ardie, S. W., Ghulamahdi, M., & Aswidinnoor, H. (2016). Generation Mean Analysis of Leaf Bronzing Associated With Iron Toxicity In Rice Seedlings Using Digital Imaging Methods. *Sabrao Journal of Breeding & Genetics*, 48(4).
- Nurhayati, N. (2021). Perbaikan Tinggi Tanaman Padi IPB3S dan PR135 dengan Aplikasi Penyuntingan Genom CRISPR Cas9/GA20ox2. *Jurnal Agrosains dan Teknologi*, 6(1), 15-24. <https://doi.org/10.24853/jat.6.1.15-24>.
- Nurmalasari, S., & Ami, M. S. (2021). Studi Etnobotani Tumbuhan pada Upacara Adat Midodareni di Kabupaten Jombang. *Exact Papers in Compilation (EPIc)*, 3(3), 411-418.
- Olajumoke, B., Juraimi, A. S., Uddin, M. K., Husni, M. H., & Alam, M. A. (2016). Competitive ability of cultivated rice against weedy rice biotypes: A review. *Chilean journal of agricultural research*, 76(2), 243-252. <http://dx.doi.org/10.4067/S0718-58392016000200015>
- Pellerin, S., Mollier, A., Morel, C., & Plenchette, C. (2007). Effect of incorporation of *Brassica napus* L. residues in soils on mycorrhizal fungus colonisation of roots and phosphorus uptake by maize (*Zea mays* L.). *European Journal of Agronomy*, 26(2), 113-120. <https://doi.org/10.1016/j.eja.2006.07.007>.
- Perwira, D., Aryunis, A., & Riduan, A. (2023). Pengaruh Padi Lokal Jambi dan Padi Unggul Nasional terhadap Pengaplikasian Biochar di Lahan Rawa Pasang Surut. *Jurnal Ilmiah Universitas Batanghari Jambi*, 23(1), 939-948. <http://dx.doi.org/10.33087/jiubj.v23i1.3679>.
- Poerwanto, R., Sulaeman, A., & Wattimena, G. (2012). Sejarah dan Perkembangan Revolusi Hijau, Revolusi Bioteknologi dan Revolusi Hijau Lestari. In *Merevolusi Revolusi Hijau* (pp. 3–18). IPB Press.
- Pradana, O. C. P., & Andini, S. N. (2020). Respon Pertumbuhan Galur Padi B4 Hasil Rakitan Politeknik Negeri Lampung terhadap Cekaman pH Secara In Vitro: Growth Response of B4 Paddy (*Oryza sativa*) Strain to pH Stress by In Vitro. *J-Plantasimbiosa*, 2(2), 33-40. <https://doi.org/10.25181/jplantasimbiosa.v2i2.1701>.

- Prihatin, R. B. (2015). Alih fungsi lahan di perkotaan (Studi kasus di Kota Bandung dan Yogyakarta). *Jurnal Aspirasi*, 6(2), 105-118. <https://doi.org/10.46807/aspirasi.v6i2.507>.
- Qi, D. U., Zhao, X. H., Le, X. I. A., Jiang, C. J., Wang, X. G., Yi, H. A. N., & Yu, H. Q. (2019). Effects of potassium deficiency on photosynthesis, chloroplast ultrastructure, ROS, and antioxidant activities in maize (*Zea mays* L.). *Journal of integrative agriculture*, 18(2), 395-406. [https://doi.org/10.1016/S2095-3119\(18\)61953-7](https://doi.org/10.1016/S2095-3119(18)61953-7)
- Rahayu, S. E., & Febriaty, H. (2019). Analisis perkembangan produksi beras dan impor beras di Indonesia. In *Prosiding Seminar Nasional Kewirausahaan*, 1(1), 219-226. <https://doi.org/10.30596/snk.v1i1.3613>.
- Ramírez, M. L., Claassen, N., Amílcar Ubiera, A., Werner, H., & Moawad, A. M. (2002). Effect of phosphorus, potassium and zinc fertilizers on iron toxicity in wetland rice (*Oryza sativa* L.). *Plant and soil*, 239, 197-206. <https://doi.org/10.1023/A:1015099422778>.
- Ramos, I., Pataco, I. M., Mourinho, M. P., Lidon, F., Reboredo, F., Pessoa, M. F., & Guerra, M. (2016). Elemental mapping of biofortified wheat grains using microX-ray fluorescence. *Spectrochimica Acta Part B: Atomic Spectroscopy*, 120, 30-36. <https://doi.org/10.1016/j.sab.2016.03.014>.
- Rao, I. M., & Pessarakli, M. (1996). The role of phosphorus in photosynthesis. *Handbook of photosynthesis*, 173-194.
- Rychter, A. M., & Rao, I. M. (2005). Role of phosphorus in photosynthetic carbon metabolism. *Handbook of photosynthesis*, 2, 123-148.
- Sapkota, S., & Sapkota, S. (2019). Benefit cost analysis of different rice varieties in Kapilvastu district, Nepal. *International Journal of Applied Sciences and Biotechnology*, 7(2), 222-226. <https://doi.org/10.3126/ijasbt.v7i2.24210>.
- Sasminto, A. T., & Sularno, S. (2018). Efektivitas konsentrasi pupuk cair hayati terhadap pertumbuhan dan produksi padi sawah *Oryza sativa* L. *Prosiding SEMNASTAN*, 220-228.
- Sepwanti, C., Rahmawati, M., & Kesumawati, E. (2016). Pengaruh varietas dan dosis kompos yang diperkaya *Trichoderma harzianum* terhadap pertumbuhan dan hasil tanaman cabai merah (*Capsicum annuum* L.). *Jurnal Kawista Agroteknologi*, 1(1), 68-74.
- Shao-Xia, Z. H. O. U., Feng, T. I. A. N., Zuo-Feng, Z. H. U., Yong-Cai, F. U., Xiang-Kun, W. A. N. G., & Chuan-Qing, S. U. N. (2006). Identification of quantitative trait loci controlling drought tolerance at seedling stage in Chinese Dongxiang common wild rice (*Oryza rufipogon* Griff.). *Acta*

Genetica Sinica, 33(6), 551-558.

[https://doi.org/10.1016/S0379-4172\(06\)60084-X](https://doi.org/10.1016/S0379-4172(06)60084-X).

Siavoshi, M., Nasiri, A., & Laware, S. L. (2011). Effect of organic fertilizer on growth and yield components in rice (*Oryza sativa* L.). *Journal of Agricultural science*, 3(3), 217. <http://dx.doi.org/10.5539/jas.v3n3p217>.

Sitairesmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., & Susanto, U. (2013). Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *Buletin Iptek Tanaman Pangan*, 8(1).

Guritno, B., & Sitompul, S. M. (1995). *Analisis Pertumbuhan Tanaman*. Yogyakarta: Gadjah Mada University Press.

Song, Z. P., LU, B. R., Wang, B., & Chen, J. K. (2004). Fitness estimation through performance comparison of F1 hybrids with their parental species *Oryza rufipogon* and *O. sativa*. *Annals of Botany*, 93(3), 311-316. <https://doi.org/10.1093/aob/mch036>.

Kumar, K. K., Ravichandran, V., Subramanian, A., & Arul, L. (2023). Enriched Yoshida nutrient solution enhances rice growth under hydroponics.

Sudarmo, S. (1991). *Pestisida*. Kanisius: Yogyakarta.

Sugiyanta. (2007). Peran Jerami dan Pupuk Hijau terhadap Efisiensi dan Kecukupan Hara Lima Varietas Padi Sawah. Disertasi. *Institut Pertanian Bogor*.

Suhartini, T. (2016). Spesies Padi Liar (*Oryzaspp.*) Sebagai Sumber Gen Ketahanan Cekaman Abiotik Dan Biotik Pada Padi Budi Daya. *Jurnal Penelitian dan Pengembangan Pertanian*, 35(4), 197-207. <https://dx.doi.org/10.21082/jp3.v35n4.2016.p197-207>.

Sukadana, I. G., Warmada, I. W., Pratiwi, F., Harijoko, A., Adimedha, T. B., & Yogatama, A. W. (2022). Elemental Mapping for Characterizing of Thorium and Rare Earth Elements (REE) Bearing Minerals Using μ XRF. *Atom Indonesia*, 48(2), 87-98. <https://doi.org/10.17146/ajj.2022.1215>.

Sumadji, A. R. (2020). Kerapatan Stomata dan Kaitannya terhadap Kekeringan Pada Tanaman Padi Varietas IR 64. *Widya Warta*, 22(01).

Textures, H. (2020). Respon varietas padi berpotensi hasil tinggi terhadap pemupukan nitrogen pada Inceptisols bertekstur ringan dan berat. *Jurnal Tanah dan Iklim* Vol, 44(1), 37-49. <http://dx.doi.org/10.21082/jti.v44n1.2020.37-49>.

The Sulphur Institute. (2008). *Sulphur in Indian agriculture*. Washington, DC: The Sulphur Institute.

- Tsay, Y. F., Ho, C. H., Chen, H. Y., & Lin, S. H. (2011). Integration of nitrogen and potassium signaling. *Annual Review of Plant Biology*, 62, 207-226. <https://doi.org/10.1146/annurev-arplant-042110-103837>
- Utama, M. Z. H. (2015). *Budidaya Padi pada Lahan Marginal: Kiat Meningkatkan Produksi Padi*. Penerbit Andi.
- Vance, C. P. (2010). Quantitative trait loci, epigenetics, sugars, and microRNAs: quaternaries in phosphate acquisition and use. *Plant physiology*, 154(2), 582-588. <https://doi.org/10.1104%2Fpp.110.161067>.
- Vinod, K. K., & Heuer, S. (2012). Approaches towards nitrogen-and phosphorus-efficient rice. *AoB Plants*. <https://doi.org/10.1093/aobpla/pls028>.
- Wahdah, R., Langai, B. F., & Sitaresmi, T. Keragaman Karakter Varietas Lokal Padi Pasang Surut Kalimantan Selatan. *Jurnal Penelitian Pertanian Tanaman Pangan*, 31(3), 123662. <https://dx.doi.org/10.21082/jpntp.v31n3.2012.p158-165>.
- Wahyuti, T. B., Purwoko, B. S., Junaedi, A., & Abdullah, B. (2013). Hubungan karakter daun dengan hasil padi varietas unggul. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 41(3). <https://doi.org/10.24831/jai.v41i3.8094>.
- Wayan, N. S. S., Suprayanti M. D., & Mi'raz N. I. (2020). *Kapita Selekta Produksi Benih dan Bibit Tanaman Pangan*. LPPM Unram Press.
- Wibisono, K., & Nurcholis, W. (2023). Elemental Mapping and Quantities in Different Soybean Seed Colors Using Micro X-Ray Fluorescence and Their Correlations with Germination. *Atom Indonesia*, 1(2), 115-123. <https://doi.org/10.55981/aij.2023.1300>.
- Widiastuti, E., & Latifah, E. (2016). Keragaan pertumbuhan dan biomassa varietas kedelai (*Glycine Max* (l)) di lahan sawah dengan aplikasi pupuk organik cair. *Jurnal Ilmu Pertanian Indonesia*, 21(2), 90-97. <http://journal.ipb.ac.id/index.php/JIPI>.
- Wihardjaka, A. (2015). Peran jerami padi dalam memperbaiki hasil gabah dan serapan kalium di lahan sawah tadah hujan di Kabupaten Pati, Jawa Tengah. *Agric*, 27(1), 15-22. <https://doi.org/10.24246/agric.2015.v27.i1.p15-22>.
- Yoshida, S. (1981). *Fundamentals of rice crop science*. Int. Rice Res. Inst.
- Yunita, S., Hutapea, S., & Rahman, A. (2017). Respon Pertumbuhan Tanaman Sawi Manis (*Brassica juncea* L.) Terhadap Pemberian Pupuk Organik Cair Dan Kompos Sekam Padi. *Agrotekma: Jurnal Agroteknologi dan Ilmu Pertanian*, 2(1), 65-80. <http://dx.doi.org/10.31289/agr.v2i1.1110>.

- Yuzugullu, O., Marelli, S., Erten, E., Sudret, B., & Hajnsek, I. (2017). Determining rice growth stage with X-band SAR: A metamodel based inversion. *Remote Sensing*, 9(5), 460. <https://doi.org/10.3390/rs9050460>.
- Zahrah, S. (2010). Serapan hara N, P, K, dan hasil berbagai varietas tanaman padi sawah dengan pemberian amelioran ion Cu, Zn, Fe pada tanah gambut. *Jurnal Natur Indonesia*, 12(2), 102-108. <http://dx.doi.org/10.31258/jnat.12.2.102-108>.
- Zubaidah, Y., & Munir, R. (2007). Aktifitas pemupukan fosfor (P) pada lahan sawah dengan kandungan P-sedang. *Jurnal Solum*, 4(1), 1-4. <https://doi.org/10.25077/js.4.1.1-4.2007>.
- Zulfita, D., & Santoso, E. (2018). Efektivitas Pupuk Hayati Dan Jenis Pupuk Kandang Pada Serapan Hara N, P, K dan Proses Fisiologis Tanaman Jagung Pada Tanah Gambut. *AGROISTA: Jurnal Agroteknologi*, 2(2). <https://doi.org/10.55180/agi.v2i2.34>.

