

DAFTAR PUSTAKA

- Abbasi, P. A., & Weselowski, B. (2015). Efficacy of *Bacillus subtilis* QST 713 formulations, copper hydroxide, and their tank mixes on bacterial spot of tomato. *Crop Protection*, 74, 70-76. DOI: <https://doi.org/10.1016/j.cropro.2015.04.009>
- Abbasi, P. A., Soltani, N., Cuppels, D. A., Lazarovits, G. (2002). Reduction of bacterial spot disease severity on tomato and pepper plants with foliar applications of ammonium lignosulfonate and potassium phosphate. *Plant disease*, 86(11), 1232-1236. DOI: <https://doi.org/10.1094/PDIS.2002.86.11.1232>
- Abdellatif, E., Mikiciński, A., Kałużna, M., Bahri, B. A., Mougou-Hamdane, A., van Vaerenberg, J., Baien, S., Janse, J. D. (2022). Promising epiphytic antagonistic *Pseudomonas* strains from the Citrus phyllosphere in the biocontrol of *Pseudomonas syringae* pv. *syringae*, causing bacterial citrus blast and black pit. *Journal of Plant Pathology*, 104(3), 915-928. DOI: <https://doi.org/10.1007/s42161-022-01133-y>
- Abdurrahman, F., Ahamed, K. M., Amein, T. A. (2020). Comparison among various control methods of tomato bacterial spot disease (*Xanthomonas campestris* pv. *vesicatoria*). *Rafidain Journal of Science*, 29(1), 20-28. DOI: <https://doi.org/10.33899/rjs.2020.164471>
- Abo-Elyousr, K. A., Abdel-Rahim, I. R., Almasoudi, N. M., Alghamdi, S. A. (2021). Native endophytic *Pseudomonas putida* as a biocontrol agent against common bean rust caused by *Uromyces appendiculatus*. *Journal of Fungi*, 7(9), 745. DOI: <https://doi.org/10.3390/jof7090745>
- Andarina, R., & Djauhari, T. (2017). Antioksidan dalam dermatologi. *Jurnal Kedokteran dan Kesehatan: Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya*, 4(1), 39-48.
- Aeny, T. N. (2001). Patogenisitas bakteri layu pisang (*Ralstonia* sp.) pada beberapa tanaman lain. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 1(2), 60-62. DOI: <https://doi.org/10.23960/j.hptt.2160-62>
- Afzal, I., Shinwari, Z. K., Sikandar, S., & Shahzad, S. (2019). Plant beneficial endophytic bacteria: Mechanisms, diversity, host range and genetic determinants. *Microbiological research*, 221, 36-49. DOI: <https://doi.org/10.1016/j.micres.2019.02.001>
- Agrios, G.N. (2005). *Plant Pathology*, 5th edition. Academic Press, New York. 922 p.
- Agrios, G. N. (2009). *Plant pathogens and disease: general introduction*.

- Ahmad, I., & Ahmad, M. (2022). Bacterial spot caused by *Xanthomonas vesicatoria* devastated tomato production of Khyber Pakhtunkhwa-Pakistan. *International journal of phytopathology*, 11(1), 77-95. DOI: <https://doi.org/10.33687/phytopath.011.01.4071>
- Akbaba, M., Ozaktan, H. (2018). Biocontrol of angular leaf spot disease and colonization of cucumber (*Cucumis sativus* L.) by endophytic bacteria. *Egyptian Journal of Biological Pest Control*, 28(1), 1-10. DOI: <https://doi.org/10.1186/s41938-017-0020-1>
- Ali, S., Ganai, B. A., Kamili, A. N., Bhat, A. A., Mir, Z. A., Bhat, J. A., ... & Grover, A. (2018). Pathogenesis-related proteins and peptides as promising tools for engineering plants with multiple stress tolerance. *Microbiological research*, 212, 29-37. DOI: <https://doi.org/10.1016/j.micres.2018.04.008>
- AL-Saleh, M. A. (2011). Pathogenic variability among five bacterial isolates of *Xanthomonas campestris* pv. *vesicatoria*, causing spot disease on tomato and their response to salicylic acid. *Journal of the Saudi Society of Agricultural Sciences*, 10(1), 47-51. DOI: <https://doi.org/10.1016/j.jssas.2010.08.001>
- Anderson, A. J., and Kim, Y. C. (2018). *Biopesticides produced by plant-probiotic Pseudomonas chlororaphis* isolates. *Crop Protection* 105, 62–69. DOI: <https://doi.org/10.1016/j.cropro.2017.11.009>
- Anomsari, S.D. dan B. Prayudi. (2012). *Budidaya Tomat*. Balai Pengkajian Teknologi Pertanian Jawa Tengah, Semarang.
- Ariga, I., Hasanuddin, H., & Kesumawati, E. (2022). Pengaruh Dosis Kompos Kulit Jengkol dan Varietas terhadap Pertumbuhan dan Hasil Tanaman Tomat (*Lycopersicon esculentum* L.). *Jurnal Ilmiah Mahasiswa Pertanian*, 7(2), 814-821. DOI: <https://doi.org/10.17969/jimfp.v7i2.20046>
- Arya, N., Rana, A., Rajwar, A., Sahgal, M., & Sharma, A. K. (2018). Biocontrol efficacy of siderophore producing indigenous *Pseudomonas* strains against Fusarium Wilt in Tomato. *National Academy Science Letters*, 41, 133-136. DOI: <https://doi.org/10.1007/s40009-018-0630-5>
- Ashari, S. (2006). *Hortikultura Aspek Budidaya*. Jakarta: UI Press.
- Asharo, RK, Indrayanti, R., Damayanti, AP, Putri, HAE, Nabilah, S., & Pasaribu, PO (2022). Isolasi dan Karakterisasi Asal Mikroba Patogen pada Stroberi (*Fragaria* sp.) Berdasarkan Postulat Koch. *Jurnal Ilmiah Biologi Eksperimen dan Keanekaragaman Hayati (J-BEKH)*, 9 (2), 51-61. DOI: <https://doi.org/10.23960/jbekh.v9i2.269>

- Ashry, N. A., Mohamed, H. I. (2012). Impact of secondary metabolites and related enzymes in flax resistance and/or susceptibility to powdery mildew. *African Journal of Biotechnology*, 11(5), 1073-1077. DOI: <https://10.5897/AJB11.1023>
- Astari, S. M., Rialita, A., Mahyarudin, M. (2021). Aktivitas Antibakteri Isolat Bakteri Endofit Tanaman Kunyit (*Curcuma longa* L.) Terhadap Pertumbuhan *Staphylococcus aureus*. *Jurnal Fitofarmaka Indonesia*, 8(2), 9-16. DOI: <https://doi.org/10.33096/jffi.v8i2.644>
- Balcázar, J. L., De Blas, I., Ruiz-Zarzuela, I., Vendrell, D., Calvo, A. C., Márquez, I., ... & Muzquiz, J. L. (2007). Changes in intestinal microbiota and humoral immune response following probiotic administration in brown trout (*Salmo trutta*). *British journal of nutrition*, 97(3), 522-527. DOI: <https://doi.org/10.1017/S0007114507432986>
- Balint-Kurti, P. (2019). The plant hypersensitive response: concepts, control and consequences. *Molecular plant pathology*, 20(8), 1163-1178. DOI: <https://10.1111/mpp.12821>
- Balthazar, C., Cantin, G., Novinscak, A., Joly, D. L., Filion, M. (2020). Expression of putative defense responses in cannabis primed by *Pseudomonas* and/or *Bacillus* strains and infected by *Botrytis cinerea*. *Frontiers in Plant Science*, 11, 572112. DOI: <https://doi.org/10.3389/fpls.2020.572112>
- Barazani, O., & Friedman, J. (2001). Allelopathic bacteria and their impact on higher plants. *Critical reviews in microbiology*, 27(1), 41-55. DOI: <https://doi.org/10.1080/20014091096693>
- Baysal, F., Welty, C., & Miller, S. A. (2007, October). Comparison of IPM tactics in home vegetable gardens: Tomato. In *II International Symposium on Tomato Diseases 808* (pp. 133-136). DOI: <https://10.17660/ActaHortic.2009.808.19>
- Beltrán-García, M.J., White, J. F., Prado, F. M., Prieto K, R. (2014). *Nitrogen acquisition in Agave tequilana from degradation of endophytic bacteria*. *Scientific Reports*. 4(1): 1-7. DOI: <https://doi.org/10.1038/srep06938>
- Beneduzi, A., Ambrosini, A., and Passaglia, L. M. (2012). Plant growth promoting rhizobacteria (PGPR): their potential as antagonists and biocontrol agents. *Genet. Mol. Biol.* 35, 1044–1051. DOI: <https://10.1590/s1415-47572012000600020>
- [BPS] Badan Pusat Statistika. (2021). *Produksi Tanaman Sayuran*. <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html> [11 Mei 2023].

- Büttner, D., & Bonas, U. (2010). Regulation and secretion of *Xanthomonas* virulence factors. *FEMS microbiology reviews*, 34(2), 107-133. DOI: <https://doi.org/10.1111/j.1574-6976.2009.00192.x>
- Byrne, J. M., Dianese, A. C., Ji, P., Campbell, H. L., Cuppels, D. A., Louws, F. J., Wilson, M. (2005). Biological control of bacterial spot of tomato under field conditions at several locations in North America. *Biological Control*, 32(3), 408-418. DOI: <https://doi.org/10.1016/j.biocontrol.2004.12.001>
- Charvel, F., Sjojfan, J., & Ardian, A. (2014). *Pertumbuhan Dan Produksi Beberapa Galur dan Varietas Tomat (*Lycopersicum esculentum* Mill.) di Dataran Rendah* (Doctoral dissertation, Riau University).
- Cipollini, D., Rigsby, C. M., & Barto, E. K. (2012). Microbes as targets and mediators of allelopathy in plants. *Journal of chemical ecology*, 38, 714-727. DOI: <https://doi.org/10.1007/s10886-012-0133-7>
- Danaatmadja, Y., Subandiyah, S., Joko, T., & Sari, C. U. (2009). Isolasi dan karakterisasi *Ralstonia solanaceae* (Isolation and characterization of *Ralstonia solanaceae*). *J. Perlindungan Tanaman Indonesia*, 15, 7-12.
- Datnoff, L. E., Elmer, W.H., Huber, D. M. (2009). *Mineral Nutrition and Plant Disease*. St. Paul Minnesota: APS Press.
- Defago, G., Berling, C. H., Burger, U., Haas, D., Kahr, G., Keel, C., Wüthrich, B. (1990). Suppression of black root rot of tobacco and other root diseases by strains of *Pseudomonas fluorescens*: potential applications and mechanisms. In *Biological control of soil-borne plant pathogens* (pp. 93-108). CAB international.
- Delledonne, M., Zeier, J., Marocco, A., & Lamb, C. (2001). Signal interactions between nitric oxide and reactive oxygen intermediates in the plant hypersensitive disease resistance response. *Proceedings of the National Academy of Sciences*, 98(23), 13454-13459. DOI: <https://doi.org/10.1073/pnas.231178298>
- Dhar Purkayastha, G., Mangar, P., Saha, A., Saha, D. (2018). Evaluation of the biocontrol efficacy of a *Serratia marcescens* strain indigenous to tea rhizosphere for the management of root rot disease in tea. *PloS one*, 13(2), e0191761. DOI: <https://doi.org/10.1371/journal.pone.0191761>
- Direktorat Perbenihan dan Sarana Produksi. (2010). Standar prosedur operasional budidaya tomat. <http://www.deptan.go.id>. [26 Januari 2023].
- Doidge, E.M. (1920) A tomato canker. *Journal of the Department of Agriculture, Union of South Africa*, 1, 718-721.

- Dowson, W.J. (1939) On the systematic position and generic names of the Gram negative bacterial plant pathogens. *Zentralblatt für Bakteriologie, Parasitenkunde und Infektionskrankheiten*, 2, 100, 177–193.
- EFSA Panel on Plant Health (PLH). (2014). Scientific opinion on the pest categorisation of *Xanthomonas campestris* pv. *vesicatoria* (Doidge) Dye. *EFSA Journal*, 12(6), 3720. DOI: <https://doi.org/10.2903/j.efsa.2014.3720>
- El-Esawi, M. A., El-Ballat, E. M., Elsayed, A. (2022). Exogenous application of neem extract enhances the control of bacterial spot of tomato grown in soilless culture system through modulating gas exchange attributes, osmolytes, antioxidant machinery and genes expression. *Egypt. J. Exp. Biol.(Bot.)*. Accepted. DOI: <https://10.5455/egyjebb.20220327060847>
- Elfina, Y. E. (2015). Uji beberapa konsentrasi ekstrak tepung daun sirih hutan (*Piper aduncum* L.) untuk mengendalikan penyakit antraknosa pada buah cabai merah pasca panen. *Sagu*, 14(2), 18-27. DOI: <http://dx.doi.org/10.31258/sagu.v14i2.3006>
- El-Hendawy, H. H., Osman, M. E., Sorour, N. M. (2005). Biological control of bacterial spot of tomato caused by *Xanthomonas campestris* pv. *vesicatoria* by *Rahnella aquatilis*. *Microbiological research*, 160(4), 343-352. DOI: <https://doi.org/10.1016/j.micres.2005.02.008>
- Ezepchuk, Y. V. (2013). *Biology of pathogenicity (theoretical review)*. Annual Research & Review in Biology, 3(4), 805-813.
- [FAOSTAT] Food and Agriculture Organization. (2019). <https://www.fao.org/faostat/en/#home>. [20 Mei 2022]
- Federer WT. (1963). *Experimental Design : Theory and Application*. Second printing ed. New York: Macmillan.
- Felipe, V., Bianco, M. I., Terrestre, M., Mielnichuk, N., Romero, A. M., & Yaryura, P. M. (2021). Biocontrol of tomato bacterial spot by novel *Bacillus* and *Pseudomonas* strains. *European Journal of Plant Pathology*, 160(4), 935-948. DOI: <https://doi.org/10.1007/s10658-021-02297-6>
- Firdous, J., Lathif, N. A., Mona, R., & Muhamad, N. (2019). Endophytic bacteria and their potential application in agriculture: a review. *Indian Journal of Agricultural Research*, 53(1), 1-7. DOI: <https://10.18805/IJARE.A-366>
- Fischetti, V. A. (2006, June). Using phage lytic enzymes to control pathogenic bacteria. In *BMC oral health* (Vol. 6, No. 1, pp. 1-4). BioMed Central. DOI: <https://10.1186/1472-6831-6-S1-S16>

- Fitriyah, D., Ayu, D. P., Puspita, S. D., Kartika, R. C., & Ubaidillah, M. (2022). Kandungan Nutrisi dan Aktivitas Antimikroba Ekstrak Beras Merah. *Jurnal Pangan dan Gizi*, 12(2), 30-36.
- Fravel, D. R. (1988). *Role of antibiosis in the biocontrol of plant diseases*. *Annu. Rev. Phytopathol.* 26,75–91.
- Glazebrook, J. (2005). Contrasting mechanisms of defense against biotrophic and necrotrophic pathogens. *Annu. Rev. Phytopathol.*, 43, 205-227. DOI: <https://doi.org/10.1146/annurev.phyto.43.040204.135923>
- Gould, I. M. (2000). Towards a common susceptibility testing method?. *Journal of Antimicrobial Chemotherapy*, 45(6), 757-762. DOI: <https://doi.org/10.1093/jac/45.6.757>
- Gu, Q., Qiao, J., Wang, R., Lu, J., Wang, Z., Li, P., ... & Wu, H. (2022). The role of pyoluteorin from *Pseudomonas protegens* Pf-5 in suppressing the growth and pathogenicity of *Pantoea ananatis* on maize. *International Journal of Molecular Sciences*, 23(12), 6431. DOI: <https://doi.org/10.3390/ijms23126431>
- Handayani, R., Qamariah, N., & Mardova, S. A. (2018). Uji Daya Hambat Ekstrak Etanol Batang Saluang Belum terhadap Bakteri *Escherichia coli*: The Inhibitory Test of Ethanol Extract Saluang Belum Stem to *Escherichia coli*. *Borneo Journal of Pharmacy*, 1(1), 16-18. DOI: <https://doi.org/10.33084/bjop.v1i1.237>
- Hanif, A., & Susanti, R. (2017). Analisis senyawa antifungal bakteri endofit asal tanaman jagung (*Zea mays* L.). *Agrintech: Jurnal Teknologi Pangan dan Hasil Pertanian*, 1(1). DOI: <https://doi.org/10.30596/agrintech.v1i1.1666>
- Hassan, E. O., Zyton, M. A. (2017). Management of bacterial spot of pepper caused by *Xanthomonas campestris* pv. *vesicatoria*. *Am. J. Biosci. Bioeng*, 5, 41-49. DOI: <https://10.11648/j.bio.20170501.17>
- He, S. Y., Huang, H. C., & Collmer, A. (1993). *Pseudomonas syringae* pv. *syringae* harpinPss: a protein that is secreted via the Hrp pathway and elicits the hypersensitive response in plants. *Cell*, 73(7), 1255-1266.
- Hong C. E., Park JM. (2016). Endophytic bacteria as biocontrol agents against plant pathogens: current state-of-the-art. *Plant Biotechnol. Rep.* 10: 353-357 DOI 10.1007/s11816-016-0423- 6. DOI: <https://doi.org/10.1007/s11816-016-0423-6>
- Hugouvieux-Cotte-Pattat, N., Condemine, G., & Shevchik, V. E. (2014). Bacterial pectate lyases, structural and functional diversity. *Environmental microbiology reports*, 6(5), 427-440. DOI: <https://doi.org/10.1111/1758-2229.12166>

- Idris, E. E., Iglesias, D. J., Talon, M., & Borriss, R. (2007). Tryptophan-dependent production of indole-3-acetic acid (IAA) affects level of plant growth promotion by *Bacillus amyloliquefaciens* FZB42. *Molecular plant-microbe interactions*, 20(6), 619-626. DOI: <https://doi.org/10.1094/MPMI-20-6-0619>
- Istiqomah, I., Aini, L. Q., Abadi, A. L. (2017). Kemampuan *Bacillus subtilis* dan *Pseudomonas fluorescens* dalam melarutkan fosfat dan memproduksi hormon IAA (Indole Acetic Acid) untuk meningkatkan pertumbuhan tanaman tomat. *Buana Sains*, 17(1), 75-84. DOI: <https://doi.org/10.33366/bs.v17i1.580>
- Istiqomah, I., & Kusumawati, D. E. (2018). Pemanfaatan *Bacillus subtilis* dan *Pseudomonas fluorescens* dalam pengendalian hayati *Ralstonia solanacearum* penyebab penyakit layu bakteri pada tomat. *Jurnal Agro*, 5(1), 1-12. DOI: <https://doi.org/10.15575/2305>
- [ITIS.GOV]. Integrated Taxonomic Information System. (2023). *Solanum lycopersicum* L. <https://www.itis.gov> [26 Januari 2023]
- Jones, J.B., Woltz, S.S., Kelly, R.O., Harris, G. (1991). *The role of ionic copper, total copper and select bactericides on control of bacterial spot of tomato*. Proceedings of the Florida State Hort. Soci., 104, 257-259.
- Jones, J.B., Lacy, G.H., Bouzar, H., Stall, R.E. & Schaad, N.W. (2006). List of new names and new combinations previously effectively, but not validly, published. *International Journal of Systematic and Evolutionary Microbiology*, 56, 925–927. (Effective publication = Jones et al., 2004)
- Junaidi, J., & Moeljanto, B. D. (2019). Usaha Peningkatan Produksi Tomat (*Lycopersicum Esculentum* Mill) dengan Pupuk Organik Cair (POC). *Jurnal Agrinika: Jurnal Agroteknologi dan Agribisnis*, 3(1), 29-43. DOI: <https://doi.org/10.30737/agrinika.v3i1.637>
- Kirchberg, J., Büttner, D., Thiemer, B., & Sawers, R. G. (2012). Aconitase B is required for optimal growth of *Xanthomonas campestris* pv. *vesicatoria* in pepper plants. *PLoS One*, 7(4), e34941. DOI: <https://doi.org/10.1371/journal.pone.0034941>
- Klement, Z., & Goodman, R. N. (1967). The hypersensitive reaction to infection by bacterial plant pathogens. *Annual Review of Phytopathology*, 5(1), 17-44. DOI: <https://doi.org/10.1146/annurev.py.05.090167.000313>
- Kong, P. (2019). Evaluation of a novel endophytic *Pseudomonas lactis* strain for control of boxwood blight. *Journal of Environmental Horticulture*, 37(2), 39-43. DOI: <https://doi.org/10.24266/0738-2898-37.2.39>

- Kousik, C.S., Ritchie, D.F. (1996). *Race shift in Xanthomonas campestris pv. vesicatoria within a season in field-grown pepper*. *Phytopathol.*, 86,952.
- Kurina, A. B., Solovieva, A. E., Khrupalova, I. A., Artemyeva, A. M. (2021). Biochemical composition of tomato fruits of various colors. *Vavilov Journal of Genetics and Breeding*, 25(5), 514. DOI: <https://10.18699/VJ21.058>
- Latha, P., Karthikeyan, M., Rajeswari, E. (2019). Endophytic bacteria: prospects and applications for the plant disease management. In *Plant health under biotic stress* (pp. 1-50). Springer, Singapore. DOI: https://doi.org/10.1007/978-981-13-6040-4_1
- Lay, B. (1994). *Analisis Mikrobiologi di Laboratorium*. Jakarta : Rajawali
- Leiva-Brondo, M., Valcárcel, M., Cortés-Olmos, C., Roselló, S., Cebolla-Cornejo, J., & Nuez, F. (2012). Exploring alternative germplasm for the development of stable high vitamin C content in tomato varieties. *Scientia Horticulturae*, 133, 84-88. DOI: <https://doi.org/10.1016/j.scienta.2011.10.013>
- Lim, T., Rialita, A., & Mahyarudin, M. (2022). Aktivitas Antijamur Isolat Bakteri Endofit Tanaman Kunyit Terhadap Penghambatan Pertumbuhan *Malassezia furfur* secara in-vitro. *Jurnal Ilmiah Umum dan Kesehatan Aisyiyah*, 7(1), 1-11. DOI: <https://doi.org/10.35721/jakiyah.v7i1.108>
- Linggi, M. I. A, Joko, T., Widada, J. (2023). Potensi dan Keragaman Bakteri Endofit sebagai Agens Pemacu Pertumbuhan dan Biokontrol Anggrek. *Indonesian Journal of Agricultural Sciences/Jurnal Ilmu Pertanian Indonesia*, 28(4). DOI: <https://10.18343/jipi.28.4.677>
- Lubis, E. R. (2020). *Bercocok tanam tomat untung melimpah*. Bhuana Ilmu Populer.
- Mahmood, I, SR Imadi, K Shazadi, A Gul, and KR Hakeem. (2016). *Effects of pesticides on environment*. In: Pp. 254-269 *Plant, Soil and Microbes. Volume 1: Implications in Crop Science* (Hakeem, KR, MS Akhtar, SNA Abdullah, Eds.). Springer International. Switzerland. DOI: https://doi.org/10.1007/978-3-319-27455-3_13
- Mahmudi. (2015). *Manajemen Kinerja Sektor Publik*. Yogyakarta : Unit Penerbit Dan Percetakan Sekolah Tinggi Ilmu Manajemen YKPN.
- Makut, M. D., Madaiki, K. K., & Obiekezie, O. S. (2022). Molecular characterization of xanthan gum producing *Xanthomonas campestris* isolated from dark rot spotted leaves in Keffi, Nasarawa State, Nigeria. *AROC in Pharmaceutical and Biotechnology*, 2(1), 01-08. DOI: <https://doi.org/10.53858/arocpb02010108>

- Manan, A., Mugiastuti, E., & Soesanto, L. Kemampuan Campuran *Bacillus* sp., *Pseudomonas fluorescens*, dan *Trichoderma* sp. untuk Mengendalikan Penyakit Layu Bakteri pada Tanaman Tomat. *J. Fitopatologi*, 14(2), 63-68. DOI: <https://10.14692/jfi.14.2.63>
- Mândru, I., Costache, M., & Cristea, S. (2017). Aspects of the pathogens control in fall-summer field tomato (*Lycopersicon esculentum* Mill.) crops in the region Vidra, Ilfov. *Current Trends in Natural Sciences Vol*, 6(12), 60-67.
- Martí R., Roselló S., Cebolla-Cornejo J. (2016). Tomato as a source of carotenoids and polyphenols targeted to cancer prevention. *Cancers (Basel)*. 8(6):58. DOI 10.3390/cancers8060058. DOI: <https://doi.org/10.3390/cancers8060058>
- Maskar, G. S. (2006). Budidaya Tomat. *Sulawesi Tengah: Balai Pengkajian Teknologi Pertanian Departemen Pertanian*.
- Menteri Pertanian. (1980). Keputusan Menteri Pertanian Nomor 99/Kpts/Um/2/1980 tentang Deskripsi Melon Varietas Intan.
- Mew, T. W., & Ho, W. C. (1977). Effect of soil temperature on resistance of tomato cultivars to bacterial wilt. *Phytopathology*, 67(67), 909-911.
- Miller, S.A., Jones, J.B. (2014). Diseases caused by bacteria. In: Jones, J.B., Zitter, T., Momol, M.T., Miller, S.A. (Eds.), *Compendium of Tomato Diseases and Pests*, 2 ed. *The American Phytopathological Society*.
- Mingzhi, L. I., Ling, X. U., Ziling, S. U. N., & Yongquan, L. I. (2007). Isolation and characterization of a phytotoxin from *Xanthomonas campestris* pv. *retroflexus*. *Chinese Journal of Chemical Engineering*, 15(5), 639-642. DOI: [https://doi.org/10.1016/S1004-9541\(07\)60138-4](https://doi.org/10.1016/S1004-9541(07)60138-4)
- Munawaroh, S., Marsuni, Y., & Budi, I. S. (2022). Pengaruh Pemberian PGPR (Plant Growth Promoting Rhizobacteria) dan Kompos Kotoran Kelinci terhadap Serangan Antraknosa (*Colletotrichum* sp.) pada Tanaman Tomat. *Jurnal Proteksi Tanaman Tropika*, 5(2), 506-512. DOI: <https://doi.org/10.20527/jptt.v5i2.1256>
- Muthiah, A., Advinda, L., Anhar, A., Putri, I. L. E., Farma, S. A. (2023). *Pseudomonas fluorescens* as Plant Growth Promoting Rhizobacteria (PGPR). *Jurnal Serambi Biologi*, 8(1), 67-73.
- Mohammed, A. F., Oloyede, A. R., Odeseye, A. O. (2020). Biological control of bacterial wilt of tomato caused by *Ralstonia solanacearum* using *Pseudomonas* species isolated from the rhizosphere of tomato plants. *Archives of Phytopathology and Plant Protection*, 53(1-2), 1-16. DOI: <https://doi.org/10.1080/03235408.2020.1715756>

- Nassar, A. H., El-Tarabily, K. A., & Sivasithamparam, K. (2005). Promotion of plant growth by an auxin-producing isolate of the yeast *Williopsis saturnus* endophytic in maize (*Zea mays* L.) roots. *Biology and Fertility of soils*, 42, 97-108. DOI: <https://doi.org/10.1007/s00374-005-0008-y>
- Naue, C. R., Rocha, D. J., & Moura, A. B. (2014). Biological control of tomato bacterial spot by seed microbiolization. *Tropical Plant Pathology*, 39, 413-416. DOI: <https://doi.org/10.1590/S1982-56762014000500009>
- Naqvi, S. F., Inam-ul-Haq, M., Khan, M. A., Tahir, M. I., Ali, Z., & Rehman, H. M. (2013). Morphological and biochemical characterization of *Xanthomonas campestris* (pammel) dawson pv. sesami and it's management by bacterial antagonists. *Pak. J. Agri. Sci*, 50(2), 229-235.
- Navi, S. S., & XB, Y. (2016). Sudden death syndrome—A growing threat of losses in soybeans. *CAB Rev* 11 (39): 1. DOI: <https://doi.org/10.1079/PAVSNR201611039>
- Ningrum, A. R., Nuraini, A., Suminar, E., & Mubarak, S. (2020). Respons dua mutan tomat terhadap cekaman kekeringan. *Kultivasi*, 19(2), 1156-1161. DOI: <https://doi.org/10.24198/kultivasi.v19i2.27095>
- Nontji, M., & Amran, F. D. (2019). Potential of indigenous methanotrophic bacteria as a biological control agent against *Xanthomonas oryzae* pv. *oryzae* causing diseases on rice. *Makara Journal of Science*, 87-90. DOI: <https://10.7454/mss.v23i2.9053>
- Novitasari, A. (2022). *Identifikasi Dan Potensi Bakteri Endofit Sebagai Pengendali Hayati Acidovorax Citrulli Penyebab Penyakit Bacterial Fruit Blotch (Bfb) Pada Tanaman Melon (Cucumis Melo L.)* (Doctoral Dissertation, Universitas Negeri Jakarta).
- Nurdika, A. A. H., Nurcahyanti, S. D. (2019). Enkapsulasi benih kedelai menggunakan *Pseudomonas fluorescens* dengan bahan pembawa kompos untuk mengendalikan penyakit hawar daun. *Jurnal Bioindustri (Journal Of Bioindustry)*, 1(2), 229-244. DOI: <https://doi.org/10.31326/jbio.v1i2.254>
- Ogolla, O., Neema, D. (2019). Cultural, Morphological and Biochemical Identification of *Xanthomonas* Spp the Causative Agent of Bacteria Leaf Spot in Tomatoes in Wanguru, Mwea, Kirinyaga County, Kenya. *International Journal of Research and Innovation in Applied Science*, IV, 44-48.
- Ojanen-Reuhs, T., Kalkkinen, N., Westerlund-Wikström, B., Van Doorn, J., Haahtela, K., Nurmiaho-Lassila, E. L., Wengelnik, L., Bonas, U., Korhonen, T. K. (1997). Characterization of the fimA gene encoding

bundle-forming fimbriae of the plant pathogen *Xanthomonas campestris* pv. *vesicatoria*. *Journal of Bacteriology*, 179(4), 1280-1290. DOI: <https://doi.org/10.1128/jb.179.4.1280-1290.1997>

Oktafiyanto, M. F., Munif, A., Mutaqin, K. H. (2018). Aktivitas Antagonis Bakteri Endofit Asal Mangrove terhadap *Ralstonia solanacearum* dan *Meloidogyne* spp. *Jurnal Fitopatologi Indonesia*, 14(1), 23-23. DOI: <https://doi.org/10.14692/jfi.14.1.23>

Oktavia, N., & Pujiyanto, S. (2018). Isolasi dan uji antagonisme bakteri endofit tapak dara (*Catharanthus Roseus* L.) terhadap bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Berkala Bioteknologi*.

Osdaghi, E., Jones, J. B., Sharma, A., Goss, E. M., Abrahamian, P., Newberry, E. A., Vallad, G. E. (2021). A centenary for bacterial spot of tomato and pepper. *Molecular Plant Pathology*, 22(12), 1500. DOI: <https://10.1111/mpp.13125>

Otten, C., Büttner, D. (2021). HrpB4 from *Xanthomonas campestris* pv. *vesicatoria* acts similarly to SctK proteins and promotes the docking of the predicted sorting platform to the type III secretion system. *Cellular Microbiology*, 23(6), e13327. DOI: <https://doi.org/10.1111/cmi.13327>

Palleroni, N. J. (2008). *The road to the taxonomy of Pseudomonas*. In: Cornelis P (ed) *Pseudomonas*. Genomics and molecular biology. Caister Academic, Norfolk, pp1–18.

Patel, D., Jha, C. K., Tank, N., & Saraf, M. (2012). Growth enhancement of chickpea in saline soils using plant growth-promoting rhizobacteria. *Journal of Plant Growth Regulation*, 31, 53-62. DOI: <https://doi.org/10.1007/s00344-011-9219-7>

Prasannath, K. (2013). Pathogenicity and virulence factors of phytobacteria. *Scholars Academic Journal of Biosciences*, 1(1), 24-33.

P.R. Hardoim, L.S. vanOverbeek, G. Berg, A.M. Pirttilä, S. Compant, A. Campisano, M. Döring, A. Sessitsch. (2015). The hidden world within plants: ecological and evolutionary considerations for defining functioning of microbial endophytes. *Microbiol. Mol. Biol. Rev.*, 79 (2015), pp. 293-320. DOI: <https://doi.org/10.1128/MMBR.00050-14>

Prasetyo, A., Parwati, W. D. U., & Titiaryani, N. M. (2018). Pengaruh Ukuran Polybag dan Frekuensi Penyiraman Terhadap Pertumbuhan dan Hasil Tanaman Tomat. *Jurnal Agromast*, 3(2).

Pudjiwati, E. H., & Rindiani, R. (2022). Prospek Rizobakteri Penghasil IAA dan Penyedia Nitrat sebagai PGPR (Plant Growth Promoting Rhizobacteria). *J-*

PEN Borneo: Jurnal Ilmu Pertanian, 5(1). DOI: <https://doi.org/10.35334/jpen.v5i1.2262>

Purwestri, Y. A. (2021). Kemampuan Antibakteri Metabolit Sekunder Bakteri Endofit Tanaman Purwoceng terhadap *Escherechia coli*. *Jurnal Ilmu Hayat*, 5(1), 17-24. DOI: <http://dx.doi.org/10.17977/um061v5i12021p17-24>

Putri, R. D. W., & Herdyastuti, N. (2021). Potensi Senyawa Antioksidan yang Dihasilkan Bakteri Endofit Pada Daun Jambu Biji (*Psidium guajava* L.). *Unesa Journal of Chemistry*, 10(1), 55-63. DOI: <https://doi.org/10.26740/ujc.v10n1.p55-63>

Rashid, T. S. (2016). *Antimicrobial activity of Rhus coriaria L. fruit extracts against selected bacterial and fungal pathogens on tomato*. PhD Dissertation, University of Putra Malaysia: 143 p.

Refiliya, A., Yulianty, M. L. L., Wahyuningsih, S. (2021). Ketahanan Kultivar Buah Tomat (*Solanum lycopersicum* L.) Terhadap Jamur *Colletotrichum acutatum* JH Simmonds Penyebab Penyakit Antraknosa. *Jurnal Medika Malahayati*, 4(3), 210-216.

Retnoningrum, D. S., & Kembaren, R. F. (2004). Mekanisme tingkat molekuler resistensi terhadap beberapa obat pada *Mycobacterium tuberculosis*. *Acta Pharmaceutica Indonesia*, 29(3), 92-95.

Rifai, M., Rahayu, T., & Widiastuti, L. (2021). Kajian Budidaya Tanaman Tomat (*Solanumlycopersium* L.) Varietas Dataran Rendah Secara Organik Dengan Beberapa Macam Pupuk Kandang. *Jurnal Agronomika*, 19(2), 68-72.

Roach, R., Mann, R., Gambley, C. G., Shivas, R. G., Rodoni, B. (2018). Identification of *Xanthomonas* species associated with bacterial leaf spot of tomato, capsicum and chilli crops in eastern Australia. *European Journal of Plant Pathology*, 150(3), 595-608. DOI: <https://doi.org/10.1007/s10658-017-1303-9>

Roodi, D., Millner, J. P., McGill, C., Johnson, R. D., Jauregui, R., Card, S. D. (2020). Methylobacterium, a major component of the culturable bacterial endophyte community of wild Brassica seed. *PeerJ*, 8, e9514. DOI: <https://10.7717/peerj.9514>

Sah, S., Krishnani, S., & Singh, R. (2021). *Pseudomonas* mediated nutritional and growth promotional activities for sustainable food security. *Current Research in Microbial Sciences*, 2, 100084. DOI: <https://doi.org/10.1016/j.crmicr.2021.100084>

Saraf, M., Pandya, U., & Thakkar, A. (2014). Role of allelochemicals in plant growth promoting rhizobacteria for biocontrol of

phytopathogens. *Microbiological research*, 169(1), 18-29. DOI: <https://doi.org/10.1016/j.micres.2013.08.009>

Schaad, N. W., Jones, J. B., & Chun, W. (2001). *Laboratory guide for the identification of plant pathogenic bacteria* (No. Ed. 3). American Phytopathological society (APS press).

Schumann, G., D'Arcy, C. (2010). *Essential plant pathology*. 2 a Edicion (2 ed.). ST. Paul, Minnesota (USA) American Phytopathological Society Press.

Schuster, M. L., Coyne, D. P. (1974). *Survival mechanisms of phytopathogenic bacteria*. Annual Review of Phytopathology, 12, 199–221.

Shabana YM, Abdalla ME, Shahin AA, El-Sawy MM, Draz IS, Youssif AW. (2017). Efficacy of plant extracts in controlling wheat leaf rust disease caused by *Puccinia triticina*. *Egypt. J. Basic Appl. Sci.*, 4(1): 67-73. DOI: <https://doi.org/10.1016/j.ejbas.2016.09.002>

Sopialena. (2018). *Pengendalian Hayati dengan Memberdayakan Potensi Mikroba*. Mulawarman University Press. Samarinda.

Stall, R. E., Beaulieu, C., Egel, D., Hodge, N. C., Leite, R. P., Minsavage, G. V., ... & Benedict, A. A. (1994). Two genetically diverse groups of strains are included in *Xanthomonas campestris* pv. *vesicatoria*. *International Journal of Systematic and Evolutionary Microbiology*, 44(1), 47-53. DOI: <https://doi.org/10.1099/00207713-44-1-47>

Suárez-Estrella F., M. Ros, M. Vargas-García, M. López, J. Moreno. (2014). Control of *Xanthomonas campestris* pv. *vesicatoria*. *Journal of Plant Pathology*, 96 (2), pp. 243-248.

Suárez-Estrella, F., Jurado, M. M., López, M. J., López-González, J. A., Moreno, J. (2019). Role of bacteria isolated from a plant waste-based compost producing bioactive substances in the control of bacterial spot syndrome caused by *Xanthomonas campestris* pv. *vesicatoria*. *Biocatalysis and Agricultural Biotechnology*, 20, 101198. DOI: <https://doi.org/10.1016/j.bcab.2019.101198>

Sulardi, T., Sany, AM (2018). Uji pemberian limbah pada pabrik kopi dan urin kambing terhadap pertumbuhan dan produksi tanaman tomat (*Lycopersicum esculatum*). *Jurnal Ilmu Peternakan dan Agronomi panca budi* , 3 (2).

Suparyono, S. (1992). *Perkembangan penyakit hawar daun pada stadia tumbuh yang berbeda dan pengaruhnya terhadap hasil padi*. Media Penelitian Sukamandi, 12, 6-9.

- Sutapa, G.N., I.G.A. Kasmawan. (2016). Efek Induksi Mutasi Radiasi Gamma ^{60}Co Pada Pertumbuhan Fisiologis Tanaman Tomat (*Lycopersicon Esculentum* L.). *J- Kes. Rad , Ling*, 1 (2), pp. 5-11.
- Szczesny, R., Jordan, M., Schramm, C., Schulz, S., Cogež, V., Bonas, U., & Büttner, D. (2010). Functional characterization of the Xcs and Xps type II secretion systems from the plant pathogenic bacterium *Xanthomonas campestris* pv. *vesicatoria*. *New Phytologist*, 187(4), 983-1002. DOI: <https://doi.org/10.1111/j.1469-8137.2010.03312.x>
- Tan, R.X and Zou, W.X. (2001). *Endophyte: A rich source of fungtional metabolite*. *Nat. Prod, Rep*, 1(18), 448-459
- Tanaka, C., Yamada, K., Takeuchi, H., Inokuchi, Y., Kashiwagi, A., Toba, T. (2018). A lytic bacteriophage for controlling *Pseudomonas lactis* in raw cow's milk. *Appl. Environ. Microbiol.* 2018, 84, e00111–e00118. DOI: <https://doi.org/10.1128/AEM.00111-18>
- Tiwari, P., & Bae, H. (2020). Horizontal gene transfer and endophytes: An implication for the acquisition of novel traits. *Plants*, 9(3), 305. DOI: <https://doi.org/10.3390/plants9030305>
- Underkofler, L. A., Barton, R. R., & Rennert, S. S. (1958). Production of microbial enzymes and their applications. *Applied microbiology*, 6(3), 212-221.
- Underwood, W. (2012). The plant cell wall: a dynamic barrier against pathogen invasion. *Frontiers in plant science*, 3, 85. DOI: <https://doi.org/10.3389/fpls.2012.00085>
- Vandepitte, J., Verhaegen, J., Engbaek, K., Rohner, P., Piot, P., & Heuck, C. C. (2010). Prosedur laboratorium dasar untuk bakteriologi klinis. *Jakarta: EGC*, 134, 137.
- Vauterin, L., Hoste, B., Kersters, K., & Swings, J. (1995). Reclassification of *xanthomonas*. *International Journal of Systematic and Evolutionary Microbiology*, 45(3), 472-489. DOI: <https://doi.org/10.1099/00207713-45-3-472>
- Vessey, J.K. (2003). *Plant Growth Promoting Rhizobacteria as Biofertilizer*. *Plant and Soil*. 225: 571-586.
- Von Neubeck, M., Huptas, C., Gluck, C., Krewinkel, M., Stoeckel, M., Stressler, T., Fischer, L., Hinrichs, J., Scherer, S., Wenning, M. (2017). *Pseudomonas lactis* spp. nov. and *Pseudomonas paralactis* spp. nov.; isolated from bovine raw milk. *Int. J. Syst. Evol. Microbiol.* 67, 1656–1664. DOI: <https://doi.org/10.1099/ijsem.0.001836>

- Wahyudi, A. T., & Astuti, R. I. (2011). Screening of *Pseudomonas* sp. isolated from rhizosphere of soybean plant as plant growth promoter and biocontrol agent. *American Journal of Agricultural and Biological Sciences*, 6(1), 134-141.
- Wahyudi, D., Hadi, P., & Widiastuti, L. (2023). Pengaruh Jarak Tanam dan Varietas pada Pertumbuhan dan Hasil Tanaman Tomat (*Solanum lycopersicum*). *Jurnal Ilmiah Agrineca*, 23(1), 62-66. DOI: <https://10.36728/afp.v23i1.2324>
- Wanenoer. (2010). *Patogenity of Bacteria, The Global Source for Summery & Reviews*.
- Wang D., Seymour G.B. (2017). Tomato flavor: Lost and found? *Mol. Plant*. 10(6):782-784. DOI: <https://10.1016/j.molp.2017.04.010>
- Wang, Q., Shakoor, N., Boyher, A., Veley, K. M., Berry, J. C., Mockler, T. C., & Bart, R. S. (2021). Escalation in the host-pathogen arms race: A host resistance response corresponds to a heightened bacterial virulence response. *PLoS pathogens*, 17(1), e1009175. DOI: <https://doi.org/10.1371/journal.ppat.1009175>
- Wardahni, H., Mujoko, T., & Purnawati, A. (2022). Potensi Metabolit Sekunder *Trichoderma harzianum* Terhadap *Xanthomonas campestris* pv. *vesicatoria* secara In Vitro. *Jurnal Agrohitia: Jurnal Agroteknologi Fakultas Pertanian Universitas Muhammadiyah Tapanuli Selatan*, 7 (3), 539-546. DOI: <http://dx.doi.org/10.31604/jap.v7i3.7046>
- Wardana, W., Purnamasari, W. O. D., & Muzuna, M. (2021). Pengenalan dan Pengendalian Hama Penyakit Pada Tanaman Tomat dan Semangka di Desa Sribatara Kecamatan Lasalimu Kabupaten Buton. *Jurnal Pengabdian Pada Masyarakat Membangun Negeri*, 5(2), 464-476. DOI: <https://doi.org/10.35326/pkm.v5i2.1811>
- Weller, D. M. (2007). *Pseudomonas* biocontrol agents of soilborne pathogens: looking back over 30 years. *Phytopathology*, 97(2), 250-256. <https://doi.org/10.1094/PHYTO-97-2-0250>
- Whitaker, B. K., & Bakker, M. G. (2019). Bacterial endophyte antagonism toward a fungal pathogen in vitro does not predict protection in live plant tissue. *FEMS Microbiology Ecology*, 95(2), fiy237. DOI: <https://doi.org/10.1093/femsec/fiy237>
- Yasmin, S., Hafeez, F. Y., Mirza, M. S., Rasul, M., Arshad, H. M., Zubair, M., Iqbal, M. (2017). Biocontrol of bacterial leaf blight of rice and profiling of secondary metabolites produced by rhizospheric *Pseudomonas aeruginosa* BRp3. *Frontiers in Microbiology*, 8, 1895. DOI: <https://doi.org/10.3389/fmicb.2017.01895>

- Yuliyanti, T., Hartati, S. Y., & Indrayanti, R. (2017). Uji ketahanan nilam terhadap *Synchytrium pogostemonis* penyebab penyakit budok dan potensi pengendaliannya dengan pestisida nabati. *Bioma*, 13(2), 90-99. DOI: [https://doi.org/10.21009/Bioma13\(2\).5](https://doi.org/10.21009/Bioma13(2).5)
- Yunita, M., Ohiwal, M., Dirks, C. S., Angkejaya, O. W., Ilsan, N. A., Sukmawati, S. (2022). Endophytic bacteria associated with *Myristica fragrans* Houtt: Improved media, bacterial population, preliminary characterization, and potential as antibacterials. *Biodiversitas Journal of Biological Diversity*, 23(8). DOI: <https://doi.org/10.13057/biodiv/d230824>
- Zhao L, Xu Y, Lai XH and Shan C. (2015). Screening and Characterization of endophytic *Bacillus* and *Paenibacillus* strains from medical plant *Lonicera japonica* for use as potential plant growth promoters. *Brazilian Journal of Microbiology* 46(4): 977-989. DOI: <https://doi.org/10.1590/S1517-838246420140024>
- Zhou, J.Y., Zhao, X.Y., Dai, C. C. (2014). Antagonistic mechanisms of endophytic *Pseudomonas fluorescens* against *Athelia rolfsii*. *Journal of Applied Microbiology*, 114-1158. DOI: <https://doi.org/10.1111/jam.12586>
- Zhu, W., MaGbanua, M. M., & White, F. F. (2000). Identification of two novel hrp-associated genes in the hrp gene cluster of *Xanthomonas oryzae* pv. *oryzae*. *Journal of bacteriology*, 182(7), 1844-1853. DOI: <https://doi.org/10.1128/jb.182.7.1844-1853.2000>
- Zuraidah, Z. (2013). Pengujian Beberapa Bakteri Penghambat Pertumbuhan *Xanthomonas oryzae* pv. *oryzae* pada Tanaman Padi. *Biologi Edukasi: Jurnal Ilmiah Pendidikan Biologi*, 5(1), 18-24.