

## DAFTAR PUSTAKA

- Al-Sweih, N., Ahmad, S., Khan, S., Joseph, L., Asadzadeh, M., & Khan, Z. (2018). *Cyberlindnera fabianii* fungaemia outbreak in preterm neonates in Kuwait and literature review. *Mycoses*, 62(1), 51-61.
- Amoniaga, A. W. (2021). Analisis mutu fisik biji kakao (*Theobroma cacao* L.) Dengan lama pengeringan yang berbeda (Doctoral dissertation, Universitas Islam Negeri Sultan Syarif Kasim Riau).
- Apriyanto, M. (2016). Fermentasi biji kakao kering terkendali menggunakan inokulum mikrobial. (Disertasi, Universitas Gajah Mada Yogyakarta).
- Apriyanto, M., Sutardi, S., Supriyanto, S., & Harmayani, E. (2017). Fermentasi biji kakao kering menggunakan *Saccharomyces cerevisiae*, *Lactobacillus lactis*, dan *Acetobacter aceti*. *Agritech*, 37(3), 302-311.
- Apriyanto, M., & MP, S. (2021). Monograf: peningkatan mutu biji kakao petani. Nuta Media.
- Arief, R. W., & Asnawi, R. (2011). Karakterisasi sifat fisik dan kimia beberapa jenis biji kakao lindak di Lampung. *Journal of Industrial and Beverage Crops*, 2(3), 325-330.
- Ardyati, T. (2013). Pengaruh gula reduksi dan total nitrogen terhadap densitas dan viabilitas sel *Saccharomyces cerevisiae* dalam fermentasi etanol dari molase. *Biotropika: Journal of Tropical Biology*, 1(1), 6-9.
- Aryani, N. L. P. N. A., Yulianti, N. L., & Arda, G. (2018). Karakteristik biji kakao hasil fermentasi kapasitas kecil dengan jenis wadah dan lama fermentasi yang berbeda *Characteristics of Cocoa Beans on Small Capacity Fermentation Results Based on Different Types of Containers and Different Fermentation Lengths. Jurnal BETA (Biosistem dan Teknik Pertanian)*, 6(1), 17-24.
- Bahri, S., Masuku, M. A., & Salim, A. (2021). Karakteristik biji kakao kering (*Theobroma cacao* L.) hasil perkebunan petani kakao di kecamatan oba, kota Tidore kepulauan. *Cannarium*, 19(1).
- Batista, N. N., Ramos, C. L., Dias, D. R., Pinheiro, A. C., & Schwan, R. F. (2016). The impact of yeast starter cultures on the microbial communities and volatile compounds in cocoa fermentation and the resulting sensory attributes of chocolate. *Journal of food science and technology*, 53(2), 1101–1110.
- Bellut K, Michel M, Zarnkow M, Hutzler M, Jacob F, Atzler JJ, Hoehnel A, Lynch KM, Arendt EK. Screening and Application of *Cyberlindnera* Yeasts to Produce a Fruity, Non-Alcoholic Beer. *Fermentation*. 2019; 5(4):103.
- Bruzaite, I., Rozene, J., Morkvenaite-Vilkonciene, I., & Ramanavicius, A. (2020). Towards microorganism-based biofuel cells: The viability of

*Saccharomyces cerevisiae* modified by multiwalled carbon nanotubes. *Nanomaterials*, 10(5), 954.

Botutihe, F., Kusumaningrum, M. Y., & Jambang, N. (2020). Strategi pemenuhan syarat mutu standar nasional indonesia (sni) biji kakao fermentasi. *Jurnal Teknologi Pertanian*, 21(3), 191-202.

Caligiani, A., Marseglia, A., & Palla, G. (2016). Cocoa: Production, chemistry, and use.

Chagas Junior, G. C. A., Ferreira, N. R., Andrade, E. H. A., Nascimento, L. D. D., Siqueira, F. C., & Lopes, A. S. (2021). Profile of Volatile Compounds of On-Farm Fermented and Dried Cocoa Beans Inoculated with *Saccharomyces cerevisiae* KY794742 and *Pichia kudriavzevii* KY794725. *Molecules (Basel, Switzerland)*, 26(2), 344.

Crafack, M., Keul, H., Eskildsen, C. E., Petersen, M. A., Saerens, S., Blennow, A., ... & Nielsen, D. S. (2014). Impact of starter cultures and fermentation techniques on the volatile aroma and sensory profile of chocolate. *Food Research International*, 63, 306-316.

Díaz-Muñoz, C., & De Vuyst, L. (2022). Functional yeast starter cultures for cocoa fermentation. *Journal of applied microbiology*, 133(1), 39–66.

Dimas Firmanda Al Riza , Angky Wahyu Putranto , Zaqlul Iqbal , Hendy Firmanto , Clara Dwi Anggraini (2023). Prediction of Fermentation Index and pH of Cocoa (*Theobroma cacao* L.) Beans Based on Color Features (*Cut Test*) and Partial Least Square Regression Model. *Food Science and Technology*, 11(1), 54 - 62. DOI: 10.13189/fst.2023.110106.

Edo, S. (2022). Pengaruh suhu pengeringan terhadap mutu kakao (*Theobroma cacao* L.) varietas klon BL 50 pasca fermentasi (Doctoral dissertation, Universitas Andalas).

Firdaus, A. I. (2018). Tingkat produksi kakao (*Theobroma cacao* L.) Klon MCC 02 pada berbagai umur tanam yang berbeda. *Skripsi*. Politeknik Pertanian Negeri Pangkep.

Fragner, L., Weckwerth, W., & Huebschmann, H. J. (2010). Metabolomics strategies using gc-ms/ms technology. *Thermo Application Note*, 51999.

Frastica, N. (2022). Performance of cocoa beans production modelling in Indonesia. In *IOP Conference Series: Earth and Environmental Science* (Vol. 951, No. 1, p. 012007). IOP Publishing.

Gunama, I. B. W., Suryantoa, A., Putraa, G. G., Kasab, I. W., Permanac, I. D. G. M., Sarjanad, P., Putra, I. W. W. P. P., & Takamae, T. (2021). The Effect of Mixed Inoculum Addition Concentration and Fermentation Time on the Characteristics of Dry Cocoa Beans (*Theobroma cacao* L.). *International Journal on Advanced Science Engineering and Information Technology* 11(1):272-280

- Gutiérrez-Ríos, H. G., Suárez-Quiroz, M. L., Hernández-Estrada, Z. J., Castellanos-Onorio, O. P., Alonso-Villegas, R., Rayas-Duarte, P., ... & González-Ríos, O. (2022). Yeasts as producers of flavor precursors during cocoa bean fermentation and their relevance as starter cultures: a review. *Fermentation*, 8(7), 331.
- Hanwar, D., Suhendi, A., Trisharyanti, I., Santoso, B., & Safitri, M. (2015). Analisis profil metabolit sekunder ekstrak lempuyang emprit dengan kromatografi gas-spektroskopi massa.
- Hartuti, S., Bintoro, N., Karyadi, J. N. W., & Pranoto, Y. (2020). Pengaruh waktu pemeraman, aerasi dan suhu fermentor terhadap kualitas biji kakao. *Agrointek: Jurnal Teknologi Industri Pertanian*, 14(2), 295-308.
- Hasan, H., Thomas, N. A., Hiola, F., Ramadhani, F. N., & Ibrahim, A. S. (2022). Skrining fitokimia dan uji aktivitas antioksidan kulit batang matoa (*Pometia pinnata*) dengan metode 1, 1-Diphenyl-2 picrylhidrazil (DPPH). *Indonesian Journal of Pharmaceutical Education*, 2(1), 67-73.
- Herman (2019). Pertumbuhan bibit kakao (*Theobroma cacao* L.) klon MCC 02 pada komposisi media tanam yang berbeda. *Skripsi*. Politeknik Pertanian Negeri Pangkep.
- Imam, J. (2018). Identifikasi allisin pada bawang putih (*Allium sativum* L.) secara kromatografi gas spektrometri massa (GC-MS) (Doctoral dissertation, Universitas Wahid Hasyim Semarang).
- Jinap, S.; W.I. Wan Rosli; A.R. Russly & L.M. Nurdin (1998). Effect of roasting time and temperature on volatile components profile during nib roasting of cocoa beans (*Theobroma cacao* L.). *Journal of the Science and Food Agriculture*, 77, 441–448.
- Junior, G.C.A.C.; Ferreira, N.R.; Andrade, E.H.D.A.; Nascimento, L.D.D.; De Siqueira, F.C.; Lopes, A.S. 2021. Profile of volatile compounds of on-farm fermented and dried cocoa beans inoculated with *Saccharomyces cerevisiae* KY794742 and *Pichia kudriavzevii* KY794725. *Molecules*, Vol. (26): 344.
- Jean-Marie, E., Jiang, W., Bereau, D., & Robinson, J. C. (2022). *Theobroma cacao* and *Theobroma grandiflorum*: Botany, Composition and Pharmacological Activities of Pods and Seeds. *Foods (Basel, Switzerland)*, 11(24), 3966.
- Kinandar, A. (2017). Peranan *Saccharomyces cerevisiae* dalam menekan pertumbuhan *Colletotrichum sp.* pada cabai (Doctoral dissertation, Universitas Brawijaya).
- Kurniawati, D. (2015). Karakteristik fisik dan kimia biji kakao kering hasil perkebunan rakyat di kabupaten Gunung Kidul, Jogjakarta. *Skripsi*. Universitas Jember.
- Kustyawati, M. E. (2018). *Saccharomyces cerevisiae*: Metabolit dan agensia modifikasi pangan. *Graha Ilmu*.

- Lima, L. J., Almeida, M. H., Nout, M. R., & Zwietering, M. H. (2011). *Theobroma cacao* L., "The food of the Gods": quality determinants of commercial cocoa beans, with particular reference to the impact of fermentation. *Critical reviews in food science and nutrition*, 51(8), 731-761.
- Lutfiah, A. (2018). Pengaruh lama pengeringan biji kakao (*Theobroma cacao* L.) dengan alat pengering *cabinet dryer* terhadap mutu biji kakao (Doctoral dissertation, Universitas Mataram).
- Lee, J. I., Yu, S., Park, J. S., Joo, E. J., Shin, J. H., & Kwon, M. J. (2015). Successful treatment of fungemia caused by *Cyberlindnera fabianii* with anidulafungin: a case report. *Annals of Clinical Microbiology*, 18(3), 94-97.
- Maharani, N. K. (2023). Pengaruh Khamir *Saccharomyces cerevisiae* UNJCC Y-87 Dan *Pichia manshurica* UNJCC Y-123 Terhadap kualitas fermentasi biji kakao basah (*Theobroma cacao* L.) (Doctoral dissertation, Universitas Negeri Jakarta).
- Mahazar, N. H., Zakuan, Z., Norhayati, H., MeorHussin, A. S., & Rukayadi, Y. (2017). Optimization of culture medium for the growth of *Candida* sp. and *Blastobotrys* sp. as starter culture in fermentation of cocoa beans (*Theobroma cacao* L.) using response surface methodology (RSM). *Pakistan journal of biological sciences : PJBS*, 20(3), 154–159.
- MAHFUZH, S. F. (2023). Pengaruh khamir *Pichia kudriavzevii* UNJCC Y-77 dan *Pichia manshurica* UNJCC Y-123 terhadap karakteristik fisik dan kimia biji kakao (*Theobroma cacao* L.) selama proses fermentasi (Doctoral Dissertation, Universitas Negeri Jakarta).
- Maicas, S. (2020). The role of yeasts in fermentation processes. *Microorganisms*, 8(8), 1142.
- Martono, B. (2014). Karakteristik morfologi dan kegiatan plasma nutfah tanaman kakao. IAARD Press.
- Misbakh, N. C., Cempaka, L., David, W., & Asiah, N. (2022). Studi Meta-analisis: Pengaruh penambahan kultur starter pada profil fermentasi, mikroorganisme, dan metabolit hasil fermentasi biji kakao (*Theobroma cacao* L.). *Jurnal Agro Industri Perkebunan*, 77-96.
- Mulyawanti, I. (2018). Pengaruh jenis fermentor terhadap mutu biji kakao kering non fermentasi. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 91-98.
- Meryandini, A., Anwar, I., & Sunarti, T. C. (2023). Effect of cocoa bean fermentation using lactic acid bacteria and yeast starters on flavonoid formation and antioxidant activity. *Microbiology Indonesia*, 17(1), 7–14.
- Montagna, M. T., Diella, G., Triggiano, F., Caponio, G. R., De Giglio, O., Caggiano, G., Di Ciaula, A., & Portincasa, P. (2019). Chocolate, "Food of the Gods": History, Science, and Human Health. *International journal of environmental research and public health*, 16(24), 4960.

- Nur Izzati, A. (2023). Profil metabolit biji kakao (*Theobroma cacao* L.) terfermentasi menggunakan variasi isolat khamir dan waktu fermentasi dalam upaya meningkatkan kualitas biji kakao kering (Doctoral Dissertation, Universitas Sultan Ageng Tirtayasa).
- Noviati, M. (2007). Optimasi kadar molase dalam medium ekstrak ubi jalar untuk pertumbuhan isolat khamir RI dan R2 pada fermentor air-lift 18 liter [Skripsi]. Jakarta : Fakultas Sains dan Teknologi UIN Syarif Hidayatullah.
- Ooi, T. S., Ting, A. S. Y., dan Siow, L. F. 2020. Influence of selected native yeast starter cultures on the antioxidant activities, fermentation index and total soluble solids of Malaysia cocoa beans: A simulation study. *Lwt*, 122, 108977.
- Patty, A. (2019). Analisis sifat fisik biji kakao pada berbagai metode fermentasi dan konsentrasi fermipan. *Jurnal Hutan Pulau-Pulau Kecil*, 3(1), 13-24.
- Purbaningrum, K., Hidayat, C., Witasari, L. D., dan Utami, T. 2023. Flavor precursors and volatile compounds improvement of unfermented cocoa beans by hydrolysis using bromelain. *Foods*, Vol. 12(4): 820.
- Pusat Penelitian Kopi dan Kakao Indonesia. (2004). *Panduan Lengkap Budi Daya Kakao*. AgroMedia.
- Pusat Penelitian Kopi dan Kakao. 2010. Buku pintar budidaya kakao. Jakarta: Agro Media Pustaka.
- Putri, A. Y. (2022). Pengaruh penambahan air kelapa, jenis khamir, dan metode freeze drying terhadap pertumbuhan dan kemampuan fermentasi khamir kandidat pengembang roti (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).
- Putri, S. P., Nusantara, F. J. P., & Putri, S. E. (2017). Aplikasi pendekatan metabolomik untuk ilmu pangan dan mikrobiologi. In *Bunga Rampai Forum Peneliti Muda Indonesia*.
- Putriani, K., Harmida, H., & Juswardi, J. (2022, November). Perbedaan dan kelimpahan metabolit daun kelor (*Moringa oleifera* LAM.) berdasarkan ketinggian tempat di Sumatera selatan. in *prosiding SNPBS (Seminar Nasional Pendidikan Biologi dan Saintek)* (pp. 205-212).
- Pereira, G. V., Alvarez, J. P., Neto, D. P. D. C., Soccol, V. T., Tanobe, V. O., Rogez, H dan Soccol, C. R. 2017. Geat intraspecies diversity of *Pichia kudriavzevii* in cocoa fermentation highlights the importance of khamir strain selection for flavor modulation of cocoa beans. *Lwt*, Vol. 84: 290-297.
- Ramos, C. L., Dias, D. R., Miguel, M. G. D. C. P., & Schwan, R. F. (2014). Impact of different cocoa hybrids (*Theobroma cacao* L.) and *S. cerevisiae* UFLA CA11 inoculation on microbial communities and volatile compounds of cocoa fermentation. *Food Research International*, 64, 908-918.

- Riski Hanura, N. (2022). Perbandingan metode ekstraksi pada penentuan kandungan Thc (*Tetrahydrocannabinol*) dalam sampel daun ganja kering (*Cannabis sativa L.*) menggunakan GC-MS (Doctoral dissertation, Universitas Jambi).
- Rannes, A. W. S., & Handoko, Y. A. (2021). Perbandingan kualitas fermentasi biji kakao dengan penambahan kultur campuran dan kultur tunggal *Lactobacillus brevis* comparison of the quality of cocoa bean fermentation with the addition of mixed and single cultures of *Lactobacillus brevis*. *Jurnal Teknik Pertanian Lampung Vol, 10*(4), 537-547.
- Ruta, L. L., & Farcasanu, I. C. (2021). Coffee and yeasts: From flavor to biotechnology. *Fermentation, 7*(1), 9.
- Sagala, A. D., Utami, S., & Damanik, A. S. (2011). Respon pertumbuhan bibit kakao (*Theobroma cacao L.*) dengan pemberian pupuk hayati bio-ekstrim pada berbagai media tanaman. *AGRIUM: Jurnal Ilmu Pertanian, 17*(1).
- Sandhya, M. V. S., Yallappa, B. S., Varadaraj, M. C., Puranaik, J., Rao, L. J., Janardhan, P., & Murthy, P. S. (2016). Inoculum of the starter consortia and interactive metabolic process in enhancing quality of cocoa bean (*Theobroma cacao*) fermentation. *LWT-Food Science and Technology, 65*, 731-738.
- Sari, P., Utari, E., Praptiningsih, Y., & Maryanto, M. (2015). Karakteristik kimia-sensori dan stabilitas polifenol minuman coklat-rempah. *Jurnal Agroteknologi, 9*(01), 54-66.
- Scollo, E., Neville, D. C., Oruna-Concha, M. J., Trotin, M., Umaharan, P., Sukha, D., ... & Cramer, R. (2020). Proteomic and peptidomic UHPLC-ESI MS/MS analysis of cocoa beans fermented using the Styrofoam-box method. *Food chemistry, 316*, 126350.
- Septianti, E., & Langkong, J. (2020, October). Profile of bioactive compounds, antioxidant and aromatic component from several clones of cocoa beans during fermentation. In *IOP Conference Series: Earth and Environmental Science* (Vol. 575, No. 1, p. 012009). IOP Publishing.
- Septianti, E., Langkong, J., Sukendar, N. K., & Hanifa, A. P. (2020). Characteristic quality of Pinrang's cocoa beans during fermentation used styrofoam containers. *Canrea Journal: Food Technology, Nutritions, and Culinary Journal, 10*-25.
- Sudarti, S., Hariyati, Y., Sari, A. B. T., Sumardi, S., & Muldayani, W. (2022). Fermentation Process of Dry Cocoa Beans through Extremely Low Frequency (ELF) Magnetic Field Exposure. *Jurnal Penelitian Pendidikan IPA, 8*(2), 584-591.
- Sukmawati, D., Arman, Z., Hasanah, R., Balqis, M., Setiawan, A., Tafrijiyyah, F., ... & Dailin, D. J. (2021, April). Application of yeasts isolated from fermented cocoa beans for biocontrol of pathogenic mold in chocolate fruit.

In *Journal of Physics: Conference Series* (Vol. 1869, No. 1, p. 012042). IOP Publishing.

- Tarigan, E. B. (2017). Beberapa komponen fisikokimia kakao fermentasi dan non fermentasi. *Jurnal Agroindustri Halal*, 3(1), 048-062.
- Utami, R. R. (2018). Antioksidan biji kakao: pengaruh fermentasi dan penyangraian terhadap perubahannya (ulasan). *Jurnal Industri Hasil Perkebunan*, 13(2), 75-85.
- van Rijswijk, I. M., van Mastrigt, O., Pijffers, G., Wolkers–Rooijackers, J. C., Abee, T., Zwietering, M. H., & Smid, E. J. (2019). Dynamic modelling of brewers' yeast and *Cyberlindnera fabianii* co-culture behaviour for steering fermentation performance. *Food microbiology*, 83, 113-121.
- Walker, G. M., dan White, N. A. 2011. Introduction to Fungal Physiology. In: Kavanagh, K. (ed), *Fungi: Biology and Applications* (pp. 1-36). West Sussex, UK: John Wiley and Sons Ltd.
- Walter, K. 2022. Caffeine and health. *JAMA*, Vol. 327(7): 693-693.
- Wardhany, M., & Adzim, F. (2018). Determinant of cocoa export in Indonesia. *Economics Development Analysis Journal*, 7(3), 286-293.
- Wibawa, A. A. C. (2021). Kapasitas total antioksidan ekstrak metanol biji kakao (*Theobroma cacao*. L) dengan metode spektrofotometri Uv-Vis. *Hydrogen: Jurnal Kependidikan Kimia*, 9(1), 30-37.
- Wicaksana, A. P. (2022). Uji aktivitas antioksidan ekstrak metanol keping biji coklat (*Theobroma cacao* L.) dengan metode DPPH (1, 1-Diphenyl-2-Picryl Hidrazil) (Doctoral dissertation, Universitas dr. SOEBANDI).
- Widianto, D., Pramita, A. D., & Wedhastri, S. (2013). Perbaikan proses fermentasi biji kakao kering dengan penambahan tetes tebu, khamir, dan bakteri asam asetat. *Jurnal teknosains*, 3(1).
- Wijayati, H., & Haqqi, H. (2022). The Indonesian Global Cocoa Chain's Position in the Pandemic Era. *International Journal on Social Science, Economics and Art*, 12(1), 10-21.
- Yang, Y., Darwish, A. G., El-Sharkawy, I., Zhu, Q., Sun, S., & Tan, J. (2022). Rapid determination of the roasting degree of cocoa beans by extreme learning machine (ELM)-based imaging analysis. *Journal of Agriculture and Food Research*, 10, 100437.
- Yunindanova, M. B., Muhammad, D. R. A., & Prabawa, S. (2021). Peningkatan kualitas dan kuantitas biji kakao melalui intensifikasi perawatan kakao, introduksi alat budidaya, dan pengering sistem hybrid. *Abdihaz: Jurnal Ilmiah Pengabdian pada Masyarakat*, 3(1), 8-15.
- Yuningtyas, S., Masaenah, E., & Telaumbanua, M. (2021). Aktivitas antioksidan, total fenol, dan kadar vitamin c dari kombucha daun salam (*Syzygium polyanthum* (Wight) Walp.). *Jurnal Farmamedika (Pharmamedika Journal)*, 6(1), 10-14.