

DAFTAR PUSTAKA

- Abotsi, K., Bose, R., Deblauwe, V., Rouhan, G., Segla, K., Atsri, K. (2020). Ecological Drivers Of Pteridophte Diversity and Distribution in Togo (West Africa). *Journal Ecological Indicators*. 108(105741), 13-24.
- Adhatirana, R., Djuta, N., Sulistijorini., & Nasution, T. (2021). Paku Epifit pada Gymnospermae di Kebun Raya Cibodas. *Jurnal Sumbeday HAYATI*. 7(2), 49-56.
- Aishan, T., Betz, F., Halik, U., Cyffka, B., & Rouzi, A. (2018) Biomass Carbon Sequestration Potential by Riparian Forest in the Tarim River Watershed, Northwest China: Implication for the Mitigation of Climate Change Impact. *Journal Forests*. 9(4), 196.
- Andayaningsih, D., Chikmawati, T., & Sulistijorini. (2013). Keanekaragaman Tumbuhan Paku Terrestrial di Hutan Kota DKI Jakarta . *Berita Biologi*. 12(3), 297-305.
- Angeles, M. D., & Buot, I. J. (2012). Orders and Families of Philippine Pteridophytes . *Journal of Nature Studies* 11(1&2), 19-33.
- Angeles, M. D., & Buot, I. J. (2015). Diversity and Distribution of Pteridophytes along the Altitudinal Gradient of The Northeastern Slope of a Secondary Forest in Mt. Makiling, Phillipines. *International Journal of Ecology and Conservation*, 16, 25-46.
- Anwar. (1987). *Ekologi Ekosistem Sumatera*. Yogyakarta. UGM Press.
- Alqahtani, M. M. (2023). Biodiversity of Some Pteridophytes Species And Their Morphological Characteristic from The Southwest Of Saudi . *Applied Ecoogy And Environmental Research*. 21(2), 1789-1804.
- Arifin, M. (2019). *Pengaruh Citra Destinasi, Fasilitas Wisata dan Daya Tarik Wisata Terhadap Kepuasan Wisatawan Pada Obyek Wana Wisata Prabanlintang Danasari, Kabupaten Tegal*. [Skripsi]. Universitas Pancasakti Tegal.
- Arini, D.I.D dan Kinho, J. (2009). *Keragaman Jenis Tumbuhan paku (Pteridophyta) di Cagar Alam Gunung Ambang Sulawesi Utara*. *Jurnal Info BPK Manado*. 2(1), 17-39.
- Astuti, F. K., Murningsih, & Jumari. (2017). Keanekaragaman Jenis Tumbuhan paku (Pteridophyta) di Jalur Pendakian Selo Kawasan Taman Nasional Gunung Merbabu, Jawa Tengah. *Jurnal Bioma*. 20(1), 25-30.
- Azizah, N., Suedy, S. W., & Prihastanti, E. (2016). Keanekaragam Tumbuhan Berdasarkan Morfologi Polen dan Spora dari Sedimen Telaga Warna Dieng,

Kabupaten Wonosobo Jawa Tengah. *Buletin Anatomi dan Fisiologi*. 24(1), 66-73.

Barrington, D.S., (1993). Ecological and historical factors in fern biogeography. *Journal of Biogeography*. 20(3), 275-279.

Bibi, H., Zada, A., Alam, J., & Altaf, A. (2021). Floristic studies of the pteridophytes of district Tor Ghar KP, Pakistan. *Anatolian Journal of Botany*. 5(1), 1-5.

Cano-Mangaoang, C.,Bretaña, B.L.P, Amoroso, V.B. (2010). Rapid assessment of epiphytic pteridophyte biodiversity in Mt. Apo Natural Park, North Cotabato Province, Philippines: a comparison of disturbed and undisturbed forests. *Philippine Journal of Systematic Biology*. 14(3), 1-13.

Cardelus, C., & Mack, M. (2010). The Nutrient Status of Epiphytes and their Host Trees Along an Elevational gradient in Costa Rista. *Plant Ecology*. 207(1), 25-37.

Carvajal-Hernandez, C. I., Kromer, T., Gomez-Diaz, J. A., & Kessler, M. (2017). Conservation value of disturbed and secondary forests for ferns and lycophytes along an elevational gradient in Mexico. *Applied Vegetation Science*, 20(4), 662-672.

Chen, Q., Sun, J., Song, L., Liu, W., Yu, F., Li, S. (2019). Trait acclimation of The Clonal Fern *Selliguea griffithiana* to Forest Epiphytic and Terrestrial Habitats. *Ecological Research*. 34(3), 406-414.

Christenhusz, M. J. M., Zhang, X. C., Schneider, H. (2011). A linear sequence of extant families and genera of lycophytes and ferns. *Phytotaxa*. 19(1), 7-54

Claveria, R., Perez, T., Apuan, M., DA, & Perez, R. (2019). *Pteris Melanocaulon* Fee Is An As Hyperaccumulator. *Chemosphere*. 236, 124380.

Connell, J. (1978). Diversity in Tropical Forests and Coral Reefs. *Science*. 199(4335), 1302-1310.

Cummings, J.M. & A. Rogers. (2006). Quantifying the abundance of four large epiphytic fern species in remnant complex notophyll vine forest on the Atherton Tableland, North Queensland, Australia. *Cunninghamia*. 9 (4), 521-527.

Ervayenri, Suhesti, E., Said, A. (2023). Peranan Pohon dalam Membentuk Iklim Mikro. *Jurnal Karya Ilmiah Multidisiplin*. 3(1), 95 - 101.

GBIF 2022. GBIF Secretariat: GBIF Backbone Taxonomy. <https://www.gbif.org/>.

- Gibson, L., Ming, L.T., Pin, K.L., Brook, B.W., Gardner, T.A., Barlow, J., Peres, C.A., Bradshaw, J.A., Laurence, W.F., Lovejoy, I.E. & Sodhi, N.S. (2011). Primary forests are irreplaceable for sustaining tropical biodiversity. *Nature*. 478(7369), 378-381.
- Gunawan, F. A. (2017). Aspek kenyamanan termal ruang belajar gedung sekolahmenengah umum di wilayah kec.mandau. *jurnal inovtekpobeng*, 7(2), 98–103
- Gould, R.K., H. Mooney, L. Nelson, R. Shallenberger & G.C. Daily, (2013). Restoring native forest understory: The influence of ferns and light in a Hawaiian experiment. *Sustainability*. 5(3), 1317-1339.
- Hasanah U, Hadisunarso, Praptosuwiryo TN. (2021). Komposisi, struktur komunitas, dan sebaran vertikal tumbuhan paku epifit pada *Cyathea junghuhniana* di Taman Nasional Gede-Pangrango, Indonesia. *Keanekaragaman Hayati*. 22(11), 4968-4976.
- Hietz, P. (1999). Diversity and conservation of epiphytes in a changing environment.IUPAC. <http://www.iupac.org/symposia/proceedings/phuket97/hietz.htm>.
- Hikmah, P.N. (2023). Keanekaragaman Tumbuhan Paku (Pteridophyta) Di Kawasan Air Terjun Pancuran Rayo Desa Koto Tuo Pulau Tengah Kabupaten Kerinci. Skripsi. Jambi : Universitas jambi.
- Hutasuhut, M. A., & Febriana, H. (2019). Keanekaragaman Tumbuhan paku Terrestrial Di Kawasan Taman Wisata Alam Sicike-Cike. *Jurnal Biolokus*. 2(1), 146-157.
- Hernandez-Rojas, A. C., Kluge, J., Noben, S., Chavez, J. D., Kromer, T., Carjaval-Hernandez, C. I. (2021). Phylogenetic Diversity of Ferns Reveal Different Patterns of Niche Conversation and Habitat Filtering Between Epiphytic and Terrestrial Assemblages. *Frontiers of Biogeography*. 13(3), 1-16.
- Hoshizaki, B. J., and R. C. Moran. (2001). *Fern Grower's Manual*. Timber Press. Portland. 604.
- Imaniar, R., Pujiastuti, P dan Murdiah, S. 2017. Identifikasi Keanekaragaman Tumbuhan Paku Di Kawasan Air Terjun Kapas Biru Kecamatan Pronojiwo Kabupaten Lumajang SertaPemanfaatannya Sebagai Booklet. *Jurnal Pendidikan Biologi*. Vol 6 (3): 337–345.
- Indarwati, S., Respati, S. M. B., & Darmanto, D. (2019). Kebutuhan daya pada air conditioner saat terjadi perbedaan suhu dan kelembaban. *Majalah Ilmiah Momentum*, 15(1), 91-95.
- Janna, M., Reny, D.R. & Sepriyaningsih. (2020). Keanekaragaman Jenis Tumbuhan

Pteridophyta (Tumbuhan paku) Di Kawasan Curug Panjang Desa Durian Remuk Kabupaten Musi Rawas. *Jurnal Biologi dan Pembelajarannya*. 7(1), 19-22.

Katili, A.S. (2013). Deskripsi Pola Penyebaran Dan Faktor Bioekologis Tumbuhan paku (*Pteridophyta*) Di Kawasan Cagar alam Gunung Ambang Sub Kawasan Kabupa-ten Bolaang Mongondow Timur. *Sainstek*. 7(2), 1-13.

Kersten R.A., SILVA S.M. (2005). Florística e estrutura de comunidades de epífitas vasculares da planície litorânea. In História natural e conservação da Ilha do Mel, eds. Marques M.C.M. & Britez R.M. Ed Universidade Federal do Paraná, Curitiba.

Kersten RA, Borgo M, Silva SM (2009). Diversity and distribution of vascular epiphytes in an insular Brazilian coastal forest. *Revista de Biologia Tropical* 57, 749–759.

Kessler, M. (2001). Patterns of diversity and range size of selected plant groups along an elevational transect in the Bolivian Andes. *Biodiversity and Conservation*. 10(1), 1897-1921.

Kessler, M. (2001). Maximum plant community endemism at intermediate intensities of anthropogenic disturbance in Bolivian montane forests. *Conservation Biology*. 15(3), 634-641.

Kirno, F., Astiani, D., Ekamawanti, H.A. (2018). Keanekaragaman Jenis Tumbuhan Paku-pakuan (*Pteridophyta*) dan Kondisi Tempat Tumbuhnya Pada Hutan Rawa Gambut Sekunder dan Lahan Gambu Terbuka. *Jurnal Hutan Lestari*. 7(1), 11-20.

Kreft, H., Jetz, W., Mutke, M. & Barthlott, W. (2010). Contrasting environmental and regional effects on global pteridophyte and seed plant diversity. *Ecography*. 33(2), 408-419.

LBN-LIPI. (1980). Jenis Paku Indonesia. Balai Pustaka, Jakarta.

Lubis, S. R. (2009). Keanekaragaman dan Pola Distribusi Tumbuhan Paku di Hutan Wisata Alam Eden Kabupaten Toba Samosir Provinsi Sumatra Utara. Tesis. Universitas Sumatra Utara.

Lestari, I., Murningsih, & Utami, S. (2019). Keanekaragaman Jenis Tumbuhan Paku epifit di Hutan Petungkriyono Kabupaten Pekalongan. *NICHE Journal of Tropical Biology*. 2(2), 14-21.

Luthfiya, Z. (2015). Keanekaragaman Tumbuhan paku (*Pteridophyta*) Di Kawasan Lereng Barat Gunung Lawu. *Prosiding*. Surakarta:Universitas Sebelas Maret.

- Lopez-Villalobos A, Flores-Palacios A, Ortiz-Pulido R (2008). The relationship between bark peeling rate and the distribution and mortality of two epiphyte species. *Plant Ecology* 198, 265–274.
- Magtoto, L. M., & Austria, C. M. (2017). The Pteridophytes of Adams, Northern Luzon, Philippines and their Ecosystem Services. *Philippine Journal of Systematic Biology* 11(2), 44-51.
- Magurran. (1988). *Ecological Diversity and Its Measurement*. Princeton University Press, New Jersey.
- Maguran AE. (2004). *Measuring Biological Diversity*. Blackwell Publishing. USA.
- Mandl, N., Lehnert, M., Kessler, M., & Gradstein, S. (2010). A comparison of alpha and beta diversity patterns of ferns, bryophytes and macrolichens in tropical montane forests of southern Ecuador. *Biodiversity and Conservation*, 19(1), 2359-2369.
- Mikuła, A., Tomiczak, K., Makowski, D.(2015). The effect of moisture content and temperature on spore aging in *Osmunda regalis*. *Acta Physiol Plant* 37, 229 <https://doi.org/10.1007/s11738-015-1985-6>
- Naniu, S., Baderan, W. K., & Hmidun, M. S. (2021). The Composition and Diversity Of Plant Species In UPSA Of Dulamayo Utara Telaga Biru Gorontalo District. *Jurnal Riset dan Pengembangan Ilmu Pengetahuan*. 6(1), 73-81.
- Nayar, B., & S.Kaur. (1971). Gametophytes of Homosporous Ferns. *Botanical Review*, 37(3), 295-396.
- Nettesheim FC, Damasceno ER, Sylvestre LS. (2014). Lereng gunung yang berbeda dapat menentukan struktur komunitas pteridophytes dan lycophytes di hutan tropis Brasil. *An Acad Bras Ciênc*. 86(1), 199-210.
- Oheimb, G. (2003). *Einfluss forstlicher Nutzung auf die Artenvielfalt und Artenzusammensetzung der Gefasspflanzen in norddeutschen Laubwäldern*. Hamburg: Kovac.
- Paciencia, M.L.B. & Prado, J. (2005). Effects of forest fragmentation on pteridophyte diversity in a tropical rain forest in Brazil. *Plant Ecology*. 180(1), 87-104.
- PPG 1, (2016). A community-derived classification of extant lycophytes and ferns. *Journal of Systematics and Evolution*, 54 (6): 563-603.

- Pramudita, I., Triyanti, M., & Wardianti, Y. (2021). Keanekaragaman Tumbuhan paku Di Bukit Botak Kabupaten Musi Rawas Sumatera Selatan. *Journal Biosilampari* .4(1), 19-25.
- Priambudi, A. S., Chikmawati, T., Sulistijorini, & Fakhurrozi, Y. (2022). Diversity and ecology of Pteridophytes in Cendil heath forest and Gurok Beraye tropical rainforest, Belitung, Indonesia. *Biodiverstias*, 23(9), 4775-4782.
- Pryer KM, Schuett pelz E, Wolf PG, Schneider H, Smith AR, Cranfill R. (2004). Phylogeny and evolution of ferns (monilophytes) with a focus on the early leptosporangiate divergences. *American journal of Botany*. 91(10), 1582-1598.
- Qian H, Zhang J, Jiang MC. (2022). Pola global keragaman spesies pakis: Evaluasi data pakis di GBIF. *Penyelam Tanaman*. 44(1) 135-140. DOI: 10.1016/j.pld.2021.10.001
- Quine, C., Humphrey, J., & R.Ferris. (1999). Should Wind Disturbance Pattern Observed in Natural Forests be Mimicked in Planted Forests in the British Uplands? *Forestry*. 72(1), 337-358.
- Raharjeng. (2015). Pengaruh Faktor Abiotik Terhadap Hubungan Kekerabatan Tanaman (*Sansevieria trifasciata* L). *Jurnal Biota* 1 (1), 33-41
- Rizky, H., Primasari, R., Kurniasih, Y., & Vivanti, D. (2018). Keanekaragaman Jenis Tumbuhan Paku Terrestrial di kawasan Hutan Dengan Tujuan Khusus (KHDTK) Banten . *Biosfer*. 3(1), 6-12.
- Romadhon, M. C. (2021). *Wana Wisata Prabanlintang Danasari Tegal*. Retrieved 07 04, 2023, from topwisata: <https://www.topwisata.info/2020/03/wana-wisata-prabanlintang-danasari-tegal.html>
- Salamah, Z., Sasongko, H., & Hidayati, A. (2020). Inventory of Ferns (Pteridophyta) at Cerme Cave Bantul District. *Bioscience*, 4(1), 97–108.
- Salazar, L., Homeier, J., Kessler, M., Abrahamczyk, S., Lehnert, M., Krömer, T., Kluge, J. (2015). Diversity patterns of ferns along elevational gradients in Andean tropical forests. *Plant Ecol. Divers.* 8(1), 13–24. <https://doi.org/10.1080/17550874.2013.843036>
- Sandy, F.S., Pantiwati, Y., Hudha, A.M., & Latiffa, R. 2016. Keanekaragaman Jenis Tumbuhan paku (*Pteridophyta*) Di Kawasan Air Terjun Lawean Sendang Kabupaten Tulungagung. *Universitas Muhammadiyah Malang: Malang*.

- Sapariyanto, Yuwono.S B, dan Ramadhan,M. (2016). Kajian iklim mikro di bawah tegakan ruang terbuka hijau Universitas Lampung. *Journal of Chemical Information and Modeling*, 3, 1689-1699.
- Saputro, R.W. & Sri U. 2020. Keanekaragaman Tumbuhan paku (Pteridophyta) di Kawasan Candi Gedong Songo Kabupaten Semarang. *Jurnal Bioma*, 22(1), 53-58.
- Saro, J. M., Apat, J. Q., & Sarongon, J. M. (2022). Composition and Diversity Variation of Ferns (Pteridophyta) at Barangay San Rafael, Prosperidad, Agusan del Sur Philippines: Distribution and Conservation Status. *American Journal of Agricultural Science*. 6(3), 10-15.
- Scatena, F., Planos-Gutierrez, E., & Schellekens, J. (2005). *Natural Disturbances and the Hydrology of Humid Tropical Forests*. USA: Cambridge University Press.
- Schmidt, W. (2005). Herb Layer Species as Indicator of Biodiversity of Managed and Unmanaged Beech Forests. *For.Snow Landsc.Res.* 79(1/2), 111-125.
- Schmitt, J.L. & P.G. Windisch. (2009). Biodiversity and spatial distribution of epiphytic ferns on *Alsophila setosa* Kaulf. (Cyatheaceae) caudices in Rio Grande do Sul, Brazil. *Brazilian Journal of Biology*. 70 (3), 521-528.
- Sedayu, A., Saraswati, R. A. & Astuti, Y. P. (2022). Light preferences in two landscape managements and ontogenic light requirements of terrestrial ferns in Kebun Raya Baturraden, Central Java. *Reinwardtia* 21(1), 25–33.
- Shalihah M. (2010). Studi tipe morfologi kulit pohon inang dan jenis paku epifit dalam upaya menunjang konservasi paku epifit yang terdapat di taman Hutan Raya Ronggo Soeryo. Skripsi. Malang (ID): Universitas Islam Negeri Malang.
- Silva VL, Mehlreter K, Schmitt JL. (2018). Pteridophytes sebagai indikator ekologis potensial dari efek tepi pada dua tipe hutan Meksiko. *Ecol Indic.* 93(1), 669-676. DOI:10.1016/j.ecolind.2018.05.029.
- Sujalu, A. P., Hardwinarto, S., Boer, C., & Sumaryono, S. (2015). Identifikasi Pohon Inang Epifit di Hutan Bekas Tebangan Pada Dataran Rendah Daerah Aliran Sungai (DAS) Malinau. *Jurnal Penelitian Ekosistem* <https://doi.org/10.20886/jped.2015.1.1.1-6> Dipterokarpa, 1(1), 1–6
- Sujalu, A. P. (2017). Identifikasi Pohon Inang Epifit di Hutan Dipterocarpaceae Dataran Rendah Klimaks Kabupaten Malinau. *Jurnal Hutan Tropica*. 1(2), 196-201.

- Syam, R., & Jafar, U. (2020). Peran Pemerintah Kabupaten Gowa Dalam Pelestarian Lingkungan Perspektif Siyasah Syar'iyah. *Siyasatuna*. 1(3), 461-467.
- Tewari, L.M., G. Tewari, T. Nailwal, & Y.P.S. Pangtey. (2009). Bark factors affecting the distribution of epiphytic ferns communities. *Nature and Science*, 7(5), 76-81.
- Tjitrosoepomo, G. (1989). Taksonomi Tumbuhan (Schizophyta, Thallophyta, Bryophyta, Pteridophyta). Gadjah Mada University Press Anggota IKAPI.
- Tuelah S.N., Moko, E.M., Lawalata, H.J., Butarbutar R.R. (2023). Identifikasi dan Keanekaragaman Spesies Tumbuhan Paku-pakuan di Kawasan Hutan Rurukan Kecamatan Tomohon Timur, Sulawesi Utara. *Jurnal Produksi Tanaman*. 11(3), 209-218
- Tuomisto, H., Zuquim, G., Cárdenas, G. (2014). Species richness and diversity along edaphic and climatic gradients in Amazonia. *Ecography* 37(11), 1034–1046. <https://doi.org/10.1111/ecog.00770>.
- Wagner K, Mendieta-Leiva G, Zotz G. 2015. Spesifisitas inang pada epifit vaskular: tinjauan metodologi, bukti empiris dan mekanisme potensial. *Tanaman AoB*:plus092DOI 10.1093/aobpla/plv092.
- Wang, Q., Guan, W., GiWong, M., S.Ranjitkar, Sun, W., Pan, Y., et al. (2017). Tree Size Predicts Vascular Epiphytic Richness of Traditional Cultivated Tea Plantations in Southwestern China. *Global Ecol. Conserv.* 10(1), 147-153.
- Wanira, A., Prayogo, H., Tavita, G.E. (2018). Spesies Diversity Of Terrestrial (Terrestrial Pteridohyta) In Arboretum Sylva University Tanjungpura Pontianak. *Jurnal Hutan Lestari*. 6(3), 548-556.
- Watkins, J., & Farrar, D. (2005). Origin and Taxonomic Affinities of Thelypteris (subgen. Stegnogramma) burksiorum (Thelypteridaceae). *Brittonia*, 57(1), 183-201.
- Widhiastuti, R., Aththorick, T., & W.D.P, S. (2006). Struktur dan Komposisi Tumbuhan Tumbuhan paku di Kawasan Hutan Gunung Sinabung Kabupaten Karo. *Jurnal Biologi Sumatera*, 2(1):38-41.
- Widyatmoko D, Irawati. (2019). Keanekaragaman Hayati di Indonesia.
- Windadri F.I. 2010. Keanekaragaman Lumut di Kawasan Cagar Alam Dungus Iwul, Jasinga, Jawa Barat. *Jurnal Ilmiah Ilmu-Ilmu Hayati*, 1(3). 400-406.
- Wyse S, Burns B (2011). Do host bark traits influence trunk epiphyte communities? *New Zealand Journal of Ecology* 35, 296–301.

Zapfack, L., Engwald, S., Sonke, B., Achoundong, G., & Madong, B. A. (2002). The Impact Of Land Conversion On Plant Biodiversity In the Forest Zone of Cameroon. *Biodiversity and Conservation*, 2047-2061.

Zhang, X., Lu Shugang, L. Y. and Q. X. 2013. Polypodiaceae. *Flora of China*. 2(3), 758-764.

Zhang, L., S. Nurvianto & R. Harrison. (2010) Factors affecting the distribution and abundance of *Asplenium nidus* L. in a tropical lowland rainforest in peninsular Malaysia. *Biotropica*, 42 (4), 464-469.

