

DAFTAR PUSTAKA

- Amézquita A, Hödl W (2004). How, when, and where to perform visual displays: the case of the Amazonian frog *Hyla parviceps*. *Herpetologica* 60:420–429
- Altig, R. & R. W. McDiarmid (2007). Morphological diversity and evolution of egg and clutch structure in amphibians, *Herpetological Monographs*, 21: 1–32.
- Ardiansyah, D., Karunia, A., Auliandina, T., Putri, DA, & Noer, MI, (2014). Kelimpahan Katak Jam Pasir *Leptophryne borbonica* di Sepanjang Aliran Sungai Cisuren, Bodogol, Taman Nasional Gunung Gede, *Bioma*, 10(2), 11-18.
- Balai Besar Taman Nasional Gunung Gede Pangrango (2016). Penataan Zona Pengelolaan, *Taman Nasional Gunung Gede Pangrango*. Cibodas. Kementerian Kehutanan dan Lingkungan Hidup.
- Brepson L, Voituren Y, Lengagne T (2013). Condition-dependent ways to manage acoustic signals under energetic constraint in a tree frog. *Behav Ecol* 24(2):488–496
- Bradbury LW, Vehrencamp SL. (2011). Principles of animal communication. *Macmillan Education*. Massachusetts: Sinauer Associates.
- Biju SD, Garg S, Gururaja KV, Shouche Y, Walujkar SA (2014). DNA barcoding reveals unprecedented diversity in dancing frogs of India (Micrixalidae, *Micrixalus*): a taxonomic revision with description of 14 new species. *Ceylon J Sci (Biol Sci)* 43:37–123
- Caldart, V. M., Iop, S., & Cechin, S. Z. (2014). Social interactions in a neotropical stream frog reveal a complex repertoire of visual signals and the use of multimodal communication. *Behaviour*, 151(6), 719-739.
- Cogger, H. G. & R. G. Zweifel. (1998). Encyclopedia of Reptiles and Amphibians: a Comprehensive Illustrated Guide by International Expert. *Fog City Press*. San Francisco. 240 hal.
- Crump, M. L. (2009): Amphibian diversity and life history, pp. 3–20 in: Dodd Jr., C. K. (ed.): Amphibian ecology and conservation: a handbook of techniques, *University Press*, Oxford.
- Cummings, M. E., Bernal, X. E., Reynaga, R., Rand, A. S., & Ryan, M. J. (2008). Visual sensitivity to a conspicuous male cue varies by reproductive state

in *Physalaemus pustulosus* females. *Journal of Experimental Biology*, 211(8), 1203-1210.

Duellman, W.E & L. Trueb. (1986). *Biology of Amphibians*. McGraw-Hill, New York. USA. 670 hal.

Duellman, W. E. (2015): *Marsupial frogs: Gastrotheca & allied genera*. – *The Johns Hopkins University Press*, Maryland.

De Sa, F. P., Zina, J., & Haddad, C. F. (2016). Sophisticated communication in the Brazilian torrent frog *Hylodes japi*. *PloS one*, 11(1), e0145444.

Dyson, M. L., Reichert, M. S., & Halliday, T. R. (2013). Contests in amphibians. *Animal contests*, 228-257.

Elias, D. O., Botero, C. A., Andrade, M. C., Mason, A. C., & Kasumovic, M. M. (2010). High resource valuation fuels “desperado” fighting tactics in female jumping spiders. *Behavioral Ecology*, 21(4), 868-875.

Furtado, R., & Nomura, F. (2014). Visual signals or displacement activities? The function of visual displays in agonistic interactions in nocturnal tree frogs. *acta ethologica*, 17, 9-14.

Farris, H. E., & Taylor, R. C. (2016). Mate searching animals as model systems for understanding perceptual grouping. *Psychological mechanisms in animal communication*, 89-118.

Furtado, R., Santos, S. P., Dias, T. M., Bastos, R. P., & Nomura, F. (2016). Vocal repertoire during reproductive and aggressive contexts of three Brazilian tree frogs: *Bokermannohyla sapiranga*, *Hypsiboas albopunctatus* and *H. goianus* (Anura: Hylidae). *South American Journal of Herpetology*, 11(2), 136-147.

Furtado, R., Márquez, R., & Hartz, S. M. (2017). In front of a mirror: visual displays may not be aggressive signals in nocturnal tree frogs. *Journal of Natural History*, 51(7-8), 443-454.

Furtado, R., Lermen, L. N., Márquez, R., & Hartz, S. M. (2019). Neotropical dancing frog: the rich repertoire of visual displays in a hylodine species. *Journal of Ethology*, 37, 291-300.

Goin, C. J.; O. B. Goin & G. R. Zug. (1978). *Introduction to Herpetology*. W.H Freeman and Company. San Fransisco. 378 hal.

Gururaja, K. V. (2010): Novel reproductive mode in a torrent frog *Micrixalus saxicola* (Jerdon) from the Western Ghats, India, *Zootaxa*, 2642: 45–52.

- Gomez D, Théry M, Gauthier AL, Lengagne T. (2011). Costly help of audiovisual bimodality for female mate choice in a nocturnal katak (*Hyla arborea*). *Behav Ecol.* 22:889–898.
- Giasson, L. O., & Haddad, C. F. (2006). Social interactions in *Hypsiboas albomarginatus* (Katak: Hylidae) and the significance of acoustic and visual signals. *Journal of Herpetology*, 40(2), 171-180.
- Grafe, T. U., Preininger, D., Sztatecsny, M., Kasah, R., Dehling, J. M., Proksch, S., & Hödl, W. (2012). Multimodal communication in a noisy environment: a case study of the Bornean rock frog *Staurois parvus*. *PloS one*, 7(5), e37965.
- Gerhardt HC, Huber F (2002) Acoustic Communication in Insects and Frogs: Common Problems and Diverse Solutions. Chicago: University of Chicago Press.
- Grafe, T. U., & Tony, J. A. (2017). Temporal variation in acoustic and visual signalling as a function of stream background noise in the Bornean foot-flagging frog, *Staurois parvus*. *Journal of Ecoacoustics*, 1, X74QE0.
- Hartmann, M. T., Giasson, L. O., Hartmann, P. A., & Haddad, C. F. (2005). Visual communication in Brazilian species of kataks from the Atlantic forest. *Journal of Natural History*, 39(19), 1675-1685.
- Hödl W, Amézquita A (2001). Visual signaling in katak amphibians. In: Ryan MJ (ed) frog communication. *Smithsonian Institution Press*, Washington, pp 121–141
- Haddad, C. F. B., J. P. Pombal Jr. & M. Gordo (1990): Foam nesting in a hylid frog (Amphibia, Katak), *Journal of Herpetology*, 24: 225–226.
- Haddad, C. F. B. & W. Hödl (1997) New reproductive mode in frog: bubble nest in *Chiasmocleis leucosticta* (Microhylidae), *Copeia*, 1997: 585–588.
- Inger, R. F. and Stuebing, R. B. (2005). A Field Guide to the Frogs of Borneo, 2nd edition. *Natural History Publications (Borneo)*, Kota Kinabalu
- Iskandar, D. T. (1998). The Amphibians of Java and Bali. *Research and Development Centre for Biology-LIPI*, Bogor, Indonesia.
- Jakaria, M., Junardi, J., & Riyandi, R. (2020). Perilaku Sinyal Akustik dan Visual dari Katak Jantan *Staurois gutattus* di Gunung Poteng Kalimantan Barat. *BERITA BIOLOGI*, 19(3B), 385-391.
- Kadadevaru, G. G & R. D. Kanamadi. (2000). Courtship and Nesting Behavior of the Malabar Gliding Frog, *Rhacophorus malabaricus* (Jerdon, 1870). *Current Science* 79 (3): 377-380.

- Kaiser K, Boehlke C, Edauri N-P, Vega A, Robertson JM. (2018). Local preference encoded by complex signaling: mechanisms of mate preference in the red-eyed treefrog (*Agalychnis callidryas*). *Behav Ecol Sociobiol.* 72:182.
- Long, K. (1999). *Frogs: A wildlife handbook*. Big Earth Publishing.
- Leslie, C. E., Rosencrans, R. F., Walkowski, W., Gordon, W. C., Bazan, N. G., Ryan, M. J., & Farris, H. E. (2020). Reproductive state modulates retinal sensitivity to light in female túngara frogs. *Frontiers in behavioral neuroscience*, 13, 293.
- Larasati R, June T, Dewi S. 2012. Peran cagar biosfer Cibodas dalam penyerapan CO2. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan* 9 (2): 66-76.
- Morrison, C.; J. M. Hero & W. P. Smith. (2001). Mate Selection in *Litoria chloris* and *Litoria xanthomera*: Females Prefer Smaller Males. *Austral Ecology* 26: 223-232.
- Mohun, S. M. and W. I. L. Davies. (2019). The evolution of amphibian photoreception. *Frontiers in Ecology and Evolution* 7: 321.
- McClelland, B. E., Wilczynski, W., & Rand, A. S. (1997). Sexual dimorphism and species differences in the neurophysiology and morphology of the acoustic communication system of two neotropical hylids. *Journal of Comparative Physiology A*, 180, 451-462.
- Narins, P. M., Hödl, W., & Grabul, D. S. (2003). Bimodal signal requisite for agonistic behavior in a dart-poison frog, *Epipedobates femoralis*. *Proceedings of the National Academy of Sciences*, 100(2), 577-580.
- Narins, P. M., Grabul, D. S., Soma, K. K., Gaucher, P., & Hödl, W. (2005). Cross-modal integration in a dart-poison frog. *Proceedings of the National Academy of sciences*, 102(7), 2425-2429.
- Nunes-de-Almeida, C. H. L., Haddad, C. F. B., & Toledo, L. F. (2021). A revised classification of the amphibian reproductive modes. *Salamandra*, 57(3), 413-427.
- Partan, S., & Marler, P. (1999). Communication goes multimodal. *Science*, 283(5406), 1272-1273.
- Pauly, G. B., Bernal, X. E., Rand, A. S., & Ryan, M. J. (2006). The vocal sac increases call rate in the túngara frog *Physalaemus pustulosus*. *Physiological and Biochemical Zoology*, 79(4), 708e719.

- Pombal JP, Sazima I, Haddad CFB (1994). Breeding behavior of the Pumpkin Toadlet, *Brachycephalus ephippium* (Brachycephalidae). *J Herpetol* 28(4):516–519
- Preininger, D., Boeckle, M. and Hödl, W., (2009). Communication in noisy environments II: Visual signaling behavior of male foot-flagging frogs *Staurois latopalmatus*. *Herpetologica*, 65(2), pp. 166–173.
- Pough FH, Magnusson WE, Ryan MJ, Wells KD, Taigen TL (1992) Behavioral energetics. In: Feder ME, Burggren WW (eds) *Environmental Physiology of the Amphibians*. Chicago: University of Chicago Press, pp. 395–436.
- Preininger, D., Boeckle, M., Sztatecsny, M., & Hödl, W. (2013). Divergent receiver responses to components of multimodal signals in two foot-flagging frog species. *PloS one*, 8(1), e55367.
- Rojas, B. (2017). Behavioural, ecological, and evolutionary aspects of diversity in frog colour patterns. *Biological Reviews*, 92(2), 1059-1080.
- Richardson, C., Popovici, J., Bellvert, F., & Lengagne, T. (2009). Conspicuous colouration of the vocal sac of a nocturnal chorusing treefrog: carotenoid-based? *Amphibia-Reptilia*, 30(4), 576-580.
- Rowe, C. (2002). Sound improves visual discrimination learning in avian predators. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 269(1498), 1353-1357.
- Rowe, C. (1999). Receiver psychology and the evolution of multicomponent signals. *Animal behaviour*, 58(5), 921-931.
- Rosencrans, R. F., Leslie, C. E., Perkins, K. A., Walkowski, W., Gordon, W. C., Richards-Zawacki, C. L., ... & Farris, H. E. (2018). Quantifying the relationship between optical anatomy and retinal physiological sensitivity: A comparative approach. *Journal of Comparative Neurology*, 526(18), 3045-3057.
- Rosenthal, G. G., Rand, A. S., & Ryan, M. J. (2004). The vocal sac as a visual cue in anuran communication: an experimental analysis using video playback. *Animal Behaviour*, 68(1), 55-58.
- Suthers, R. A., Narins, P. M., Lin, W. Y., Schnitzler, H. U., Denzinger, A., Xu, C. H., & Feng, A. S. (2006). Voices of the dead: complex nonlinear vocal signals from the larynx of an ultrasonic frog. *Journal of Experimental Biology*, 209(24), 4984-4993.
- Stubbins, R. C & N. W. Cohen. (1995). *A Natural History of Amphibians*. Princeton University Press. New Jersey. 316 hal.

- Stange N, Page RA, Ryan MJ, Taylor RC. (2017). Interactions between complex multisensory signal components result in unexpected mate choice responses. *Anim Behav.* 134:239–247.
- Stangel, J., Preininger, D., Sztatecsny, M., & Hödl, W. (2015). Ontogenetic change of signal brightness in the foot-flagging frog species *Staurois parvus* and *Staurois guttatus*. *Herpetologica*, 71(1), 1-7.
- Souza RF. (2014). Efeito do contexto social e ambiental na emissão de sinais acústicos e visuais em hílideos noturnos (Amphibia, Katak) [dissertation]. *Goiânia (GO):* Universidade Federal de Goiás.
- Toledo, L. F., I. A. Martins, D. P. Bruschi, M. A. Passos, C. Alexandre, and C. F. B. Haddad. (2015). The frog calling repertoire in the light of social context. *Acta Ethologica* 18: 87–99.
- Taylor, R. C., Klein, B. A., Stein, J., & Ryan, M. J. (2008). Faux frogs: multimodal signalling and the value of robotics in animal behaviour. *Animal Behaviour*.
- Taylor, R. C., Buchanan, B. W., & Doherty, J. L. (2007). Sexual selection in the squirrel treefrog *Hyla squirella*: the role of multimodal cue assessment in female choice. *Animal Behaviour*, 74(6), 1753-1763.
- Wells KD (2007). The ecology and behavior of amphibians. *The University of Chicago Press, London*
- Wells, K. D., & Schwartz, J. J. (2007). The behavioral ecology of anuran communication. In *Hearing and sound communication in amphibians* (pp. 44-86). New York, NY: Springer New York.
- Zhu B, Zhou Y, Yang Y, Deng K, Wang T, Wang J, Tang Y, Ryan MJ, Cui J. (2021). Multisensory modalities increase working memory for mating signals in a treefrog. *J Anim Ecol.* 90:1455–1465.
- Zhu, B., Yang, Y., Zhou, Y., Deng, K., Wang, T., Wang, J., & Cui, J. (2022). Multisensory integration facilitates perceptual restoration of an interrupted call in a species of frog. *Behavioral Ecology*, 33(4), 876-883.