

DAFTAR PUSTAKA

- Abdillah., R. (2014). *Pemodelan Spasial Kesesuaian Habitat Lutung Jawa (Trachypithecus auratus Geoffroy, 1812) di Resort Rowobendo Taman Nasional Alas Purwo*. Institut Pertanian Bogor.
- Abubakar, S., Kadir, M. A., Nebuchadnezzar, A., & Tahir, I. (2020). *Asosiasi Dan Relung Mikrohabitat Gastropoda Pada Ekosistem Mangrove Di Pulau Sibu Kecamatan Oba Utara Kota*. 3(July), 1–23. [https://doi.org/https://doi.org/10.31186/jenggano.3.1.22-38](https://doi.org/10.31186/jenggano.3.1.22-38)
- Agetsuma, N. (2001). Relation between age-sex classes and dietary selection of wild Japanese monkeys. *Ecological Research*, 16(4), 759–763. <https://doi.org/10.1046/j.1440-1703.2001.00431.x>
- Ahsan, M. (1994). *Behavioral ecology of the hoolock gibbon (Hylobates hoolock) in Bangladesh*. Universitas Cambridge.
- Alam, H. (2021). *Struktur Populasi Dan Gangguan Satwa Liar Monyet Hitam Dare (Macaca Maura Schinz, 1825) Di Taman Wisata Alam Lejja, Soppeng Sulawesi Selatan*. UNIVERSITAS HASANUDDIN.
- Alandana, I. M., Rustiami, H., & Widodo, P. (2015). Palms Inventory at Bodogol Forest , Gunung Gede Pangrango National Park. *Buletin Kebun Raya*, 18(2), 81–98.
- Albrecht, M., & Gotelli, N. J. (2001). Spatial and temporal niche partitioning in grassland ants. *Oecologia*, 126(1), 134–141. <https://doi.org/10.1007/s004420000494>
- Alcorlo, P., Geiger, W., & Otero, M. (2004). Feeding preferences and food selection of the red swamp crayfish , Procambarus clarkii , in habitats differing in food item diversity by the red swamp crayfish , Procambarus clarkii (girard , 1852), a prolific species native to the south-central u . s . *Crustaceana*, 77(4), 435–453. <https://doi.org/10.1163/1568540041643283>
- Amarasinghe, A. A. T., Botejue, W. M. S., & Harding, L. E. (2009). *Taprobanica Nature Conservation Society*, 146, Kendalanda, Homagama, Sri Lanka SciWrite Environmental Sciences Ltd. 2339 Sumpter Drive, Coquitlam, British Columbia, Canada. 01(01), 66–73.
- Amato, K. R., & Garber, P. A. (2014). Nutrition and foraging strategies of the black howler monkey (*alouatta pigra*) in palenque national park, mexico. *American Journal of Primatology*, 76(8), 774–787. <https://doi.org/10.1002/ajp.22268>
- Andarini, F. M., Meylia, S. A., Widiani, E., Perdana, R., Ardiansyah, I. R., Zahra, N. F., Badawi, W. T. A., Aziz, M. A., Rahman, R., Muhammad, F., & Mustari, A. H. (2021). *Populasi dan Potensi Pakan Lutung Jawa (Trachypithecus Auratus) di Resort Cibodas Taman Nasional Gunung Gede Pangrango , Jawa Barat*. 98–109.

- Ankel-Simons, F. (2007). Primate Anatomy: An Introduction. In *Primate Anatomy: An Introduction* (3rd ed.). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-372576-9.X5000-1>
- Apriadi, Silamon, R. F., & Syahputra, M. (2018). *Studi Populasi Dan Perilaku Makan Lutung di Bukit Mangsit, Blok Perlindungan taman Wisata Alam Kerandangan*. 1–10.
- Ardian, H., Budhi, S., & Kinanto, H. (2018). Keanekaragaman Jenis Primata Di Seksi Wilayah Ii Semitu Taman Nasional Danau Sentarum Kabupaten Kapuas Hulu. *Jurnal Hutan Lestari*, 6(4), 894–903. <https://doi.org/https://dx.doi.org/10.26418/jhl.v6i4.29866>
- Arini, D. I. D., & Wahyuni, N. I. (2016). THE ABUNDANCE OF ANOA (Bubalus sp.) PLANT AT BOGANI NANI WARTABONE NATIONAL PARK. *Jurnal Penelitian Kehutanan Wallacea*, 5(1), 91. <https://doi.org/10.18330/jwallacea.2016.vol5iss1pp91-102>
- Ario, A. (2011). Aktivitas Harian Owa Jawa (Hylobates moloch Audebert, 1798) Rehabilitan di Blok Hutan Patiwel Taman Nasional Gunung Gede Pangrango. *Owa Jawa Di Taman Nasional Gunung Gede Pangrango*, 13–29.
- Arseneau-Robar, T. J. M., Changasi, A. H., Turner, E., & Teichroeb, J. A. (2021). Diet and Activity Budget in Colobus angolensis ruwenzorii at Nabugabo, Uganda: Are They Energy Maximizers? *Folia Primatologica*, 92(1), 35–48. <https://doi.org/10.1159/000511046>
- Aryanti, N., & Azizah, L. (2019). Karakteristik Habitat Lutung Jawa (Trachypithecus auratus) di Kawasan Hutan Lindung RPH Sumbermanjing KPH Malang. *Jurnal Primatologi Indonesia*, 16(1), 24–30.
- Asyrofi, M., Sulistiyowati, H., & Wimbaningrum, R. (2022). Preliminary Assessment of The Population Structure and Habitat Characteristics of Javan Langur (Trachypithecus auratus É. Geoffroy, 1812) in Natural Reserve Watangan Puger. *Jurnal ILMU DASAR*, 23(1), 29. <https://doi.org/10.19184/jid.v23i1.26032>
- Ayunin, Q., Pudyatmoko, S., & Imron, M. A. (2014). Seleksi Habitat Lutung Jawa (Trachypithecus auratus E. Geoffroy SaintHilaire, 1812) di Taman Nasional Gunung Merapi. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 11(3), 261–279. <https://doi.org/10.20886/jphka.2014.11.3.261-279>
- Badman, M. K., & Flier, J. S. (2016). *Linked references are available on JSTOR for this article : The The Gut Gut and Energy and Energy Balance : Balance Visceral Allies in the Obesity Wars.* 307(5717), 1909–1914. <https://doi.org/10.1126/science.1109951>
- Basalamah, F., Zulfa, A., Suprobowati, D., Asriana, D., Susilowati, Anggraeni, A., & Nurul, R. (2010). Status Populasi Satwa Primata di Taman Nasional Gunung Gede. *Jurnal*

Primateologi Indonesia, 7(2), 55–59.

- Beaudrot, L., Rejmánek, M., & Marshall, A. J. (2013). Dispersal modes affect tropical forest assembly across trophic levels. *Ecography*, 36(9), 984–993. <https://doi.org/10.1111/j.1600-0587.2013.00122.x>
- Bolnick, D. I., Snowberg, L. K., Hirsch, P. E., Lauber, C. L., Org, E., Parks, B., Lusis, A. J., Knight, R., Caporaso, J. G., & Svanbäck, R. (2014). Individual diet has sex-dependent effects on vertebrate gut microbiota. *Nature Communications*, 5. <https://doi.org/10.1038/ncomms5500>
- Boyer, D. M. (2008). Relief index of second mandibular molars is a correlate of diet among prosimian primates and other euarchontan mammals. *Journal of Human Evolution*, 55(6), 1118–1137. <https://doi.org/10.1016/j.jhevol.2008.08.002>
- Brotcorne, F., Giraud, G., Gunst, N., Fuentes, A., Wandia, I. N., Beudels-Jamar, R. C., Poncin, P., Huynen, M. C., & Leca, J. B. (2017). Intergroup variation in robbing and bartering by long-tailed macaques at Uluwatu Temple (Bali, Indonesia). *Primates*, 58(4), 505–516. <https://doi.org/10.1007/s10329-017-0611-1>
- Cahepi, Putri, D., Nada, S., & Fitriyani Eka. (2019). Study of Long-Tailed Monkeys on The Pelangon Site and The Cirebon Kalijaga Site. *The 9 Th University Research Colloquium*.
- Campbell, J. L., Williams, C. V., & Eisemann, J. H. (2004). Use of total dietary fiber across four lemur species (*Propithecus verreauxi coquereli*, *Hapalemur griseus griseus*, *Varecia variegata*, and *Eulemur fulvus*): Does fiber type affect digestive efficiency? *American Journal of Primatology*, 64(3), 323–335. <https://doi.org/10.1002/ajp.20081>
- Cannon, C. H., Curran, L. M., Marshall, A. J., & Leighton, M. (2007). Long-term reproductive behaviour of woody plants across seven Bornean forest types in the Gunung Palung National Park (Indonesia): Suprannual synchrony, temporal productivity and fruiting diversity. *Ecology Letters*, 10(10), 956–969. <https://doi.org/10.1111/j.1461-0248.2007.01089.x>
- Chapman, C. A., Rothman, J. M., & Lambert, J. E. (2012). Food as a selective force in primates. *The Evolution of Primate Societies*, January, 149–168.
- Chivers, D. J., & Hladik, C. M. (1980). Morphology of the gastrointestinal tract in primates: Comparisons with other mammals in relation to diet. *Journal of Morphology*, 166(3), 337–386. <https://doi.org/10.1002/jmor.1051660306>
- CITES. (2003). *Checklist of CITES Species*. UNEP World Conservation Monitoring Centre. Checklist of CITES Species.
- Clauss, M. (2003). Tannins in the nutrition of wild animals- A review. In *Zoo Animal Nutrition Vol. II* (pp. 53–89).

- Clink, D. J., Dillis, C., Feilen, K. L., Beaudrot, L., & Marshall, A. J. (2017). Dietary diversity, feeding selectivity, and responses to fruit scarcity of two sympatric Bornean primates (*Hylobates albiventer* and *Presbytis rubicunda rubida*). *PLoS ONE*, 12(3), 1–23. <https://doi.org/10.1371/journal.pone.0173369>
- Clutton-Brock, T. H., Harvey, P. H., & Rudder, B. (1977). Sexual dimorphism, socioeconomic sex ratio and body weight in primates. *Nature*, 269(5631), 797–800. <https://doi.org/10.1038/269797a0>
- Colwell, R. K., & Futuyma, D. (1971). On the Measurement of Niche Breadth and Overlap Author (s): Robert K . Colwell and Douglas J . Futuyma Published by : Ecological Society of America ON THE MEASUREMENT OF NICHE BREADTH AND OVERLAP ' . *Ecology*, 52(4), 567–576.
- Corrêa, C. E., Albrecht, M. P., & Hahn, N. S. (2011). Patterns of niche breadth and feeding overlap of the fish fauna in the seasonal Brazilian Pantanal, Cuiabá River basin. *Neotropical Ichthyology*, 9(3), 637–646. <https://doi.org/10.1590/s1679-62252011000300017>
- Davies, A. G., Oates, J. F., & Dasilva, G. L. (1999). Patterns of frugivory in three west African colobine monkeys. *International Journal of Primatology*, 20(3), 327–357. <https://doi.org/10.1023/A:1020596503533>
- Degnan, P. H., Pusey, A. E., Lonsdorf, E. V., Goodall, J., Wroblewski, E. E., Wilson, M. L., Rudicell, R. S., Hahn, B. H., & Ochman, H. (2012). Factors associated with the diversification of the gut microbial communities within chimpanzees from Gombe National Park. *Proceedings of the National Academy of Sciences of the United States of America*, 109(32), 13034–13039. <https://doi.org/10.1073/pnas.1110994109>
- Dendang, B. (2009). Keragaman Kupu-Kupu Di Resort Selabintana Taman Nasional Gunung Gede Pangrango, Jawa Barat. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 6(1), 25–36. <https://doi.org/10.20886/jphka.2009.6.1.25-36>
- Deng, C., Daley, T., & Smith, A. (2015). Applications of species accumulation curves in large-scale biological data analysis. *Quantitative Biology*, 3(3), 135–144. <https://doi.org/10.1007/s40484-015-0049-7>
- DePasquale, A. N., Poirier, A. C., Mah, M. A., Villalobos Suarez, C., Guadamuz, A., Cheves Hernandez, S., Lopez Navarro, R., Hogan, J. D., Rothman, J. M., Nevo, O., & Melin, A. D. (2023). Picking pithy plants: Pith selectivity by wild white-faced capuchin monkeys, *Cebus imitator*. *American Journal of Primatology*, April, 1–14. <https://doi.org/10.1002/ajp.23549>
- Dewi, H., Prasetyo, L. B., & Rinaldi, D. (2007). Pemetaan Kesesuaian Habitat Owa Jawa (*Hylobates moloch* audebert 1797) Di Taman Nasional Gunung Halimun Salak. *Media Konservasi*, XII(1), 1–9.

- Dewi, M. C., Mardiastuti, A., & Iskandar, E. (2016). Wilayah jelajah dan teritori owa jawa (Hylobates moloch) di Taman Nasional Gunung Halimun-Salak. *Media Konservasi*, 21(1), 73–82.
- Dillis, C., Beaudrot, L., Feilen, K. L., Clink, D. J., Wittmer, H. U., & Marshall, A. J. (2015). Modeling the Ecological and Phenological Predictors of Fruit Consumption by Gibbons (Hylobates albifrons). *Biotropica*, 47(1), 85–93. <https://doi.org/10.1111/btp.12176>
- Djaga, W., Pellondo'u, M. E., & Purnama, M. M. E. (2020). Studi perilaku (aktivitas harian) Monyet Ekor Panjang (Macaca fascicularis) di Taman Nasional Kelimutu, Kecamatan Kelimutu, Kabupaten Ende, Provinsi Nusa Tenggara Timur. *Jurnal Wana Lestari*, 3(2), 122–129.
- Dominy, N. J., Lucas, P. W., Osorio, D., & Yamashita, N. (2001). The sensory ecology of primate food perception. *Evolutionary Anthropology*, 10(5), 171–186. <https://doi.org/10.1002/evan.1031>
- Eliana, D., Nasution, E. K., & Indarmawan, I. (2017). Tingkah Laku Makan Lutung Jawa Trachypithecus auratus Di Kawasan Pancuran 7 Baturaden Gunung Slamet Jawa Tengah. *Scripta Biologica*, 4(2), 125. <https://doi.org/10.20884/1.sb.2017.4.2.403>
- Elton, C. (1927). Animal ecology. (With an introduction by JULIAN S. HUXLEY.). *Animal Ecology*, November, xx + 207 p. 8 pl., 18 fig.
- Erb, W. M., Borries, C., Lestari, N. S., & Hodges, J. K. (2012). Annual Variation in Ecology and Reproduction of Wild Simakobu (Simias concolor). *International Journal of Primatology*, 33(6), 1406–1419. <https://doi.org/10.1007/s10764-012-9630-3>
- Fadhil, M., Putra, R., Baskoro, K., & Hadi, M. (2018). Studi Populasi dan Habitat Owa Jawa (Hylobates moloch Audebert 1797) di Kawasan. *Bioma*, 20(2), 2598–2370.
- Falah, N., Ali, S. M., & Sabri, M. (2020). Spesies Primata di Kawasan Taman Hutan Raya Pocut Meurah Intan (Tahura PMI) Provinsi Aceh, Indonesia. *Prosiding Seminar Nasional Biotik 2020*, 69–70.
- Fashing, P. J. (2007a). Behavior, ecology, and conservation of colobine monkeys: An introduction. *International Journal of Primatology*, 28(3), 507–511. <https://doi.org/10.1007/s10764-006-9094-4>
- Fashing, P. J. (2007b). Behavior, ecology, and conservation of colobine monkeys: An introduction. *International Journal of Primatology*, 28(3), 507–511. <https://doi.org/10.1007/s10764-006-9094-4>
- Fatimah, D. N. (2020). Eyes in the Sky: Assessing the Feasibility of Low-Cost, Ready-to-Use Unmanned Aerial Vehicles to Monitor Primate Populations Directly. *Folia Primatologica*, 91(1), 69–82. <https://doi.org/10.1159/000496971>

- Fauzi, F., Rahmawati, R., & Sandan, P. (2018). Estimation of Population Density And Food Sort of KELASI (Presbytis Rubicundamuller 1838) in Nyaru Menteng Arboretum of Palangka Raya. *Daun: Jurnal Ilmiah Pertanian Dan Kehutanan*, 4(1), 7–16. <https://doi.org/10.33084/daun.v4i1.90>
- Felton, A. M., Felton, A., Wood, J. T., Foley, W. J., Raubenheimer, D., Wallis, I. R., & Lindenmayer, D. B. (2009). Nutritional ecology of Ateles chamek in lowland Bolivia: How macronutrient balancing influences food choices. *International Journal of Primatology*, 30(5), 675–696. <https://doi.org/10.1007/s10764-009-9367-9>
- Fonseca, M. L., Ramírez-Pinzón, M. A., McNeil, K. N., Guevara, M., Gómez-Gutiérrez, L. M., Harter, K., Mongui, A., & Stevenson, P. R. (2022). Dietary preferences and feeding strategies of Colombian highland woolly monkeys. *Scientific Reports*, 12(1), 1–15. <https://doi.org/10.1038/s41598-022-17655-5>
- Freeland, W. J., & Janzen, D. H. (1974). Strategies in Herbivory by Mammals: The Role of Plant Secondary Compounds. *The American Naturalist*, 108(961), 269–289. <https://doi.org/10.1086/282907>
- Frey, J. C., Rothman, J. M., Pell, A. N., Nizeyi, J. B., Cranfield, M. R., & Angert, E. R. (2006). Fecal bacterial diversity in a wild gorilla. *Applied and Environmental Microbiology*, 72(5), 3788–3792. <https://doi.org/10.1128/AEM.72.5.3788-3792.2006>
- Fuadi. (2008). *Perbandingan Aktivitas Harian Lutung Jawa (Trachypithecus auratus) di Pusat Penyelamatan Satwa (PPS) Putungsewu dan Suaka Margasatwa Dataran tinggi Hyang* [Universitas Islam Malang]. <https://doi.org/http://etheses.uinmalang.ac.id/id/eprint/47953>
- Fuzessy, L. F., Janson, C., & Silveira, F. A. O. (2018). Effects of seed size and frugivory degree on dispersal by Neotropical frugivores. *Acta Oecologica*, 93(September), 41–47. <https://doi.org/10.1016/j.actao.2018.10.004>
- Gang, H., Xin, D., Hongzhang, L., Xinwei, S., Dayong, L., & Caiquan, Z. (2011). The distribution and population dynamics of François' Langur over the past two decades in Guizhou, China and threats to its survival. *Acta Theriologica Sinica*, 31(3), 306–311.
- Ganzhorn, J. U., Arrigo-Nelson, S., Boinski, S., Bollen, A., Carrai, V., Derby, A., Donati, G., Koenig, A., Kowalewski, M., Lahann, P., Norscia, I., Polowinsky, S. Y., Schwitzer, C., Stevenson, P. R., Talebi, M. G., Tan, C., Vogel, E. R., & Wright, P. C. (2009). Possible fruit protein effects on primate communities in madagascar and the neotropics. *PLoS ONE*, 4(12). <https://doi.org/10.1371/journal.pone.0008253>
- Gavan, J. A. (1969). : A Handbook of Living Primates: Morphology, Ecology and Behaviour of Nonhuman Primates . J. R. Napier, P. H. Napier. *American Anthropologist*, 71(2), 357–358. <https://doi.org/10.1525/aa.1969.71.2.02a00550>

- Goltenboth. (1976). Non human primates (apes, monkeys and prosimians). *The Handbook of Zoo Medicine*, 46–85. https://doi.org/10.18960/seitai.46.3_291
- Groves, C. . (2001). *Primates Taxonomy*. Smithsonian Institute Press.
- Hajar, S., Rahmah, W., Maharani Putri, E., Septian Ressandy, S., Hamzah, H., Kalimantan Timur, M., & Ir Juanda No, J. (2021). Potential of Matoa Fruit Extract (*Pometia Pinnata*) As Antioxidant Source. *Jfsp*, 7(1), 2579–4558. <https://doi.org/10.31603/pharmacy.v7i1.4240>
- Handayani, O. K., Santoso, N., & Sunarminto, T. (2015). Nilai Ekonomi Pemanfaatan Kawasan Konservasi Bagi Masyarakat Sekitar Resort Bodogol, Taman Nasional Gunung Gede Pangrango. *Media Konservasi*, 20(1), 48–54.
- Handiana, E., Mauliani, L., & Satwikasari, A. F. (2019). Pusat Penangkaran Hewan Langka Owa Jawa dengan Pendekatan Arsitektur Ekologi di Bogor. *Arsitektur Purwarupa*, 3(3), 199–206.
- Ilham, M., Farajallah, D. P., & Iskandar, E. (2019). Activity and Behavior of the Javan gibbon pairs (*Hylobates moloch*) in Javan Gibbon Centre. *Jurnal Ilmu Pertanian Indonesia*, 24(3), 273–279. <https://doi.org/10.18343/jipi.24.3.273>
- Iskandar, E., Sinarga, W., Riendriasari, S., Rahmuddin, Tedjosiswojo, K., & Kyes, R. C. (2018). Survey of the Javan Gibbons (*Hylobates moloch*) in West and Central Java, Indonesia: Trends in Population Density. *Biological Systems: Open Access*, 07(01), 1–9. <https://doi.org/10.4172/2329-6577.1000184>
- Iskandar, F., Mardiastuti, A., Iskandar, E., & Kyes, R. C. (2009). Populasi Owa Jawa (*Hylobates moloch*) di Taman Nasional. *Jurnal Primatologi Indonesia*, 6(1), 14–18. <https://media.neliti.com/media/publications/210509-populasi-owa-jawa-hylobates-moloch-di-ta.pdf>
- Islam, M., Choudhury, P., & Bhattacharjee, P. C. (2014). Canopy utilization pattern of Western Hoolock Gibbon Hoolock Hoolock (Mammalia: Primates: Hylobatidae) in the Inner-line Reserve Forest of Barak Valley, Assam, India. *Journal of Threatened Taxa*, 6(9), 6222–6229. <https://doi.org/10.11609/jott.o3800.6222-9>
- IUCN. (2012). *Trachypithecus auratus*. <https://doi.org/http://www.iucnredlist.org/apps/redlist/details/22034/0>.
- Java, W. (2022). Daily activity variation of Javan gibbon (*Hylbbaes moloch*) by age class and sex in Cisokan, West Java, Indonesia. *Pros Sem Nas Masy Biodiv Indon*, 8(1), 71–79.
- Javadikasgari, H., Soltesz, E. G., & Gillinov, A. M. (2018). Surgery for Atrial Fibrillation. In *Atlas of Cardiac Surgical Techniques* (pp. 479–488). <https://doi.org/10.1016/B978-0-323-46294-5.00028-5>

- Jia, T., Zhao, S., Knott, K., Li, X., Liu, Y., Li, Y., Chen, Y., Yang, M., Lu, Y., Wu, J., & Zhang, C. (2018). The gastrointestinal tract microbiota of northern white-cheeked gibbons (*Nomascus leucogenys*) varies with age and captive condition. *Scientific Reports*, 8(1), 1–14. <https://doi.org/10.1038/s41598-018-21117-2>
- Kartono, A. P., Prastyono, & Maryanto, I. (2002). Variasi Aktivitas Harian Hylobates moloch (Audebert, 1798) Menurut Kelas Umur di TN Gunung Halimun, Jawa Barat. *Berila Biologi*, 6. <https://www.neliti.com/publications/69060/variasi-aktivitas-harian-hylobates-moloch-audebert-1798-menurut-kelas-umur-di-tn>
- Karyawati, A. T. (2012). Tinjauan Umum Tingkah Laku Makan pada Hewan Primata. *Jurnal Penelitian Sains*, 15(1D), 15110. <https://doi.org/https://doi.org/10.26554/jps.v15i1.94>
- Kassim, N., Hambali, K., & Amir, A. (2017). Nutritional composition of fruits selected by long-tailed macaques (*Macaca fascicularis*) in Kuala Selangor, Malaysia. *Tropical Life Sciences Research*, 28(1), 91–101. <https://doi.org/10.21315/tlsr2017.28.1.6>
- Kim, S., Lappan, S., & Choe, J. C. (2012). Responses of Javan Gibbon (*Hylobates moloch*) Groups in Submontane Forest to Monthly Variation in Food Availability: Evidence for Variation on a Fine Spatial Scale. *American Journal of Primatology*, 74(12), 1154–1167. <https://doi.org/10.1002/ajp.22074>
- Kirkpatrick, R. C. (2007). The Asian colobines: diversity among leaf-eating monkeys. In *Primates in perspective* (Vol. 2, pp. 189–201).
- Koenig, A. (2000). Competitive regimes in forest-dwelling Hanuman langur females (*Semnopithecus entellus*). *Behavioral Ecology and Sociobiology*, 48(2), 93–109. <https://doi.org/10.1007/s002650000198>
- Kool, K. M. (1992). The status of endangered primates in Gunung Halimun Reserve, Indonesia. *Oryx*, 26(1), 29–33. <https://doi.org/10.1017/S003060530002319X>
- Kool, K. M. (1993). The diet and feeding behavior of the silver leaf monkey (*Trachypithecus auratus sondaicus*) in Indonesia. *International Journal of Primatology*, 14(5), 667–700. <https://doi.org/10.1007/BF02192186>
- Krebs, C. J. (1999). *Ecological Methodology*. Addison (p. 652). Welsey Educational Publishers, Inc., Menlo Park, CA.
- Kurniawan, I. (2014). *Modul Rencana Pelepasliaran Lutung Jawa (Trachypithecus auratus É. Geoffroy Saint-Hilaire, 1812) di Lereng Timur Gunung Biru, Batu, Jawa Timur*.
- Lambert, J. E. (2004). Resource Switching and Species Coexistence in Guenons: A Community Analysis of Dietary Flexibility. In *The Guenons: Diversity and Adaptation in African Monkeys* (pp. 309–323). Springer US. https://doi.org/10.1007/0-306-48417-x_21

- Lambert, J. E., & Rothman, J. M. (2015). Fallback Foods, Optimal Diets, and Nutritional Targets: Primate Responses to Varying Food Availability and Quality. *Annual Review of Anthropology*, 44(1), 493–512. <https://doi.org/10.1146/annurev-anthro-102313-025928>
- Leksono, N. P. (2014). Studi Populasi dan Habitat Lutung Jawa (*Trachypithecus auratus sondaicus*) di Cagar Alam Pananjung Pangandaran Jawa Barat. *Institut Pertanian Bogor*, 1–46.
- Liu, X., Stanford, C. B., Yang, J., Yao, H., & Li, Y. (2013). Foods Eaten by the Sichuan snub-nosed monkey (*Rhinopithecus roxellana*) in Shennongjia National Nature Reserve, China, in relation to nutritional chemistry. *American Journal of Primatology*, 75(8), 860–871. <https://doi.org/10.1002/ajp.22149>
- Lucini, F. A., Morone, F., Tomassone, M. S., & Makse, H. A. (2020). Diversity increases the stability of ecosystems. *PLoS ONE*, 15(4), 1–13. <https://doi.org/10.1371/journal.pone.0228692>
- Mahmud, R., Kartono, A. P., & Prasetyo, L. B. (2020). PREFERENSI RELUNG PAKAN BADAK JAWA DAN BANTENG. *Media Konservasi*, 25(1), 81–88. <https://doi.org/10.29244/medkon.25.1.81-88>
- Manangkalangi, E., & Kalielel, M. Y. (2011). Luas Relung, Tumpang Tindih dan Strategi Mencarimakanan Ikan Pelangi Arfak (*Melanotaenia arfakensis*) dan Ikan Pemakan Nyamuk (*Gambusia affinis*) di Sungai Nimbai, Manokwari. *Jurnal Perikanan Dan Kelautan*, 7(2), 153–164.
- Manansang, J., Sinaga, W., & Mansjoer, S. S. (2023). Inventory Of West Java Black Langur (*Trachypithecus mauritius*) Feeding Plants In The Bogor Taman Safari Indonesian Forest Area. *Jurnal Biosilampari : Jurnal Biologi*, 5(2), 178–186. <https://doi.org/10.31540/biosilampari.v5i2.2118>
- Manly, T., Owen, A. M., McAvinue, L., Datta, A., Lewis, G. H., Scott, S. K., Rorden, C., Pickard, J., & Robertson, I. H. (2003). Enhancing the sensitivity of a sustained attention task to frontal damage: Convergent clinical and functional imaging evidence. *Neurocase*, 9(4), 340–349. <https://doi.org/10.1076/neur.9.4.340.15553>
- Marshall, A. J., Cannon, C. H., & Leighton, M. (2009). Competition and Niche Overlap Between Gibbons (*Hylobates albiventer*) and Other Frugivorous Vertebrates in Gunung Palung National Park, West Kalimantan, Indonesia. In *The Gibbons* (pp. 161–188). Springer New York. https://doi.org/10.1007/978-0-387-88604-6_9
- McConkey, K. R. (2000). Primary seed shadow generated by gibbons in the rain forests of Barito Ulu, central Borneo. *American Journal of Primatology*, 52(1), 13–29. [https://doi.org/10.1002/1098-2345\(200009\)52:1<13::AID-AJP2>3.0.CO;2-Y](https://doi.org/10.1002/1098-2345(200009)52:1<13::AID-AJP2>3.0.CO;2-Y)
- McConkey, K. R., Aldy, F., Ario, A., & Chivers, D. J. (2002). Selection of fruit by gibbons (*Hylobates muelleri* x *agilis*) in the rain forests of Central Borneo. *International Journal of Primatology*, 23(1), 123–145. <https://doi.org/10.1023/A:1013253909046>

- McConkey, K. R., Ario, A., Aldy, F., & Chivers, D. J. (2003). Influence of forest seasonality on gibbon food choice in the rain forests of Barito Ulu, Central Kalimantan. *International Journal of Primatology*, 24(1), 19–32. <https://doi.org/10.1023/A:1021490327385>
- McGraw, W. S., Vick, A. E., & Daegling, D. J. (2014). Dietary variation and food hardness in sooty mangabeys (*Cercocebus atys*): Implications for fallback foods and dental adaptation. *American Journal of Physical Anthropology*, 154(3), 413–423. <https://doi.org/10.1002/ajpa.22525>
- Medway, Lord. (1970). Breeding of the Silvered Leaf Monkey, *Presbytis cristata*, in Malaya. *Journal of Mammalogy*, 51(3), 630. <https://doi.org/10.2307/1378413>
- Meijaard, E., & Nijman, V. (2000). Distribution and conservation of the proboscis monkey (*Nasalis larvatus*) in Kalimantan, Indonesia. *Biological Conservation*, 92(1), 15–24. [https://doi.org/10.1016/S0006-3207\(99\)00066-X](https://doi.org/10.1016/S0006-3207(99)00066-X)
- Meijaard, E., Sheil, D., Marshall, A. J., & Nasi, R. (2008). Phylogenetic age is positively correlated with sensitivity to timber harvest in Bornean mammals. *Biotropica*, 40(1), 76–85. <https://doi.org/10.1111/j.1744-7429.2007.00340.x>
- Milton, K. (1985). Mating patterns of woolly spider monkeys, *Brachyteles arachnoides*: implications for female choice. *Behavioral Ecology and Sociobiology*, 17(1), 53–59. <https://doi.org/10.1007/BF00299429>
- Milton, S. J. (1994). Growth, flowering and recruitment of shrubs in grazed and in protected rangeland in the arid Karoo, South Africa. *Vegetatio*, 111(1), 17–27. <https://doi.org/10.1007/BF00045574>
- Misdi, M., & Sri, H. H. (2023). Jenis Pohon Pakan Primata di Kawasan Stasiun Penelitian Ketambe , Aceh Tenggara Types of Primate Diet Trees in the Ketambe Research Station Area , Southeast Aceh. *JURNAL BIOLOGICA SAMUDRA*, 5(2), 91–101. <https://doi.org/https://doi.org/10.33059/jbs.v2i1.8610>
- Mms, G., Pairah, & E, S. (2019). Keanekaragaman Satwa Primata di Wilayah Operasi Pembangkit Listrik Tenaga Panas Bumi Taman Nasional Gunung Halimun Salak The Diversity of Non-Human Primates in Geothermal Power Plant Operation Area of Gunung Halimun Salak National Park. *Jurnal Primatologi Indonesia*, 16(1), 3–9.
- Mudiana, D. (2005). Dispersal of *Syzygium cormiflorum* (F. Muell.) B. Hyland. around the main trees in Lamedae Natural Reserve, Kolaka, Southeast Sulawesi. *Biodiversitas Journal of Biological Diversity*, 6(2), 129–132. <https://doi.org/10.13057/biodiv/d060212>
- Musfaidah, R., Nugroho, A. S., & Dzakiy, M. A. (2019). Karakteristik Vegetasi Pakan Monyet Ekor Panjang (*Macaca fascicularis*) Pada Daerah Jelajah Di Kelurahan Kandri Kecamatan Gunungpati. *Seminar Nasional Edusaintek FMIPA UNIMUS*, 382–389.

- Mustari, A. (2019). Habitat Characteristics and Population of Javan Langur (*Trachypithecus Auratus* E. Geoffroy Saint-Hilaire, 1812) In Leuweung Sancang Nature Reserve, Garut, West Java. *Jurnal Wasian*, 6(2), 77–88. <https://doi.org/https://doi.org/10.20886/jwas.v6i2.4816>
- Nakagawa, N. (2000). Seasonal, sex, and interspecific differences in activity time budgets and diets of patas monkeys (*Erythrocebus patas*) and tantalus monkeys (*Cercopithecus aethiops tantalus*), living sympatrically in Northern Cameroon. *Primates*, 41(2), 161–174. <https://doi.org/10.1007/BF02557797>
- Nijboer, J., Clauss, M., Olsthoorn, M., Noordermeer, W., Huisman, T. R., Verheyen, C., Van Der Kuilen, J., Streich, W. J., & Beynen, A. C. (2006). Effect of diet on the feces quality in javan langur (*Trachypithecus auratus auratus*). *Journal of Zoo and Wildlife Medicine*, 37(3), 366–372. <https://doi.org/10.1638/05-113.1>
- Nijman, V. (2000). Geographic distribution of ebony leaf monkey *Trachypithecus auratus* (E. Geoffroy Saint-Hilaire, 1812) (Mammalia: Primates: Cercopithecidae). *Contributions to Zoology*, 69(3), 157–177. <https://doi.org/10.1163/18759866-06903002>
- Nijman, V. (2004). Conservation of the Javan gibbon *Hylobates moloch*: Population estimates, local extinctions, and conservation priorities. *Raffles Bulletin of Zoology*, 52(1), 271–280.
- Nijman, V., & Van Balen, S. (1998). A faunal survey of the Dieng Mountains, Central Java, Indonesia: Distribution and conservation of endemic primate taxa. *ORYX*, 32(2), 145–156. <https://doi.org/10.1046/j.1365-3008.1998.d01-24.x>
- Nofiyani, T., & Nugroho, A. S. (2016). Aktivitas Harian Owa Jawa (*Hylobates moloch*) di Hutan Lindung Petungkriyono Kabupaten Pekalongan Jawa Tengah. *Prosiding Seminar Nasional Sains Dan Entrepreneurship III*, 331–335.
- Noviar, A., Anton, A., & Supriatna, J. (2011). Owa Jawa di Taman Nasional Gunung Gede Pangrango kumpulan hasil-hasil penelitian Owa Jawa di Bodogol, Taman Nasional Gunung Gede Pangrango periode 2000-2010. *Conservation International Indonesia*, 1–250. <https://hdl.loc.gov/loc.gdc/gdcebookspublic.2012330665>
- Nurdianti, R., & Akbar, R. T. M. (2022). Aktivitas Harian Pasangan Owa Jawa (*Hylobates moloch*) Pasca-pelepasliaran di Kawasan Cagar Alam Patengan, Jawa Barat. *Tropical Bioscience: Journal of Biological Science*, 2(1), 1–10. <https://doi.org/10.32678/tropicalbiosci.v2i1.5827>
- Oktaviani, R., Kim, S., Cahyana, A. N., & Choe, J. C. (2018). Nutrient Composition of the Diets of Javan gibbons (*Hylobates moloch*). *IOP Conference Series: Earth and Environmental Science*, 197(1). <https://doi.org/10.1088/1755-1315/197/1/012048>
- Pambudi Dharma, A., & Meitiyani, M. (2021). Peningkatan Pengetahuan Organisasi Kepemudaan Satapak Rimba Dalam Mendukung Konservasi Satwa Primata. *Jurnal IKRAITH-ABDIMAS*, 4(3), 34–38.

- Pianka, E. R. (1973). The Structure of Lizard Communities. *Annual Review of Ecology and Systematics*, 4(1), 53–74. <https://doi.org/10.1146/annurev.es.04.110173.000413>
- Porter, L. M. (2001). Dietary differences among sympatric callitrichinae in northern Bolivia: *Callimico goeldii*, *Saguinus fuscicollis* and *S. labiatus*. *International Journal of Primatology*, 22(6), 961–992. <https://doi.org/10.1023/A:1012013621258>
- Prasetyo, B., & Amelia, S. (2013). Deskripsi Tingkah Laku Owa Jawa (*Hylobates moloch Audebert*) di Taman Margasatwa Ragunan Description Of Behavior Javan Gibbon (*Hylobates moloch Audebert*) In The Quarantine Ragunan Zoological Park. In *Jurnal Sainsmat: Vol. II* (Issue 2). <http://ojs.unm.ac.id/index.php/sainsmat>
- Pratiwi, A. I. N., Studi, P., Nutrisi, I., Makanan, D. A. N., & Peternakan, F. (2008). *Aktivitas Pola Makan Dan Pemilihan Pakan Pada Lutung Kelabu Betina di Pusat Penyelamatan Satwa Gadog Ciawi Bogor*.
- Pratiwi, D. R. (2014). *Studi Evaluasi Pusat Pendidikan Konservasi Alam Bodogol (PPKAB) Sebagai Kawasan Pariwisata Edukasi (Edutourism)*. repository.upi.edu. <http://repository.upi.edu/id/eprint/12868>
- Prayogo. (2006). *Kajian tingkah laku dan analisis pakan Lutung Perak (*Trachypithecus cristatus*) di Pusat Primata Schmutzer Taman Margasatwa Ragunan* [Institut Pertanian Bogor]. <https://doi.org/http://repository.ipb.ac.id/handle/123456789/43101>
- Qurniawan, T. F., & Suryaningtyas, I. S. (2013). Preferensi Pakan Alami Empat Jenis Anura (*Hylarana Chalconota*, *Phrynidis Aspera*, *Leptobrachium Haseltii* Dan *Odorrana Hosii*) Di Kawasan Karst Menoreh Kulon Progo,. In *Bionatura* (Vol. 15, Issue 3, p. 218228). <http://jurnal.unpad.ac.id/bionatura/article/download/7579/3476>
- R. Nandini, N. P. (2008). Food Habits Of The Indian Giant Flying Squirrel (*Petaurista philippensis*) In A Rain Forest Fragment, Western Ghats. *Journal of Mammology*, 89(6), 1550–1556. <https://doi.org/https://doi.org/10.1644/08-MAMM-A-063.1>
- Rahayu, S., & Badiah, B. (2021). Strategi Konservasi Tumbuhan Hoya Di Bodogol, Cagar Biosfer Taman Nasional Gunung Gede Pangrango Melalui Promosi Ekowisata. Risalah Kebijakan Pertanian Dan Lingkungan. *Rumusan Kajian Strategis Bidang Pertanian Dan Lingkungan*, 8(3), 176–187. <https://doi.org/10.29244/jkebijakan.v8i3.28034>
- Rahma, D. A. (2021). *Studi perilaku dan pakan owa jawa (*Hylobates moloch*) di Pusat Studi Satwa Primata IPB dan Taman Nasional Gunung Gede Pangrango: penyiapan pelepasliaran*. Intitut Pertanian Bogor.
- Rahmah, A. E., Istiana, R., & Awaludin, M. (2021). *Inventarisasi dan keanekaragaman primata di pusat pendidikan konservasi alam Bodogol Taman Nasional Gunung Gede Pangrango* [Universitas Pakuan]. <https://doi.org/repository.unpak.ac.id>

- Rahman, D. A. (2011a). *Studi aktivitas dan pakan owa jawa (hylobates moloch) di Pusat Studi satwa Primata IPB dan Taman Nasional Gunung Gede Pangrango: penyiapan pekespasliaran. (Tesis)*. Institut Pertanian Bogor, Bogor.
- Rahman, D. A. (2011b). *Studi Perilaku Dan Pakan Owa Jawa (Hylobates Moloch) Di Pusat Studi Satwa Primata Ipb Dan Taman Nasional Gunung Gede Pangrango : Penyiapan Pelepasliaran*. Institut Pertanian Bogor.
- Rajpurohit, D. S., & Rajpurohit, L. S. (2005). Displacement interactions - The determinants of dominance hierarchy in Hanuman langur, *Semnopithecus entellus* around Jodhpur (India). *Journal of Advanced Zoology*, 26(2), 64–68.
- Rajpurohit, L., AK, C., Rajpurohit, R., Bhaker, N., Rajpurohit, D., & Sharma, G. (2008). Recent observation on resident male change followed by infanticide in hanuman langurs around Jodhpur. *Primate Report*, 75.
- Rajpurohit, L. S., Chhangani, A. K., Rajpurohit, R. S., & Mohnot, S. M. (2003). Observation of a sudden resident-male replacement in a unimale bisexual troop of Hanuman langurs, *Semnopithecus entellus*, around Jodhpur (India). *Folia Primatologica*, 74(2), 85–87. <https://doi.org/10.1159/000070002>
- Rasmada, S. (2008). *Analisis Kebutuhan Nutrien Dan Kecernaan Pakan Pada Owa Jawa (Hylobates Moloch) Di Pusat Penyelamatan Satwa Gadog-Ciawi*.
- Resma, B., Fitriana, Y. R., Setiawan, A., & Dewi, B. S. (2021). Keanekaragaman jenis pohon pakan pada habitat owa jawa (*Hylobates moloch*) di Pusat Pendidikan Konservasi Alam Bodogol, Taman Nasional Gunung Gede Pangrango, Indonesia. *Seminar Nasional Silvikultur Ke-VIII*, 182–190. <http://repository.lppm.unila.ac.id/36448/>
- Retanti, R., Fithria, A., & Rudy, G. S. (2021). Sebaran Pohon Pakan di Habitat Bekantan (*Nasalis larvatus Wurmb.*) di Hutan Riparian Areal Pertambangan PT Jorong Barutama Greston. *Jurnal Sylva Scientiae*, 4(3), 517. <https://doi.org/10.20527/jss.v4i3.3753>
- Richards, L. A., & Coley, P. D. (2007). Seasonal and habitat differences affect the impact of food and predation on herbivores: A comparison between gaps and understory of a tropical forest. *Oikos*, 116(1), 31–40. <https://doi.org/10.1111/j.2006.0030-1299.15043.x>
- Roos, C., Boonratana, R., Supriatna, J., Fellowes, J. R., Groves, C. P., Nash, S. D., Rylands, A. B., & Mittermeier, R. A. (2014). An updated taxonomy and conservation status review of Asian primates. *Asian Primates Journal*, 4(1), 2–38.
- Rosyid, A. (2007). Perilaku Makan Siamang Dewasa (*Hylobates syndactylus* Raffles, 1821) yang Hidup di Hutan Terganggu dan Tidak Terganggu. *Agroland* 14, 14(September), 237–240.

- Rothman, J. M., Dierenfeld, E. S., Hintz, H. F., & Pell, A. N. (2008). Nutritional quality of gorilla diets: Consequences of age, sex, and season. *Oecologia*, 155(1), 111–122. <https://doi.org/10.1007/s00442-007-0901-1>
- Ruppell, J. C. (2013). *Ecology of White-Cheeked Crested Gibbons in Laos*. 148. <https://doi.org/https://doi.org/10.15760/etd.1007>
- Santono, D., Widiana, A., & Sukmaningrasa, S. (2016). Aktivitas Harian Lutung Jawa (*Trachypithecus auratus sondacius*) di Kawasan Taman Buru Masigit Kareumbi Jawa Barat. *Jurnal Biodjati*, 1(1), 39. <https://doi.org/10.15575/biodjati.v1i1.1031>
- Santosa, Y. T., Mustari, A. H., & Rahman, D. A. (2012). Cohabitation Study of the Leaf Monkey and Bornean White-Bearded Gibbons in Gunung Palung National Park, West Kalimantan. *Hayati Journal of Biosciences*, 19(3), 115–123. <https://doi.org/10.4308/hjb.19.3.115>
- Sari, I., Baskoro, K., & Hadi, M. (2020). Estimasi Populasi dan Vegetasi Habitat Lutung Jawa (*Trachypithecus auratus* E. Geoffrey 1812) di Gunung Ungaran, Jawa Tengah. *Jurnal Biologi Tropika*, 3(2), 47–56.
- Sato, H., Santini, L., Patel, E. R., Campera, M., Yamashita, N., Colquhoun, I. C., & Donati, G. (2016). Dietary Flexibility and Feeding Strategies of Eulemur: A Comparison with Propithecus. *International Journal of Primatology*, 37(1), 109–129. <https://doi.org/10.1007/s10764-015-9877-6>
- Sawitri, R., & Abdullah, S. M. B. (1998). Studi Populasi Owa Jawa (*Hylobatesmoloch*) dan Upaya Pelestarian di Taman Nasional Gunung Halimun JawaBarat. *Bul. Pen. Hutan*, 612, 15–26.
- Scherbaum, C., & Estrada, A. (2013). Selectivity in feeding preferences and ranging patterns in spider monkeys *Ateles geoffroyi yucatanensis* of northeastern Yucatan peninsula, Mexico. *Current Zoology*, 59(1), 125–134. <https://doi.org/10.1093/czoolo/59.1.125>
- Schoener, T. W. (1983). Field experiments on interspecific competition. *American Naturalist*, 122(2), 240–285. <https://doi.org/10.1086/284133>
- Schwitzer, C. (2009). Gastrointestinal morphology of the crowned lemur (*Eulemur coronatus*). *Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia*, 38(6), 429–431. <https://doi.org/10.1111/j.1439-0264.2009.00964.x>
- Scott, K. P., Gratz, S. W., Sheridan, P. O., Flint, H. J., & Duncan, S. H. (2013). The influence of diet on the gut microbiota. In *Pharmacological Research* (Vol. 69, Issue 1, pp. 52–60). <https://doi.org/10.1016/j.phrs.2012.10.020>
- Sentosa, A. A., & Satria, H. (2017). Relung Ekologi Beberapa Ikan Target Hasil Tangkapan Bubu Di Sekitar Terumbu Buatan Perairan Teluk Saleh, Nusa Tenggara BaratRelung Ekologi Beberapa Ikan Target Hasil Tangkapan Bubu Di Sekitar Terumbu Buatan Perairan Teluk Saleh, Nusa Tenggara Barat. *Jurnal Penelitian Perikanan Indonesia*, 17(3), 211. <https://doi.org/10.15578/jppi.17.3.2011.2011-219>

- Setia, T. M. (2008). Penyebaran biji oleh satwa liar di kawasan pusat pendidikan konservasi alam Bodogol. *Vis Vatalis*, 01(1), 1–8.
- Setiawan, A. (2020). *Perencanaan Ekowisata Satwa Primata Lutung Jawa (Trachypithecus auratus) di Taman Nasional Gunung Gede Pangrango*. ereport.ipb.ac.id. http://ereport.ipb.ac.id/id/eprint/3893/1/J3B117064_01_Agnes Setiawan_Cover.pdf
- Siregar, R. F. (2018). *Kemampuan Bakteri Asam Laktat dari Feses Orangutan Sumatera (Pongo abelii) dan Monyet Ekor Panjang (Macaca fascicularis) dalam Menghambat Beberapa Bakteri Patogen Pencernaan Hewan Primata in Vitro*.
- Sjahfirdi, L., Aldi, N., Maheshwari, H., & Astuti, P. (2015). Aplikasi Fourier Transform Infrared (Ftir) Dan Pengamatan Pembengkakan Genital Pada Spesies Primata, Lutung Jawa (Trachypithecus Auratus) Untuk Mendeteksi Masa Subur. *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*, 9(2). <https://doi.org/10.21157/j.ked.hewan.v9i2.2837>
- Soendjoto, M. A., Alikodra, H. S., Bismark, M., & Setijanto, H. (2019). Aktivitas Harian Bekantan (*Nasalis larvatus* Wurmb) di Hutan Karet Kabupaten Tabalong, Kalimantan Selatan. *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati*, 7(1), 101–109. <https://doi.org/10.24002/biota.v11i2.2627>
- Solihat, R. F., & Bintarawati, V. S. (2020). Inventarisasi Jenis Pakan Lutung Jawa (Trachypithecus Auratus) Pada Blok Cilame Dan Blok Cimeudeum Taman Wisata Alam Gunung Tampomas Kabupaten Sumedang. *Wanamukti: Jurnal Penelitian Kehutanan*, 21(1), 17. <https://doi.org/10.35138/wanamukti.v21i1.152>
- Subeno, S. (2009). Kelimpahan dan Keanekaragam Tanaman Pakan Rusa Bawean di Kawasan Suaka Margasatwa Pulau Bawean, Jawa Timur. In *Jurnal Ilmu Kehutanan* (Vol. 3, Issue 1, p. 45). <https://doi.org/10.22146/jik.928>
- Suhono, S., & Munstab, H. (2001). Penggunaan Sumberdaya Air, Pakan dan Cover oleh Badak Jawa (*Rhinoceros sondaicus*) dan Banteng (*Bos javanicus*) di Daerah Cikeusik dan Citadahan. *Media Konservasi*, VII, No 2, 69–74.
- Sulistyadi, E., Kartono, A. P., & Maryanto, I. (2013). Pergerakan lutung jawa Trachypithecus auratus (E. Geoffroy 1812) pada fragmen habitat terisolasi di Taman Wisata Alam Gunung Pancar (TWAGP) Bogor. *Berita Biologi*, 12(3), 383–395.
- Sulistyadi, E. (2012). Komunitas Mamalia Besar Gunung Slamet. Maryanto I, Noerdjito M, Partomihardjo T. Ekologi Gunung Slamet. In *Purwokerto: Universitas Jenderal Soedirman*.
- Sulistyadi, E. (2017). Karakteristik Komunitas Mamalia Besar di Taman Nasional Bali Barat (TNBB). *Zoo Indonesia*, 25(2), 142–159. https://e-journal.biologi.lipi.go.id/index.php/zoo_indonesia/article/view/3361

- Sultan, K., Mansjoer, S. S., & Bismark, M. (2009). Populasi dan Distribusi Ungko (*Hylobates agilis*) di Taman Nasional Batang Gadis, Sumatera Utara. *Journal Primatologi Indonesia*, 6(1), 25–31.
- Supriatna., J. edi hendras wahyuno. (2000). Panduan Lapangan Primata Indonesia. Yayasan Obor Indonesia. In *Universitas Indonesia Library*. Yayasan Pustaka Obor Indonesia. <https://lib.ui.ac.id>
- Surono, H., Mustari, A. H., & Rinaldi, D. (2015). Jenis Pakan Owa Jawa (*Hylobates moloch* Audebert, 1798) di Taman Nasional Gunung Halimun Salak Provinsi Jawa Barat. *Biodidaktika*, 10(2), 24–32.
- Susanto, E., Hadian, M. S. D., & Siti khadijah, U. L. (2021). Profile Wisatawan Nusantara Taman Nasional Gunung Gede Pangrango. *Pusaka: Journal of Tourism, Hospitality, Travel and Business Event*, 3(1), 11–17. <https://doi.org/10.33649/pusaka.v3i1.77>
- Takahashi, M. Q., Rothman, J. M., Raubenheimer, D., & Cords, M. (2019). Dietary generalists and nutritional specialists: Feeding strategies of adult female blue monkeys (*Cercopithecus mitis*) in the Kakamega Forest, Kenya. *American Journal of Primatology*, 81(7). <https://doi.org/10.1002/ajp.23016>
- Tania, N., Lasari, N., Mapikasari, S., Nurina, A., Apriliyanti, R. E., Dinda, D., Ramadhan, S. P., Setyaningsih, A., & Widystuti, E. F. (2014). Estimasi Kepadatan Populasi Lutung Jawa (*Trachypithecus auratus*, Napier and Napier 1967) di Pusat Pendidikan Konservasi Alam Bodogol. 哲学と宗教 宇野精一 [ほか] 編, 72(2), 202–213.
- Thomas, D. W., Manly, T. S., & Schulman, C. T. (2003). An International Investigation of the Influence of Dividend Taxation on Research and Development Tax Credits. *Journal of the American Taxation Association*, 25(2), 35–54. <https://doi.org/10.2308/jata-2003.25.2.35>
- Tsuji, Y., Widayati, K. A., Hadi, I., Suryobroto, B., & Watanabe, K. (2013). Identification of individual adult female Javan lutungs (*Trachypithecus auratus sondaicus*) by using patterns of dark pigmentation in the pubic area. *Primates*, 54(1), 27–31. <https://doi.org/10.1007/s10329-012-0334-2>
- Utami, R. (2016, September 1). *Penjarahan tanaman oleh hewan Primata di Bungus dan Teluk Kabung, Padang, Sumatera Barat*. <https://doi.org/10.13057/psnmbi/m020110>
- Valenta, K., Daegling, D. J., Nevo, O., Ledogar, J., Sarkar, D., Kalbitzer, U., Bortolamiol, S., Omeja, P., Chapman, C. A., Ayasse, M., Kay, R., & Williams, B. (2020). Fruit Selectivity in Anthropoid Primates: Size Matters. *International Journal of Primatology*, 41(3), 525–537. <https://doi.org/10.1007/s10764-020-00158-3>

- Volkoff, H., Hoskins, L. J., & Tuziak, S. M. (2010). Influence of intrinsic signals and environmental cues on the endocrine control of feeding in fish: Potential application in aquaculture. *General and Comparative Endocrinology*, 167(3), 352–359. <https://doi.org/10.1016/j.ygcen.2009.09.001>
- Wahyuni, S., & Nasution, E. K. (2017). Studi Populasi Owa Jawa (*Hylobates moloch*) di Lereng Gunung Slamet Jawa Tengah. *Biosfera*, 33(1), 46. <https://doi.org/10.20884/1.mib.2016.33.1.359>
- Wahyuni S, K. E. (2016). Studi populasi owa Jawa (*Hylobates moloch*) di lereng gunung Slamet Jawa Tengah. *Jurnal Biosfera*, 33(1), 46–51. <https://doi.org/10.20884/1.mib.2016.33.1.3>.
- Waterman, P. G. (2007). Roles for secondary metabolites in plants. In *Ciba Foundation symposium* (Vol. 171). <https://doi.org/10.1002/9780470514344.ch15>
- Wedana, M. dan I. K. (2011). *Population survey of Javan langur (*Trachypithecus auratus E. Geoffroy*) in the East Java forest area, Indonesia. Final Report, Javan Langur Conservation Program – East Java / The Aspinall Foundation - Indonesia Program / Ministry of Forestry, Indonesia.*
- Wijaya, D., Nurfiarini, A., Nastiti, A. S., & Riswanto, R. (2018). Kebiasaan Makanan, Luas Dan Tumpang Tindih Relung Beberapa Jenis Lobster Di Teluk Prigi, Kabupaten Trenggalek. *BAWAL Widya Riset Perikanan Tangkap*, 9(3), 153. <https://doi.org/10.15578/bawal.9.3.2017.153-161>
- Wood, M. R., de Vries, J. L., Epstein, J. H., & Markotter, W. (2023). Variations in small-scale movements of, *Rousettus aegyptiacus*, a Marburg virus reservoir across a seasonal gradient. *Frontiers in Zoology*, 20(1), 1–18. <https://doi.org/10.1186/s12983-023-00502-2>
- Wrangham, R. W., Conklin-Brittain, N. Lou, & Hunt, K. D. (1998). Dietary response of chimpanzees and cercopithecines to seasonal variation in fruit abundance. I. Antifeedants. *International Journal of Primatology*, 19(6), 949–970. <https://doi.org/10.1023/A:1020318102257>
- Wrangham, R. W., Conklin, N. L., Chapman, C. A., & Hunt, K. D. (1991). The significance of fibrous foods for Kibale Forest chimpanzees. *Philosophical Transactions - Royal Society of London, B*, 334(1270), 171–178. <https://doi.org/10.1098/rstb.1991.0106>
- Xiong, W., Huang, Z., Yin, L., Ma, C., Luo, X., Cui, L., & Fan, P. (2017). Preliminary study on social structure of Indochinese gray langurs (*Trachypithecus crepusculus*) in Wuliang Mountian, Yunnan. *Acta Theriologica Sinica*, 37(1), 59–65. <https://doi.org/10.16829/j.slxb.201701004>
- Yamashita, N. (2008). Chemical properties of the diets of two lemur species in southwestern Madagascar. *International Journal of Primatology*, 29(2), 339–364. <https://doi.org/10.1007/s10764-008-9232-2>

- Yamashita, N., Vinyard, C. J., & Tan, C. L. (2009). Food mechanical properties in three sympatric species of Hapalemur in Ranomafana National Park, Madagascar. *American Journal of Physical Anthropology*, 139(3), 368–381. <https://doi.org/10.1002/ajpa.20992>
- Yohanna. (2013). *Studi Pakan Owa jawa (Hylobates moloch Audebert 1798) di Pusat Penyelamatan dan Rehabilitasi Satwa Javan Gibbon Center (JGC)*. Institut Pertanian Bogor.
- Yue, L., Wang, C., Meng, B., Xie, B., Cao, H., Su, H., & Zhang, M. (2023). The Food Niche Overlap and Interspecific Relationship between the Sympatric Tibetan Macaque and Grey Snub-Nosed Monkey. *Animals*, 13(2356). <https://doi.org/>. <https://doi.org/10.3390/ani13152536>
- Zainudin, & Rezeki, A. (2016). Aktivitas Makan dan Jenis Pakan Bekantan (*Nasalis larvatus*) di Pulau Bakut Kabupaten Barito Kuala. *Prosiding Seminar Nasional Lahan Basah*, 99–104.
- Zakki, A., Sukarno, A., & Farida, S. (2017). Preferensi Jenis-jenis pakan Lutung Jawa (*Trachypithecus auratus* É. Geoffroy Saint-Hilaire, 1812.) Di Hutan Lindung Coban Talun. *Konservasi Sumberdaya Hutan Jurnal Ilmu Ilmu Kehutanan*, 1(4), 86–91.
- Zeng, H., Tang, F., Li, Z., Lu, W., & Zheng, Y. (2023). Feeding Selectivity and Diet Shift of *Protosalanx chinensis* during Spring in Lake Dalong, Northeastern China. *Water (Switzerland)*, 15(10). <https://doi.org/10.3390/w15101847>
- Zulfa, A., Wibisono, M. A., Mulki, M. F., Ron, J., Giri, M. S., & Oktaviani, R. (2021). Phytochemical Screening on Some Leaves and Fruits Consumed by Javan Gibbons (*Hylobates Moloch*) from Cikaniki Area, Mount Halimun Salak National Park, West Java. *Journal of Tropical Biodiversity*, 1(3), 127–138. <http://e-journal.unas.ac.id/index.php/bio/article/view/63>