

DAFTAR PUSTAKA

- [1] N. Flores Quiroz, R. Walls, dan A. Cicione, “Developing a framework for fire investigations in informal settlements,” *Fire Saf J.*, vol. 120, hlm. 103046, 2021, doi: <https://doi.org/10.1016/j.firesaf.2020.103046>.
- [2] M. Gani, “Anak Bermain Minyak Tanah, 1 Rumah Warga Gunung Meriah Aceh Singkil Terbakar,” Prohaba.co. Diakses: 12 Januari 2024. [Daring]. Tersedia pada: <https://prohaba.tribunnews.com/2023/10/27/anak-bermain-minyak-tanah-1-rumah-warga-gunung-meriah-aceh-singkil-terbakar>
- [3] Y. Setiani, “Pengendalian Bahaya Kebakaran Melalui Optimalisasi Tata Kelola Lahan Kawasan Perumahan di Wilayah Perkotaan,” dalam *Proceedings ACES (Annual Civil Engineering Seminar)*, 2015, hlm. 55–60.
- [4] I. Mantra, “Kajian Penanggulangan Bahaya Kebakaran Pada Perumahan (Suatu Kajian Pendahuluan di Perumahan Sarijadi Bandung),” *Jurnal Permukiman Natah*, vol. 3, no. 1, hlm. 1–16, 2005.
- [5] H. E. Hidayanto, “PENERAPAN METODE VDI 2221 PADA PERANCANGAN SEPEDA MOTOR PEMADAM UNIVERSITAS NEGERI JAKARTA.” UNIVERSITAS NEGERI JAKARTA, 2016.
- [6] H. H. Sutrisno, “The Development of a Centrifugal Pump Nozzle for Firefighting Motorcycle,” *International Journal of Mechanical Engineering and Robotics Research*, vol. 10, no. 6, hlm. 321–327, Jun 2021, doi: [10.18178/ijmerr.10.6.321-327](https://doi.org/10.18178/ijmerr.10.6.321-327).
- [7] R. W. Fox, A. T. McDonald, dan P. J. Pritchard, *Fluid Mechanic*. 2002.
- [8] T. Supriyono, *Mekanika Fluida Dasar*. 2019.
- [9] A. D. Prasojo, “PENGARUH VARIASI KONTUR DIFFUSER TERHADAP EFISIENSI EDUCTOR PADA POMPA DENGAN MENGGUNAKAN FINITE VOLUME METHOD,” Brawijaya University, 2010.
- [10] Y. Wada, “Viscosity of liquids.,” *J. Japan Soc. Lubr. Engr.*, vol. 25, no. 1, 1980., 1980, doi: [10.1201/9781482277425-63](https://doi.org/10.1201/9781482277425-63).
- [11] E. E., Stewart, Warren; N., Lightfoot, *Transport phenomena*, 2nd ed. Wiley, 2007.

- [12] R. W. Fox, A. T. McDonald, dan P. J. Pritchard, *Fluid Mechanic*. 2002.
- [13] J. D. Anderson, *Fundamentals of Aerodynamics (6th edition)*, vol. 1984, no. 3. 2011.
- [14] E. E., Stewart, Warren; N., Lightfoot, *Transport phenomena*, 2nd ed. Wiley, 2007.
- [15] J. D. Anderson, *Fundamentals of Aerodynamics (6th edition)*, vol. 1984, no. 3. 2011.
- [16] F. M. White, *Viscous Fluid Flow*, 4th ed. New York: McGraw Hill LLC, 1974.
- [17] K. B. Victor L. Streeter, E. Benjamin Wylie, *Fluid Mechanics*, 9th ed. United States: Tom Casson, 1998.
- [18] M. A. Henderson dan C. Runcie, “Gas, tubes and flow,” *Anaesthesia and Intensive Care Medicine*, vol. 18, no. 4, hlm. 180–184, 2017, doi: 10.1016/j.mpaic.2017.01.009.
- [19] H. H. Sutrisno dan Triyono, “Improvement of performance and design on firefighter motorcycle as a fast response to decrease fire disaster in a densely populated area,” *International Journal of Mechanical Engineering and Robotics Research*, vol. 8, no. 4, hlm. 655–659, 2019, doi: 10.18178/ijmerr.8.4.655-659.
- [20] I. J. Karassik, J. P. Messina, P. Cooper, dan C. C. Heald, *Pump handbook*, vol. 3. McGraw-Hill New York, 2001.
- [21] B. Aji dan M. Bayu, “Perencanaan Pompa Sentrifugal Dengan Fluida Kerja Crude Oil Pada Central Processing Platform 2 PT. Pertamina Hulu Energi West Madura Offshore.” Institut Teknologi Sepuluh Nopember, 2016.
- [22] N. Harnby, M. F. Edwards, dan A. W. Nienow, “Mixing in the process industries, Second,” London: Reed Educational and Professional Publishing Ltd, 1992.
- [23] M. Rahimi dan A. Parvareh, “Experimental and CFD investigation on mixing by a jet in a semi-industrial stirred tank,” *Chemical Engineering Journal*, vol. 115, no. 1–2, hlm. 85–92, 2005.
- [24] T. Mooney, “Solution agitation and mixing.,” *Metal finishing*, vol. 102, no. 4, hlm. 650–656, 2004.

- [25] N. P. Cheremisinoff, *Handbook of chemical processing equipment*. Elsevier, 2000.
- [26] National Fire Protection Association, *NFPA 11 : Standard for Low-, Medium-, and High-Expansion Foam*. 2010.
- [27] H. Stratton, “Liquid Jet Eductors-The ‘Pumps’ with No Moving Parts,” *Plant Engineering*, vol. 123, no. 8, 1976.
- [28] W. Liu dan K. Pochiraju, “A methodology for the prediction of back-pressure induced stall in eductor-jet pumps,” *International Journal of Refrigeration*, vol. 95, hlm. 165–174, 2018, doi: 10.1016/j.ijrefrig.2018.08.007.
- [29] R. K. McGovern, K. V Bulusu, M. A. Antar, dan J. H. Lienhard, “One-dimensional model of an optimal ejector and parametric study of ejector efficiency,” 2012.
- [30] N. S. Kumar dan K. T. Ooi, “One dimensional model of an ejector with special attention to Fanno flow within the mixing chamber,” *Appl Therm Eng*, vol. 65, no. 1–2, hlm. 226–235, 2014.
- [31] A. J. Stepanoff, “Centrifugal and axial flow pumps,” *Theory, Design, and Application*, 1957.
- [32] J. Lee, “Numerical analysis on the rapid fire suppression using a water mist nozzle in a fire compartment with a door opening,” *Nuclear Engineering and Technology*, vol. 51, no. 2, hlm. 410–423, 2019, doi: 10.1016/j.net.2018.10.026.
- [33] G. Ha, W. G. Shin, dan J. Lee, “Numerical analysis to determine fire suppression time for multiple water mist nozzles in a large fire test compartment,” *Nuclear Engineering and Technology*, vol. 53, no. 4, hlm. 1157–1166, 2021.
- [34] X. Huang, X. S. Wang, dan G. X. Liao, “Characterization of an effervescent atomization water mist nozzle and its fire suppression tests,” *Proceedings of the Combustion Institute*, vol. 33, no. 2, hlm. 2573–2579, 2011, doi: 10.1016/j.proci.2010.06.001.
- [35] H. H. S. Triyono, “Implementation of VDI 2221 Method for Firefighter Motorcycle Design”.

- [36] M. Ochowiak *dkk.*, “The analysis of pressure drop, spray angle, and sprinkling intensity distribution in the spray stream produced by the water-*foam nozzle*,” *Polish Journal of Chemical Technology*, vol. 24, no. 2, 2022.
- [37] J. Roguski, P. Zbrożek, dan D. Czerwieńko, “Selected aspects of the use of water mist extinguishing devices in buildings,” *Józefa Tuliszkowski's Publishing House of the Scientific and Research Center for Fire Protection State Research Institute, Józefów, Poland. Search in*, 2012.
- [38] M. S. Shuvo, M. N. Sakib, R. Rahman, dan S. Saha, “Particle deposition and characteristics of turbulent flow in converging and diverging *nozzles* using Eulerian-Lagrangian approach,” *Results in Engineering*, vol. 16, no. July, hlm. 100669, 2022, doi: 10.1016/j.rineng.2022.100669.
- [39] National Fire Protection Association, *NFPA 16: Standard for the Installation of Foam-Water Sprinkler and Foam-Water Spray Systems*. 2019.
- [40] Y. Sheng, N. Jiang, X. Sun, S. Lu, dan C. Li, “Experimental Study on Effect of *Foam Stabilizers* on Aqueous Film-Forming *Foam*,” *Fire Technol*, vol. 54, no. 1, hlm. 211–228, 2018, doi: 10.1007/s10694-017-0681-z.
- [41] S. L. Manzello dan J. C. Yang, “The Effect of an alcohol resistant aqueous film forming *foam* (AR-AFFF) on the evaporation, boiling, and collision dynamics of a water droplet on a heated solid surface,” *J Colloid Interface Sci*, vol. 256, no. 2, hlm. 418–427, 2002, doi: 10.1006/jcis.2002.8605.
- [42] R. C. R. Figueiredo dan E. Sabadini, “Firefighting *foam* stability: The effect of the drag reducer poly(ethylene) oxide,” *Colloids Surf A Physicochem Eng Asp*, vol. 215, no. 1–3, hlm. 77–86, 2003, doi: 10.1016/S0927-7757(02)00425-9.
- [43] S. A. Magrabi, B. Z. Dlugogorski, dan G. J. Jameson, “A comparative study of drainage characteristics in AFFF and FFFP compressed-air fire-fighting *foams*,” *Fire Saf J*, vol. 37, no. 1, hlm. 21–52, 2002, doi: 10.1016/S0379-7112(01)00024-8.
- [44] B. Y. Lattimer dan J. Trelles, “*Foam* spread over a liquid pool,” *Fire Saf J*, vol. 42, no. 4, hlm. 249–264, 2007, doi: 10.1016/j.firesaf.2006.10.004.
- [45] M. J. Kennedy, M. W. Conroy, J. A. Dougherty, N. Otto, B. A. Williams, dan J. W. Fleming, “Bubble coarsening dynamics in fluorinated and non-

- fluorinated firefighting foams,” *Colloids Surf A Physicochem Eng Asp*, vol. 470, hlm. 268–279, 2015, doi: 10.1016/j.colsurfa.2015.01.062.
- [46] M. Marton dan I. Paulová, “Faculty of Materials Science and Technology in Trnava of Process Improvement,” vol. 18, no. 29, hlm. 71–76, 2010.
- [47] Z. Xu, X. Guo, L. Yan, dan W. Kang, “Fire-extinguishing performance and mechanism of aqueous film-forming foam in diesel pool fire,” *Case Studies in Thermal Engineering*, vol. 17, no. November 2019, hlm. 100578, 2020, doi: 10.1016/j.csite.2019.100578.
- [48] R. S. Sheinson dkk., “The future of aqueous film forming foam (AFFF): performance parameters and requirements.” Naval Research Laboratory, 2002.
- [49] M. J. Hurley dkk., *SFPE handbook of fire protection engineering*. Springer, 2015.
- [50] H. Li, X. Yu, Y. Song, Q. Li, dan S. Lu, “Experimental and numerical investigation on optimization of foaming performance of the kenics static mixer in compressed air foam system,” *Engineering Applications of Computational Fluid Mechanics*, vol. 17, no. 1, hlm. 2183260, 2023.
- [51] B. Harding, B. Zhang, Y. Liu, H. Chen, dan M. S. Mannan, “Improved research-scale foam generator design and performance characterization,” *J Loss Prev Process Ind*, vol. 39, hlm. 173–180, 2016.
- [52] Z. Jiang, W. Li, X. Liu, B. Li, dan L. Liu, “Experimental study of the effects of a Low-expansion foam generator structure on the foaming quality,” dalam *2019 9th International Conference on Fire Science and Fire Protection Engineering (ICFSFPE)*, IEEE, 2019, hlm. 1–5.
- [53] Y. Liu, M. Jing, R. Xu, X. Luan, J. Jiang, dan B. Zhang, “Study of key properties of expansion foam for process safety incident mitigation using an improved foam generator,” *J Loss Prev Process Ind*, vol. 74, hlm. 104661, 2022.
- [54] K. Souidi, A. Mardaru, M. Roudet, A. Marcati, D. Della Valle, dan G. Djelveh, “Effect of impellers configuration on the gas dispersion in high-viscosity fluid using narrow annular gap unit. Part 1: Experimental approach,” *Chem Eng Sci*, vol. 74, hlm. 287–295, 2012.

- [55] H. Wang, D. Wang, Y. Tang, B. Qin, dan H. Xin, “Experimental investigation of the performance of a novel *foam* generator for dust suppression in underground coal mines,” *Advanced Powder Technology*, vol. 25, no. 3, hlm. 1053–1059, 2014.
- [56] Peraturan Direktur Jenderal Perhubungan Udara Kementerian Perhubungan, “Pedoman Teknis Pemeriksaan dan Pengujian Kinerja Fasilitas Pelayanan Darurat,” vol. 139, 2015.
- [57] BIOEX, “APPLICATION OF FIREFIGHTING *FOAM* CONCENTRATE IN LOW, MEDIUM AND HIGH EXPANSION.” Diakses: 25 Maret 2024. [Daring]. Tersedia pada: <https://www.bio-ex.com/en/our-expertises/low-medium-high-expansion/>
- [58] Rosenbauer Brandschutz Deutschland GmbH, “*Foam* Extinguishing Systems – Broad extinguishing Properties for special Fire Risks,” Germany.
- [59] M. M. Hossain et al., “Fire Fighting *Foam* Principles and Ethanol-Blended Fuel Spill Fire Performance: A Review Journal,” *J Hazard Mater*, vol. 275, 2014.
- [60] P. M. Kruglyakov, S. I. Karakashev, A. V Nguyen, dan N. G. Vilkova, “*Foam* drainage,” *Curr Opin Colloid Interface Sci*, vol. 13, no. 3, hlm. 163–170, 2008.
- [61] E. Weyant, “Research Design: Qualitative, Quantitative, and Mixed Methods Approaches: by John W. Creswell and J. David Creswell, Los Angeles, CA: SAGE, 2018, \$38.34, 304pp., ISBN: 978-1506386706.” Taylor & Francis, 2022.
- [62] P. D. Leedy, J. E. Ormrod, dan L. R. Johnson, *Practical research: Planning and design*. Pearson Education, 2014.
- [63] E. R. Babbie, *The practice of social research*. Cengage AU, 2020.
- [64] K. Abdullah dkk., *Metodologi Penelitian Kuantitatif Metodologi Penelitian Kuantitatif*, no. May. 2021.
- [65] I. M. Yusuf, “Pembuatan Alat Pengaduk Dan Pengisian Apar Sistem Otomatis Bahan Dasar Air.” UNIVERSITAS NEGERI JAKARTA, 2018.

- [66] H. Persson, M. Bobert, dan F. E. Amon, “Fire extinguishing tests of ethanol tank fires in reduced scale,” *SP Swedish National Testing and Research Institutes, SP Report*, vol. 56, 2016.

