

DAFTAR PUSTAKA

- Abbasi, P. A., & Weselowski, B. (2015). Efficacy of *Bacillus subtilis* QST 713 formulations, copper hydroxide, and their tank mixes on bacterial spot of tomato. *Crop Protection*, 74, 70–76. <https://doi.org/10.1016/j.cropro.2015.04.009>
- Abdullahi, A., Sosa, H. I., Muhammad, B., & Kabir, A. (2020). Corm yield response to different isolates of bacterial leaf blight pathogen (*Xanthomonas axonopodis* pv. *dieffenbachiae* (McCulloch & Pirone) Vauterin) of cocoyam (*Colocasia esculenta* (L) Schott). *Journal of Agriculture and Environment*, 16(1), 87–95.
- Afzal, I., Shinwari, Z. K., Sikandar, S., & Shahzad, S. (2019). Plant beneficial endophytic bacteria: Mechanisms, diversity, host range and genetic determinants. *Microbiological Research*, 221(December 2018), 36–49. <https://doi.org/10.1016/j.micres.2019.02.001>
- Al-Dhabi, N. A., Esmail, G. A., Ghilan, A. K. M., & Arasu, M. V. (2019). Optimizing the management of cadmium bioremediation capacity of metal-resistant *Pseudomonas* sp. strain al-dhabi-126 isolated from the industrial city of Saudi Arabian environment. *International Journal of Environmental Research and Public Health*, 16(23). <https://doi.org/10.3390/ijerph16234788>
- Ali, A., Tabbasum, I., Ölmez, F., Azeem, H., Deveci, G., Khalid, B., & Mehtab, M. (2023). Bacterial Endophytes, a resilient way toward sustainable agriculture: provide plant growth promotion and biocontrol of plant pathogens. *Journal of Global Innovations in Agricultural Sciences*, 11(2), 153–174. <https://doi.org/10.22194/JGIAS/11.1046>
- An, S. Q., Potnis, N., Dow, M., Vorhölter, F. J., He, Y. Q., Becker, A., Teper, D., Li, Y., Wang, N., Bleris, L., & Tang, J. L. (2020). Mechanistic insights into host adaptation, virulence and epidemiology of the phytopathogen *Xanthomonas*. *FEMS Microbiology Reviews*, 44(1), 1–32. <https://doi.org/10.1093/femsre/fuz024>
- Arifin, F. A. (2019). *Formulasi Bakteri Endofit Asal Tanaman Kakao (Theobroma cacao L.) Sebagai Biopestisida* (Issue July) [Institut Pertanian Bogor]. <https://www.researchgate.net/publication/336588446>
- Asharo, R. K., Indrayanti, R., Damayanti, A. P., Putri, H. A. E., Nabilah, S., & Pasaribu, P. O. (2022). Isolation and Characterization of Pathogenic Microbes Origin in Strawberry (*Fragaria* sp.) Based on Koch's Postulates. *Jurnal Ilmiah Biologi Eksperimen Dan Keanekaragaman Hayati (J-BEKH)*, 9(2), 51–61. <https://doi.org/10.23960/jbekh.v9i2.269>
- Badan Pusat Statistik. (2023). *Statistical Yearbook of Indonesia 2023* (D. D. Statistik (ed.); Katalog 11, Vol. 1101001). Badan Pusat Statistik. <https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html>
- Balint-Kurti, P. (2019). The plant hypersensitive response: concepts, control and

- consequences. In *Molecular Plant Pathology* (Vol. 20, Issue 8, pp. 1163–1178). <https://doi.org/10.1111/mpp.12821>
- Bhimeshwari, S., Jahaar, S., Girija, S., & Ashish, P. (2018). *Pseudomonas fluorescens* PGPR bacteria as well as biocontrol agent: A review. *International Journal of Chemical Studies*, 6(2), 1–7.
- Burdon, J. J., Zhan, J., Barrett, L. G., Papaix, J., & Thrall, P. H. (2016). Addressing the challenges of pathogen evolution on the world's arable crops. *Phytopathology*, 106(10), 1117–1127. <https://doi.org/10.1094/PHYTO-01-16-0036-FI>
- Camagna, M., & Takemoto, D. (2018). Hypersensitive Response in Plants. In *Encyclopedia of Life Sciences* (pp. 1–7). John Wiley & Sons. <https://doi.org/10.1002/9780470015902.a0020103.pub2>
- Casadevall, A., & Pirofski, L. A. (1999). Host-pathogen interactions: Redefining the basic concepts of virulence and pathogenicity. *Infection and Immunity*, 67(8), 3703–3713. <https://doi.org/10.1128/iai.67.8.3703-3713.1999>
- Chen, D., Zhong, X., Cui, J., Li, H., Han, R., Yue, X., Xie, J., & Kang, J. (2022). Comparative Genomic Analysis of *Xanthomonas campestris* pv. *campestris* Isolates BJSJQ20200612 and GSXT20191014 Provides Novel Insights Into Their Genetic Variability and Virulence. *Frontiers in Microbiology*, 13(March), 1–19. <https://doi.org/10.3389/fmicb.2022.833318>
- Chlebek, D., Pinski, A., Žur, J., Michalska, J., & Hupert-Kocurek, K. (2020). Genome Mining and Evaluation of the Biocontrol Potential of *Pseudomonas Fluorescens* BRZ63, a New Endophyte of Oilseed Rape (*Brassica napus* L.) against Fungal Pathogen. *International Journal of Molecular Sciences*, 21(22), 1–21. <https://doi.org/10.3390/ijms21228740>
- Cruz, J., Tenreiro, R., & Cruz, L. 2017. (2017). Assessment of diversity of *Xanthomonas campestris* pathovars affecting cruciferous plants in Portugal and disclosure of two novel *X. campestris* pv. *campestris* races. *Journal of Plant Pathology*, 99(2), 403–414.
- Cui, P., Li, R.-F., Zhang, D.-P., Tang, J.-L., & Lu, G.-T. (2018). HpaP, a novel regulatory protein with ATPase and phosphatase activity, contributes to full virulence in *Xanthomonas campestris* pv. *campestris*. *Running Environmental Microbiology*, 20(4), 1389–1404. <https://doi.org/10.1111/1462-2920.14046>
- da Silva, R. S., de Oliveira, M. M. G., de Melo, J. O., Blank, A. F., Corrêa, C. B., Scher, R., & Fernandes, R. P. M. (2019). Antimicrobial activity of *Lippia gracilis* essential oils on the plant pathogen *Xanthomonas campestris* pv. *campestris* and their effect on membrane integrity. *Pesticide Biochemistry and Physiology*, 160(June), 40–48. <https://doi.org/10.1016/j.pestbp.2019.06.014>
- da Silva, R. S., Moutinho, B. L., dos Santos, D. R., Vasconcelo-Rodrigues, I. S., Talamini, V., Fernandes, M. F., & Fernandes, R. P. M. (2018). Using antagonistic soil bacteria and their cell-free filtrates to control the black rot pathogen *Xanthomonas campestris* pv. *campestris*. *Journal of*

- Phytopathology*, 166(7–8), 494–501. <https://doi.org/10.1111/jph.12709>
- Dalimunthe, A. I. R., Susanna, & Hakim, L. (2023). Eksplorasi dan Karakterisasi Bakteri Endofit Asal Tanaman Padi Sawahdi Kabupaten Aceh Besar. *Jurnal Ilmiah Mahasiswa Pertanian*, 8(3), 550–564.
- Driscoll, A. O., & Roberts, S. J. (2020). *Brassica Diseases* (Issue May). Agriculture and Horticulture Development Board. https://www.researchgate.net/publication/341726937_Diseases_of_Vegetable_Brassicas
- Dwi, F., Wati, A., & Nurcahyanti, S. D. (2017). Eksplorasi *Bacillus* spp., dari perakaran kubis sebagai agen antagonis *Xanthomonas campestris* pv. *campestris*. *Agritrop*, 15(2), 217–225.
- Elfina, Y., Ali, M., & Aryanti, D. A. N. L. (2015). Uji Beberapa Konsentrasi Ekstrak Tepung Daun Sirih Hutan (*Piper aduncum* L.) Untuk Mengendalikan Penyakit Antraknosa Pada Buah Cabai Merah Pasca Panen. *Jurnal SAGU*, 14(2), 18–27.
- Eljounaidi, K., Lee, S. K., & Bae, H. (2016). Bacterial endophytes as potential biocontrol agents of vascular wilt diseases – Review and future prospects. *Biological Control*, 103(January 2019), 62–68. <https://doi.org/10.1016/j.biocontrol.2016.07.013>
- Elsisi, A. (2017). Role of Antibiosis in Control of Cabbage Black Rot Caused by *Xanthomonas campestris* pv. *campestris*. *Egyptian Journal of Phytopathology*, 45(2), 165–181. <https://doi.org/10.21608/ejp.2017.88598>
- Faizah, L. N., Budiharjo, A., & Kusdiyantini, E. (2017). Optimasi pertumbuhan dan potensi antagonistik *Bacillus pumilus* terhadap patogen *Xanthomonas campestris* serta identifikasi molekuler gen penyandi PKS dan NRPS. In *Jurnal Biologi* (Vol. 6, Issue 1, pp. 38–48).
- Fatimah, F., Khasanah, H. N., Khoirunnisa, R., 'Aini, F. Q., & Hanik, N. R. (2022). Identification of Diseases and Pests of Cauliflower (*Brassica oleracea*) in the Pedan Hamlet Plantation, Karanglo, Tawangmangu. *Jurnal Biologi Tropis*, 22(1), 113–120. <https://doi.org/10.29303/jbt.v22i1.3072>
- Gade, R. M., & Koche, M. D. (2022). Enhancing the growth and disease suppression ability of *< i>Pseudomonas fluorescens</i>*. In H. B. Singh & A. Vaishnav (Eds.), *New and Future Developments in Microbial Biotechnology and Bioengineering: Sustainable Agriculture: Advances in Microbe-based Biostimulants* (Issue January, pp. 351–368). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-85577-8.00012-3>
- Geat, N., & Singh, D. (2022). Efficacy Evaluation of Abiotic Elicitors for the Management of Black Rot Disease of Cauliflower Incited by *Xanthomonas campestris* pv. *campestris*. *International Journal of Environment and Climate Change*, 12(10), 1023–1030. <https://doi.org/10.9734/ijecc/2022/v12i1030894>
- Ghazalibiglar, H., Hampton, J. G., van Zijll de Jong, E., & Holyoake, A. (2016). Is induced systemic resistance the mechanism for control of black rot in *Brassica*

- oleracea* by a *Paenibacillus* sp.? *Biological Control*, 92, 195–201. <https://doi.org/10.1016/j.biocontrol.2015.10.014>
- Ghazalibiglar, H., Hampton, J. G., Van Zijll De Jong, E., & Holyoake, A. (2015). Enhanced growth of cabbage seedlings by a *Paenibacillus* isolate in the presence of *Xanthomonas campestris* pv. *campestris*. *New Zealand Plant Protection*, 68(January), 173–178. <https://doi.org/10.30843/nzpp.2015.68.5837>
- Grenni, P., Ancona, V., & Barra Caracciolo, A. (2018). Ecological effects of antibiotics on natural ecosystems: A review. *Microchemical Journal*, 136, 25–39. <https://doi.org/10.1016/j.microc.2017.02.006>
- Hakalová, E., Čechová, J., Tekielska, D. A., Eichmeier, A., & Pothier, J. F. (2022). Combined effect of thyme and clove phenolic compounds on *Xanthomonas campestris* pv. *campestris* and biocontrol of black rot disease on cabbage seeds. *Frontiers in Microbiology*, 13(October), 1–14. <https://doi.org/10.3389/fmicb.2022.1007988>
- Hardoim, P. R., Overbeek, L. S. Van, Berg, G., Pirttilä, M., Compant, S., Campisano, A., & Döring, M. (2015). *The Hidden World within Plants : Ecological and Evolutionary Considerations for Defining Functioning of Microbial Endophytes*. 79(3), 293–320. <https://doi.org/10.1128/MMBR.00050-14>
- Helman, Y., & Chernin, L. (2015). Silencing the mob: Disrupting quorum sensing as a means to fight plant disease. *Molecular Plant Pathology*, 16(3), 316–329. <https://doi.org/10.1111/mpp.12180>
- Hernández-León, R., Rojas-Solís, D., Contreras-Pérez, M., Orozco-Mosqueda, M. del C., Macías-Rodríguez, L. I., Reyes-de la Cruz, H., Valencia-Cantero, E., & Santoyo, G. (2015). Characterization of the antifungal and plant growth-promoting effects of diffusible and volatile organic compounds produced by *Pseudomonas fluorescens* strains. *Biological Control*, 81(November), 83–92. <https://doi.org/10.1016/j.biocontrol.2014.11.011>
- Holtappels, D., Fortuna, K. J., Moons, L., Broeckaert, N., Bäcker, L. E., Venneman, S., Rombouts, S., Lippens, L., Baeyen, S., Pollet, S., Noben, J. P., Oechslin, F., Vallino, M., Aertsen, A., Maes, M., Van Vaerenbergh, J., Lavigne, R., & Wagemans, J. (2022). The potential of bacteriophages to control *Xanthomonas campestris* pv. *campestris* at different stages of disease development. *Microbial Biotechnology*, 15(6), 1762–1782. <https://doi.org/10.1111/1751-7915.14004>
- Hong, C. E., & Park, J. M. (2016). Endophytic bacteria as biocontrol agents against plant pathogens: current state-of-the-art. *Plant Biotechnology Reports*, 10(6), 353–357. <https://doi.org/10.1007/s11816-016-0423-6>
- Hsiao, C., Blanco, S. D., Peng, A., Fu, J., Chen, B., Luo, M., Xie, X., & Lin, Y. (2023). Seed Treatment with Calcium Carbonate Containing *Bacillus amyloliquefaciens* PMB05 Powder Is an Efficient Way to Control Black Rot Disease of Cabbage. *Agriculture*, 13(5), 926.

- <https://doi.org/10.3390/agriculture13050926>
- Islam, M. A., Nain, Z., Alam, M. K., Banu, N. A., & Islam, M. R. (2018). In vitro study of biocontrol potential of rhizospheric *Pseudomonas aeruginosa* against *Fusarium oxysporum* f. sp. *cucumerinum*. *Egyptian Journal of Biological Pest Control*, 28(1), 1–11. <https://doi.org/10.1186/s41938-018-0097-1>
- Istiqomah, I., & Kusumawati, D. E. (2018). Pemanfaatan *Bacillus subtilis* dan *Pseudomonas fluorescens* dalam pengendalian hayati *Ralstonia solanacearum* penyebab penyakit layu bakteri pada tomat. *Jurnal Agro*, 5(1), 1–12. <https://doi.org/10.15575/2305>
- Jelušić, A., Popović, T., Dimkić, I., Mitrović, P., Peeters, K., Miklavčič Višnjevec, A., Tavzes, Č., Stanković, S., & Berić, T. (2021). Changes in the winter oilseed rape microbiome affected by *Xanthomonas campestris* pv. *campestris* and biocontrol potential of the indigenous *Bacillus* and *Pseudomonas* isolates. *Biological Control*, 160(June). <https://doi.org/10.1016/j.biocontrol.2021.104695>
- Kalisz, A., Kostrzewa, J., Sekara, A., Grabowska, A., & Cebula, S. (2013). Yield and nutritional quality of several non-heading Chinese cabbage (*Brassica rapa* var. *chinensis*) cultivars with different growing period and its modelling. *Korean Journal of Horticultural Science and Technology*, 31(1), 650–656. <https://doi.org/10.7235/hort.2012.12108>
- Kaneko, H., & Furuya, T. (2023). Draft Genome Sequences of Endophytic *Pseudomonas* Strains, Isolated from the Interior of *Brassicaceae* Plants. *Microbiology Resource Announcements*, 2(8), 10–12. <https://doi.org/10.1128/mra.01337-22>
- Kang, S. M., Adhikari, A., Lee, K. E., Park, Y. G., Shahzad, R., & Lee, I. J. (2019). Gibberellin producing rhizobacteria *Pseudomonas koreensis* MU2 enhance growth of lettuce (*Lactuca sativa*) and Chinese cabbage (*Brassica rapa, chinensis*). *Journal of Microbiology, Biotechnology and Food Sciences*, 9(2), 166–170. <https://doi.org/10.15414/jmbfs.2019.9.2.166-170>
- Kanthaiah, K., & Velu, R. K. (2019). Characterization of the bioactive metabolite from a plant growth promoting rhizobacteria *Pseudomonas aeruginosa* VRKK1 and exploitation of antibacterial behaviour against *Xanthomonas campestris* a causative agent of bacterial blight disease in. *Archives of Phytopathology and Plant Protection*, 55(7), 797–814. <https://doi.org/10.1080/03235408.2018.1557883>
- Kirchberg, J., Büttner, D., Thiemer, B., & Sawers, R. G. (2012). Aconitase B is required for optimal growth of *Xanthomonas campestris* pv. *vesicatoria* in pepper plants. *PLoS ONE*, 7(4), 1–10. <https://doi.org/10.1371/journal.pone.0034941>
- Kong, P. (2019). Evaluation of a novel endophytic *Pseudomonas lactis* strain for control of boxwood blight. *Journal of Environmental Horticulture*, 37(2), 39–43. <https://doi.org/10.24266/0738-2898-37.2.39>

- Lamichhane, J. R., Osdaghi, E., Behlau, F., Köhl, J., Jones, J. B., & Aubertot, J. N. (2018). Thirteen decades of antimicrobial copper compounds applied in agriculture. A review. *Agronomy for Sustainable Development*, 38(3). <https://doi.org/10.1007/s13593-018-0503-9>
- Li'aini, A. S., Lin, Y., Huang, T., & Sulistyowati, L. (2017). Application of *Bacillus amyloliquefaciens* to control black rot disease on cabbage caused by *Xanthomonas campestris* pv. *campestris*. *J. Plant Med.*, 59(3), 39–44. <https://doi.org/10.6716/JPM.201709>
- Li, L., Li, J., Zhang, Y., & Wang, N. (2019). Diffusible signal factor (DSF)-mediated quorum sensing modulates expression of diverse traits in *Xanthomonas citri* and responses of citrus plants to promote disease. *BMC Genomics*, 20(1), 1–22. <https://doi.org/10.1186/s12864-018-5384-4>
- Linu, M. S., Asok, A. K., Thampi, M., Sreekumar, J., & Jisha, M. S. (2019). Plant Growth Promoting Traits of Indigenous Phosphate Solubilizing *Pseudomonas aeruginosa* Isolates from Chilli (*Capsicum annuum* L.) Rhizosphere. *Communications in Soil Science and Plant Analysis*, 50(4), 444–457. <https://doi.org/10.1080/00103624.2019.1566469>
- Liu, K., Garrett, C., Fadamiro, H., & Kloepfer, J. W. (2016). Induction of systemic resistance in Chinese cabbage against black rot by plant growth-promoting rhizobacteria. *Biological Control*, 99(May 2016), 8–13. <https://doi.org/10.1016/j.biocontrol.2016.04.007>
- Lumoly, F. S., Emmy, S., & Guntur, M. (2016). Insidensi penyakit busuk hitam pada tanaman brokoli (*Brassica oleracea* var. *Italica*) di Tomohon. *Jurnal COCOS*, 7(4), 1–15.
- Luneau, J. S., Cerutti, A., Roux, B., Carrère, S., Jardinaud, M. F., Gaillac, A., Gris, C., Lauber, E., Berthomé, R., Arlat, M., Boulanger, A., & Noël, L. D. (2022). *Xanthomonas* transcriptome inside cauliflower hydathodes reveals bacterial virulence strategies and physiological adaptations at early infection stages. *Molecular Plant Pathology*, 23(2), 159–174. <https://doi.org/10.1111/mpp.13117>
- Mácha, H., Marešová, H., Juříková, T., Švecová, M., Benada, O., Škríba, A., Baránek, M., Novotný, Č., & Palyzová, A. (2021). Killing effect of *Bacillus velezensis* fzb42 on a *Xanthomonas campestris* pv. *campestris* (xcc) strain newly isolated from cabbage *Brassica oleracea* convar. *capitata* (L.): A metabolomic study. *Microorganisms*, 9(7), 1–15. <https://doi.org/10.3390/microorganisms9071410>
- Majdura, J., Jankiewicz, U., Gałazka, A., & Orzechowski, S. (2023). The Role of Quorum Sensing Molecules in Bacterial–Plant Interactions. *Metabolites*, 13(1). <https://doi.org/10.3390/metabo13010114>
- Mao, P., Li, Q., Li, Y., Xu, Y., Yang, Q., Bian, Z., Wang, S., He, L., Xu, Z., Zheng, Y., & Liu, H. (2022). The beneficial functions of blue light supplementary on the biosynthesis of glucosinolates in pakchoi (*Brassica rapa* L. ssp. *chinensis*) under greenhouse conditions. *Environmental and Experimental Botany*, 197,

104834. <https://doi.org/10.1016/j.envexpbot.2022.104834>
- Marin, V. R., Ferrarezi, J. H., Vieira, G., & Sass, D. C. (2019). Recent advances in the biocontrol of *Xanthomonas* spp. *World Journal of Microbiology and Biotechnology*, 35(5). <https://doi.org/10.1007/s11274-019-2646-5>
- Meena, P. D., Mehta, N., & Saharan, G. S. (2021). Minor Pathogens: a Worldwide Challenge To Cultivation of Crucifers. *Agricultural Research Journal*, 58(4), 557–580. <https://doi.org/10.5958/2395-146X.2021.00081.8>
- Mishra, S., & Arora, N. K. (2012). Evaluation of rhizospheric *Pseudomonas* and *Bacillus* as biocontrol tool for *Xanthomonas campestris* pv. *campestris*. *World Journal of Microbiology and Biotechnology*, 28(2), 693–702. <https://doi.org/10.1007/s11274-011-0865-5>
- Mishra, S., Jagadeesh, K. S., Krishnaraj, P. U., & Prem, S. (2014). Biocontrol of tomato leaf curl virus (ToLCV) in tomato with chitosan supplemented formulations of *Pseudomonas* sp. under field conditions. *Australian Journal of Crop Science*, 8(3), 347–355.
- Molina-Torres, C. A., Castro-Garza, J., Ocampo-Candiani, J., Monot, M., Cole, S. T., & Vera-Cabrera, L. (2010). Effect of serial subculturing on the genetic composition and cytotoxic activity of *Mycobacterium tuberculosis*. *Journal of Medical Microbiology*, 59(4), 384–391. <https://doi.org/10.1099/jmm.0.015966-0>
- Morales-Cedeño, L. R., Orozco-Mosqueda, M. del C., Loeza-Lara, P. D., Parra-Cota, F. I., de los Santos-Villalobos, S., & Santoyo, G. (2021). Plant growth-promoting bacterial endophytes as biocontrol agents of pre- and post-harvest diseases: Fundamentals, methods of application and future perspectives. *Microbiological Research*, 242(July 2020). <https://doi.org/10.1016/j.micres.2020.126612>
- Munar, A., Bangun, I. H., & Lubis, E. (2018). Pertumbuhan Sawi Pakchoi (*Brassica rapa* L.) Pada Pemberian Pupuk Bokashi Kulit Buah Kakao Dan Poc Kulit Pisang Kepok. *AGRIUM: Jurnal Ilmu Pertanian*, 21(3), 243–253. <http://journal.umsu.ac.id/index.php/agrium/article/view/2449>
- Naqvi, S. F., Inam-ul-Haq, M., Ahsan Khan, M., Tahir, M. I., Ali, Z., & Rehman, H. M. (2013). Morphological and biochemical characterization of *Xanthomonas campestris* (Pammel) Dawson pv. *sesami* and it's management by bacterial antagonists. *Pakistan Journal of Agricultural Sciences*, 50(2), 229–235.
- Nawangsih, A. A., Af'izdztuttama, & Giyanto. (2023). Keanekaragaman Karakter Galur-Galur Bakteri Penyebab Busuk Hitam (*Xanthomonas campestris* pv. *campestris*) pada Kubis terhadap Campuran Bahan Aktif Azoksistrobin dan Difenokonazol Character Diversity of Black Rot Bacterial Strains (Xanthomon. *Jurnal Fitopatologi Indonesia*, 19(2), 45–56. <https://doi.org/10.14692/jfi.19.2.45>
- Nawangsih, A. A., Af'izdztuttama, & Mutaqin, K. H. (2022). Potensi Bakteri

- Filosfer pada Daun Kubis untuk Mengendalikan Penyakit Busuk Lunak oleh *Pectobacterium carotovorum* pada Sawi Putih. *Jurnal Fitopatologi Indonesia*, 18(3), 115–124. <https://doi.org/10.14692/jfi.18.3.115-124>
- Nontji, M., & Amran, F. D. (2019). Potential of Indigenous Methanotrophic Bacteria as a Biological Control Agent Against *Xanthomonas oryzae* pv. *oryzae* Causing Diseases on Rice. *Makara Journal of Science*, 23(2), 87–90. <https://doi.org/10.7454/mss.v23i2.9053>
- Novita, W. (2016). Uji Aktivitas Antibakteri Fraksi Daun Sirih (*Piper Betle L*) Terhadap Pertumbuhan Bakteri *Streptococcus Mutans* secara In vitro. *Jambi Medical Journal*, 4(2), 140–155.
- Novitasari, A. (2022). *Identifikasi dan Potensi Bakteri Endofit Sebagai Pengendali Hayati Acidovorax citrulli Penyebab Penyakit Bacterial Fruit Blotch (BFB) Pada Tanaman Melon (Cucumis melo L.)*. Universitas Negeri Jakarta.
- Nurmansyah, A., Pratama, T., & Suastika, G. (2016). Dampak Penyakit Tanaman terhadap Pendapatan Petani Kubis-kubisan di Daerah Agropolitan Kabupaten Cianjur, Jawa Barat. *Jurnal Fitopatologi Indonesia*, 12(6), 218. <https://doi.org/10.14692/jfi.12.6.218>
- Olofinsae, S. A., Adeleke, O. E., & Ibeh, B. O. (2022). Occurrence of *Pseudomonas lactis* and *Pseudomonas paralactis* Amongst Non-Lactose-Fermenting Bacterial Isolates in Chickens and Their Antimicrobial Resistance Patterns. *Microbiology Insights*, 15, 117863612211303. <https://doi.org/10.1177/11786361221130313>
- Palupi, H., Yulianah, I., & Respatijati. (2015). Uji Ketahanan 14 Galur Cabai Besar (*Capsicum annuum L.*) Terhadap Penyakit Antraknosa (*Colletotrichum spp*) dan Layu Bakteri (*Ralstonia solanacearum*). *Produksi Tanaman*, 3(8), 640–648.
- Pandey, S. S., Patnana, P. K., Rai, R., & Chatterjee, S. (2017). Xanthoferrin, the α -hydroxycarboxylate-type siderophore of *Xanthomonas campestris* pv. *campestris*, is required for optimum virulence and growth inside cabbage. *Molecular Plant Pathology*, 18(7), 949–962. <https://doi.org/10.1111/MPP.12451>
- Parmar, Y. S., Sharma, S., Sharma, A., & Kaur, M. (2018). Extraction and evaluation of gibberellic acid from *Pseudomonas* sp.: Plant growth promoting rhizobacteria. ~ 2790 ~ *Journal of Pharmacognosy and Phytochemistry*, 7(1), 2790–2795.
- Peng, X., Qu, X., Luo, W., & Jia, X. (2014). Co-metabolic degradation of tetrabromobisphenol A by novel strains of *Pseudomonas* sp. and *Streptococcus* sp. *Bioresource Technology*, 169(79), 271–276. <https://doi.org/10.1016/j.biortech.2014.07.002>
- Popović, T., Jošić, D., Starović, M., Živković, S., Ivanović, Ž., Trkulja, N., & Oro, V. (2013). Antagonistic Activity of *Bacillus* and *Pseudomonas* Soil Isolates Against *Xanthomonas campestris* pv. *campestris*. *International Symposium:*

- Current Trends in Plant Protection*, 1939(Pammel 1895), 346–352.
- Purbosari, P. P., Sasongko, H., Salamah, Z., & Utami, N. P. (2021). Peningkatan Kesadaran Lingkungan dan Kesehatan Masyarakat Desa Somongari melalui Edukasi Dampak Pupuk dan Pestisida Anorganik. *Agrokreatif: Jurnal Ilmiah Pengabdian Kepada Masyarakat*, 7(2), 131–137. <https://doi.org/10.29244/agrokreatif.7.2.131-137>
- Purwasita, D. R., & Soeparjono, S. (2022). Pengaruh Konsentrasi Nutrisi Hidroponik dan Air Kelapa sebagai Hormon Tumbuh terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica rapa* L.). *Berkala Ilmiah Pertanian*, 5(4), 236–240. <https://doi.org/10.19184/bip.v5i4.35321>
- Quintieri, L., Caputo, L., De Angelis, M., & Fanelli, F. (2020). Genomic analysis of three cheese-borne *Pseudomonas lactis* with biofilm and spoilage-associated behavior. *Microorganisms*, 8(8), 1–21. <https://doi.org/10.3390/microorganisms8081208>
- Rahman, M. S., Jahan, N., Khatun, M., & Rashid, M. A. (2015). *Chemical and Biological Assays of Brassica rapa subsp. chinensis (L.) Hanelt*. 44(2), 327–332.
- Ramnarine, S. D. B., Jayaraman, J., & Ramsubhag, A. (2022). Comparative genomics of the black rot pathogen *Xanthomonas campestris* pv. *campestris* and non-pathogenic co-inhabitant *Xanthomonas melonis* from Trinidad reveal unique pathogenicity determinants and secretion system profiles. *PeerJ*, 9. <https://doi.org/10.7717/peerj.12632>
- Roodi, D., Millner, J. P., McGill, C., Johnson, R. D., Jauregui, R., & Card, S. D. (2020). *Methylobacterium*, a major component of the culturable bacterial endophyte community of wild *Brassica* seed. *PeerJ*, 2020(7). <https://doi.org/10.7717/peerj.9514>
- Sachdev, S., Ansari, S. A., Ansari, M. I., Fujita, M., & Hasanuzzaman, M. (2021). Abiotic stress and reactive oxygen species: Generation, signaling, and defense mechanisms. *Antioxidants*, 10(2), 1–37. <https://doi.org/10.3390/antiox10020277>
- Saddler, G. S., & Bradbury, J. F. (2015). *Xanthomonas*. In *Bergey's Manual of Systematics of Archaea and Bacteria*. <https://doi.org/10.1002/9781118960608.gbm01239>
- Safitri, K., Dharma, I. P., & Nyoman, D. I. (2020). Pengaruh Komposisi Media Tanam Terhadap Pertumbuhan dan Hasil Tanaman Pakcoy (*Brassica Rapa* subsp. *chinensis*). *Jurnal Agroteknologi Tropika*, 9(4), 198–207. <https://doi.org/10.31326/jbio.v3i1.828>
- Salguero-Linares, J., & Coll, N. S. (2019). Plant proteases in the control of the hypersensitive response. *Journal of Experimental Botany*, 70(7), 2087–2095. <https://doi.org/10.1093/jxb/erz030>
- Schreiter, S., Babin, D., Smalla, K., & Grosch, R. (2018). Rhizosphere competence and biocontrol effect of *Pseudomonas* sp. RU47 independent from plant

- species and soil type at the field scale. *Frontiers in Microbiology*, 9(FEB), 1–10. <https://doi.org/10.3389/fmicb.2018.00097>
- Shaw, R. K., Shen, Y., Wang, J., Sheng, X., Zhao, Z., Yu, H., & Gu, H. (2021). Advances in Multi-Omics Approaches for Molecular Breeding of Black Rot Resistance in *Brassica oleracea* L. *Frontiers in Plant Science*, 12(December). <https://doi.org/10.3389/fpls.2021.742553>
- Shila, S. J., Islam, M. R., Ahmed, N. N., Dastgoor, K. M. G., & Meah, M. B. (2013). Detection of *Pseudomonas Syringae* pv. *lachrymans* Associated with the Seeds of Cucurbits. *Universal Journal of Agricultural Research*, 1(1), 1–8. <https://doi.org/10.13189/ujar.2013.010101>
- Sibanda, S., Moleleki, L. N., Shyntum, D. Y., & Coutinho, T. A. (2018). Quorum Sensing in Gram-Negative Plant Pathogenic Bacteria. *Advances in Plant Pathology*. <https://doi.org/10.5772/intechopen.78003>
- Singh, D., Rathaur, P. S., & Vicente, J. G. (2016). Characterization, genetic diversity and distribution of *Xanthomonas campestris* pv. *campestris* races causing black rot disease in cruciferous crops of India. *Plant Pathology*, 65(9), 1411–1418. <https://doi.org/10.1111/ppa.12508>
- Singh, S., Dey, S. S., Bhatia, R., Batley, J., & Kumar, R. (2018). Molecular breeding for resistance to black rot [*Xanthomonas campestris* pv. *campestris* (Pammel) Dowson] in *Brassicaceae*: recent advances. *Euphytica*, 214(10). <https://doi.org/10.1007/s10681-018-2275-3>
- Sousa, A. M., Machado, I., Nicolau, A., & Pereira, M. O. (2013). Improvements on colony morphology identification towards bacterial profiling. *Journal of Microbiological Methods*, 95(3), 327–335. <https://doi.org/10.1016/j.mimet.2013.09.020>
- Spadaro, D., Herforth-Rahm  , J., & Van Der Wolf, J. (2017). Organic seed treatments of vegetables to prevent seedborne diseases. *Acta Horticulturae*, 1164, 23–31. <https://doi.org/10.17660/ActaHortic.2017.1164.3>
- Spago, F. R., Ishii Mauro, C. S., Oliveira, A. G., Beranger, J. P. O., Cely, M. V. T., Stanganelli, M. M., Simionato, A. S., San Martin, J. A. B., Andrade, C. G. T. J., Mello, J. C. P., & Andrade, G. (2014). *Pseudomonas aeruginosa* produces secondary metabolites that have biological activity against plant pathogenic *Xanthomonas* species. *Crop Protection*, 62, 46–54. <https://doi.org/10.1016/j.cropro.2014.04.011>
- Su  rez-Estrella, F., Jurado, M. M., L  pez, M. J., L  pez-Gonz  lez, J. A., & Moreno, J. (2019). Role of bacteria isolated from a plant waste-based compost producing bioactive substances in the control of bacterial spot syndrome caused by *Xanthomonas campestris* pv. *vesicatoria*. *Biocatalysis and Agricultural Biotechnology*, 20(February), 101198. <https://doi.org/10.1016/j.biab.2019.101198>
- Sun, R. (2015). Economic/Academic Importance of *Brassica rapa*. In X. Wang & C. Kole (Eds.), *The Brassica rapa Genome* (Issue 1753, pp. 1–15). Springer,

- Berlin, Heidelberg. <https://doi.org/10.1007/978-3-662-47901-8>
- Sun, X. X., Basnet, R. K., Yan, Z., Bucher, J., Cai, C., Zhao, J., & Bonnema, G. (2019). Genome-wide transcriptome analysis reveals molecular pathways involved in leafy head formation of Chinese cabbage (*Brassica rapa*). *Horticulture Research*, 6(1). <https://doi.org/10.1038/s41438-019-0212-9>
- Susanti, Anwar, S., E, F., & Sumarsono. (2014). Pertumbuhan dan Nisbah Kesetaraan Lahan (NKL) Koro Pedang (*Canavalia ensiformis*) dalam Tumpangsari dengan Jagung (*Zea mays*). *Agromedia*, 32(2), 38–44.
- Tampakaki, A. P., Hatziloukas, E., & Panopoulos, N. J. (2009). Plant Pathogens, Bacterial. *Encyclopedia of Microbiology, Third Edition*, 655–677. <https://doi.org/10.1016/B978-012373944-5.00346-1>
- Thakur, A., Verma, S., Reddy, V. P., & Sharma, D. (2019). Hypersensitive Responses in Plants. *Agricultural Reviews*, 40(2), 113–120. <https://doi.org/10.18805/ag.r-1858>
- Timilsina, S., Potnis, N., Newberry, E. A., Liyanapathirana, P., Iruegas-Bocardo, F., White, F. F., Goss, E. M., & Jones, J. B. (2020). *Xanthomonas* diversity, virulence and plant-pathogen interactions. *Nature Reviews Microbiology*, 18(8), 415–427. <https://doi.org/10.1038/s41579-020-0361-8>
- Ting, A. S. Y. (2014). Biosourcing Endophytes as Biocontrol Agents of Wilt Diseases. In V. C. Verma & A. C. Gange (Eds.), *Advances in Endophytic Research* (pp. 283–300). Springer India. <https://doi.org/10.1007/978-81-322-1575-2>
- Tomi, Rialita, A., & Mahyarudin, M. (2022). Aktivitas antijamur isolat bakteri endofit tanaman kunyit terhadap penghambatan pertumbuhan *Malassezia furfur* secara in vitro. *Jakiyah: Jurnal Ilmiah Umum Dan Kesehatan Aisyiyah*, 7(1), 1–11. <https://doi.org/10.35721/jakiyah.v7i1.108>
- Tripathy, B. C., & Oelmüller, R. (2012). Reactive oxygen species generation and signaling in plants. *Plant Signaling and Behavior*, 7(12), 1621–1633. <https://doi.org/10.4161/psb.22455>
- Van Rossum, T., Ferretti, P., Maistrenko, O. M., & Bork, P. (2020). Diversity within species: interpreting strains in microbiomes. In *Nature Reviews Microbiology* (Vol. 18, Issue 9, pp. 491–506). <https://doi.org/10.1038/s41579-020-0368-1>
- Vega-álvarez, C., Francisco, M., & Soengas, P. (2021). Black rot disease decreases young *Brassica oleracea* plants' biomass but has no effect in adult plants. *Agronomy*, 11(3). <https://doi.org/10.3390/agronomy11030569>
- Vega-Álvarez, C., Francisco, M., Cartea, M. E., Fernández, J. C., & Soengas, P. (2023). The growth-immunity tradeoff in *Brassica oleracea-Xanthomonas campestris* pv. *campestris* pathosystem. *Plant, Cell, & Environment*, 46, 2985–2997. <https://doi.org/https://doi.org/10.1111/pce.14454>
- Velasco, P., Lema, M., Francisco, M., Soengas, P., & Elena Cartea, M. (2013). In

- Vivo and in vitro effects of secondary metabolites against *Xanthomonas campestris* pv. *campestris*. *Molecules*, 18(9), 11131–11143. <https://doi.org/10.3390/molecules180911131>
- Velásquez, A. C., Castroverde, C. D. M., & He, S. Y. (2018). Plant–Pathogen Warfare under Changing Climate Conditions. *Current Biology*, 28(10), R619–R634. <https://doi.org/10.1016/j.cub.2018.03.054>
- Venkatesh, H. N., Exports, A. J., Umesh, A. R., & Mohana, D. C. (2015). Antibacterial activity of alkaloid extracts and active constituents of some selected plants against *Xanthomonas campestris*. *Journal of Agricultural Technology*, 11(3), 683–691.
- Vicente, J. G., & Holub, E. B. (2013). *Xanthomonas campestris* pv. *Campestris* (cause of black rot of crucifers) in the genomic era is still a worldwide threat to brassica crops. *Molecular Plant Pathology*, 14(1), 2–18. <https://doi.org/10.1111/j.1364-3703.2012.00833.x>
- von Neubeck, M., Huptas, C., Glück, C., Krewinkel, M., Stoeckel, M., Stressler, T., Fischer, L., Hinrichs, J., Scherer, S., & Wenning, M. (2017). *Pseudomonas lactis* sp. nov. and *Pseudomonas paralactis* sp. nov., isolated from bovine raw milk. *International Journal of Systematic and Evolutionary Microbiology*, 67(6), 1656–1664. <https://doi.org/10.1099/ijsem.0.001836>
- Wang, Q., Shakoor, N., Boyher, A., Veley, K. M., Berry, J. C., Mockler, T. C., & Bart, R. S. (2021). Escalation in the host-pathogen arms race: A host resistance response corresponds to a heightened bacterial virulence response. *PLoS Pathogens*, 17(1), 1–27. <https://doi.org/10.1371/journal.ppat.1009175>
- Webber, D. M., Wallace, M. A., & Burnham, C. A. D. (2022). Stop Waiting for Tomorrow: Disk Diffusion Performed on Early Growth Is an Accurate Method for Antimicrobial Susceptibility Testing with Reduced Turnaround Time. *Journal of Clinical Microbiology*, 60(5), 1–10. <https://doi.org/10.1128/jcm.03007-20>
- Wijayati, N., Astutiningsih, C., & Mulyati, S. (2014). Transformasi α -pinena dengan bakteri *Pseudomonas aeruginosa* ATCC 25923. In *Biosaintifika, Journal of Biology & Biology Education* (Vol. 6, Issue 1, pp. 24–28).
- Xu, S., Xing, Y., Liu, S., Hao, X., Chen, W., & Huang, Q. (2020). Characterization of Cd²⁺ biosorption by *Pseudomonas* sp. strain 375, a novel biosorbent isolated from soil polluted with heavy metals in Southern China. *Chemosphere*, 240, 124893. <https://doi.org/10.1016/j.chemosphere.2019.124893>
- Yu, H., Zhang, L., Li, L., Zheng, C., Guo, L., Li, W., Sun, P., & Qin, L. (2010). Recent developments and future prospects of antimicrobial metabolites produced by endophytes. *Microbiological Research*, 165(6), 437–449. <https://doi.org/10.1016/j.micres.2009.11.009>
- Yu, Y., Liu, H., Xia, H., & Chu, Z. (2023). Double- or Triple-Tiered Protection: Prospects for the Sustainable Application of Copper-Based Antimicrobial

Compounds for Another Fourteen Decades. *International Journal of Molecular Sciences*, 24(13). <https://doi.org/10.3390/ijms241310893>

Yunita, M., Ohiwal, M., Dirks, C. S., Angkejaya, O. W., Sukmawati, S., & Ilsan, N. A. (2022). Endophytic bacteria associated with *Myristica fragrans*: Improved media, bacterial population, preliminary characterization, and potential as antibacterials. *Biodiversitas*, 23(8), 4047–4054. <https://doi.org/10.13057/biodiv/d230824>

Zarpelon, T. G., Guimarães, L. M. da S., Alfenas-Zerbini, P., Lopes, E. S., Mafia, R. G., & Alfenas, A. C. (2016). Rhizobacterial characterization for quality control of eucalyptus biogrowth promoter products. *Brazilian Journal of Microbiology*, 47(4), 973–979. <https://doi.org/10.1016/j.bjm.2016.07.013>

Zhou, J. Y., Zhao, X. Y., & Dai, C. C. (2014). Antagonistic mechanisms of endophytic *Pseudomonas fluorescens* against *Athelia rolfsii*. *Journal of Applied Microbiology*, 117(4), 1144–1158. <https://doi.org/10.1111/jam.12586>

Zou, L., Tan, W. K., Du, Y., Lee, H. W., Liang, X., Lei, J., Striegel, L., Weber, N., Rychlik, M., & Ong, C. N. (2021). Nutritional metabolites in *Brassica rapa* subsp. *chinensis* var. *parachinensis* (choy sum) at three different growth stages: Microgreen, seedling and adult plant. *Food Chemistry*, 357(November 2020). <https://doi.org/10.1016/j.foodchem.2021.129535>

