

DAFTAR PUSTAKA

- Anastopoulos, I., Karamesouti, M., Mitropoulos, A. C., & Kyzas, G. Z. (2017). A review for coffee adsorbents. *Journal of Molecular Liquids* (Vol. 229, pp. 555–565). Elsevier B.V. <https://doi.org/10.1016/j.molliq.2016.12.096>
- Ashna, P., & Heydari, R. (2020). Removal of Reactive Red 198 from Aqueous Solutions Using Modified Clay: Optimization, Kinetic and Isotherm. In *J. Chil. Chem. Soc* (Vol. 65).
- Atabani, A. E., Al-Muhtaseb, A. H., Kumar, G., Saratale, G. D., Aslam, M., Khan, H. A., Said, Z., & Mahmoud, E. (2019). Valorization of spent coffee grounds into biofuels and value-added products: Pathway towards integrated bio-refinery. *Fuel*, 254. <https://doi.org/10.1016/j.fuel.2019.115640>
- Audina, M. (2017). Pengolahan Limbah Cair Laboratorium Teknik Lingkungan dengan Koagulasi dan Adsorpsi untuk Menurunkan COD, Fe, dan Pb. *Jurnal Teknologi Lingkungan Lahan Basah*, 1(1).
- Bilal, M., Ihsanullah, I., Younas, M., & Ul Hassan Shah, M. (2022). Recent advances in applications of low-cost adsorbents for the removal of heavy metals from water: A critical review. In *Separation and Purification Technology* (Vol. 278). Elsevier B.V. <https://doi.org/10.1016/j.seppur.2021.119510>
- Bonilla-Petriciolet, A., Mendoza-Castillo, D. I., & Reynel-Ávila, H. E. (2017). Adsorption processes for water treatment and purification. *Adsorption Processes for Water Treatment and Purification*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-58136-1>
- Brusseau, M. L., Russo, A. E., & Schnaar, G. (2012). Nonideal transport of contaminants in heterogeneous porous media: 9 - Impact of contact time on desorption and elution tailing. *Chemosphere*, 89(3), 287–292. <https://doi.org/10.1016/j.chemosphere.2012.04.038>
- Chakraborty, R., Asthana, A., Singh, A. K., Jain, B., & Susan, A. B. H. (2022). Adsorption of heavy metal ions by various low-cost adsorbents: a review. *International Journal of Environmental Analytical Chemistry* (Vol. 102, Issue 2, pp. 342–379). Taylor and Francis Ltd. <https://doi.org/10.1080/03067319.2020.1722811>

Chiang, C. H., Chen, J., & Lin, J. H. (2020). Preparation of pore-size tunable activated carbon derived from waste coffee grounds for high adsorption capacities of organic dyes. *Journal of Environmental Chemical Engineering*, 8(4). <https://doi.org/10.1016/j.jece.2020.103929>

Chong, Z. T., Soh, L. S., & Yong, W. F. (2023). Valorization of agriculture wastes as biosorbents for adsorption of emerging pollutants: Modification, remediation and industry application. *Results in Engineering*, 17. <https://doi.org/10.1016/j.rineng.2023.100960>

Do, V. Q., Thurow, K., & Fleischer, H. (2018). Online dilution for elemental measurements using an online reaction monitoring system and inductively-coupled plasma mass spectrometry. *IEEE International Instrumentation and Measurement Technology Conference (I2MTC)*, Houston, TX, USA, 2018, pp. 1-6, doi: 10.1109/I2MTC.2018.8409550

Febrianti, C., Ulfah, M., & Kusumastuti, K. (2023). Pemanfaatan Ampas Kopi sebagai Bahan Karbon Aktif untuk Pengolahan Air Limbah Industri Batik. *AgriTECH*, 43(1), 1. <https://doi.org/10.22146/agritech.68014>

Fernández, B., Lobo, L., & Pereiro, R. (2019). Atomic absorption spectrometry | fundamentals, instrumentation and capabilities. In *Encyclopedia of Analytical Science* (pp. 137–143). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.14116-2>

Gondim, F. F., João, G. P. R., Vinicius, O. A., Maria de Fátima, V. M., & Sergio, N. M. 2024. "Biocomposites of Cellulose Isolated from Coffee Processing By-Products and Incorporation in Poly(Butylene Adipate-Co-Terephthalate) (PBAT) Matrix: An Overview" *Polymers* 16, no. 3: 314. <https://doi.org/10.3390/polym16030314>

Gora, E. H., Saldana, S. G., Casper, L. M., Coll Sijercic, V., Giza, O. A., & Sanders, R. L. (2022). Effect of Exhausted Coffee Ground Particle Size on Metal Ion Adsorption Rates and Capacities. *ACS Omega*, 7(43), 38600–38612. <https://doi.org/10.1021/acsomega.2c04058>

Hellal, M. S., Rashad, A. M., Kadimpatti, K. K., Attia, S. K., & Fawzy, M. E. (2023). Adsorption characteristics of nickel (II) from aqueous solutions by Zeolite Scony Mobile-5 (ZSM-5) incorporated in sodium alginate beads. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-45901-x>

Hernández Rodríguez, M., Yperman, J., Carleer, R., Maggen, J., Daddi, D., Gryglewicz, G., Van der Bruggen, B., Falcón Hernández, J., & Otero Calvis, A. (2018). Adsorption of Ni(II) on spent coffee and coffee husk based activated carbon. *Journal of Environmental Chemical Engineering*, 6(1), 1161–1170. <https://doi.org/10.1016/j.jece.2017.12.045>

Indah, D. R. (2022). Adsorpsi Metilen Biru Menggunakan Karbon Baggase Tanpa Aktivasi. *Jurnal Ilmiah IKIP Mataram*, 9(1). <https://ojs.ikipmataram.ac.id/index.php/jiim>

International Coffee Organization. (2021). *New Consumption Table*. London. Retrieved April 17, 2023, from https://ico.org/trade_statistics.asp?section=Statistics

Jasińska, K., Zieniuk, B., Piasek, A. M., Wysocki, Ł., Sobiepanek, A., & Fabiszecka, A. (2024). Obtaining a biodegradable biocatalyst – study on lipase immobilization on spent coffee grounds as potential carriers. *Biocatalysis and Agricultural Biotechnology*, 59. <https://doi.org/10.1016/j.bcab.2024.103255>

Karamina, H., A.T. Murti, T. Mudjoko. (2018). Analisis kandungan logam berat aluminium (Al), dan timbal (Pb) pada buah jambu biji varietas kristal (*Psidium guajava* L.) dan tanah di desa Bumaiji, kota Batu. *Jurnal Kultivasi*, 17(3).

Kharrazi, S. M., Mirghaffari, N., Dastgerdi, M. M., & Soleimani, M. (2020). A novel post-modification of powdered activated carbon prepared from lignocellulosic waste through thermal tension treatment to enhance the porosity and heavy metals adsorption. *Powder Technology*, 366, 358–368. <https://doi.org/10.1016/j.powtec.2020.01.065>

Klein, C., & Costa, M. (2015). Nickel. *Handbook on the Toxicology of Metals: Fourth Edition* (Vol. 1, pp. 1091–1111). Elsevier Inc. <https://doi.org/10.1016/B978-0-444-59453-2.00048-2>

Kumar, P. S., Gayathri, R., & Rathi, B. S. (2021). A review on adsorptive separation of toxic metals from aquatic system using biochar produced from agro-waste. *Chemosphere* (Vol. 285). Elsevier Ltd. <https://doi.org/10.1016/j.chemosphere.2021.131438>

Kwiatkowski, M. (2015). Numerical analysis of the effect of the kind of activating agent and the impregnation ratio on the parameters of the microporous

structure of the active carbons. *Journal of Physics: Conference Series*, 633(1). <https://doi.org/10.1088/1742-6596/633/1/012047>

Liu, Xin. (2021). Organic Chemistry I. *Kwantlen Polytechnic University*. Pressbook.

López-Maldonado, E. A., Hernández-García, H., Zamudio-Aguilar, M. A. M., Oropeza-Guzmán, M. T., Ochoa-Terán, A., López-Martínez, L. M., Martínez-Quiroz, M., Valdez, R., & Olivas, A. (2020). Chemical issues of coffee and Tule lignins as ecofriendly materials for the effective removal of hazardous metal ions contained in metal finishing wastewater. *Chemical Engineering Journal*, 397. <https://doi.org/10.1016/j.cej.2020.125384>

Mandasari, I., & Purnomo, A. (2016). Penurunan Ion Besi (Fe) dan Mangan (Mn) dalam Air dengan Serbuk Gergaji Kayu Kamper. *Jurnal Teknik ITS*, Vol. 5(1). 2301-9271

Moldovan, M. (2019). Atomic Absorption Spectrometry-Flame. *Encyclopedia of Analytical Science* (pp. 129–136). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.00022-6>

Mousavi, S. F., Esteki, M., Mostafazadeh-Fard, B., Dehghani, S., & Khorvash, M. (2012). Linear and nonlinear modeling for predicting nickel removal from aqueous solutions. *Environmental Engineering Science*, 29(8), 765–775. <https://doi.org/10.1089/ees.2011.0233>

Mukherjee, A., Okolie, J. A., Niu, C., & Dalai, A. K. (2022). Techno – Economic analysis of activated carbon production from spent coffee grounds: Comparative evaluation of different production routes. *Energy Conversion and Management: X*, 14. <https://doi.org/10.1016/j.ecmx.2022.100218>

Nilapwar, S. M., Nardelli, M., Westerhoff, H. V., & Verma, M. (2011). Absorption Spectroscopy. *Methods in Enzymology* (Vol. 500, pp. 59–75). Academic Press Inc. <https://doi.org/10.1016/B978-0-12-385118-5.00004-9>

Nejadshafiee, V., & Islami, M. R. (2019). Adsorption capacity of heavy metal ions using sultone-modified magnetic activated carbon as a bio-adsorbent. *Materials Science and Engineering C*, 101, 42–52. <https://doi.org/10.1016/j.msec.2019.03.081>

Neolaka, Y. A. B., Riwu, A. A. P., Aigbe, U. O., Ukhurebor, K. E., Onyancha, R. B., Darmokoesoemo, H., & Kusuma, H. S. (2023). Potential of activated carbon

from various sources as a low-cost adsorbent to remove heavy metals and synthetic dyes. *Results in Chemistry*, 5. <https://doi.org/10.1016/j.rechem.2022.100711>

Nguyen, V. T., Vo, T. D. H., Tran, T., Nguyen, T. N., Le, T. N. C., Bui, X. T., & Bach, L. G. (2021). Biochar derived from the spent coffee ground for ammonium adsorption from aqueous solution. *Case Studies in Chemical and Environmental Engineering*, 4. <https://doi.org/10.1016/j.cscee.2021.100141>

Nurfarizha, H., Wirawan, T., Widodo, N. T. (2022). Adsorpsi Fenol Oleh Arang Aktif Ampas Kopi Teraktivasi Fisik dan Kimia. *Jurnal Atomik*, 6(2), 111-118.

Pagalan, E., Sebron, M., Gomez, S., Salva, S. J., Amposta, R., Macarayo, A. J., Joyno, C., Ido, A., & Arazo, R. (2020). Activated carbon from spent coffee grounds as an adsorbent for treatment of water contaminated by aniline yellow dye. *Industrial Crops and Products*, 145. <https://doi.org/10.1016/j.indcrop.2019.111953>

Palmisano, G., Jitan, S. Al, & Garlisi, C. (2022). Fundamentals of the adsorption process. In *Heterogeneous Catalysis* (pp. 27–62). Elsevier. <https://doi.org/10.1016/b978-0-323-89845-4.00004-7>

Peraturan Pemerintah Nomor 22 Tahun 2021 Tentang Penyelenggaraan Perlindungan Dan Pengelolaan Lingkungan Hidup (Indonesia). Retrieved April 15, 2023, from <https://peraturan.bpk.go.id/Home/Details/161852/pp-no-22-tahun-2021>

Quyen, V. thi, Pham, T. H., Kim, J., Thanh, D. M., Thang, P. Q., Van Le, Q., Jung, S. H., & Kim, T. Y. (2021). Biosorbent derived from coffee husk for efficient removal of toxic heavy metals from wastewater. *Chemosphere*, 284. <https://doi.org/10.1016/j.chemosphere.2021.131312>

Rao, S. N. (2017). Adsorption. *Interface Science and Technology* (Vol. 21, pp. 251–331). Elsevier B.V. <https://doi.org/10.1016/B978-0-12-801970-2.00005-7>

Rattanapan, S., Srikrarn, J., & Kongsume, P. (2017). Adsorption of Methyl Orange on Coffee grounds Activated Carbon. *Energy Procedia*, 138, 949–954. <https://doi.org/10.1016/j.egypro.2017.10.064>

Ray, S. S., Gusain, R., & Kumar, N. (2020). Effect of reaction parameters on the adsorption. *Carbon Nanomaterial-Based Adsorbents for Water Purification* (pp. 119–135). Elsevier. <https://doi.org/10.1016/b978-0-12-821959-1.00006-4>

Rodriguez-Reinoso, F., & Silvestre-Albero, J. (2016). Activated Carbon and Adsorption. *Reference Module in Materials Science and Materials Engineering*. Elsevier. <https://doi.org/10.1016/b978-0-12-803581-8.02289-x>

Romadhonah, S., & Arif, C. (2021). Analisis Kualitas Air dan Removal Efficiency Wastewater Treatment Plant (WWTP) di PT. Indonesia Power UPJP Priok Jakarta. *Jurnal Teknik Sipil Dan Lingkungan*, 5(2), 69–78. <https://doi.org/10.29244/jsil.5.2.69-78>

Saadi, R., Saadi, Z., Fazaeli, R., & Fard, N. E. (2015). Monolayer and multilayer adsorption isotherm models for sorption from aqueous media. In *Korean Journal of Chemical Engineering* (Vol. 32, Issue 5, pp. 787–799). Springer New York LLC. <https://doi.org/10.1007/s11814-015-0053-7>

Saeed, Anwar & Yub Harun, Noorfidza & Sufian, Suriati & Aznan, Muhammad. (2020). Effect of Adsorption Parameter on The Removal of Nickel (II) by Low-cost Adsorbent Extracted from Corn Cob. *International Journal of Advanced Research in Engineering & Technology*. 11. 981-989. 10.34218/IJARET.11.09.2020.096.

Sainani, K. L. (2013). Understanding linear regression. *PM and R*, 5(12), 1063–1068. <https://doi.org/10.1016/j.pmrj.2013.10.002>

Sangpongchai, S., & Prueksasit, T. (2017). *Adsorption Efficiency of the Activated Charcoal Produced from Spent Coffee Ground for Removal of the BTEX Released from Indoor Paint*. www.tshe.org/ea/index.html

Seniūnaitė, J., Vaiškūnaitė, R., & Bolutienė, V. (2014). Coffee grounds as an adsorbent for copper and lead removal form aqueous solutions. *9th International Conference on Environmental Engineering, ICEE 2014*. <https://doi.org/10.3846/enviro.2014.052>

Septiani, M., Darajat, Z., Arham Yunus, M., Assumpta Nogo Ole, M., Fikri Ilma, Z. (2023). Kajian Isoterm Adsorpsi Linear Alkilbenzena Sulfonate (LAS) dalam Limbah Cair Detergen Menggunakan Biosorben Ampas Kopi dan Ampas Kelapa. In *Jurnal Ilmiah Teknik Kimia* (Vol. 20, Issue 2).

Shahabi-Ghahfarokhi, S., Rahmati-Abkenar, M., Matson, J. G., Karimi, H., Yu, C., Hogland, W., Klavinš, M., & Ketzer, M. (2022). Removal and potential recovery of dissolved metals from acid sulfate soil drainage by spent coffee-

grounds and dissolved organic carbon. *Environmental Advances*, 8. <https://doi.org/10.1016/j.envadv.2022.100193>

Sjahfirdi, L., Aldi, N., Maheshwari, H., & Astuti, D. P. (2015). Aplikasi Fourier Transform Infrared (FTIR) dan Pengamatan Pembengkakan Genital pada Spesies Primata, Lutung Jawa (*Trachypithecus auratus*) Untuk Mendeteksi Masa Subur Fourier Transform Infrared (FTIR). In *Jurnal Kedokteran Hewan* (Vol. 9, Issue 2).

Sukmawardani, Y., & Amalia, V. (2019). Chemistry Laboratorium Liquid Waste Treatment Using Electrocoagulation Method. *Jurnal Kartika Kimia*, 2(2). <https://doi.org/10.26874/jkk.v2i2.29>

Sukesni, W., & Eka, A. (2013). Preparasi Penentuan Kadar Logam Pb, Cd dan Cu dalam Nugget Ayam Rumput Laut Merah (*Eucheuma cottonii*). *Jurnal Sains dan Seni Pomits*, 2(2). 2337-3520

Tandigau, S., La Nafie, N., & Budi, P. (2019). BIOSORPTION OF Ni (II) IONS BY ARABICAN COFFEE FRUIT (*Coffea arabica*). *Jurnal Akta Kimia Indonesia (Indonesia Chimica Acta)*, 11(1), 32-45. <https://doi.org/10.20956/ica.v11i1.6402>

Tran, T. K. N., Ngo, T. C. Q., Nguyen, Q. V., Do, T. S., & Hoang, N. B. (2022). Chemistry potential and application of activated carbon manufactured from coffee grounds in the treatment of wastewater: A review. *Materials Today: Proceedings*, 60, 1914–1919. <https://doi.org/10.1016/j.matpr.2022.01.020>

Wulandari, N. C., Widwiastuti, H., Yudhistia A. R. (2023). Pengaruh Massa Biosorben Kulit Batang Kayu Jawa (*Lannea coromandelica*) terhadap Kapasitas Adsorpsi Ion Cd(II) Effect of Biosorbent Mass of Java Bark (*Lannea coromandelica*) to The Adsorption Capacity of Cd(II) Ion. In *Jurnal Atomik* (Vol. 08, Issue 2).

Yalçın Tepe, A. (2014). Toxic Metals: Trace Metals - Chromium, Nickel, Copper, and Aluminum. *Encyclopedia of Food Safety* (Vol. 2, pp. 356–362). Elsevier. <https://doi.org/10.1016/B978-0-12-378612-8.00205-5>

Yuliasari, N., Purwaningrum, W., & Sialagan, F. Y. (2013). Studi Interferensi Besi dan Krom terhadap Analisis Nikel secara Spektrofotometer Atom dan Aplikasinya pada Limbah Elektroplating Seng. *Jurnal Penelitian Sains* (Vol. 16, Issue 1).