

## DAFTAR PUSTAKA

- Adamovic, D., & Zivic, F. (2021). Hardness and Non-Destructive Testing (NDT) of Ceramic Matrix Composites (CMCs). In *Encyclopedia of Materials: Composites* (pp. 183–201). Elsevier. <https://doi.org/10,1016/B978-0-12-819724-0,00074-4>
- Ak Azem, N. F., & Birlik, I. (2018). Influence of Bath Composition on the Structure and Properties of Nickel Coatings Produced by Electrodeposition Technique. *Deu Muhendislik Fakultesi Fen ve Muhendislik*, 20(59), 689–697. <https://doi.org/10,21205/deufmd.2018205954>
- Aruna, S. T., William Grips, V. K., & Rajam, K. S. (2009). Ni-based electrodeposited composite coating exhibiting improved microhardness, corrosion and wear resistance properties. *Journal of Alloys and Compounds*, 468(1–2), 546–552. <https://doi.org/10,1016/j.jallcom.2008.01.058>
- Augustin, A., Huilgol, P., Udupa, K. R., & Bhat K, U. (2016). Effect of current density during electrodeposition on microstructure and hardness of textured Cu coating in the application of antimicrobial Al touch surface. *Journal of the Mechanical Behavior of Biomedical Materials*, 63, 352–360, <https://doi.org/10,1016/j.jmbbm.2016.07.013>
- Bahrami, A., Onofre Carrasco, C. F., Cardona, A. D., Huminiuc, T., Polcar, T., & Rodil, S. E. (2019). Mechanical properties and microstructural stability of CuTa/Cu composite coatings. *Surface and Coatings Technology*, 364, 22–31. <https://doi.org/10,1016/j.surfcoat.2019.02.072>
- Boukhouiete, A., Boumendjel, S., & Sobhi, N. E. H. (2021). Effect of current density on the microstructure and morphology of the electrodeposited nickel coatings. *Turkish Journal of Chemistry*, 45(5), 1599–1608. <https://doi.org/10,3906/kim-2102-46>

- Budi, E., Ermadiana, Y., Indrasari, W., Sugihartono, I., Nasbey, H., & Prayitno, T. B. (2023). *Structure and mechanical properties of electrodeposited Ni-TiN-AlN composite coating*. 050030, <https://doi.org/10.1063/5.0126780>
- Budi, E., Ermadiana, Y., Sugihartono, I., Syafindra, D., & Fajrin, M. (2018). Electrodeposited Ni-TiAlN Composite Coating on Tungsten Carbide: Effect of Surfactant Concentration on Physical and Mechanical Properties. *IOP Conference Series: Materials Science and Engineering*, 384, 012022. <https://doi.org/10.1088/1757-899X/384/1/012022>
- Budi, E., Indrasari, W., Sugihartono, I., Prayitno, T. B., Nasbey, H., Fahdiran, R., & Rahman, M. N. A. (2023). Analysis on mechanical and microstructural properties of electrodeposited Ni-TiN-AlN/Si<sub>3</sub>N<sub>4</sub> composite coatings. *EUREKA: Physics and Engineering*, 5, 148–155. <https://doi.org/10.21303/2461-4262.2023.002913>
- Budi, E., Restu, A., Ksatriotomo, B., Sugihartono, I., & Budi, A. S. (2016). Study of Electrodeposited Ni-TiAlN Composite Films. *International Journal of Electrochemical Science*, 11(4), 2938–2944. [https://doi.org/10.1016/S1452-3981\(23\)16153-0](https://doi.org/10.1016/S1452-3981(23)16153-0)
- Budi, E., Sugihartono, I., Indrasari, W., Prayitno, T. B., & Nasbey, H. (2021). Electrodeposition of Ni-Nitride composite coatings: A review of recent study. *IOP Conference Series: Materials Science and Engineering*, 1098(6), 062053. <https://doi.org/10.1088/1757-899X/1098/6/062053>
- Cai, F., Jiang, C., & Wu, X. (2014). X-ray diffraction characterization of electrodeposited Ni–Al composite coatings prepared at different current densities. *Journal of Alloys and Compounds*, 604, 292–297. <https://doi.org/10.1016/j.jallcom.2014.03.063>
- Callister, W. D., & Rethwisch, D. G. (2016). *Fundamentals of Materials Science and Engineering: An integrated approach*, 5th edition. Wiley Global Education.
- Chen, S. D., & Zhao, J. (2013). Preparation of Protective Ni-Al Coating on Low

- Carbon Steel by Pulsed Composite Electrodeposition. *International Journal of Electrochemical Science*, 8(1), 678–688. [https://doi.org/10.1016/S1452-3981\(23\)14050-8](https://doi.org/10.1016/S1452-3981(23)14050-8)
- Cleaver, J. A. S., Karatzas, G., Louis, S., & Hayati, I. (2004). Moisture-induced caking of boric acid powder. *Powder Technology*, 146(1–2), 93–101. <https://doi.org/10.1016/j.powtec.2004.07.005>
- Cooke, K. O. (2016). Parametric Analysis of Electrodeposited Nano-composite Coatings for Abrasive Wear Resistance. In *Electrodeposition of Composite Materials*. InTech. <https://doi.org/10.5772/62153>
- Dharmadasa, I. M., & Haigh, J. (2006). Strengths and Advantages of Electrodeposition as a Semiconductor Growth Technique for Applications in Microelectronic Devices. *Journal of The Electrochemical Society*, 153(1), G47. <https://doi.org/10.1149/1.2128120>
- Flitney, R. (2014). Materials. In *Seals and Sealing Handbook* (pp. 369–435). Elsevier. <https://doi.org/10.1016/B978-0-08-099416-1.00005-X>
- Ghaemi, M. (2002). Effects of direct and pulse current on electrodeposition of manganese dioxide. *Journal of Power Sources*, 111(2), 248–254. [https://doi.org/10.1016/S0378-7753\(02\)00309-9](https://doi.org/10.1016/S0378-7753(02)00309-9)
- Gubisch, M., Liu, Y., Krischok, S., Ecke, G., Spiess, L., Schaefer, J. A., & Knedlik, C. (2005). *Tribological characteristics of WC1-x, W2C and WC tungsten carbide films* (pp. 409–417). [https://doi.org/10.1016/S0167-8922\(05\)80043-4](https://doi.org/10.1016/S0167-8922(05)80043-4)
- Gyftou, P., Pavlatou, E. A., & Spyrellis, N. (2008). Effect of pulse electrodeposition parameters on the properties of Ni/nano-SiC composites. *Applied Surface Science*, 254(18), 5910–5916. <https://doi.org/10.1016/j.apsusc.2008.03.151>
- H. Karahan, İ., & Özdemir, R. (2015). A Comparison for Grain Size Calculation of Cu-Zn Alloys with Genetic Programming and Neural Networks. *Acta Physica Polonica A*, 128(2B), B-427-B-432. <https://doi.org/10.12693/APhysPolA.128.B-427>

- Habashi, F. (2013a). Nickel, Physical and Chemical Properties. In *Encyclopedia of Metalloproteins* (pp. 1520–1520). Springer New York. [https://doi.org/10,1007/978-1-4614-1533-6\\_338](https://doi.org/10,1007/978-1-4614-1533-6_338)
- Habashi, F. (2013b). Tin, Physical and Chemical Properties. In *Encyclopedia of Metalloproteins* (pp. 2233–2234). Springer New York. [https://doi.org/10,1007/978-1-4614-1533-6\\_424](https://doi.org/10,1007/978-1-4614-1533-6_424)
- Hessam, R., Najafisayar, P., & Rasouli, S. S. (2022). A comparison between growth of direct and pulse current electrodeposited crystalline SnO<sub>2</sub> films; electrochemical properties for application in lithium-ion batteries. *Materials for Renewable and Sustainable Energy*, 11(3), 259–266. <https://doi.org/10,1007/s40243-022-00218-z>
- Ikenoue, T., Yoshida, T., Miyake, M., Kasada, R., & Hirato, T. (2020). Fabrication and mechanical properties of tungsten carbide thin films via mist chemical vapor deposition. *Journal of Alloys and Compounds*, 829, 154567. <https://doi.org/10,1016/j.jallcom.2020,154567>
- Imaz, N., García-Lecina, E., & Díez, J. A. (2010). Corrosion properties of double layer nickel coatings obtained by pulse plating techniques. *Transactions of the IMF*, 88(5), 256–261. <https://doi.org/10,1179/002029610X12791981507767>
- Ismail, A. F., Khulbe, K. C., & Matsuura, T. (2019). RO Membrane Characterization. In *Reverse Osmosis* (pp. 57–90). Elsevier. <https://doi.org/10,1016/B978-0-12-811468-1.00003-7>
- Jiang, M., Ma, C., Xia, F., & Zhang, Y. (2016). Application of artificial neural networks to predict the hardness of Ni–TiN nanocoatings fabricated by pulse electrodeposition. *Surface and Coatings Technology*, 286, 191–196. <https://doi.org/10,1016/j.surfcoat.2015.12.032>
- Kamaraj, A. B., Shrestha, H., Speck, E., & Sundaram, M. (2017). Experimental Study on the Porosity of Electrochemical Nickel Deposits. *Procedia Manufacturing*, 10, 478–485. <https://doi.org/10,1016/j.promfg.2017.07.032>

- Kong, X.-S., You, Y.-W., Xia, J. H., Liu, C. S., Fang, Q. F., Luo, G.-N., & Huang, Q.-Y. (2010). First principles study of intrinsic defects in hexagonal tungsten carbide. *Journal of Nuclear Materials*, 406(3), 323–329. <https://doi.org/10.1016/j.jnucmat.2010.09.002>
- Kumar, S., Pande, S., & Verma, P. (2015). Factor Effecting Electro-Deposition Process. *International Journal of Current Engineering and Technology*, 5(2), 700–703.
- Kwon, Y.-S., Kim, H.-T., Choi, D.-W., & Kim, J.-S. (2005). MECHANICAL PROPERTIES OF BINDERLESS WC PRODUCED BY SPS PROCESS. In *Novel Materials Processing by Advanced Electromagnetic Energy Sources* (pp. 275–279). Elsevier. <https://doi.org/10.1016/B978-008044504-5/50056-8>
- Lascelles, K., Morgan, L. G., Nicholls, D., Beyersmann, D., & Institute, N. (2019). Nickel Compounds. In *Ullmann's Encyclopedia of Industrial Chemistry* (pp. 1–17). Wiley-VCH Verlag GmbH & Co. KGaA. [https://doi.org/10.1002/14356007.a17\\_235.pub3](https://doi.org/10.1002/14356007.a17_235.pub3)
- Lin, L., Tian, Y., Yu, W., Chen, S., Chen, Y., & Chen, W. (2022). Corrosion and hardness characteristics of Ti/TiN-modified Ti6Al4V alloy in marine environment. *Ceramics International*, 48(23), 34848–34854. <https://doi.org/10.1016/j.ceramint.2022.08.074>
- Martin, D. M., Enlund, J., Yantchev, V., Olsson, J., & Katardjiev, I. (2008). Optimisation of a smooth multilayer nickel silicide surface for ALN growth. *Journal of Physics: Conference Series*, 100(4), 042014. <https://doi.org/10.1088/1742-6596/100/4/042014>
- Masruroh, Manggara, A. B., Lapailaka, T., & Triandi, R. (2013). PENENTUAN UKURAN KRISTAL (CRYSTALLITE SIZE) LAPISAN TIPIS PZT DENGAN METODE XRD MELALUI PENDEKATAN PERSAMAAN DEBYE SCHERRER. *Erudio Journal of Educational Innovation*, 1(2). <https://doi.org/10.18551/erudio.1-2.4>

Mbugua, N. S., Kang, M., Zhang, Y., Ndiithi, N. J., V. Bertrand, G., & Yao, L. (2020). Electrochemical Deposition of Ni, NiCo Alloy and NiCo–Ceramic Composite Coatings—A Critical Review. *Materials*, 13(16), 3475. <https://doi.org/10.3390/ma13163475>

Nasiri, S., Rabiei, M., Palevicius, A., Janusas, G., Vilkauskas, A., Nutalapati, V., & Monshi, A. (2023). Modified Scherrer equation to calculate crystal size by XRD with high accuracy, examples Fe<sub>2</sub>O<sub>3</sub>, TiO<sub>2</sub> and V<sub>2</sub>O<sub>5</sub>. *Nano Trends*, 3, 100015. <https://doi.org/10.1016/j.nwnano.2023.100015>

Oktaviani, Y., Budi, E., & Sugihartono, I. (2018). PENGARUH KUAT ARUS TERHADAP MORFOLOGI PERMUKAAN LAPISAN KOMPOSIT Ni-TiN/Si<sub>3</sub>N<sub>4</sub> DENGAN MENGGUNAKAN METODE ELEKTRODEPOSISI. *PROSIDING SEMINAR NASIONAL FISIKA (E-JOURNAL) SNF2018 UNJ*, SNF2018-PA-36-SNF2018-PA-39. <https://doi.org/10.21009/03.SNF2018.02.PA.05>

Prasad, C., Bhavani, K., Vemuri, R., Ramana, V. V., & Sriramvikas, K. (2022). Effect of duty cycle variation on Nickel electrodeposits at 10 Hz frequency. *Chemical Data Collections*, 41, 100927. <https://doi.org/10.1016/j.cdc.2022.100927>

Quadri, T. W., Fayemi, O. E., Olasunkanmi, L. O., & Ebenso, E. E. (2023). Survey of different electrochemical and analytical techniques for corrosion measurements. In *Electrochemical and Analytical Techniques for Sustainable Corrosion Monitoring* (pp. 293–323). Elsevier. <https://doi.org/10.1016/B978-0-443-15783-7.00012-8>

Radajewski, M., Henschel, S., Grützner, S., Krüger, L., Schimpf, C., Chmelik, D., & Rafaja, D. (2016). Microstructure and mechanical properties of bulk TiN–AlN composites processed by FAST/SPS. *Ceramics International*, 42(8), 10220–10227. <https://doi.org/10.1016/j.ceramint.2016.03.143>

Rashidi, A. M., & Amadeh, A. (2008). The effect of current density on the grain size of electrodeposited nanocrystalline nickel coatings. *Surface and Coatings*

*Technology*, 202(16), 3772–3776.  
<https://doi.org/10.1016/j.surfcoat.2008.01.018>

Rebak, R. B., Dillman, J. R., Crook, P., & Shawber, C. V. V. (2001). Corrosion behavior of nickel alloys in wet hydrofluoric acid. *Materials and Corrosion*, 52(4), 289–297. [https://doi.org/10.1002/1521-4176\(200104\)52:4<289::AID-MACO289>3.0.CO;2-0](https://doi.org/10.1002/1521-4176(200104)52:4<289::AID-MACO289>3.0.CO;2-0)

Rini, A. S. (2019). Diffraction Pattern Simulation of Crystal Structure towards the Ionic Radius Changes Via Vesta Program. *Journal of Technomaterials Physics*, 1(2), 132–139. <https://doi.org/10.32734/jotp.v1i2.1288>

Rosochowski, A., & Olejnik, L. (2012). Severe plastic deformation for grain refinement and enhancement of properties. In *Microstructure Evolution in Metal Forming Processes* (pp. 114–141). Elsevier. <https://doi.org/10.1533/9780857096340.1.114>

Saber, K., Koch, C. ., & Fedkiw, P. . (2003). Pulse current electrodeposition of nanocrystalline zinc. *Materials Science and Engineering: A*, 341(1–2), 174–181. [https://doi.org/10.1016/S0921-5093\(02\)00198-3](https://doi.org/10.1016/S0921-5093(02)00198-3)

Salcedo, A. F. M., Ballesteros, F. C., Vilando, A. C., & Lu, M.-C. (2016). Nickel recovery from synthetic Watts bath electroplating wastewater by homogeneous fluidized bed granulation process. *Separation and Purification Technology*, 169, 128–136. <https://doi.org/10.1016/j.seppur.2016.06.010>

Saputra, R. R., Oediyani, S., Lestari, Y., & Mabruri, E. (2017). Pengaruh Rapat Arus dan Waktu Pelapisan Nikel pada AISI 410 dengan Metode Pulse Electrodeposition terhadap Strukturmikro dan Laju Korosi [The Influences of Current Density and Time on Microstructure and Corrosion Rate Nickel Coating in Aisi 410 by Pulse Electro Deposition Method]. *Metalurgi*, 32(2), 77. <https://doi.org/10.14203/metalurgi.v32i2.224>

Sarafrazi, M. H., & Alizadeh, M. (2017). Improved characteristics of Ni-electrodeposited coatings via the incorporation of Si and TiO<sub>2</sub> particulate

- reinforcements. *Journal of Alloys and Compounds*, 720, 289–299.  
<https://doi.org/10,1016/j.jallcom.2017.05.223>
- Sharma, A., & Ahn, B. (2020). Effect of current density and alkaline pH on morphology and properties of electroplated Sn. *Materials Research Express*, 6(12), 126327. <https://doi.org/10,1088/2053-1591/ab6543>
- Sherwood, P. M. A. (2001). Carbons and Graphites: Surface Properties of. In *Encyclopedia of Materials: Science and Technology* (pp. 985–995). Elsevier.  
<https://doi.org/10,1016/B0-08-043152-6/00183-2>
- Soegijono, B., Susetyo, F. B., Notonegoro, H. A., & Fajrah, M. C. (2020). Electrochemical Behavior, Structure, and Morphology of Electrodeposited Nickel on Copper Alloy Prepared from Sulfate Bath without Additive Addition. *FLYWHEEL : Jurnal Teknik Mesin Untirta*, 1, 6.  
<https://doi.org/10,36055/fwl.v2i1.7724>
- Srivastava, M., Ezhil Selvi, V., William Grips, V. K., & Rajam, K. S. (2006). Corrosion resistance and microstructure of electrodeposited nickel–cobalt alloy coatings. *Surface and Coatings Technology*, 201(6), 3051–3060,  
<https://doi.org/10,1016/j.surfcoat.2006.06.017>
- Sugahara, Y. (2015). Aluminum Nitride. In *Encyclopedia of Polymeric Nanomaterials* (pp. 20–23). Springer Berlin Heidelberg.  
[https://doi.org/10,1007/978-3-642-29648-2\\_381](https://doi.org/10,1007/978-3-642-29648-2_381)
- Sugawara, E., & Nikaido, H. (2014). Properties of AdeABC and AdeIJK efflux systems of *Acinetobacter baumannii* compared with those of the AcrAB-TolC system of *Escherichia coli*. *Antimicrobial Agents and Chemotherapy*, 58(12), 7250–7257. <https://doi.org/10,1128/AAC.03728-14>
- Sumithra, G., Reddy, R. N., Dheeraj Kumar, G., Ojha, S., Jayachandra, G., & Raghavendra, G. (2023). Review on composite classification, manufacturing, and applications. *Materials Today: Proceedings*.  
<https://doi.org/10,1016/j.matpr.2023.04.637>



- Tian, Y., Xu, B., & Zhao, Z. (2012). Microscopic theory of hardness and design of novel superhard crystals. *International Journal of Refractory Metals and Hard Materials*, 33, 93–106. <https://doi.org/10.1016/j.ijrmhm.2012.02.021>
- Tonelli, D., Scavetta, E., & Gualandi, I. (2019). Electrochemical Deposition of Nanomaterials for Electrochemical Sensing. *Sensors*, 19(5), 1186. <https://doi.org/10.3390/s19051186>
- Vladár, A. E., & Hodoroaba, V.-D. (2020). Characterization of nanoparticles by scanning electron microscopy. In *Characterization of Nanoparticles* (pp. 7–27). Elsevier. <https://doi.org/10.1016/B978-0-12-814182-3.00002-X>
- Vladár, A. E., Villarrubia, J. S., Chawla, J., Ming, B., Kline, J. R., List, S., & Postek, M. T. (2014). *10nm three-dimensional CD-SEM metrology* (J. P. Cain & M. I. Sanchez (eds.); p. 90500A). <https://doi.org/10.1117/12.2045977>
- Wang, P., Wang, S., Zou, Y., Zhu, J., He, D., Wang, L., & Zhao, Y. (2021). Novel Nitride Materials Synthesized at High Pressure. *Crystals*, 11(6), 614. <https://doi.org/10.3390/cryst11060614>
- Wang, X., Tang, R., Chen, Z., & Yang, W. (2023). Influence of pulse current on the electrodeposition behaviors of CaCO<sub>3</sub> scale in the industrial circulating water system. *Desalination*, 554, 116495. <https://doi.org/10.1016/j.desal.2023.116495>
- Wielage, B., Lampke, T., Zacher, M., & Dietrich, D. (2008). Electroplated Nickel Composites with Micron- to Nano-Sized Particles. *Key Engineering Materials*, 384, 283–309. <https://doi.org/10.4028/www.scientific.net/KEM.384.283>
- Wu, N., Xue, F., Wang, J., Yang, H., Luo, F., & Ruan, J. (2019). Effect of TiN addition on the microstructure and mechanical properties of TiB<sub>2</sub>-FeNi based cermets. *Materials Science and Engineering: A*, 743, 546–557. <https://doi.org/10.1016/j.msea.2018.11.067>
- Yang, J. F., Prakash, B., Jiang, Y., Wang, X. P., & Fang, Q. F. (2012). Effect of Si content on the microstructure and mechanical properties of Mo–Al–Si–N

coatings. *Vacuum*, 86(12), 2010–2013.  
<https://doi.org/10.1016/j.vacuum.2012.05.009>

Yang, Y., & Cheng, Y. F. (2013). Fabrication of Ni–Co–SiC composite coatings by pulse electrodeposition — Effects of duty cycle and pulse frequency. *Surface and Coatings Technology*, 216, 282–288.  
<https://doi.org/10.1016/j.surfcoat.2012.11.059>

Yang, Z., Yi, S., Wang, Y., Zhao, S., & Shi, W. (2022). Study on Characteristics and Microstructure of Ni-AlN Thin Coatings Prepared via Different Electrodeposition Techniques. *International Journal of Electrochemical Science*, 17(2), 220226. <https://doi.org/10.20964/2022.02.34>

Zangari, G. (2018). Fundamentals of Electrodeposition. In *Encyclopedia of Interfacial Chemistry* (pp. 141–160). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.11700-7>

Zhang, Y., Ma, C., & Zhang, Y. (2023). Effect of Jet Speed on the Microstructure and Performances of Ni-TiN Nanocomposites Prepared via Jet Pulse Electrodeposition. *Journal of Materials Engineering and Performance*. <https://doi.org/10.1007/s11665-023-08400-8>

Zhu, Z., Ren, P., & Meng, H. (2023). Electrodeposition of nanocrystalline Au-Cu alloy coatings with high hardness and corrosion resistance for electronic contact application. *Materials Letters*, 330, 133320, <https://doi.org/10.1016/j.matlet.2022.133320>

Zweben, C. (2024). Materials: Composites. In *Encyclopedia of Condensed Matter Physics* (pp. 333–349). Elsevier. <https://doi.org/10.1016/B978-0-323-90800-9.00055-X>