

DAFTAR PUSTAKA

- Ardianto, Muhammad., dan Lin Nuriah Ginoga. (2020). Jenis-jenis Kupu Kupu Di Desa Bulu Mario Tapanuli Selatan. Edisi pertama. Sekretariat Kelompok Kerja Pengelolaan Lansekap Batang Toru: Tapanuli Selatan, Sumatera Utara.
- Arianti, I. (2013). Ruang Terbuka Hijau.
- Aronson, M. F., Lepczyk, C. A., Evans, K. L., Goddard, M. A., Lerman, S. B., MacIvor, J. S., ... & Vargo, T. (2017). Biodiversity in the city: key challenges for urban green space management. *Frontiers in Ecology and the Environment*, 15(4), 189-196. <http://dx.doi.org/10.1002/fee.1480>
- Azahra, S. D. (2021). Potensi jenis kupu-kupu sebagai bioindikator kondisi lingkungan kawasan perkotaan. In *Gunung Djati Conference Series* (Vol. 6, pp. 102-110).
- Azahra, S. D., Rushayati, S. B., & Destiana, D. (2022). Green open spaces as butterfly refuge habitat: potential, issues, and management strategies for butterfly conservation in urban areas. *Berkala Sainstek*, 10(4), 227-234.
- a3cdqvs354. (2023). Urban Parks for Conservation of Butterflies: A case study of Butterfly Diversity of Urban Parks in Kozhikode urban agglomeration, Kerala. doi: 10.21203/rs.3.rs-3118698/v1
- Bahar, I., & Indraswari, A. G. M. (2023). Pelatihan Preservasi dan Pembuatan Insektarium Kupu-Kupu Menjadi Souvenir Sebagai Usaha Pengembangan Kreatifitas di Lingkungan Kampus STKIP-PI Makassar. *Abdimas Langkanae*, 3(2), 135-140.
- Ballantyne, G., Baldock, K. C., Rendell, L., & Willmer, P. G. (2017). Pollinator importance networks illustrate the crucial value of bees in a highly speciose plant community. *Scientific Reports*, 7(1), 8389. <http://dx.doi.org/10.1038/s41598-017-08798-x>
- Borror, D.J., C. A. Triplehorn, N.F. Johnson. (1992). Pengenalan Pelajaran Serangga Keenam. Yogyakarta: Gadjah Mada University Press.
- Braby, M. F. (2004). Butterflies of Australia : Their Identification, Biology and Distribution. Canberra: CSIRO Entomology. <http://dx.doi.org/10.1071/9780643100770>
- Cristiano, Agra, Iserhard., Leandro, da, Silva, Duarte., Noemy, Seraphim., Noemy, Seraphim., André, V., L., Freitas. (2019). How urbanization

- affects multiple dimensions of biodiversity in tropical butterfly assemblages. *Biodiversity and Conservation*, doi: 10.1007/S10531-018-1678-8
- Daniels, B., Jedamski, J., Ottermanns, R., & Ross-Nickoll, M. (2020). A “plan bee” for cities: Pollinator diversity and plant-pollinator interactions in urban green spaces. *PLoS One*, 15(7), e0235492. <http://dx.doi.org/10.1371/journal.pone.0235492>
- Dinariana, D. (2011). Model pengelolaan ruang terbuka hijau sebagai daerah resapan di wilayah DKI Jakarta.
- Dwihatmojo, R. (2016). Ruang terbuka hijau yang semakin terpinggirkan. *Dalam bacosurtanal. go.id/assets/download/artikel/BIGRuangTebukaHijauyangSeman kinTerpinggirkan.*
- Garibaldi, L. A., Steffan-Dewenter, I., Kremen, C., Morales, J. M., Bommarco, R., Cunningham, S. A., ... & Klein, A. M. (2011). Stability of pollination services decreases with isolation from natural areas despite honey bee visits. *Ecology letters*, 14(10), 1062-1072. <http://dx.doi.org/10.1111/j.1461-0248.2011.01669.x>
- Girvan, M., & Newman, M. E. (2002). Community structure in social and biological networks. *Proceedings of the national academy of sciences*, 99(12), 7821-7826.
- Gomez, J. M., & Perfectti, F. (2012). Fitness consequences of centrality in mutualistic individual-based networks. *Proceedings of the Royal Society B: Biological Sciences*, 279(1734), 1754-1760.
- Handayani, A., & Rahayuningsih, M. (2022). Keanekaragaman jenis kupu-kupu di Taman Kota Semarang. *Jurnal Penelitian Ekosistem Dipterkarpa*, 8(1), 43-52.
- Hila, Segre., David, Kleijn., Ignasi, Bartomeus., Michiel, F., WallisDeVries., Mark, De, Jong., Maarten, Frank, van, der, Schee., Jacinto, Román., Thijs, P.M., Fijen. (2023). Data from: Butterflies are not a robust bioindicator for assessing pollinator communities, but floral resources offer a promising way forward. doi: 10.5281/zenodo.8242780
- Ilhamdi, M. L. (2018). Kupu-kupu Taman Wisata Alam Suranadi.
- Indriani Y, Ginoga LN, Masy'ud B. (2010). Keanekaragaman jenis kupu-kupu di beberapa tipe habitat di pondok Ambung Taman Nasional, Tanjung Puting Kalimantan Tengah. *Media Konserasi*. 15(1) : 1-12

- Jansson, Å., & Polasky, S. (2010). Quantifying biodiversity for building resilience for food security in urban landscapes: getting down to business. *Ecology and Society*, 15(3). <http://dx.doi.org/10.5751/ES-03520-150320>
- Jumar. (2000). Entomologi Pertanian. Jakarta: PT Rineka Cipta.
- J., H., Pérez., Eduardo, Carneiro., F., G., Gaviria-Ortiz., Mirna, M., Casagrande., Olaf, H., H., Mielke. (2019). Urban landscape influences the composition of butterflies in public parks and fragments in Southern Brazil. *Community Ecology*, doi: 10.1556/168.2019.20.3.9
- Keigo, Takahashi., Takao, Itino. (2020). Comparison of flower-visiting behaviour of bumblebees and swallowtail butterflies to the Japanese azalea (Rhododendron japonicum). *Journal of pollination ecology*, doi: 10.26786/1920-7603(2020)595
- Kitahara, M., Sei, K., & Fujii, K. (2000). Patterns in the Structure of Grassland Butterfly Communities Along a Gradient of Human Disturbance: Further Analysis based on the Generalist or Specialist Concept. *Population Ecology*, 42, 135–144. <http://dx.doi.org/10.1007/PL00011992>
- Koh LP, Sodhi NS. (2004). Importance of reserves, fragments, and park for butterfly conservation in a tropical urban landscape. *Ecological Applicaton*. 14 (6): 1695-1708. <http://dx.doi.org/10.1890/03-5269>
- Kositduriyapun, K. (2019). Social Network Analysis with R: Centrality Measure.
- Kristensen NP, Scoble MJ, Karsholt O. (2007). Lepidoptera phylogeny and systematic: The state of inventorying moth and butterfly diversity. *Zootaxa* 1668: 669-747.
- Lestari, D. F., Putri, R. D. A., Ridwan, M. U. H. A. M. M. A. D., & Purwaningsih, A. D. (2015, September). Keanekaragaman kupu-kupu (Insekta: Lepidoptera) di Wana Wisata Alas Bromo, BKPH Lawu Utara, Karanganyar, Jawa Tengah. In *Seminar Nasional Masyarakat Biodiversitas Indonesia* (Vol. 1, No. 6, pp. 1284-1288).
- Newman, M. E., & Girvan, M. (2004). Finding and evaluating community structure in networks. *Physical review E*, 69(2), 026113.
- Nisrina, N. (2023). *Analisis centrality dan modularity pada graf untuk identifikasi relasi penelitian indeks topologi* (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).
- Noriega, J. A., Hortal, J., Azcárate, F. M., Berg, M. P., Bonada, N., Briones, M. J., ... & Santos, A. M. (2018). Research trends in ecosystem services

- provided by insects. *Basic and applied ecology*, 26, 8-23. <http://dx.doi.org/10.1016/j.baae.2017.09.006>
- Ollerton, J., Winfree, R., & Tarrant, S. (2011). How many flowering plants are pollinated by animals?. *Oikos*, 120(3), 321-326. <http://dx.doi.org/10.1111/j.1600-0706.2010.18644.x>
- Peggie, Djunijanti & Amir M. (2006). Panduan Praktis Kupu-kupu di Kebun Raya Bogor. Pusat Penelitian Biologi, LIPI dan Nagao Natural Environment Foundation Japan.
- Pemerintah Provinsi DKI Jakarta. (2023). *Informasi Ruang Terbuka Hijau Provinsi DKI Jakarta*. Diakses melalui <https://jakartasatu.jakarta.go.id/portal/apps/experiencebuilder/experience/?id=aa91a84fab5b4f0caa554398793d1ab4>
- Pires, A. C. V., Barbosa, M., Beiroz, W., Beirão, M. V., Marini-Filho, O. J., Duarte, M., ... & Fernandes, G. W. (2020). Altitudinal variation in butterfly community associated with climate and vegetation. *Anais da Academia Brasileira de Ciências*, 92(suppl 2), e20190058.
- Prakoso, P., & Herdiansyah, H. (2019). Analisis implementasi 30% ruang terbuka hijau di DKI Jakarta. *Majalah Ilmiah Globe*, 21(1), 17-26. <http://dx.doi.org/10.24895/MIG.2019.21-1.869>
- Prihandono, A. (2010). Penyediaan Ruang Terbuka Hijau (RTH) Menurut UU No. 26/2007 tentang Penataan Ruang dan Fenomena Kebijakan Penyediaan RTH Di Daerah. *Jurnal Permukiman*, 5(1), 13-23. <http://dx.doi.org/10.31815/jp.2010.5.13-23>
- Qodriyyah, T. N., Suedy, S. W. A., & Haryanti, S. (2015). Morfoanatomi Polen Flora Mangrove Di Pantai Banjir Kanal Timur, Semarang. *Jurnal Akademika Biologi*, 4(3), 23-30.
- Rahayu, S.E. & Baskuriadi A. (2012). Kelimpahan dan Keanekaragaman Spesies Kupu-kupu (Lepidoptera:Rhopalocera) pada Berbagai Tipe Habitat di Hutan dan Kota Muhamad Sabki Kota Jambi. *Jurnal Biospesies* 2 (5); 40-48.
- Rodrigues, F. A. (2019). Network centrality: an introduction. *A mathematical modeling approach from nonlinear dynamics to complex systems*, 177-196.
- Rohman, Fatchur., Muhammad Ali Efendi, Linata Rahma Andrini. (2019). Bioekologi Kupu-kupu. Edisi pertama. Universitas Negeri Malang: Malang.

- Ruslan, H. (2015). *keanekaragaman kupu-kupu*. LPU UNAS.
- Ruslan, H., Tobing, I. S., & Andayaningsih, D. (2020). Biodiversitas kupu-kupu (Lepidoptera: Papilioidea) di kawasan hutan kota Jakarta.
- Ruslan, H., & Andayaningsih, D. (2021). Kupu-Kupu Hutan Lindung, Suaka Margasatwa, Ekowisata, dan Taman Wisata Alam Angke Kapuk Jakarta Utara.
- Ruslan H, Anggraeni YP, Satiyo A. (2021). Butterfly and flowering plant correlation during Covid-19 pandemic in Ragunan Wildlife Park. In: Herlinda S *et al.* (Eds.), Prosiding Seminar Nasional Lahan Suboptimal ke-9 Tahun 2021, Palembang 20 Oktober 2021. pp. 194-201. Palembang: Penerbit & Percetakan Universitas Sriwijaya (UNSRI).
- Sagwe R, Muya SM, Maranga R. (2015). Effects of land use patterns on the diversity and conservation status of butterflies in Kisii highlands, Kenya. *Journal of Conservation*. 19 (6).
- Sánchez-Dávila, J., Traveset, A., & Colom, P. (2024). Effects of food availability on butterfly diversity and network specialization across altitudinal levels in a Mediterranean landscape. *Biodiversity and Conservation*, 33(1), 239-256.
- Sanderson, E. W., & Huron, A. (2011). Conservation in the city. *Conservation Biology*, 25(3), 421-423. <http://dx.doi.org/10.1111/j.1523-1739.2011.01683.x>
- Saputra, S. (2023). Populasi Dalam Ekosistem'. *Ilmu Lingkungan*, 48.
- Scriven, L. A., Sweet, M. J., & Port, G. R. (2013). Flower density is more important than habitat type for increasing flower visiting insect diversity. *International Journal of Ecology*, 2013, 1-12. <http://dx.doi.org/10.1155/2013/237457>
- Sivaperuman C, Venkataraman K. (2012). Diversity of Butterflies in Ritchie's Archipelago, Andaman and Nicobar Islands dalam Ecology of Faunal Communities on the Andaman and Nicobar Islands. Berlin: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-28335-2_11
- Soliveres, S., Van Der Plas, F., Manning, P., Prati, D., Gossner, M. M., Renner, S. C., ... & Allan, E. (2016). Biodiversity at multiple trophic levels is needed for ecosystem multifunctionality. *Nature*, 536(7617), 456-459. <http://dx.doi.org/10.1038/nature19092>
- Spiesman, B. J. and Inouye, B. D. 2013. Habitat loss alters the architecture of plant – pollinator interaction networks. – *Ecology* 94: 2688 – 2696.

- Sri Wahyuni, S. W. (2014). *Inventarisasi Jenis Serangga Tanah dengan Menggunakan Metode PitFall Trap di Kawasan Arboretum Nyaru Menteng Palangka Raya* (Doctoral dissertation, IAIN Palangka Raya).
- Subedi, B., Stewart, A. B., Neupane, B., Ghimire, S., & Adhikari, H. (2021). Butterfly species diversity and their floral preferences in the Rupa Wetland of Nepal. *Ecology and Evolution*, 11(5), 2086-2099.
- Susanto, B., & Chrismanto, A. R. (2012). Penerapan social network analysis dalam penentuan centrality studi kasus social network twitter. *Jurnal Informatika*, 8(1), 1-13.
- Taradipha, M. R. R., Rushayati, S. B., & Haneda, N. F. (2019). Karakteristik Lingkungan terhadap Komunitas Serangga. *Journal of Natural Resources and Environmental Management*, 9, 394–404.
- Thébault, E. and Fontaine, C. 2010. Stability of ecological communities and the architecture of mutualistic and trophic networks. – Science 329: 853 – 856.
- Triplehorn, C.A. & N.F. Johnson. (2005). Borror and DeLong's Introduction to the Study of Insects. 7th ed. USA: Thomson Brooks/Cole.
- Warzecha, D., Diekötter, T., Wolters, V., & Jauker, F. (2018). Attractiveness of wildflower mixtures for wild bees and hoverflies depends on some key plant species. *Insect Conservation and Diversity*, 11(1), 32-41. <http://dx.doi.org/10.1111/icad.12264>
- Wati, Eka Hasanah. (2014). *Pengembangan bahan ajar IPA untuk meningkatkan hasil belajar materi hubungan antar makhluk hidup dan lingkungannya siswa kelas IV melalui penambahan CD pembelajaran di MI Sunan Giri Kota Malang*. Undergraduate thesis, Universitas Islam Negeri Maulana Malik Ibrahim.
- Widhiono I. (2014). Keragaman dan kelimpahan kupu-kupu endemik jawa (Lepidoptera : Rhopalocera) di hutan gunung slamet, Jawa Tengah. *Biospecies*. 7(2): 59-67.
- Zhang, J., & Luo, Y. (2017, March). Degree centrality, betweenness centrality, and closeness centrality in social network. In *2017 2nd international conference on modelling, simulation and applied mathematics (MSAM2017)* (pp. 300-303). Atlantis press.