

DAFTAR PUSTAKA

- Aminah N., Otavio A. L., Layla H., Bianca Pizzorno B., Mohamed B., and Stefano B. *Graphene Oxide (GO) Materials—Applications and Toxicity on Living Organisms and Environment. J Funct Biomater.* 2022 Jun; 13(2): 77.
- Balan A, Kumar R, Boukhicha m, Beyssaco, Boinord J-C, Travena D, Sacks W, Marangolo M, La Caze E, Gohler R, Escoffer W, Poumirol J-M, Shuka A (2010) Anodic bonded grapheme, *J Phys D Appl Phys* 43:374013.
- Blackburn, J. L., Ferguson, A. J., Cho, C., & Grunlan, J. C. (2018). Carbon-nanotube-based thermoelectric materials and devices. *Advanced Materials*, 30(11), 1704386.
- Bianco A, Cheng H-M, Enoki T, Gogotsi Y, Hurt RH, Koratkar N, et al. All in the *Graphene* family -A recommended nomenclature for two-dimensional carbon materials. *Carbon* (2013) 65:1–6. doi: 10.1016/j.carbon.2013.08.038
- Boehm, H. P., Setton, R., & Stumpp, E. (1986). *Nomenclature and terminology of graphite intercalation compounds. Carbon*, 24(2), 241–245. doi:10.1016/0008-6223(86)90126-0
- Burgo, T. A. L. & Galembeck, F. Electrified water: liquid, vapor and aerosol. *J. Braz. Chem. Soc.* 27, 229–238 (2016).
- Brown, T. L. (2009). *Chemistry: the central science*. Pearson Education.
- Cavusoglu, A. H., Chen, X., Gentine, P., Sahin, O. Potential for natural evaporation as a reliable renewable energy resource, *Nat. Commun.* 8 (2017) 617, <https://doi.org/10.1038/s41467-017-00581-w>.
- Chiellini, E., A. Corti, S. D'Antone, and R. Solaro. 2003. Biodegradation of poly (vinyl alcohol) based materials. *Prog. Polym. Sci.* 28:963-1014.

Chen, W., Yan, L., Bangal, P.R., Preparation of *Graphene* by the rapid and mild thermal reduction of *graphene oksida* induced by microwaves, Carbon (2009), doi: 10.1016/j.carbon.2009.11.037

Cheng, H. et al. Spontaneous power source in ambient air of a well directionally reduced graphene oxide bulk. Energy Environ. Sci. 11, 2839–2845 (2018).

Cheng, H., Huang, Y., Qu, L., Cheng, Q., Shi, G., Jiang, L. (2017) Flexible in-plane graphene oxide moisture-electric converter for touchless interactive panel. <https://doi.org/10.1016/j.nanoen.2017.12.033>

Doble, M., & Kumar, A. (2005). *Degradation of Polymers. Biotreatment of Industrial Effluents*, 101–110. doi:10.1016/b978-075067838-4/50010-5

Eslamian, M, Zabihi, F, “Ultrasonic Substrate Vibration Assisted *Drop casting* (SVADC) for the Fabrication of Photovoltaic Solar Cell Arrays and Thin-Film Devices.” *Nanoscale Res. Lett.*, 10 462 (2015)

Giridhar, G., Manepalli, RKNR, & Apparao, G. (2017). Teknik pengukuran *Contact angle* untuk bahan nano. Dalam Teknik Pengukuran Termal dan Rheologi untuk Karakterisasi Nanomaterial (hlm. 173-195). Elsevier.

Griffiths, PR (1983). Spektrometri inframerah transformasi Fourier. *Sains*, 222(4621), 297-302.

Guo, Y., Guan, W., Lei, C., Lu, H., Shi, W., Yu, G. (2022). Scalable super hygroscopic polymer films for sustainable moisture harvesting in arid environments. *Nature Communications* 13, 2761.

Hastuti, E. (2011). ANALISA DIFRAKSI SINAR X TiO₂ DALAM PENYIAPAN BAHAN SEL SURYA TERSENSITISASI PEWARNA Oleh. <https://doi.org/https://doi.org/10.18860/neu.v0i0.2416>

Huang, T.-H.; Chou, J.-C.; Sun, T.-P.; Hsiung, S.-K. A Device for Skin Moisture and Environment Humidity Detection. *Sensors Actuators B Chem.* 2008, 134 (1), 206– 212.

Huang, Y., Cheng, H., Shi, G., & Qu, L. (2017). Highly efficient moisture-triggered nanogenerator based on *graphene* quantum dots. *ACS applied materials & interfaces*, 9(44), 38170-38175.

Huang, Y., Cheng, H., Qu, L. Emerging materials for water-enabled electricity generation, *ACS Mater. Lett.* 3 (2021) 193–209.

Joshiyura, I.D., Persson, K.A., Truong, V.K., Oh, J.H., Kong, M., Vong, M.H., ... & Dickey, MD (2021). Apakah pengukuran *Contact angle* berguna untuk logam cair berlapis oksida?. *Langmuir*, 37(37), 10914-10923.

Kaliyaraj Selva Kumar, A., Zhang, Y., Li, D., & Compton, R. G. (2020). A Mini-review: how reliable is the drop casting technique? *Electrochemistry Communications*, 106867. doi:10.1016/j.elecom.2020.106867

Kral, P., Shapiro, M. Nanotube electron drag in flowing liquids, *Phys. Rev. Lett.* 86 (2001) 131–134.

Lamour, G., Hamraoui, A., Buvailo, A., Xing, Y., Keuleyan, S., Prakash, V., ... & Borguet, E. (2010). Pengukuran *Contact angle* menggunakan pengaturan eksperimental yang disederhanakan. *Jurnal pendidikan kimia*, 87(12), 1403-1407.

Li, D.; Muller, M. B.; Gilje, S.; et al. Processable Aqueous Dispersions of *Graphene* Nanosheets. *Nat. Nanotechnol.* 2008, 3, 101–105.

Li, M., Zong, L., Yang, W., Li, X., You, J., Wu, X., ... & Li, C. (2019). Biological nanofibrous generator for electricity harvest from moist air flow. *Advanced Functional Materials*, 29(1-8), 1901798.

Li, M., Zong, L., Yang, W., Li, X., You, J., Wu, X., ... & Li, C. (2019). Biological nanofibrous generator for electricity harvest from moist air flow. *Advanced Functional Materials*, 29(32), 1901798.

Li, Y., Cui, J., Shen, H., Liu, C., Wu, P., Qian, Z., ... & Liu, D. (2022). Useful spontaneous hygroelectricity from ambient air by ionic wood. *Nano Energy*, 96, 107065.

Lis, GP, Mastalerz, M., Schimmelmann, A., Lewan, MD, & Stankiewicz, BA (2005). Indeks penyerapan FTIR untuk kematangan termal dibandingkan dengan reflektansi vitrinit R0 dalam kerogen tipe-II dari serpih hitam Devonian. *Geokimia organik*, 36(11), 1533-1552.

Liu, C. et al. Hydrovoltaic energy harvesting from moisture flow using an ionic polymer–hydrogel–carbon composite. *Energy Environ. Sci.* 15, 2489–2498 (2022).

Liu, J., Qi, Y., Liu, D., Dong, D., Liu, D., Li, Z. Moisture-enabled electricity generation from gradient polyoxometalates-modified sponge-like graphene oxide monolith. *J Mater Sci* (2019) 54:4831–4841.

Lee, C.-Y.; Lee, G.-B. Humidity Sensors: A Review. *Sens. Lett.* 2005, 3 (1–2), 1–15.

Lyu, Q., Peng, B., Xie, Z., Du, S., Zhang, L., & Zhu, J. (2020). Moist-induced electricity generation by electrospun cellulose acetate membranes with optimized porous structures. *ACS Applied Materials & Interfaces*, 12(51), 57373-57381.

Manorathne, C. H., Rosa, S. R. D., & Kottegoda, I. R. M. (2017). XRD-HTA, UV visible, FTIR and SEM interpretation of reduced graphene oksida synthesized from high purity vein graphite. *Mater. Sci. Res. India*, 14(1), 19-30.

Mas'udah K.W, F. Astuti, Darminto. "Solution of reduced graphene oxide synthesized from coconut shells and its optical properties". Journal Department of Physics, Faculty of Mathematics and Natural Sciences, Institut Teknologi Sepuluh Nopember, Kampus ITS Sukolilo, Surabaya 2016.

Mei, A., Li, X., Liu, L., Ku, Z., Liu, T., Rong, Y., Xu, M., Hu, M., Chen, J., Yang, Y., Grotzel, M., Han, H. A hole-conductor-free, fully printable mesoscopic perovskite solar cell with high stability, *Science* 345 (2014) 295–298.

Meyer, J. C., Geim, A. K., Katsnelson, M. I., Novoselov, K. S., Booth, T. J., & Roth, S. (2007). *The structure of suspended graphene sheets*. *Nature*, 446(7131), 60–63. doi:10.1038/nature05545

Okada, K., Tomita, T., Kameshima, Y., Yasumori, A., Yano, T., MacKenzie, K.J.D., 2000. Effect of preparation conditions on the porous properties of coprecipitated Al₂O₃- SiO₂ xerogels synthesized from aluminium nitrate nonahydrate and tetraethylorthosilicate. *Microporous Mesoporous Mater.* 37, 355–364. [https://doi.org/10.1016/S1387-1811\(99\)00280-2](https://doi.org/10.1016/S1387-1811(99)00280-2).

Ou, I.W.K., 2021. A review on the use of sorption materials in solar dryers d e 175. <https://doi.org/10.1016/j.renene.2021.05.071>.

Parikh, SJ, & Chorover, J. (2005). Studi spektroskopi FTIR pembentukan Mn-oksida biogenik oleh *Pseudomonas putida* GB-1. *Jurnal Geomikrobiologi*, 22(5), 207-218.

Pawde, S. M., Deshmukh, K., & Parab, S. (2008). Preparation and characterization of poly (vinyl alcohol) and gelatin blend films. *Journal of applied polymer science*. 109(2). 1328-1337.

Pratapa, S. (2009). Difraksi Sinar-X untuk Sidikjari dalam Analisis Nanostruktur. *Prosiding Seminar Nasional Hamburan Neutron Dan Sinar-X Ke 7*, 1–5.

Reta, N.; Saint, C. P.; Michelmore, A.; et al. Nanostructured Electrochemical Biosensors for Label-Free Detection of Water- and Food-Borne Pathogens. *ACS Appl. Mater. Interfaces* 2018, 10, 6055–6072.

Shen, D., Duley, W. W., Peng, P., Xiao, M., Feng, J., Liu, L., ... & Zhou, Y. N. (2020). Moisture-enabled electricity generation: from physics and materials to self-powered applications. *Advanced Materials*, 32(52), 2003722.

Shen, D., Xiao, M., Zou, G., Liu, L., Duley, W. W., & Zhou, Y. N. (2018). Self-powered wearable electronics based on moisture enabled electricity generation. *Advanced Materials*, 30(18), 1705925.

- Singh, R. K., Kumar, R., & Singh, D. P. (2016). *Graphene oksida: strategies for synthesis, reduction and frontier applications*. *RSC Advances*, 6(69), 64993–65011. doi:10.1039/c6ra07626b
- Soldano, C., Mahmood, A., & Dujardin, E. (2010). *Production, properties and potential of graphene*. *Carbon*, 48(8), 2127–2150. doi:10.1016/j.carbon.2010.01.058
- Soltani-Kordshuli, F, “Fabrication of Polymeric and Composite Thin Films by Spray Coating and *Drop casting* for Organic Solar Cells.” Master’s Thesis, Shanghai Jiao Tong University, 2017
- Sun, Z., Feng, L., Xiong, C., He, X., Wang, L., Qin, X., & Yu, J. (2021). Electrospun nanofiber fabric: an efficient, breathable and wearable moist-electric generator. *Journal of Materials Chemistry A*, 9(11), 7085-7093.
- Sun, Z., Wen, X., Wang, L., Yu, J. & Qin, X. Capacitor-inspired highperformance and durable moist-electric generator. *Energy Environ. Sci.* 15, 4584–4591 (2022).
- Tan, J. et al. Self-sustained electricity generator driven by the compatible integration of ambient moisture adsorption and evaporation. *Nat. Commun.* 13, 1–8 (2022).
- Wang, C. et al. A thermal management strategy for electronic devices based on moisture sorption-desorption processes. *Joule* 4, 435–447 (2020).
- Wang, H. et al. Bilayer of polyelectrolyte films for spontaneous power generation in air up to an integrated 1,000 V output. *Nat. Nanotechnol.* 16, 811–819 (2021).
- Wang, L., Feng, L., Sun, Z., He, X., Wang, R., Qin, X., & Yu, J. (2022). Flexible, self-cleaning, and high-performance ceramic nanofiber-based moist-electric generator enabled by interfacial engineering. *Science China Technological Sciences*, 1-8.

- Wei, Q., Ge, W., Yuan, Z., Wang, S., Lu, C., Feng, S., Zhao, L., Liu, Y. Moisture electricity generation: Mechanisms, structures, and applications. ISSN (2023) 1998-0124. CN 11-5974/O4. <https://doi.org/10.1007/s12274-023-5465-9>
- Wang, W., Pan, Q., Xing, Z., Liu, X., Dai, Y., Wang, R., Ge, T., 2022. Viability of a practical multicyclic sorption-based water harvester with improved water yield. *Water Res* 211, 118029.
- Wang, X., Weng, Q., Liu, X., Wang, X., Tang, D.-M., Tian, W., ... Golberg, D. (2014). Atomistic Origins of High Rate Capability and Capacity of N-Doped Graphene for Lithium Storage. *Nano Letters*, 14(3), 1164–1171. doi:10.1021/nl4038592
- Xue, G. et al. Water-evaporation-induced electricity with nanostructured carbon materials. *Nat. Nanotechnol.* 12, 317–321 (2017).
- Yang, S., Zhang, L., Mao, J., Guo, J., Chai, Y., Hao, J., Chen, W., Tao, W. *Green moisture-electric generator based on supramolecular hydrogel with tens of milliamp electricity toward practical applications.* *Nature Communications* (2024) 15:3329.
- Ye, M. H., Zhang, Z. P., Zhao, Y. & Qu, L. T. *Graphene* platforms for smart energy generation and storage. *Joule* 2, 245–268 (2018).
- Yin, J. et al. Generating electricity by moving a droplet of ionic liquid along *graphene*. *Nat. Nanotechnol.* 9, 378–383 (2014).
- Yin, J., Zhou, J., Fang, S. & Guo, W. Hydrovoltaic energy on the way. *Joule* 4, 1852–1855 (2020).
- Zhao, F., Cheng, H., Zhang, Z., Jiang, L., Qu, L. Direct power generation from a *graphene oksida* film under moisture, *Adv. Mater.* 27 (2015) 4351–4357.
- Zhao, F., Cheng, H., Zhang, Z., Jiang, L., & Qu, L. (2015). Direct power generation from a *graphene oksida* film under moisture. *Advanced Materials*, 27(29), 4351-4357.

Zhang, X. et al. Biomimetic aerogel for moisture-induced energy harvesting and self-powered electronic skin. *Adv. Funct. Mater.* 33, 2210027 (2023).

Zheng, X., Ge, T.S., Wang, R.Z., Hu, L.M., 2014. Performance study of composite silica gels with different pore sizes and different impregnating hygroscopic salts. *Chem. Eng. Sci.* 120, 1–9. <https://doi.org/10.1016/j.ces.2014.08.047>

Zhu, R., Zhu, Y., Chen, F., Patterson, R., Zhou, Y., Wan, T., ... & Chu, D. (2022). Boosting moisture induced electricity generation from graphene oksida through engineering oxygen-based functional groups. *Nano Energy.* 94. 106942.

Zuo, C.; Scully, A. D.; Vak, D.; Tan, W.; Jiao, X.; McNeill, C.R.; Angmo, D.; Ding, L.; Gao, M. Self-Assembled 2D Perovskite Layers for Efficient Printable Solar Cells. *Adv. Energy Mater.* 2019, 9, 1803258.

