

## DAFTAR PUSTAKA

- Abid, R., Waseem, H., Ali, J., Ghazanfar, S., Muhammad Ali, G., Elasbali, A. M., dan Alharethi, S. H. (2022). Probiotic yeast *Saccharomyces*: back to nature to improve human health. *Journal of Fungi*, 8(5), 444.
- Abou-Shaara, H. F., dan Al-Ghamdi, A. A. (2012). Studies on wings symmetry and honey bee races discrimination by using standard and geometric morphometrics. *Biotechnology in animal husbandry*, 28(3), 575-584.
- Adalina, Y., Kusmiati, E., dan Pudjiani, M. (2020). Phytochemical test and physical chemical properties of rubber honey from three types of bees (*Apis mellifera*, *Apis dorsata* and *Trigona Itama*). In *IOP Conference Series: Materials Science and Engineering* (Vol. 935, No. 1, p. 012007). IOP Publishing.
- Aljahdali, N. H., Sanad, Y. M., Han, J., & Foley, S. L. (2020). Current knowledge and perspectives of potential impacts of *Salmonella enterica* on the profile of the gut microbiota. *BMC microbiology*, 20, 1-15.
- Almeida-Muradian, L. B., Luginbühl, W., Badertscher, R., dan Gallmann, P. (2012). Generalizability of PLS calibrations with FT-IR ATR spectrometry for the prediction of some physicochemical measurands of honey Technical-scientific information. *ALP science (Switzerland)*.
- Alvarez, S. C. V., Alaniz, M. J. L., Furlani, M. V. M., Vazquez, F., Agresti, P. M., Nally, M. C., dan Maturano, Y. P. (2023). Bioprospecting of the probiotic potential of yeasts isolated from a wine environment. *Fungal Genetics and Biology*, 164, 103767.
- Amorim, J. C., Piccoli, R. H., dan Duarte, W. F. (2018). Probiotic Potential of Yeasts Isolated from Pineapple and Their Use in the Elaboration of Potentially Functional Fermented Beverages. *Food Research International*, 107(2017), 518–527.
- Anadón, A., Martínez-Larrañaga, M. R., Arés, I., dan Martínez, M. A. (2016). Prebiotics and probiotics: An assessment of their safety and health benefits. *Probiotics, prebiotics, and synbiotics: Bioactive foods in health promotion*, 1(3).
- Arevalo-Villena, M., Briones-Perez, A., Corbo, M. R., Sinigaglia, M., dan Bevilacqua, A. (2017). Biotechnological application of yeasts in food science: starter cultures, probiotics and enzyme production. *Journal of applied microbiology*, 123(6), 1360-1372.

- Arifa, A. F., Firdhausi, N. F., Hidayati, I., Rachmawati, Y., dan Hadi, M. (2022). Optimization of PCR protocols for ITS rDNA amplification of yeasts isolated from *Apis mellifera* Honeycomb. *Jurnal Biota*, 10(x), 1-11.
- Ariwati, N. L. P. (2012). *Isolation and Identification of Yeast Saccharomyces spp as Agencia Probiotics and Prevention of Colon Cancer* (Doctoral dissertation, Thesis, Department of Animal Husbandry, Graduate Program, University of Udayana, Denpasar).
- Aslan, C. E., Liang, C. T., Galindo, B., Kimberly, H., dan Topete, W. (2016). The role of honey bees as pollinators in natural areas. *Natural Areas Journal*, 36(4), 478-488.
- Bakour, M., Laaroussi, H., Ousaaïd, D., El Ghouizi, A., Es-Safi, I., Mechchate, H., dan Lyoussi, B. (2022). Bee bread as a promising source of bioactive molecules and functional properties: an up-to-date review. *Antibiotics*, 11(2), 203.
- Baroni, M. V., Arrua, C., Nores, M. L., Fayé, P., del Pilar Díaz, M., Chiabrando, G. A., & Wunderlin, D. A. (2009). Composition of honey from Córdoba (Argentina): Assessment of North/South provenance by chemometrics. *Food Chemistry*, 114(2), 727-733.
- Barrett, B., Harper, T., Quinn, J., Wiggins, C.E. (2018). *Master pollinator steward: honey bees as pollinators, their habitats and products (2018)*. Columbia, Missouri, USA: University of Missouri Extension.
- Bermudez-Brito, M., Plaza-Díaz, J., Muñoz-Quezada, S., Gómez-Llorente, C., dan Gil, A. (2012). Probiotic mechanisms of action. *Annals of Nutrition and Metabolism*, 61(2), 160-174.
- Bicudo de Almeida-Muradian, L., Monika Barth, O., Dietemann, V., Eyer, M., Freitas, A. D. S. D., Martel, A. C., ... & Gasparotto Sattler, J. A. (2020). Standard methods for *Apis mellifera* honey research. *Journal of Apicultural Research*, 59(3), 1-62.
- Bidura, I. G. N. G., Candrawati, D. P. M. A., & Warmadewi, D. A. (2015). Selection of Khamir *Saccharomyces* spp. isolated from colon of native chickens as a probiotics properties and has CMC-ase activity. *J. Biol. Chem. Research*, 32(2), 683-699.
- Boirivant, M., dan Strober, W. (2007). The mechanism of action of probiotics. *Current opinion in gastroenterology*, 23(6), 679-692.
- Budiwijono, T. (2012). Identifikasi produktivitas koloni lebah *Apis mellifera* melalui mortalitas dan luas eraman pupa di sarang pada daerah dengan ketinggian berbeda. *Jurnal Gamma*, 7(2).

- Carvalho, C. M., Meirinho, S., Estevinho, M. L. F., & Choupina, A. J. A. D. Z. (2010). Yeast species associated with honey: different identification methods. *Archivos de zootecnia*, *59*(225), 103-113.
- Chang C.W, Wang P.H. (2020). Six *Rhodotorula* species from Taiwan. *Fungal Sci* *17*:23-26
- Chen, X., Xiong, P., Song, W., Song, Q., Zou, Z., Huang, J., & Wei, Q. (2023). Dietary supplementation with honeycomb extracts positively improved egg nutritional and flavor quality, serum antioxidant and immune functions of laying ducks. *Frontiers in Veterinary Science*, *10*, 1277293.
- Choiriyah, C. (2020). *Optimasi amplifikasi ITS rDNA Khamir menggunakan metode PCR yang diisolasi dari sarang Lebah Madu Raksasa (apis dorsata)*. Doctoral dissertation. UIN Sunan Ampel Surabaya.
- Choiriyah, C., Firdhausi, N. F., Tyastirin, E., Rachmawati, Y., dan Hadi, M. (2021). Optimization of Various ITS rDNA amplification protocol of yeast isolated from giant honey beehives (*Apis dorsata*). *Jurnal Riset Biologi dan Aplikasinya*, *3*(2), 80-87.
- Chou, L. S., & Weimer, B. (1999). Isolation and characterization of acid-and bile-tolerant isolates from strains of *Lactobacillus acidophilus*. *Journal of Dairy Science*, *82*(1), 23-31.
- Cunningham, M., Vinderola, G., Charalampopoulos, D., Lebeer, S., Sanders, M. E., dan Grimaldi, R. (2021). Applying probiotics and prebiotics in new delivery formats—is the clinical evidence transferable?. *Trends in Food Science dan Technology*, *112*, 495-506.
- Czerucka, D., Piche, T., dan Rampal, P. (2007). Yeast as probiotics—*Saccharomyces boulardii*. *Alimentary pharmacology & therapeutics*, *26*(6), 767-778.
- Da Silva, P. M., Gauche, C., Gonzaga, L. V., Costa, A. C. O., dan Fett, R. (2016). Honey: Chemical composition, stability and authenticity. *Food chemistry*, *196*, 309-323.
- Dawes, I.W; I.W. Sutherland. (1992). *Microbial Physiology*. Second Edition. London: Blackwell Scientific Publication
- De Melo Pereira, G. V., de Oliveira Coelho, B., Júnior, A. I. M., Thomaz-Soccol, V., dan Soccol, C. R. (2018). How to select a probiotic? A review and update of methods and criteria. *Biotechnology advances*, *36*(8), 2060-2076.
- Dellanerra, D., Risandi, A., Sunari, A., Sukmawati, D., Husna, S. N. Al, dan El-Enshasy, H. A. (2019). Screening and characterization of amylolytic mold originated from ghost crab (*Ocypode* sp.) in Cidaon, Ujung Kulon National Park, Indonesia. *AIP Conference Proceedings*, *2120*.

- Divya, J. B., Varsha, K. K., dan Nampoothiri, K. M. (2012). Newly isolated lactic acid bacteria with probiotic features for potential application in food industry. *Applied biochemistry and biotechnology*, 167, 1314-1324.
- Dufossé, L. (2016). *Current and Potential Natural Pigments From Microorganisms (Bacteria, Yeasts, Fungi, Microalgae). Handbook on Natural Pigments in Food and Beverages: Industrial Applications for Improving Food Color*. Elsevier Ltd.
- El-Banna A. A., M. A. E.-S. & S. M.. (2011). Yeasts Producing Killer Toxins: An Overview, 8(2), 41–53.
- Endo, A., dan Salminen, S. (2013). Honeybees and beehives are rich sources for fructophilic lactic acid bacteria. *Systematic and Applied Microbiology*, 36(6), 444-448.
- FAO & WHO. (2006). Guidelines for the evaluation of probiotics in food. Food and Agriculture Organization/World Health Organization, 1–11. <http://www.fao.org/es/ESN/Probio/probio.htm>
- Fatma, I. I., Haryanti, S., dan Suedy, S. W. A. (2017). Uji kualitas madu pada beberapa wilayah budidaya lebah madu di Kabupaten Pati. *Jurnal Akademika Biologi*, 6(2), 58-65.
- Federer, W. T. (1963). *Experimental Design: Theory and Application*. Macmillan (Vol. 61). University of Michigan.
- Fijan, S. (2014). Microorganisms with claimed probiotic properties: an overview of recent literature. *International journal of environmental research and public health*, 11(5), 4745-4767.
- Galli, V., Venturi, M., Mari, E., Guerrini, S., & Granchi, L. (2022). Selection of yeast and lactic acid bacteria strains, isolated from spontaneous raw milk fermentation, for the production of a potential probiotic fermented milk. *Fermentation*, 8(8), 407.
- Gangl, H., Lopandic, K., Tscheik, G., Mandl, S., Leitner, G., Wechselberger, K., ... & Tiefenbrunner, W. (2018). Fermentation characteristics of mead and wine generated by yeasts isolated from beehives of two Austrian regions. *bioRxiv*, 300780.
- García-Hernández, Y., Rodríguez, Z., Brandão, L. R., Rosa, C. A., Nicoli, J. R., Elías Iglesias, A. Halaihel, N. (2012). Identification and in vitro screening of avian yeasts for use as probiotic. *Research in Veterinary Science*, 93(2), 798–802.
- Gil-Rodríguez, A. M., Carrascosa, A. V., dan Requena, T. (2015). Yeasts in foods and beverages: In vitro characterisation of probiotic traits. *LWT-Food Science and Technology*, 64(2), 1156-1162.

- Gunn, J. S. (2000). Mechanisms of bacterial resistance and response to bile. *Microbes and infection*, 2(8), 907-913.
- Gut, A. M., Vasiljevic, T., Yeager, T., dan Donkor, O. N. (2018). *Salmonella* infection—prevention and treatment by antibiotics and probiotic yeasts: a review. *Microbiology*, 164(11), 1327-1344.
- Hammond, G., Blankenship, M. (2009). *Apis mellifera*. Animal Diversity Web. [https://animaldiversity.org/accounts/Apis\\_mellifera/](https://animaldiversity.org/accounts/Apis_mellifera/)
- Hartanto, B. K. (2017). Pengaruh Madu Bee Pollen Terhadap Gambaran Histopatologi Hepar Tikus Putih Rattus Novergiccus Galur Sprague Dawley yang Diinduksi Ibuprofen. *Medical Profession Journal Of Lampung*, 7(4), 135-140.
- Hatoum, R., Labrie, S., dan Fliss, I. (2012). Antimicrobial and probiotic properties of yeasts: from fundamental to novel applications. *Frontiers in microbiology*, 3, 421.
- Helmy, E. A., Soliman, S. A., Abdel-Ghany, T. M., dan Ganash, M. (2019). Evaluation of potentially probiotic attributes of certain dairy yeast isolated from buffalo sweetened Karish cheese. *Heliyon*, 5(5), e01649.
- Hidayat, M. R. (2011). Search Region of Origin Honey Bee *A. mellifera* in Indonesia Region Using Mitochondrial DNA intergenic *cox1/cox2*. *Biopropal Industri*, 2(2), 54252.
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., ... dan Sanders, M. E. (2014). The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature reviews Gastroenterology dan hepatology*, 11(8), 506-514.
- Hsiung, R. T., Fang, W. T., LePage, B. A., Hsu, S. A., Hsu, C. H., & Chou, J. Y. (2021). In vitro properties of potential probiotic indigenous yeasts originating from fermented food and beverages in Taiwan. *Probiotics and Antimicrobial Proteins*, 13, 113-124.
- Hu, X. Q., Liu, Q., Hu, J. P., Zhou, J. J., Zhang, X., Peng, S. Y., ... dan Wang, X. D. (2018). Identification and characterization of probiotic yeast isolated from digestive tract of ducks. *Poultry science*, 97(8), 2902-2908.
- Huang, C. H., Lee, F. L., Tien, C. J., & Hsieh, P. W. (2011). *Rhodotorula taiwanensis* sp. nov., a novel yeast species from a plant in Taiwan. *Antonie Van Leeuwenhoek*, 99, 297-302.
- Isbadarsyah, G. F. (2017). *Studi Fisikokimia Pada Madu Monoflora Yang Beredar Di Kota Malang* (Doctoral dissertation, Universitas Brawijaya).

- Iwata, K., Maeda, M., Kashiwagi, Y., Maehashi, K., & Yoshikawa, J. (2023). Isolation of *Zygosaccharomyces siamensis* kiy1 as a novel arabitol-producing yeast and its arabitol production. *AMB Express*, 13(1), 76.
- Jacinto-Castillo, D. F., Canto, A., Medina-Medina, L. A., dan O'Connor-Sánchez, A. (2022). Living in honey: bacterial and fungal communities in honey of sympatric populations of *Apis mellifera* and the stingless bee *Melipona beecheii*, in Yucatan, Mexico. *Archives of Microbiology*, 204(12), 1-9.
- Jamali, S., Gharaei, M., dan Abbasi, S. (2016). Identification of yeast species from uncultivated soils by sequence analysis of the hypervariable D1/D2 domain of LSU-rDNA gene in Kermanshah province, Iran. *Mycologia Iranica*, 3(2), 87-98.
- Kelesidis, T., dan Pothoulakis, C. (2012). Efficacy and safety of the probiotic *Saccharomyces boulardii* for the prevention and therapy of gastrointestinal disorders. *Therapeutic advances in gastroenterology*, 5(2), 111-125.
- Khan, A., Bhide, A., & Gadre, R. (2009). Mannitol production from glycerol by resting cells of *Candida magnoliae*. *Bioresource technology*, 100(20), 4911-4913.
- Khotimah, K., Balia, R., Chaerunnisa, H., Safitri, R., Utama, G. L., Saputra, M. I., dan Hunainah, H. (2015). Isolation and Identification Probiotic Candidates Bacteria from Crossbreed Fries Holland (CFH) Colostrum That Grown on Nutrien Agar with Olive and Casein Enrichment. *Advance Journal of Food Science and Technology*, 8(1), 22-26.
- Kos, B. V. Z. E., Šušković, J., Vuković, S., Šimpraga, M., Frece, J., dan Matošić, S. (2003). Adhesion and aggregation ability of probiotic strain *Lactobacillus acidophilus* M92. *Journal of applied microbiology*, 94(6), 981-987.
- Kumar, S., Stecher, G., Li, M., Knyaz, C., dan Tamura, K. (2018). MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547-1549.
- Kurtzman, C. P., dan Fell, J. W. (2006). Yeast systematics and phylogeny—implications of molecular identification methods for studies in ecology. *Biodiversity and ecophysiology of yeasts*, 11-30.
- Kurtzman, C. P., dan Robnett, C. J. (1998). Identification and phylogeny of ascomycetous yeasts from analysis of nuclear large subunit (26S) ribosomal DNA partial sequences. *Antonie van Leeuwenhoek*, 73, 331-371.
- Kurtzman, C. P., Fell, J. W., dan Boekhout, T. (Eds.). (2011). *The yeasts: a taxonomic study*. Elsevier.
- Li, C. J., Zhao, D., Li, B. X., Zhang, N., Yan, J. Y., & Zou, H. T. (2020). Whole genome sequencing and comparative genomic analysis of oleaginous red yeast *Sporobolomyces pararoseus* NGR identifies candidate genes for

biotechnological potential and ballistospores-shooting. *BMC genomics*, 21, 1-11.

Lina, L., Rusmiyanto, E., dan Kurniatuhadi, R. (2021). Khamir Potensial Probiotik Hasil Isolasi dari Fermentasi Jus Jeruk Siam (*Citrus nobilis* var. *microcarpa*). *BIOLOGICA SAMUDRA*, 3(2), 115-132.

Lyman, M., Rubinfeld, B., Leif, R., Mulcahy, H., Dugan, L., & Souza, B. (2018). *Rhodotorula taiwanensis* MD1149 produces hypoacetylated PEFA compounds with increased surface activity compared to *Rhodotorula babjevae* MD1169. *PLoS One*, 13(1), e0190373.

Marham, H. D., Rustam, Y., dan Sukmawati, D. (2017). Uji Kemampuan Antagonisme Khamir Asal Daun Jati (*Tectona grandis*) terhadap Kapang Pengkontaminan pada Pakan Ternak Ayam. *Bioma*, 12(2), 118.

Maulana, I. (2011). Identifikasi Isolat-Isolat Khamir dari Saluran Pencernaan Apis cerana (Fabricus, 1793) di Apiari Berdasarkan Data Sequence Daerah ITS rDNA. *Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam Departemen Biologi*. <https://doi.org/Jakarta: Universitas Indonesia>.

Menezes, A. G. T., Ramos, C. L., Cenzi, G., Melo, D. S., Dias, D. R., dan Schwan, R. F. (2020). Probiotic potential, antioxidant activity, and phytase production of indigenous yeasts isolated from indigenous fermented foods. *Probiotics and Antimicrobial Proteins*, 12, 280-288.

Meo, S. A., Al-Asiri, S. A., Mahesar, A. L., & Ansari, M. J. (2017). Role of honey in modern medicine. *Saudi journal of biological sciences*, 24(5), 975-978.

Mortensen, A.N., Schmehl, D.R., Ellis, J. (2017). *European honey bee Apis mellifera Linnaeus and subspecies (Insecta: Hymenoptera: Apidae)*. Gainesville, Florida, USA: University of Florida, Institute of Food and Agricultural Sciences.

Muche, N., Geremew, T., & Jiru, T. M. (2023). Isolation and characterization of potential probiotic yeasts from Ethiopian injera sourdough. *3 Biotech*, 13(9), 300.

Mustar, S., dan Ibrahim, N. (2022). A sweeter pill to swallow: A review of honey bees and honey as a source of probiotic and prebiotic products. *Foods*, 11(14), 2102.

Nora, A., Wilapangga, A., dan Novianti, T. (2018). Antioxidant activity, antibacterial activity, water content, and ash content in Baduy honey. *Bioscience*, 2(1), 38-44.

Oroian, M., & Ropciuc, S. (2017). Honey authentication based on physicochemical parameters and phenolic compounds. *Computers and Electronics in Agriculture*, 138, 148-156.

- Pan, W. H., Li, P. L., dan Liu, Z. (2006). The correlation between surface hydrophobicity and adherence of Bifidobacterium strains from centenarians' faeces. *Anaerobe*, 12(3), 148-152.
- Patil, L. S., & Vishwanath, P. P. (2012). Assessment Of Probiotic Potential Of Lactobacillus Sp. Isolated From Cheese And Preparation Of Probiotic Ice-Cream. *International Journal of Research in Ayurveda & Pharmacy*, 3(4).
- Pita-Calvo C, Guerra-Rodríguez ME, Vázquez M. 2017. Analytical methods used in the quality control of honey. *Journal of Agricultural and Food Chemistry*. 65(4): 6
- Prayoga, W., dan Wardani, A. K. U. (2015). Polymerase Chain Reaction Untuk Deteksi Salmonella sp. *Jurnal Pangan dan Agroindustri*, 3(2).
- Premratanachai, P., dan Chanchao, C. (2014). Review of the anticancer activities of bee products. *Asian Pacific journal of tropical biomedicine*, 4(5), 337-344.
- Priadi, G., Setiyoningrum, F., Afiati, F., Irzaldi, R., & Lisdiyanti, P. (2020). Studi in Vitro Bakteri Asam Laktat Kandidat Probiotik Dari Makanan Fermentasi Indonesia. *Jurnal Teknologi Dan Industri Pangan*, 31(1), 21-28.
- Pucca, M. B., Cerni, F. A., Oliveira, I. S., Jenkins, T. P., Argemí, L., Sørensen, C. V., ... dan Laustsen, A. H. (2019). Bee updated: current knowledge on bee venom and bee envenoming therapy. *Frontiers in immunology*, 10, 2090.
- Ratnaningtyas, N. I., Andarwanti, S., Ekowati, N., Purwanti, E. S., & Sukmawati, D. (2018). Effects of *Ganoderma lucidum* Extract on Diabetic Rats. *Biosaintifika*, 10(3), 642-647.
- Reis, S. A., Conceição, L. L., Rosa, D. D., Siqueira, N. P., & Peluzio, M. C. G. (2017). Mechanisms responsible for the hypocholesterolaemic effect of regular consumption of probiotics. *Nutrition research reviews*, 30(1), 36-49.
- Rojas-Sandoval, J. (2022). *Apis mellifera* (European honeybee), CABI Compendium. *CABI International*. 10.1079/cabicompendium.6359.
- Ruttner F. (1988). *Biogeography and Taxonomy of Honeybees*. Berlin: Springer.
- Ryabtseva, S. A., Khramtsov, A. G., Sazanova, S. N., Budkevich, R. O., Fedortsov, N. M., & Veziryan, A. A. (2023). The Probiotic Properties of Saccharomycetes. *Applied Biochemistry and Microbiology*, 59(2), 111-121.
- Saksinchai, S., Suzuki, M., Chantawannakul, P., Ohkuma, M., & Lumyong, S. (2012). A novel ascosporeogenous yeast species, *Zygosaccharomyces siamensis*, and the sugar tolerant yeasts associated with raw honey collected in Thailand. *Fungal Diversity*, 52, 123-139.



- Sibanda, T., & Buys, E. M. (2022). *Listeria monocytogenes* pathogenesis: the role of stress adaptation. *Microorganisms*, 10(8), 1522.
- Sihombing, D.T.H. (2015). *Ilmu Ternak Lebah Madu*. Gadjah Mada University Press. Yogyakarta.
- Silva, M. S., Arruda, L. M., Xavier, P. L., Ramírez, M. X. D., da Silveira, F. A., Santana, W. C., ... & Eller, M. R. (2020). Selection of yeasts from bee products for alcoholic beverage production. *Brazilian Journal of Microbiology*, 51, 323-334.
- Siti Hajar, M. D., Noorhisham, T. K., dan Nurina, A. (2012). Yeast identification from domestic ragi for food fermentation by PCR method. *International Food Research Journal*, 19(2), 775-777.
- Situmorang, R. O. P., dan Aam, H. (2014). *Panduan manual Budidaya Lebah Madu*. Balai Penelitian Kehutanan Aek Nauli.
- Sjamsiah, S., Sikanna, R., dan Saleh, A. (2018). Penentuan sifat fisikokimia madu hutan (*Apis dorsata*) Sulawesi Selatan. *Al-kimia*, 6(2), 191-199.
- Sourabh, A., Kanwar, S. S., dan Sharma, O. P. (2011). Screening of indigenous yeast isolates obtained from traditional fermented foods of Western Himalayas for probiotic attributes. *J Yeast Fungal Res*, 2(8), 117-26.
- Stevens, M. R., Luo, T. L., Vornhagen, J., Jakubovics, N. S., Gilsdorf, J. R., Marrs, C. F., ... dan Rickard, A. H. (2015). Coaggregation occurs between microorganisms isolated from different environments. *FEMS Microbiology Ecology*, 91(11), fiv123.
- Suhandy, D., Yulia, M., dan Kusumiyati, K. (2020). Klasifikasi Madu Berdasarkan Jenis Lebah (*Apis dorsata* versus *Apis mellifera*) Menggunakan Spektroskopi Ultraviolet dan Kemometrika. *Jurnal Ilmu Pertanian Indonesia*, 25(4), 564-573.
- Sukmawati, D., Hendrayanti, A. O., Atria, M., dan Sjamsuridzal, W. (2015). Identification of phylloplane yeasts from paper mulberry (*Broussonetia papyrifera* (L.) L'Hér. ex Vent.) in Java, Indonesia. *Malaysian Journal of Microbiology*, 11(4), 324-340.
- Thomas, C. M., dan Versalovic, J. (2010). Probiotics-host communication: modulation of signaling pathways in the intestine. *Gut microbes*, 1(3), 148-163.
- Tikka, C., Osuru, H. P., Atluri, N., Raghavulu, P. C. V., Mannur, I. S., Prasad, U. V., ... dan Bhaskar, M. (2013). Isolation and characterization of ethanol tolerant yeast strains. *Bioinformation*, 9(8), 421.
- Tokatlı, M., Gülgör, G., Bağder Elmacı, S., Arslankoz İşleyen, N., & Özçelik, F. (2015). In vitro properties of potential probiotic indigenous lactic acid

bacteria originating from traditional pickles. *BioMed research international*, 2015.

Van der Aa Kühle, A., Skovgaard, K., dan Jespersen, L. (2005). In vitro screening of probiotic properties of *Saccharomyces cerevisiae* var. *boulardii* and food-borne *Saccharomyces cerevisiae* strains. *International journal of food microbiology*, 101(1), 29-39.

Videnska, P., Sisak, F., Havlickova, H., Faldynova, M., & Rychlik, I. (2013). Influence of *Salmonella enterica* serovar Enteritidis infection on the composition of chicken cecal microbiota. *BMC veterinary research*, 9, 1-8.

Vine, N. G., Leukes, W. D., Kaiser, H., Daya, S., Baxter, J., dan Hecht, T. (2004). Competition for attachment of aquaculture candidate probiotic and pathogenic bacteria on fish intestinal mucus. *Journal of fish diseases*, 27(6), 319-326.

Wang, X., Wang, Z., & Feng, T. (2022). Screening of yeast in various vineyard soil and study on its flavor compounds from brewing grape wine. *Molecules*, 27(2), 512.

Wei, Y., Lei, Y., Liu, A., Zhu, S., Li, Y., Cai, Y., dan Sun, Y. (2022). *Analysis of the Diversity of Yeast Communities in Xinjiang Honey*. <https://doi.org/10.21203/rs.3.rs-1349085/v1>

Xue, S. J., Li, X. C., Huang, X., Liu, J., Li, Y., Zhang, X. T., dan Zhang, J. Y. (2023). Diversity investigation of cultivable yeasts associated with honeycombs and identification of a novel *Rhodotorula toruloides* strain with the robust concomitant production of lipid and carotenoid. *Bioresource Technology*, 128573.

Yuliana, R., Sutariningsih, E., Santoso, H. B., dan Riendrasari, S. D. (2015). Daya antimikrobia sarang lebah madu trigona spp terhadap mikrobia patogen. *Bioedukasi: Jurnal Pendidikan Biologi*, 8(1), 67-72.

Yuma, Y. S. (2020). Isolation and characterization of yeast as potential probiotics from fermented cereals dough. *Journal of Veterinary Medicine and Research*, 7(6), 1-7.

Zahoor, F., Sooklim, C., Songdech, P., Duangpakdee, O., dan Soontorngun, N. (2021). Selection of potential yeast probiotics and a cell factory for xylitol or acid production from honeybee samples. *Metabolites*, 11(5), 312.

Zarei, O., Dastmalchi, S., & Hamzeh-Mivehroud, M. (2016). A simple and rapid protocol for producing yeast extract from *Saccharomyces cerevisiae* suitable for preparing bacterial culture media. *Iranian journal of pharmaceutical research: IJPR*, 15(4), 907.