

DAFTAR PUSTAKA

- Agustianto, Rizki & Widayastuti. (2014). Effect of Co-Zn Dopant with Mole Fraction Variation and Ph Variation on Magnetic Properties and Microstructure of Barium Hexaferrite by Sol-Gel Auto Combution Method. *Journal of Technic POMITS*, 3(1). DOI: 10.12962/j23373539.v3i1.5861
- Al-Ghamdi, A. A, dkk., (2016). Conductive carbon black/magnetite hybrid fillers in microwave absorbing composites based on natural rubber. *Composites Part B: Engineering*, 96, 231–24. DOI: 10.1016/j.compositesb.2016.04.039
- A. Y. W. Tage., (2017). Mikroskop Digital. Surabaya.
- Aziz, F., & Ismail, A. F. (2015). Spray coating methods for polymer solar cells fabrication: A review. *Materials Science in Semiconductor Processing*, 39, 416-425. DOI: <https://doi.org/10.1016/j.mssp.2015.05.019>
- B. Zhao, dkk., (2015). *Phys. Chem. Chem. Phys.* pp. 2531–2539.
- Bhoi, B., & Kim, S.-K. (2019). Photon-magnon coupling: Historical perspective, status, and future directions. *Recent Advances in Topological Ferroics and Their Dynamics*, 1–77. DOI: 10.1016/bs.ssp.2019.09.001
- Coey, J. M. D. (2011). Hard magnetic materials: A perspective. *IEEE Transactions on magnetics*, 47(12), 4671-4681. DOI:[10.1109/TMAG.2011.2166975](https://doi.org/10.1109/TMAG.2011.2166975)
- Davidson, M. W., & Abramowitz, M. (2002). Optical microscopy. *Encyclopedia of imaging science and technology*, 2(1106-1141), 120. DOI:https://cw.felk.cvut.cz/lib/exe/fetch.php/courses/a6m33zsl/davidson_abramowitz-optical_microscopy.pdf.
- De Carvalho, J. F., De Medeiros, S. N., Morales, M. A., Dantas, A. L., & Carriço, A. S. (2013). Synthesis of magnetite nanoparticles by high energy ball milling. *Applied Surface Science*, 275, 84-87. DOI: <http://dx.doi.org/10.1016/j.apsusc.2013.01.118>
- Dinnebier, R. E., & Billinge, S. J. (Eds.). (2008). Powder diffraction: theory and practice. Royal society of chemistry.
- Ding, Y., Zhang, L., Liao, Q., Zhang, G., Liu, S., & Zhang, Y. (2016). Electromagnetic wave absorption in reduced graphene oxide functionalized with Fe₃O₄/Fe nanorings. *Nano Research*, 9, 2018-2025. DOI: 10.1007/s12274-016-1092-z
- Doush, Walid. (2017). Co-Precipitation and Magnetic Properties of Magnetite Nanoparticles for Potential Biomedical Applications. *Journal of Nanomedicine Research*, 5(3). DOI: 10.15406/jnmr.2017.05.00118

Elmahaishi, Madiha Fathi, dkk., (2022). A review on electromagnetic microwave absorption properties: their materials and performance. *Journal of Materials Research and Technology*. DOI: <https://doi.org/10.1016/j.jmrt.2022.07.140>

Fatmaliana, Andia, dkk., (2020). SYNTHESIS AND CHARACTERIZATION OF HEMATITE (Fe_2O_3) OF IRON ORE AND MAGNETITE (Fe_3O_4) FROM IRON SAND THROUGH PRECIPITATION METHOD FOR INDUSTRIAL RAW MATERIALS. *Jurnal of Neutrino*, 12(12). DOI: <http://dx.doi.org/10.18860/neu.v12i2.8183>

Gao, Z., Dong, X., Li, N., & Ren, J. (2017). Novel two-dimensional silicon dioxide with in-plane negative Poisson's ratio. *Nano letters*, 17(2), 772-777. DOI: <https://doi.org/10.1021/acs.nanolett.6b03921>

Gawande, Manoj B, dkk., (2013). Nano-magnetite (Fe_3O_4) as a support for recyclable catalysts in the development of sustainable methodologies. *Chem Soc Rev*, 42, 3371—3393. DOI: 10.1039/c3cs35480f

Gigan, S. (2017). Optical microscopy aims deep. *Nature Photonics*, 11(1), 14-16. DOI: <https://doi.org/10.1038/nphoton.2016.257>

Gorraso G & Sorrentino A. (2015). Mechanical milling as a technology to produce structural and functional bio-nanocomposites. *Green Chem*, pp. 2610–25. DOI: <http://dx.doi.org/10.1039/C5GC00029G>.

Guan, Bowen, dkk., (2021). The electromagnetic wave absorbing properties of cement-based composites using natural magnetite powders as absorber. *Material Research Express*, 4. DOI: <https://doi.org/10.1088/2053-1591/aa7025>

Gunanto, dkk., (2018). High purity Fe_3O_4 from Local Iron Sand Extraction. *The J. Phys.: Conf. Ser.* 1011 012005. DOI :[10.1088/1742-6596/1011/1/012005](https://doi.org/10.1088/1742-6596/1011/1/012005)

Gunanto, Y. E., Izaak, M. P., Silaban, S. S., & Adi, W. A. (2018, April). Effect of milling time on microwave absorption ability on barium-hexaferrite nanoparticles. *Journal of Physics: Conference Series*, 1011(1). DOI: [10.1088/1742-6596/1011/1/012058](https://doi.org/10.1088/1742-6596/1011/1/012058)

Handoko, E., Budi, S., Sugihartono, I., Marpaung, M. A., Jalil, Z., Taufiq, A., & Alaydrus, M. (2020). Microwave absorption performance of barium hexaferrite multi-nanolayers. *Materials Express*, 10(8), 1328-1336. DOI: [doi:10.1166/mex.2020.1811](https://doi.org/10.1166/mex.2020.1811)

Harvianto, Diego P., dan Sulistijono. (2012). Pengaruh Komposisi Phenolic Epoxy terhadap Karakteristik Coating pada aplikasi pipa overhead debutanizer.

Henry, F., Bouillard, J., Marchal, P., Vignes, A., Dufaud, O., & Perrin, L. (2013). Exploring a new method to study the agglomeration of powders: Application to nanopowders. *Powder technology*, 250, 13-20. DOI: <https://doi.org/10.1016/j.powtec.2013.08.010>

- Hou, C. L., Li, T. H., Zhao, T. K., Liu, H. G., Liu, L. H., & Zhang, W. J. (2013). Electromagnetic wave absorbing properties of multi-wall carbon nanotube/Fe₃O₄ hybrid materials. *New Carbon Materials*, 28(3), 184-190. DOI: [https://doi.org/10.1016/S1872-5805\(13\)60075-X](https://doi.org/10.1016/S1872-5805(13)60075-X)
- Hradil, D., Grygar, T., Hradilová, J., & Bezdička, P. (2003). Clay and iron oxide pigments in the history of painting. *Applied clay science*, 22(5), 223-236. DOI:10.1016/S0169-1317(03)00076-0
- Icten, O., Kose, D. A., & Zumreoglu-Karan, B. (2017). *Fabrication and characterization of magnetite-gadolinium borate nanocomposites. Journal of Alloys and Compounds*, 726, 437-444. DOI: <https://doi.org/10.1016/j.jallcom.2017.07.277>
- Ing Kong, dkk., (2010). Magnetic and microwave absorbing properties of magnetite–thermoplastic natural rubber nanocomposites. *Journal of Magnetism and Magnetic Material*, 322, 3401-3409. DOI: <https://doi.org/10.1016/j.jmmm.2010.06.036>
- Karimi, Z., Karimi, L., & Shokrollahi, H. (2013). Nano-magnetic particles used in biomedicine: Core and coating materials. *Materials Science and Engineering: C*, 33(5), 2465-2475. DOI: <https://doi.org/10.1016/j.msec.2013.01.045>
- Kong, L. B., Liu, L., Yang, Z., Li, S., & Zhang, T. (2017). Magnetic nanomaterials for electromagnetic wave absorption. *Magnetic Nanomaterials: Fundamentals, Synthesis and Applications*, 473-514. DOI: <https://doi.org/10.1002/9783527803255.ch15>
- Kumar, Manish, dkk., (2020). Ball Milling as a Mechanochemical Technology for Fabrication of Novel Biochar Nanomaterials. *Bioresource Technology*. DOI: <https://doi.org/10.1016/j.biortech.2020.123613>
- Latifah, S. M., Prajitno, D. H., & Syukron, M. F. (2021). Synthesis Polymer Matrix Composite Epoxy Fendb-cu for Radar Absorber Coating Application. *Indonesian Journal of Materials Science*, 22(2), 487237.
- Le Bolay, N. (2003). On agglomeration phenomena in ball mills: application to the synthesis of composite materials. *Powder technology*, 130(1-3), 450-455. DOI: [https://doi.org/10.1016/S0032-5910\(02\)00249-8](https://doi.org/10.1016/S0032-5910(02)00249-8)
- Lewis, L. H., & Jiménez-Villacorta, F. (2013). Perspectives on permanent magnetic materials for energy conversion and power generation. *Metallurgical and Materials Transactions A*, 44, 2-20. DOI: 10.1007/s11661-012-1278-2
- Liang, Y., Yuan, Y., Huang, Y., Wang, Y., Wei, S., Wang, B., ... & Wang, X. (2020). Effect of ball milling on the absorption properties of Fe₃O₄. *Materials*, 13(4), 883. DOI: <https://doi.org/10.3390/ma13040883>

- Li, Q., Zhang, Z., Qi, L., Liao, Q., Kang, Z., & Zhang, Y. (2019). Toward the application of high frequency electromagnetic wave absorption by carbon nanostructures. *Advanced Science*, 6(8), DOI: <https://doi.org/10.1002/advs.201801057>
- Liao, Jun, dkk., (2021). 3D core-shell $\text{Fe}_3\text{O}_4@\text{SiO}_2@\text{MoS}_2$ Composites with Enhanced Microwave Absorption Performance. *Journal of Colloid and Interface Science*. DOI: <https://doi.org/10.1016/j.jcis.2021.07.032>
- Liu, T., Liu, N., Zhai, S., Gao, S., Xiao, Z., An, Q., & Yang, D. (2019). Tailor-made core/shell/shell-like $\text{Fe}_3\text{O}_4@\text{SiO}_2@\text{PPy}$ composites with prominent microwave absorption performance. *Journal of Alloys and Compounds*, 779, 831-843.
- Micheli, D, dkk., (2011). Broadband electromagnetic absorbers using carbon nanostructure-based composites. *IEEE Transactions on Microwave Theory and Techniques*, 59(10), 2633-2646. DOI: 10.1109/TMTT.2011.2160198
- Micheli, D., Pastore, R., Gradoni, G., Primiani, V. M., Moglie, F., & Marchetti, M. (2013). Reduction of satellite electromagnetic scattering by carbon nanostructured multilayers. *Acta Astronautica*, 88, 61-73. DOI: <http://dx.doi.org/10.1016/j.actaastro.2013.03.003>
- Muqoddam, M., Kartika, W., & Wibowo, S. A. (2020). Modul Digitalisasi Mikroskop. *Medika Teknika: Jurnal Teknik Elektromedik Indonesia*, 2(1), 19-26. DOI: <https://doi.org/10.18196/mt.020113>
- Nasution, Erika Linda Yani dan Astuti. (2012). Synthesis of PAni/ Fe_3O_4 Nanocomposite as Magnetic Absorber in Microwaves. *Journal of Physics Unand*, 1(1). DOI: <https://doi.org/10.25077/jfu.1.1.%25p.2012>
- Nekrashevich, S. S., & Gritsenko, V. A., (2014). Electronic Structure of Silicon Dioxide (A Review). *Physics of Solid State*, 56(2), 207-222. DOI: 10.1134/S106378341402022X
- Pereira, F.M., dkk., (2008). Magnetic and dielectric properties of the M-type barium strontium hexaferrite ($\text{Ba}_x\text{Sr}_{1-x}\text{Fe}_{12}\text{O}_{19}$) in the RF and microwave (MW) frequency range. *J Mater Sci: Mater Electron*, 408–417. DOI: <https://doi.org/10.1007/s10854-008-9744-8>
- Prahmana, Y. B., Sherila, A. M., Umaisaroh, U., Handoko, E., & Alaydrus, M. (2022). Analysis of Microwave Absorber Using Sugarcane Bagasse for 27-29 GHz Frequency. In *IEEE International Conference on Communication, Networks and Satellite (COMNETSAT)* (pp. 411-414). IEEE. DOI: 10.1109/COMNETSAT56033.2022.9994452
- Putra, I. E., & Wahyudi, M. F. (2022). The Effect of Adding Primary Epoxy on the Corrosion Rate of Low Carbon Steel in 3.56% NaCl Solution. *Journal of Mechanical Engineering*, 12(1), 47-50. DOI: 10.21063/jtm.2022.v12.i1.47-50

- Popov, A. G., Puzanova, T. Z., Ermolenko, A. S., Gunderov, D. V., Raab, G. I., & Stolyarov, V. V. (2003). Pr-Fe-B-Cu alloys processed by equal channel angular pressing as materials for anisotropic bonded magnets. In *Bonded Magnets: Proceedings of the NATO Advanced Research Workshop on Science and Technology of Bonded Magnets Newark, USA 22–25 August 2002* (pp. 129–138). Springer Netherlands. DOI: <https://doi.org/10.1007/978-94-007-1090-0>
- Rahman, A., & Mulana, F. (2014). The Study of Emulsion Wall Paint Production by Using Lime as Filler. *Journal of Chemical & Environmental Engineering*, 10(2). DOI: <https://doi.org/10.23955/rkl.v10i2.2421>
- Ramadhan, N.I., Munasir, dan Triwikantoro. (2014). Synthesis and Characterization of SiO₂ Powder with Variations in pH and Molarity Based on Bancar Sand, Tuban. *Journal of Sains and Art POMITS*, 3(1). DOI: 10.12962/j23373520.v3i1.5721
- Rianna, Martha, dkk., (2018). Preparation and Characterization of Natural Iron Sand from Kata Beach, Sumatra Barat Indonesia with High Energy Milling (HEM). *Journal of Natural*, 18(2), 97-99. DOI: 10.24815/jn.v18i2.11163
- Riyanto, Bambang, dkk., (2014). MICROWAVE-ABSORBING PACKAGING MATERIAL FROM CHITOSAN-POLYVINYL ALCOHOL POLYMER COMPOSITE. *JPHPI*, 17(2). DOI: <http://repository.ipb.ac.id/handle/123456789/77482>
- Salem, M. B., Hannachi, E., Slimani, Y., Hamrita, A., Zouaoui, M., Bessais, L., ... & Azzouz, F. B. (2014). SiO₂ nanoparticles addition effect on microstructure and pinning properties in YBa₂Cu₃O_y. *Ceramics International*, 40(3), 4953-4962. DOI: <https://doi.org/10.1016/j.ceramint.2013.10.103>
- Sayoga, I. M. A., & Sujita, S. S. (2022). Characterization of magnetic properties of ferric oxide from Sekotong beach iron sand West Lombok Indonesia. *World Journal of Advanced Engineering Technology and Sciences*, 5(2), 082-087. DOI: <https://doi.org/10.30574/wjaets.2022.5.2.0051>
- Saprianti, N., Didik, L. A., & Zohdi, A. (2021). Analysis of Electricity Properties and The Content of Fe Nano Particle of Iron Sand Based on River Sand to Know The Quality of River Water. *Journal Of Technology and Environmental Science*, 7(1), 103-113. DOI: <https://doi.org/10.29303/jstl.v7i1.209>
- Silveyra, J. M., Ferrara, E., Huber, D. L., & Monson, T. C. (2018). Soft magnetic materials for a sustainable and electrified world. *Science*, 362(6413). DOI: 10.1126/science.aaq0195

- Smith, J., & Johnson, R. (2021). Advances in Microwave Technology for Satellite Communications. *IEEE Transactions on Microwave Theory and Techniques*, 69(9), 5470-5483.
- Stanitski, C. L., dkk., (2003). Chemistry in Context Applying Chemistry to Society 4 ^th. ed. New York: Mc-Graww-Hill.
- Steingroever, E., & Ross, G. (1997). Magnetic Measuring Techniques. *Magnet-Physic, Köln*, 1, 997.
- Susyanto, Heri. (2009). Jenis Cat. Jakarta: Universitas Indonesia
- Sumari, dkk., (2020). Mineral Content Analysis of Bajul Mati Beach Sand Malang Regency Using XRF and XRD. *Fullerene Journ. Of Chem*, 5(2), 58-62. DOI: <https://doi.org/10.37033/fjc.v5i2.154>
- Tadros, T. (2013). Paints and Coatings, *Encyclopedia of Colloid and Interface Science*, Springer-Verlag Berlin Heidel-berg.
- T. Sembiring and E. S. Peranginangin. (2023). Making and Characterization of $\text{SiO}_2\text{-Fe}_3\text{O}_4$ Using Method CO-Precipitation. *Journal of Technomaterial Physics*. 5(1). DOI:10.32734/jotp.v5i1.9887.
- Tejero-Martin, D., Rezvani Rad, M., McDonald, A., & Hussain, T. (2019). Beyond traditional coatings: a review on thermal-sprayed functional and smart coatings. *Journal of Thermal Spray Technology*, 28, 598-644. DOI: <https://doi.org/10.1007/s11666-019-00857-1>
- Thomas, S., Thomas, R., Zachariah, A. K., & Kumar, R. (Eds.). (2017). Spectroscopic methods for nanomaterials characterization (Vol. 2). Elsevier.
- Thomassin, J, dkk., (2007). *J. Phys. Chem. C*. pp. 11186–11192.
- Traoré, S., Traoré, D. L., Kourouma, S. Y., & Magassouba, S. (2018). Preparation of silicon from rice husk as renewable energy resource by the use of microwave ashing and acid digestion. *Inter J Energ Eng*, 8, 25-9. DOI: 10.5923/j.ijee.20180802.01
- Ukhiyani, Indah, dkk., (2017). Purification and Characterization of Silica (SiO_2) Based on Quartz Sand from Pasir Putih Village, Pamona Selatan District, Poso Regency. *Natural Science: Journal of Science and Technology*, 6(3). DOI: <https://doi.org/10.22487/25411969.2017.v6.i3.9201>
- Užarević, K., Halasz, I., Friščić, T., (2015). Real-time and in situ monitoring of mechanochemical reactions: A new playground for all chemists. *J. Phys. Chem. Lett.*, 6, pp. 4129-4140.
- Vincent, Louis D. (2010). The Protecive Coating User's Handbook. Texas: NACE International

- Wahyuningsih, Sayekti, dkk., (2019). Transformation of Magnetite (Fe_3O_4) and Maghemite ($\gamma\text{-Fe}_2\text{O}_3$) to $\alpha\text{-Fe}_2\text{O}_3$ from Magnetic Phase of Glagah Iron Sand. *Journal of Engineering Science*, 15, 11–21. DOI: <https://doi.org/10.21315/jes2019.15.2>
- Wang, Zhenjun, dkk., (2016). Laboratory investigation on deicing characteristics of asphalt mixtures using magnetite aggregate as microwave-absorbing materials. *Construction and Building Materials*, 124, 589-597. DOI: <http://dx.doi.org/10.1016/j.conbuildmat.2016.07.137>
- Wardiyati, S., & Adi, W. A. (2017). Synthesis and characterization of microwave absorber SiO_2 by sol-gel method. *IOP Conference Series: Materials Science and Engineering*, 202(1), p. 012059. DOI: 10.1088/1757-899X/202/1/012059
- Wardiyati, S., Adi, W.A., & Winatapura, D.S. (2018). Sintesis dan Karakterisasi Microwave Absorbing Material Berbasis Ni- SiO_2 dengan Metode Sol-Gel. *Jurnal Fisika*, 8(2), 51-59.
- Webster, D. C., & Ryntz, R. A. (2012). Pigments, Paints, Polymer Coatings, Lacquers, and Printing Inks. In *Handbook of Industrial Chemistry and Biotechnology* (pp. 1117-1129). Boston, MA: Springer US. DOI: https://doi.org/10.1007/978-1-4614-4259-2_29
- X. Liu, dkk., (2018). Peng, Appl. Surf. Sci, pp. 82–88.
- Yulfriska, Nidya, dkk., (2020). Microwave absorption properties of $\text{Fe}_3\text{O}_4/\text{PANI}$ nanocomposites synthesized by sol-gel methods. *Journal of Physics: Conference Series*. DOI: 10.1088/1742-6596/1481/1/012006
- Yunasfi, dkk., (2018). Magnetic Properties and Microwave Absorption of $\text{Mn}(1-x)\text{NdxFe}_2\text{O}_4$ Synthesized by Co-Precipitation Method. *Journal of Basic Science*, 19(1). DOI: <https://jurnal.unej.ac.id/index.php/JID>
- Yusmaniar, dkk., (2021). Microwave Absorbing Characteristics of $\text{Fe}_3\text{O}_4@\text{SiO}_2$ Core–Shell Polyaniline-Based Composites. *Material Research Express*, 8, pp. 2-9. DOI: <https://doi.org/10.1088/2053-1591/abf52a>
- Zhang, L., Tsuzuki, T., & Wang, X. (2015). Preparation of cellulose nanofiber from softwood pulp by ball milling. *Cellulose*, 22, 1729-1741. DOI: <https://doi.org/10.1007/s10570-015-0582-6>
- Zhou, P., Chen, J. H., Liu, M., Jiang, P., Li, B., & Hou, X. M. (2017). Microwave absorption properties of $\text{SiC}@\text{SiO}_2@ \text{Fe}_3\text{O}_4$ hybrids in the 2–18 GHz range. *International Journal of Minerals, Metallurgy, and Materials*, 24, 804-813. DOI: <https://doi.org/10.1007/s12613-017-1464-8>
- Zhong, B., Sai, T., Xia, L., Yu, Y., & Wen, G. (2017). High-efficient production of SiC/SiO_2 core-shell nanowires for effective microwave

absorption. *Materials & Design*, 121, 185-193. DOI: 10.1016/j.matdes.2017.02.058

Zhu, R., Liu, M., Hou, Y., Zhang, L., Li, M., Wang, D., & Fu, S. (2020). One-pot preparation of fluorine-free magnetic superhydrophobic particles for controllable liquid marbles and robust multifunctional coatings. *ACS applied materials & interfaces*, 12(14), 17004-17017. DOI: <https://dx.doi.org/10.1021/acsami.9b22268>

Zhuang, S., dkk., (2016). Synthesis of nitrogen-doped graphene catalyst by high-energy wet ball milling for electrochemical systems. *Int. J. Energy Res.* 40, pp. 2136–2149.

