

DAFTAR PUSTAKA

- Abdalla, A., Hossain, S., Petra, P., & Azad, A. (2017). Effect of Zr addition on structure and electrical properties of SmFeO₃ prepared by solid state reaction method. *Processing and Application of Ceramics*, 11(4), 275–281. <https://doi.org/10.2298/PAC1704275A>
- Ahmed, M. A., Azab, A. A., & El-Khawas, E. H. (2015). Structural, magnetic and electrical properties of Bi doped LaFeO₃ nano-crystals, synthesized by auto-combustion method. *Journal of Materials Science: Materials in Electronics*, 26(11), 8765–8773. <https://doi.org/10.1007/s10854-015-3556-4>
- Alfarisa, S., Rifai, D. A., & Toruan, P. L. (2018). Studi Difraksi Sinar-X Struktur Nano Seng Oksida (ZnO). *Risalah Fisika*, 2(2), 53–57. <https://doi.org/10.35895/rf.v2i2.114>
- Andini, T. (2020). *KISI DARI MATERIAL CHROMIUM DENGAN METODE X-RAY DIFFRACTION*. June, 0–7.
- Annisa, & Hapsari, R. (2017). Identifikasi karakteristik mineral pada batubara dengan pendekatan ilmiah analisa XRD dan analisa SEM-EDS. *Prosiding SNRT*, 5662(November), 20–28.
- Bhat, I., Husain, S., Khan, W., & Patil, S. I. (2013). Effect of Zn doping on structural, magnetic and dielectric properties of LaFeO₃ synthesized through sol-gel auto-combustion process. *Materials Research Bulletin*, 48(11), 4506–4512. <https://doi.org/10.1016/j.materresbull.2013.07.028>
- Bokov, D., Turki Jalil, A., Chupradit, S., Suksantan, W., Javed Ansari, M., Shewael, I. H., Valiev, G. H., & Kianfar, E. (2021). Nanomaterial by Sol-Gel Method: Synthesis and Application. *Advances in Materials Science and Engineering*, 2021, 1–21. <https://doi.org/10.1155/2021/5102014>

- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Coutinho, P. V., Cunha, F., & Barrozo, P. (2017). Structural, vibrational and magnetic properties of the orthoferrites LaFeO₃ and YFeO₃: A comparative study. *Solid State Communications*, 252, 59–63. <https://doi.org/10.1016/j.ssc.2017.01.019>
- Dash, S., Clarke, G., Berk, M., & Jacka, F. N. (2015). The gut microbiome and diet in psychiatry. *Current Opinion in Psychiatry*, 28(1), 1–6. <https://doi.org/10.1097/YCO.0000000000000117>
- Diana, L. O., Sembiring, S., & Situmeang, R. T. . (2019). Pengaruh Penambahan Silika (SiO₂) Sekam Padi Terhadap Karakteristik Mikrostruktur dan Struktur Aspal dengan Perbandingan Massa 1:0 ; 1;1,5 ; 1:1,6 Dan 1:1,7. *Teori Dan Aplikasi Fisika*, 7(1), 35–44.
- Fajriyani, F., & Triyono, D. (2020). Study of La(Fe, Zn)O₃on the structural properties prepared by sol-gel method. *IOP Conference Series: Materials Science and Engineering*, 902(1). <https://doi.org/10.1088/1757-899X/902/1/012033>
- Hasdiana, U. (2018). Title. In *Analytical Biochemistry* (Vol. 11, Issue 1). <http://link.springer.com/10.1007/978-3-319-59379-1%0Ahttp://dx.doi.org/10.1016/B978-0-12-420070-8.00002-7%0Ahttp://dx.doi.org/10.1016/j.ab.2015.03.024%0Ahttps://doi.org/10.1080/07352689.2018.1441103%0Ahttp://www.chile.bmw-motorrad.cl/sync/showroom/lam/es/>
- Hessien, M. M., Mersal, G. A. M., Mohsen, Q., & Alosaimi, D. (2017). Structural, magnetic and sensing properties of lanthanum ferrite via facile sol gel oxalate precursor route. *Journal of Materials Science: Materials in Electronics*, 28(5), 4170–4178. <https://doi.org/10.1007/s10854-016-6037-5>

- Jia-Ke, L., Xin, L., LI-Qun, H., & Yan-Xiang, W. (2015). Ultrafine Powders Synthesized by Solution Combustion and Its Photocatalytic Performances. *Journal of Inorganic Materials*, 30(11), 1223. <https://doi.org/10.15541/jim20150251>
- Kumar, M., Srikanth, S., Ravikumar, B., T.C.Alex, & Das, S. K. (2009). Synthesis of pure and Sr-doped LaGaO₃, LaFeO₃ and LaCoO₃ and Sr,Mg-doped LaGaO₃ for ITSOFC application using different wet chemical routes. *Materials Chemistry and Physics*, 113(2–3), 803–815. <https://doi.org/10.1016/j.matchemphys.2008.08.047>
- Kumar, N., Dutta, A., Prasad, S., & Sinha, T. P. (2013). Impedance spectroscopy analysis of complex perovskite Ho(Ni 1/2Zr1/2)O₃. *Materials Chemistry and Physics*, 139(1), 134–138. <https://doi.org/10.1016/j.matchemphys.2013.01.003>
- Kumar, P. S., Kokila, I. P., Kanagaraj, M., Paidi, A. K., He, L., Therese, H. A., & Madeswaran, S. (2020). Solution Combustion Synthesis of Rare Earth Orthoferrite Nanoparticles: a Comparative Study on Multiferroic Properties of Er–FeO₃ vs (La,Yb)FeO₃. *Journal of Superconductivity and Novel Magnetism*, 33(11), 3621–3629. <https://doi.org/10.1007/s10948-020-05625-9>
- Liu, T., & Xu, Y. (2011). Synthesis of nanocrystalline LaFeO₃ powders via glucose sol–gel route. *Materials Chemistry and Physics*, 129(3), 1047–1050. <https://doi.org/10.1016/j.matchemphys.2011.05.054>
- Liza, Y. M., Yasin, R. C., Maidani, S. S., & Zainul, R. (2018). Gelation Sol- Gel Proces s Densification Ageing Drying. *INA-Rxiv Papers*, 1–19.
- Lukmana, S. K., Triyono, D., & Laysandra, H. (2018). *Effect of Pb-doped on dielectric properties of Effect of Pb-doped on Dielectric Properties of at Room Temperature*. 020041(October), 3–7.
- Manser, J. S., Christians, J. A., & Kamat, P. V. (2016). Intriguing Optoelectronic Properties of Metal Halide Perovskites. *Chemical Reviews*, 116(21), 12956–

13008. <https://doi.org/10.1021/acs.chemrev.6b00136>
- Manzoor, S., & Husain, S. (2018). Influence of Zn doping on structural, optical and dielectric properties of LaFeO₃. *Materials Research Express*, 5(5), 055009. <https://doi.org/10.1088/2053-1591/aabf6c>
- Margellou, A. G., Papadas, I. T., Petrakis, D. E., & Armatas, G. S. (2016). Development of enhanced surface area LaFeO₃ perovskites using amino acids as templating agents. *Materials Research Bulletin*, 83, 491–501. <https://doi.org/10.1016/j.materresbull.2016.06.034>
- Phokha, S., Hunpratup, S., Pinitsoontorn, S., Putasaeng, B., Rujirawat, S., & Maensiri, S. (2015). Structure, magnetic, and dielectric properties of Ti-doped LaFeO₃ ceramics synthesized by polymer pyrolysis method. *Materials Research Bulletin*, 67, 118–125. <https://doi.org/10.1016/j.materresbull.2015.03.008>
- Phumying, S., Labuayai, S., Thomas, C., Amornkitbamrung, V., Swatsitang, E., & Maensiri, S. (2013). Aloe vera plant-extracted solution hydrothermal synthesis and magnetic properties of magnetite (Fe₃O₄) nanoparticles. *Applied Physics A*, 111(4), 1187–1193. <https://doi.org/10.1007/s00339-012-7340-5>
- Purnamasari, I. (2022). Analisis Sifat Struktur dan Sifat Listrik pada Material Perovskite LaFe_{0.97}Zr_{0.03}O₃: XRD, Raman Scattering, SEM dan Impedansi Spectroskopi. *Jurnal Konstruksi*, 19(1), 231–240. <https://doi.org/10.33364/konstruksi.v.19-1.972>
- Ravi, M., Pavani, Y., Kiran Kumar, K., Bhavani, S., Sharma, A. K., & Narasimha Rao, V. V. R. (2011). Studies on electrical and dielectric properties of PVP:KBrO₄ complexed polymer electrolyte films. *Materials Chemistry and Physics*, 130(1–2), 442–448. <https://doi.org/10.1016/j.matchemphys.2011.07.006>
- Sabu Thomas, N. K. and A. R. A. (2022). *Design, Fabrication, and Characterization of Multifunctional Nanomaterials*. Elsevier. <https://doi.org/10.1016/C2019-0->

00948-X

- Sangwan, K. M., Ahlawat, N., Kundu, R. S., Rani, S., Rani, A., & Rani, S. (2018). *Effect of temperature on structure, dielectric and ferroelectric properties of modified BaZrTiO₃ ceramic.* 050106. <https://doi.org/10.1063/1.5028737>
- Sasikala, C., Durairaj, N., Baskaran, I., Sathyaseelan, B., Henini, M., & Manikandan, E. (2017). Transition metal titanium (Ti) doped LaFeO₃ nanoparticles for enhanced optical structural and magnetic properties. *Journal of Alloys and Compounds*, 712, 870–877. <https://doi.org/10.1016/j.jallcom.2017.04.133>
- Simbolon, T. R., Hamid, M., Rianna, M., Pratama, Y., Sembiring, T., Ginting, J., Sebayang, A. M. S., Setiadi, E. A., Tetuko, A. P., & Sebayang, P. (2022). Characteristic of microstructure and magnetic properties in LaFeO₃ using co-precipitation method. *Journal of Aceh Physics Society*, 11(2), 49–51. <https://doi.org/10.24815/jacps.v11i2.23691>
- Sukirno, S., & Murniasih, S. (2009). ANALISIS UNSUR Fe, Ca, Ti, Ba, Ce, Zr DAN La DALAM SEDIMEN LAUT DI SEMENANJUNG MURIA DENGAN METODE XRF. *GANENDRA Majalah IPTEK Nuklir*, 12(1), 25–31. <https://doi.org/10.17146/gnd.2009.12.1.147>
- Tanaka, H., & Misono, M. (2001). Advances in designing perovskite catalysts. *Current Opinion in Solid State and Materials Science*, 5(5), 381–387. [https://doi.org/10.1016/S1359-0286\(01\)00035-3](https://doi.org/10.1016/S1359-0286(01)00035-3)
- Taylor, F. H., Buckeridge, J., & Catlow, C. R. A. (2017). Screening Divalent Metals for A- and B-Site Dopants in LaFeO₃. *Chemistry of Materials*, 29(19), 8147–8157. <https://doi.org/10.1021/acs.chemmater.7b01993>
- Trabelsi, I., Harizi, A., & Kanzari, M. (2017). Complex impedance spectroscopy of Sn₄Sb₆S₁₃ thin films deposited by thermal vacuum evaporation. *Thin Solid Films*, 631, 161–171. <https://doi.org/10.1016/j.tsf.2017.04.028>

- Triyono, D., Fajriyani, F., Hanifah, U., & Rafsanjani, R. A. (2020). Characterizing temperature dependent complex electrical impedance analysis of LaFe_{1-X}Zn_XO₃(x = 0.03, 0.05, and 0.07) ceramics. *Journal of Advanced Dielectrics*, 10(6), 1–10. <https://doi.org/10.1142/S2010135X20500319>
- Triyono, D., Kafa, C. A., & Laysandra, H. (2018). Effect of Sr-substitution on the structural and dielectric properties of LaFeO₃ perovskite materials. *Journal of Advanced Dielectrics*, 8(5), 0–9. <https://doi.org/10.1142/S2010135X18500364>
- Tutu, R., Subaer, & Usman. (2015). Studi Analisis Karakterisasi Dan Mikrostruktur Mineral Sedimen Sumber Air Panas Sulili Di Kabupaten Pinrang. *Jurnal Sains Dan Pendidikan Fisika*, 11(2), 192–201.
- Utami, R. W., & Triyono, D. (2020). Impedance analysis of magnesium substituted lanthanum in LaFeO₃ perovskite. *AIP Conference Proceedings*, 2242. <https://doi.org/10.1063/5.0008288>
- Vadim F. Lvovich. (2012). *Impedance Spectroscopy: Applications to Electrochemical and Dielectric Phenomena*. John Wiley & Sons, 2015. https://books.google.co.id/books/about/Impedance_Spectroscopy.html?id=FGFcCwAAQBAJ&redir_esc=y
- Verma, K. C., Ram, M., Singh, J., & Kotnala, R. K. (2011). Impedance spectroscopy and dielectric properties of Ce and la substituted Pb_{0.7}Sr_{0.3}(Fe_{0.012}Ti_{0.988})O₃ nanoparticles. *Journal of Alloys and Compounds*, 509(15), 4967–4971. <https://doi.org/10.1016/j.jallcom.2011.01.144>
- Wagner, N. (2011). Electrochemical Impedance Spectroscopy. In *PEM Fuel Cell Diagnostic Tools* (pp. 37–70). CRC Press. <https://doi.org/10.1201/b11100-5>
- Wakary, P., Taunaumang, H., & Lolowang, J. (2020). ANALISIS STRUKTUR FISIS DAN SIFAT OPTIK FILM TIPIS SUDAN III HASIL DEPOSISI EVAPORASI VAKUM. *Jurnal FisTa : Fisika Dan Terapannya*, 1(2), 46–52.

<https://doi.org/10.53682/fista.v1i2.90>

Widodo, S. (2017). Proses Sintesis Nano Partikel Indium Oksida dengan Metode Sol Gel sebagai Lapisan Aktif Pada Sensor Gas. *Seminar Nasional Kimia Dan Pendidikan Kimia XIII*, 175–182.

Yu, J., Wang, C., Yuan, Q., Yu, X., Wang, D., & Chen, Y. (2022). Ag-Modified Porous Perovskite-Type LaFeO₃ for Efficient Ethanol Detection. *Nanomaterials*, 12(10), 1768. <https://doi.org/10.3390/nano12101768>

Zarrin, N., Husain, S., Khan, W., & Manzoor, S. (2019). Sol-gel derived cobalt doped LaCrO₃: Structure and physical properties. *Journal of Alloys and Compounds*, 784, 541–555. <https://doi.org/10.1016/j.jallcom.2019.01.018>

