

DAFTAR PUSTAKA

- A.P. Porras - Loaiza, & A. Lopez. (2009). Importancia de los grupos fenolicos en los alimentos. *Temas Selectos de Ingenieria de Los Alimentos*, 3(1), 121–134. Retrieved from [http://www.udlap.mx/WP/tsia/files/No3-Vol-1/TSIA-3\(1\)-Porras-Loaiza-et-al-2009.pdf](http://www.udlap.mx/WP/tsia/files/No3-Vol-1/TSIA-3(1)-Porras-Loaiza-et-al-2009.pdf)
- Abd El-Ghany, N. A., & Mahmoud, Z. M. (2021). Synthesis, characterization and swelling behavior of high-performance antimicrobial amphoteric hydrogels from corn starch. *Polymer Bulletin*, 78(11), 6161–6182. <https://doi.org/10.1007/s00289-020-03417-8>
- Adi Nugroho, A., & Baskara Katri, R. A. (2013). Kajian Pembuatan Edible Film Tapioka Dengan Pengaruh Penambahan Pektin Beberapa Jenis Kulit Pisang Terhadap Karakteristik Fisik Dan Mekanik Study the Manufacture of Tapioca Edible Films With the Effect of Addition of Pectin Some Type of in Banana Peels Ag. *Jurnal Teknosains Pangan Januari Jurusan Teknologi Hasil Pertanian Universitas Sebelas Maret Jurnal Teknosains Pangan*, 2(2), 2302–2733. Retrieved from www.ilmupangan.fp.uns.ac.id
- Adisewojo, R. S. (1982). *Bercocok Tanam Teh*. Bandung: Sumur Bandung.
- Aider, M. (2010). Chitosan application for active bio-based films production and potential in the food industry: Review. *LWT - Food Science and Technology*, 43(6), 837–842. <https://doi.org/10.1016/j.lwt.2010.01.021>
- Alamsyah, A. N. (2006). *Taklukkan Penyakit dengan Teh Hijau* (L. AM, Ed.). Jakarta: Agromedia Pustaka.
- Alishahi, A., & Aider, M. (2012). Applications of Chitosan in the Seafood Industry and Aquaculture: A Review. *Food and Bioprocess Technology*, 5(3), 817–830. <https://doi.org/10.1007/s11947-011-0664-x>
- Arora, D. S., & Mahajan, H. (2019). Major Phytoconstituents of *Prunus cerasoides* Responsible for Antimicrobial and Antibiofilm Potential Against Some Reference Strains of Pathogenic Bacteria and Clinical Isolates of MRSA. *Applied Biochemistry and Biotechnology*, 188(4), 1185–1204. <https://doi.org/10.1007/s12010-019-02985-4>
- Astarina, N. W. G., Astuti, K. W., & Warditiani, N. K. (2013). SKRINING FITOKIMIA EKSTRAK METANOL RIMPANG BANGLE (*Zingiber purpureum* Roxb.) Astar. *Jurusan Farmasi Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Udayana*.
- Balasundram, N., Sundram, K., & Samman, S. (2006). Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry*, 99(1), 191–203. <https://doi.org/10.1016/j.foodchem.2005.07.042>
- Barikani, M., Oliaei, E., Seddiqi, H., & Honarkar, H. (2014). Preparation and application of chitin and its derivatives: A review. *Iranian Polymer Journal*

(English Edition), 23(4), 307–326. <https://doi.org/10.1007/s13726-014-0225-z>

- Bodîrlău, R., Teacă, C. A., Spiridon, I., & Tudorachi, N. (2012). Effects of chemical modification on the structure and mechanical properties of starch-based biofilms. *Monatshefte Fur Chemie*, 143(2), 335–343. <https://doi.org/10.1007/s00706-011-0659-3>
- Braga, W. L. M., Roberto, J. A., Vaz, C., Samanamud, G. R. L., Loures, C. C. A., França, A. B., ... Naves, F. L. (2018). Extraction and optimization of tannin from the flower of *Musa* sp. applied to the treatment of iron ore dump. *Journal of Environmental Chemical Engineering*, 6(4), 4310–4317. <https://doi.org/10.1016/j.jece.2018.05.058>
- Brand-Williams, Cuvelir, M. E., & Berset, C. (1995). 4A Standard Calibration Techniques. *The Microflown E-Book*, 28, 25–30.
- Browning. (1967). *Chemical Physics of Ionic Solutions*. B. E. CONWAY. 6.
- Butler, B. L., Vergano, P. J., Testin, R. F., Bunn, J. M., & Wiles, J. L. (1996). Mechanical and barrier properties of edible chitosan films as affected by composition and storage. *Journal of Food Science*, 61(5), 953–956. <https://doi.org/10.1111/j.1365-2621.1996.tb10909.x>
- Cabrera, C., Artacho, R., & Giménez, R. (2006). Beneficial Effects of Green Tea—A Review. *Journal of the American College of Nutrition*, 25(2), 79–99. <https://doi.org/10.1080/07315724.2006.10719518>
- Cano, A., Andres, M., Chiralt, A., & González-Martinez, C. (2020). Use of tannins to enhance the functional properties of protein based films. *Food Hydrocolloids*, 100(September 2019). <https://doi.org/10.1016/j.foodhyd.2019.105443>
- Das, A. K., Islam, M. N., Faruk, M. O., Ashaduzzaman, M., & Dungani, R. (2020). Review on tannins: Extraction processes, applications and possibilities. *South African Journal of Botany*, 135, 58–70. <https://doi.org/10.1016/j.sajb.2020.08.008>
- Dobson, C. C., Mottawea, W., Rodrigue, A., Buzati Pereira, B. L., Hammami, R., Power, K. A., & Bordenave, N. (2019). Impact of molecular interactions with phenolic compounds on food polysaccharides functionality. In *Advances in Food and Nutrition Research* (1st ed., Vol. 90). <https://doi.org/10.1016/bs.afnr.2019.02.010>
- Elsabee, M. Z., & Abdou, E. S. (2013). Chitosan based edible films and coatings: A review. *Materials Science and Engineering C*, 33(4), 1819–1841. <https://doi.org/10.1016/j.msec.2013.01.010>
- Escamilla-García, M., Reyes-Basurto, A., García-Almendárez, B. E., Hernández-Hernández, E., Calderón-Domínguez, G., Rossi-Márquez, G., & Regalado-González, C. (2017). Modified starch-chitosan edible films: Physicochemical and mechanical characterization. *Coatings*, 7(12), 1–15. <https://doi.org/10.3390/coatings7120224>

- Fulder, S. (2004). *Khasiat Teh Hijau*. Jakarta: Prestasi Pustaka.
- Gao, L., Zhu, T., He, F., Ou, Z., Xu, J., & Ren, L. (2021). Preparation and characterization of functional films based on chitosan and corn starch incorporated tea polyphenols. *Coatings*, *11*(7), 1–13. <https://doi.org/10.3390/coatings11070817>
- George, B., Kaur, C., Khurdiya, D. S., & Kapoor, H. C. (2004). Antioxidants in tomato (*Lycopersium esculentum*) as a function of genotype. *Food Chemistry*, *84*(1), 45–51. [https://doi.org/10.1016/S0308-8146\(03\)00165-1](https://doi.org/10.1016/S0308-8146(03)00165-1)
- Gisslen, W. (2013). Professional Baking. In *Wiley & Sons, Inc., Hoboken, New Jersey*. Retrieved from file:///C:/Users/qeers/Downloads/DIPLOMA UITM PENANG/HTP162/A Professional baking.pdf
- Hagerman, A. E. (2002). The Tannin Handbook. *University of Miami*, *1*(1), 121. Retrieved from <https://www.users.miamioh.edu/hagermae/>
- Hagerman, T. C. W. and A. E. (1990). Quantitative Determination of Ellagic Acid. *J. Agric. Food Chem.*, *38*, 1678–1683. [https://doi.org/10.3964/j.issn.1000-0593\(2011\)11-2928-05](https://doi.org/10.3964/j.issn.1000-0593(2011)11-2928-05)
- Hajiaghaalipour, F., Kanthimathi, M. S., Abdulla, M. A., & Sanusi, J. (2013). The Effect of *Camellia sinensis* on Wound Healing Potential in an Animal Model. *Evidence-Based Complementary and Alternative Medicine*, *12*(12), 1–7. <https://doi.org/doi:10.1155/2013/386734>
- Harborne, J. B., Sudiro, I., Padmawinata, K., & Niksolihin, S. (1996). *Metode fitokimia : penuntun cara modern menganalisis tumbuhan* (Sofia Niksolihin, Ed.). Bandung: Penerbit ITB.
- Hartoyo, A. (2003). *Teh dan Khasiatnya bagi Kesehatan : Sebuah Tinjauan Ilmiah*. Yogyakarta: Kanisius.
- Hathway, D. E. (1962). The Condensed Tannins. In *Wood Extractives and their Significance to the Pulp and Paper Industries*. <https://doi.org/10.1016/b978-1-4832-3321-5.50010-9>
- He, J., Wang, Y., Cui, S., Gao, Y., & Wang, S. (2010). Structure and properties of silk fibroin/carboxymethyl chitosan blend films. *Polymer Bulletin*, *65*(4), 395–409. <https://doi.org/10.1007/s00289-010-0293-y>
- Hindriani, H., Pradono, iswantini dyah, & Santoso, A. (2009). *Hindriani.pdf*.
- Ihromi, S., Marianah, M., & Susandi, Y. A. (2018). Substitusi Tepung Terigu Dengan Tepung Mocaf Dalam Pembuatan Kue Kering. *Jurnal Agrotek UMMat*, *5*(1), 73. <https://doi.org/10.31764/agrotek.v5i1.271>
- Jakobek, L. (2015). Interactions of polyphenols with carbohydrates, lipids and proteins. *Food Chemistry*, *175*, 556–567. <https://doi.org/10.1016/j.foodchem.2014.12.013>
- Kanatt, S. R., Chander, R., & Sharma, A. (2008). Chitosan and mint mixture: A new preservative for meat and meat products. *Food Chemistry*, *107*(2), 845–

852. <https://doi.org/10.1016/j.foodchem.2007.08.088>

- Kardas, I., Struszczyk, M. H., Magdalena Kucharska, L. A. M. van den B., Dam, J. E. G. van, & Ska, D. C. (2012). Chitin and Chitosan as Functional Biopolymers for Industrial Applications. *Institute of Biopolymers and Chemical Fibres, Marie Skłodowskiej-Curie 19/27, 90-570 Ło'dz', Poland*, 1–401. <https://doi.org/10.1007/978-3-7091-0421-7>
- Kasaai, M. R. (2009). Various methods for determination of the degree of N-acetylation of chitin and chitosan: A review. *Journal of Agricultural and Food Chemistry*, *57*(5), 1667–1676. <https://doi.org/10.1021/jf803001m>
- Kaur, S., & Dhillon, G. S. (2014). The versatile biopolymer chitosan: Potential sources, evaluation of extraction methods and applications. *Critical Reviews in Microbiology*, *40*(2), 155–175. <https://doi.org/10.3109/1040841X.2013.770385>
- Kerch, G. (2015). Chitosan films and coatings prevent losses of fresh fruit nutritional quality: A review. *Trends in Food Science and Technology*, *46*(2), 159–166. <https://doi.org/10.1016/j.tifs.2015.10.010>
- Khameneh, B., Iranshahy, M., Soheili, V., Sedigheh, B., & Bazzaz, F. (2019). Khameneh2019.Pdf. *Antimicrobial Resistance and Infection Control*, *8*, 1–28.
- Kittur, F. S., Harish Prashanth, K. V., Udaya Sankar, K., & Tharanathan, R. N. (2002). Characterization of chitin, chitosan and their carboxymethyl derivatives by differential scanning calorimetry. *Carbohydrate Polymers*, *49*(2), 185–193. [https://doi.org/10.1016/S0144-8617\(01\)00320-4](https://doi.org/10.1016/S0144-8617(01)00320-4)
- Klass, B. R., Branford, O. A., Grobbelaar, A. O., & Rolfe, K. J. (2010). The effect of epigallocatechin-3-gallate, a constituent of green tea, on transforming growth factor- β 1-stimulated wound contraction. *Wound Repair and Regeneration*, *18*(1), 80–88. <https://doi.org/10.1111/j.1524-475X.2009.00552.x>
- Lapornik, B., Prošek, M., & Wondra, A. G. (2005). Comparison of extracts prepared from plant by-products using different solvents and extraction time. *Journal of Food Engineering*, *71*(2), 214–222. <https://doi.org/10.1016/j.jfoodeng.2004.10.036>
- Larrosa, M., Llorach, R., Espín, J. C., & Tomás-Barberán, F. A. (2002). Increase of antioxidant activity of tomato juice upon functionalisation with vegetable byproduct extracts. *LWT - Food Science and Technology*, *35*(6), 532–542. <https://doi.org/10.1006/fstl.2002.0907>
- Lenny, S. (2006). Senyawa Flavonoida , Fenilpropanoida dan Alkaloida. *Usu Repository*, 1–25.
- López-De-Dicastillo, C., Catalá, R., Gavara, R., & Hernández-Muñoz, P. (2011). Food applications of active packaging EVOH films containing cyclodextrins for the preferential scavenging of undesirable compounds. *Journal of Food Engineering*, *104*(3), 380–386.

<https://doi.org/10.1016/j.jfoodeng.2010.12.033>

- Martín-Diana, A. B., Rico, D., & Barry-Ryan, C. (2008). Green tea extract as a natural antioxidant to extend the shelf-life of fresh-cut lettuce. *Innovative Food Science and Emerging Technologies*, 9(4), 593–603. <https://doi.org/10.1016/j.ifset.2008.04.001>
- Martono, B., & Setiyono, R. T. (2014). Skrining Fitokimia Enam Genotipe Teh. *Jurnal Tanaman Industri Dan Penyegar*, 1(2), 63. <https://doi.org/10.21082/jtidp.v1n2.2014.p63-68>
- Mbey, J. A., Hoppe, S., & Thomas, F. (2012). Cassava starch-kaolinite composite film. Effect of clay content and clay modification on film properties. *Carbohydrate Polymers*, 88(1), 213–222. <https://doi.org/10.1016/j.carbpol.2011.11.091>
- McHugh, T. H., & Krochta, J. M. (1994). Sorbitol-vs Glycerol-Plasticized Whey Protein Edible Films: Integrated Oxygen Permeability and Tensile Property Evaluation. *Journal of Agricultural and Food Chemistry*, 42(4), 841–845. <https://doi.org/10.1021/jf00040a001>
- Mereles, D., & Hunstein, W. (2011). Epigallocatechin-3-gallate (EGCG) for clinical trials: More Pitfalls than Promises? *International Journal of Molecular Sciences*, 12(9), 5592–5603. <https://doi.org/10.3390/ijms12095592>
- Missio, A. L., Mattos, B. D., Ferreira, D. de F., Magalhães, W. L. E., Bertuol, D. A., Gatto, D. A., ... Tondi, G. (2018). Nanocellulose-tannin films: From trees to sustainable active packaging. *Journal of Cleaner Production*, 184, 143–151. <https://doi.org/10.1016/j.jclepro.2018.02.205>
- Muin, R., Anggraini, D., & Malau, F. (2017). Karakteristik Fisik dan Antimikroba Edible Film dari Tepung Tapioka dengan Penambahan Gliserol dan Kunyit Putih. *Jurnal Teknik Kimia*, 23(3), 191–198.
- Nadarajah, K., Prinyawiwatkul, W., Hong, K. N., Sathivel, S., & Xu, Z. (2006). Sorption behavior of crawfish chitosan films as affected by chitosan extraction processes and solvent types. *Journal of Food Science*, 71(2). <https://doi.org/10.1111/j.1365-2621.2006.tb08894.x>
- Nagarajan, M., Benjakul, S., Prodpran, T., & Songtipya, P. (2015). Properties and characteristics of nanocomposite films from tilapia skin gelatin incorporated with ethanolic extract from coconut husk. *Journal of Food Science and Technology*, 52(12), 7669–7682. <https://doi.org/10.1007/s13197-015-1905-1>
- Namita, P., Mukesh, R., & Vijay, K. J. (2012). *Camellia sinensis* (green tea): A review. *Global Journal of Pharmacology*, 6(2), 52–59.
- Noorbakhsh-Soltani, S. M., Zerafat, M. M., & Sabbaghi, S. (2018). A comparative study of gelatin and starch-based nano-composite films modified by nanocellulose and chitosan for food packaging applications. *Carbohydrate Polymers*, 189(February), 48–55. <https://doi.org/10.1016/j.carbpol.2018.02.012>

- Nurindra, A. P., Alamsjah, M. A., & Sudarno. (2015). KARAKTERISASI EDIBLE FILM DARI PATI PROPAGUL MANGROVE LINDUR (*Bruguiera gymnorrhiza*) DENGAN PENAMBAHAN CARBOXYMETHYL CELLULOSE (CMC) SEBAGAI PEMLASTIS. *Jurnal Ilmiah Perikanan Dan Kelautan Vol. 7 No. 2, November 2015*, 7(2), 32.
- Osman, Z., & Arof, A. K. (2003). FTIR studies of chitosan acetate based polymer electrolytes. *Electrochimica Acta*, 48(8), 993–999. [https://doi.org/10.1016/S0013-4686\(02\)00812-5](https://doi.org/10.1016/S0013-4686(02)00812-5)
- Parbuntari, H., Prestica, Y., Gunawan, R., Nurman, M. N., & Adella, F. (2018). Preliminary Phytochemical Screening (Qualitative Analysis) of Cacao Leaves (*Theobroma cacao* L.). *EKSAKTA: Berkala Ilmiah Bidang MIPA*, 19(2), 40–45. <https://doi.org/10.24036/eksakta/vol19-iss2/142>
- Park, S. Il, & Zhao, Y. (2004). Incorporation of a High Concentration of Mineral or Vitamin into Chitosan-Based Films. *Journal of Agricultural and Food Chemistry*, 52(7), 1933–1939. <https://doi.org/10.1021/jf034612p>
- Park, P. J., Je, J. Y., & Kim, S. K. (2004). Free radical scavenging activities of differently deacetylated chitosans using an ESR spectrometer. *Carbohydrate Polymers*, 55(1), 17–22. <https://doi.org/10.1016/j.carbpol.2003.05.002>
- Parra, D. F., Tadini, C. C., Ponce, P., & Lugao, A. B. (2004). Mechanical properties and water vapor transmission in some blends of cassava starch edible films. *Carbohydrate Polymers*, 58(4), 475–481. <https://doi.org/10.1016/j.carbpol.2004.08.021>
- Pasrija, D., & Anandharamakrishnan, C. (2015). Techniques for Extraction of Green Tea Polyphenols: A Review. *Food and Bioprocess Technology*, 8(5), 935–950. <https://doi.org/10.1007/s11947-015-1479-y>
- Peng, Y., Wu, Y., & Li, Y. (2013). Development of tea extracts and chitosan composite films for active packaging materials. *International Journal of Biological Macromolecules*, 59, 282–289. <https://doi.org/10.1016/j.ijbiomac.2013.04.019>
- Ping, L., Pizzi, A., Guo, Z. D., & Brosse, N. (2012). Condensed tannins from grape pomace: Characterization by FTIR and MALDI TOF and production of environment friendly wood adhesive. *Industrial Crops and Products*, 40(1), 13–20. <https://doi.org/10.1016/j.indcrop.2012.02.039>
- Prasad, P., & Kochhar, A. (2014). Active Packaging in Food Industry: A Review. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 8(5), 01–07. <https://doi.org/10.9790/2402-08530107>
- Renard, C. M. G. C., Watrelot, A. A., & Le Bourvellec, C. (2017). Interactions between polyphenols and polysaccharides: Mechanisms and consequences in food processing and digestion. *Trends in Food Science and Technology*, 60, 43–51. <https://doi.org/10.1016/j.tifs.2016.10.022>
- Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. *Progress in Polymer Science (Oxford)*, 31(7), 603–632.

<https://doi.org/10.1016/j.progpolymsci.2006.06.001>

- Rostinawati, T. (2008). *SKRINING DAN IDENTIFIKASI BAKTERI PENGHASIL ENZIM KITINASE DARI AIR LAUT DI PERAIRAN PANTAI PONDOK BALI Penelitian Mandiri*.
- Rosyda, A. I., & Ersam, P. D. T. (2010). Peningkatan Kualitas Kayu (Instia bijuga) : Kompleksasi Logam Cu (II), Fe (III) Dan Zn (II) Oleh Senyawa Tanin. *Prosiding Skripsi*, (I).
- Saad, H., Khoukh, A., Ayed, N., Charrier, B., & Bouhtoury, F. C. El. (2014). Characterization of Tunisian Aleppo pine tannins for a potential use in wood adhesive formulation. *Industrial Crops and Products*, 61, 517–525. <https://doi.org/10.1016/j.indcrop.2014.07.035>
- Sartori, C. J., Mota, G. S., Miranda, I., Mori, F. A., & Pereira, H. (2019). Tannin extraction and characterization of polar extracts from the barks of two *Eucalyptus urophylla* hybrids. *BioResources*, 13(3), 4820–4831. <https://doi.org/10.15376/biores.13.3.4820-4831>
- Setyowati, W. A. E., Ariani, S. R. D., Ashadi, Mulyani, B., & Rahmawati, C. P. (2014). Skrining Fitokimia dan Identifikasi Komponen Utama Ekstrak Metanol Kulit Durian (*Durio zibethinus* Murr.) Varietas Petruk. *Seminar Nasional Kimia Dan Pendidikan Kimia*, VI, 271–280.
- Shahidi, F., Arachchi, J. K. V., & Jeon, Y. J. (1999). Food applications of chitin and chitosans. *Trends in Food Science and Technology*, 10(2), 37–51. [https://doi.org/10.1016/S0924-2244\(99\)00017-5](https://doi.org/10.1016/S0924-2244(99)00017-5)
- Silva-Weiss, A., Bifani, V., Ihl, M., Sobral, P. J. A., & Gómez-Guillén, M. C. (2013). Structural properties of films and rheology of film-forming solutions based on chitosan and chitosan-starch blend enriched with murta leaf extract. *Food Hydrocolloids*, 31(2), 458–466. <https://doi.org/10.1016/j.foodhyd.2012.11.028>
- Sri Irianty, R., & Yenti, S. R. (2014). PENGARUH PERBANDINGAN PELARUT ETANOL-AIR TERHADAP KADAR TANIN PADA SOKLETASI DAUN GAMBIR (*Uncaria gambir* Roxb). *Sagu*, 13(1), 1–7.
- Sun, Q., Xi, T., Li, Y., & Xiong, L. (2014). Characterization of corn starch films reinforced with CaCO₃ nanoparticles. *PLoS ONE*, 9(9), 1–6. <https://doi.org/10.1371/journal.pone.0106727>
- Supiyanti, W., Wulansari, E. D., & Kusmita, L. (2010). Uji Aktivitas Antioksidan Dan Penentuan Kandungan Antosianin Total Kulit Buah Manggis (*Garcinia mangostana* L) Test Of Antioxidant Activity And Determination Of Total Anthocyanin Content In Rind Of Mangosteen (*Garcinia mangostana* L). *Majalah Obat Tradisional*, 15(2), 64–70. Retrieved from <https://jurnal.ugm.ac.id/TradMedJ/article/view/8071/6262%0Ahttps://doi.org/10.22146/tradmedj.8071>
- Suppakul, P., Miltz, J., SonneveldK, & Bigger, S. . (2003). Active Packaging Technologies with an Emphasis on Antimicrobial Packaging and its

- Applications. *Journal of Food Science*, 68(2), 408–420. <https://doi.org/10.1017/S014338571100109X>
- Suratmo. (2009). Potensi Ekstrak Daun Sirih Merah (*Piper crocatum*) sebagai Antioksidan. *Seminar Nasional Basic Science 6*.
- Sutono, D., & Pranoto, Y. (2013). Agent Pada Pembentukan Edible Film Gelatin Kulit Ikan Nila Hitam. *Agritech*, 33(2), 168–175.
- Talón, E., Trifkovic, K. T., Nedovic, V. A., Bugarski, B. M., Vargas, M., Chiralt, A., & González-Martínez, C. (2017). Antioxidant edible films based on chitosan and starch containing polyphenols from thyme extracts. *Carbohydrate Polymers*, 157, 1153–1161. <https://doi.org/10.1016/j.carbpol.2016.10.080>
- Teanpaisan, R., Kawsud, P., Pahumunto, N., & Puripattanavong, J. (2017). Screening for antibacterial and antibiofilm activity in Thai medicinal plant extracts against oral microorganisms. *Journal of Traditional and Complementary Medicine*, 7(2), 172–177. <https://doi.org/10.1016/j.jtcme.2016.06.007>
- Teng, B., Hayasaka, Y., Smith, P. A., & Bindon, K. A. (2019). Effect of Grape Seed and Skin Tannin Molecular Mass and Composition on the Rate of Reaction with Anthocyanin and Subsequent Formation of Polymeric Pigments in the Presence of Acetaldehyde. *Journal of Agricultural and Food Chemistry*, 67(32), 8938–8949. <https://doi.org/10.1021/acs.jafc.9b01498>
- Tjitrosoepomo. (1985). *-Morfologi-Tumbuhan*, Gadjah Mada University Press.
- Tondi, G., & Petutschnigg, A. (2015). Middle infrared (ATR FT-MIR) characterization of industrial tannin extracts. *Industrial Crops and Products*, 65, 422–428. <https://doi.org/10.1016/j.indcrop.2014.11.005>
- Widyaningrum, N. (2013). Epigallocatechin-3-gallate (egcg) pada daun teh hijau sebagai anti jerawat. *Majalah Farmasi Dan Farmakologi*, 17, 95–98.
- Wolfe, K. L., & Liu, R. H. (2003). Apple peels as a value-added food ingredient. *Journal of Agricultural and Food Chemistry*, 51(6), 1676–1683. <https://doi.org/10.1021/jf025916z>
- Wong, D. W. S., Gastineau, F. A., Gregorski, K. S., Tillin, S. J., & Pavlath, A. E. (1992). Chitosan-Lipid Films: Microstructure and Surface Energy. *Journal of Agricultural and Food Chemistry*, 40(4), 540–544. <https://doi.org/10.1021/jf00016a002>
- Wu, H., Lei, Y., Zhu, R., Zhao, M., Lu, J., Xiao, D., ... Li, S. (2019). Preparation and characterization of bioactive edible packaging films based on pomelo peel flours incorporating tea polyphenol. *Food Hydrocolloids*, 90(December 2018), 41–49. <https://doi.org/10.1016/j.foodhyd.2018.12.016>
- Wulaningsih, F. S. (2008). Uji aktivitas antioksidan senyawa campuran derivat kurkumin dan katekin hasil isolasi dari daun teh (*Camellia sinensis*). *Universitas Indonesia*.

- Xu, Y., Burton, S., Kim, C., & Sismour, E. (2016). Phenolic compounds, antioxidant, and antibacterial properties of pomace extracts from four virginia-grown grape varieties. *Food Science and Nutrition*, 4(1), 125–133. <https://doi.org/10.1002/fsn3.264>
- Yeul, V. S., & Rayalu, S. S. (2013). Unprecedented Chitin and Chitosan: A Chemical Overview. *Journal of Polymers and the Environment*, 21(2), 606–614. <https://doi.org/10.1007/s10924-012-0458-x>
- Yu, S. H., Tsai, M. L., Lin, B. X., Lin, C. W., & Mi, F. L. (2015). Tea catechins-cross-linked methylcellulose active films for inhibition of light irradiation and lipid peroxidation induced β -carotene degradation. *Food Hydrocolloids*, 44, 491–505. <https://doi.org/10.1016/j.foodhyd.2014.10.022>
- Zhou, X., Li, B., Xu, Y., Essawy, H., Wu, Z., & Du, G. (2019). Tannin-furanic resin foam reinforced with cellulose nanofibers (CNF). *Industrial Crops and Products*, 134(February), 107–112. <https://doi.org/10.1016/j.indcrop.2019.03.052>

