

DAFTAR PUSTAKA

- Afshari, A., Baratpour, A., Khanzade, S., & Jamshidi, A. (2018). *Salmonella Enteritidis and Salmonella Typhimurium identification in poultry carcasses*. *Iranian Journal of Microbiology*, 10(1), 45–50.
- Alimolaei, M., & Golchin, M. (2016). An Efficient DNA Extraction Method for *Lactobacillus casei*. *International Journal Enteric Pathology*, 4(1). <https://doi.org/10.17795/ijep32472>
- Andino, A., & Hanning, I. (2015). *Salmonella enterica : Survival , Colonization , and Virulence Differences among Serovars*. *The Scientific World Journal*, 1–16. <https://doi.org/10.1155/2015/520179>
- Arisanti, R. R., Indriani, C., & Wilopo, S. A. (2018). Kontribusi agen dan faktor penyebab kejadian luar biasa keracunan pangan di Indonesia : kajian sistematis. *Journal of Community Medicine and Public Health*, 34(3), 99–106.
- Auni Nila Anisa, P. (2020). *PENGEMBANGAN DETEKSI CEPAT BAKTERI FOODBORNE PATHOGEN SALMONELLA ENTERITIDIS PADA SAMPEL PANGAN DENGAN METODE REAL-TIME PCR*. Jakarta.
- Badan Standardisasi Nasional Indonesia. (2009). *Batas maksimum cemaran mikroba dalam pangan*. Jakarta. Retrieved from https://pspk.fkunissula.ac.id/sites/default/files/2017_kpdl_SNI-7388-2009-Batas-maksimum-cemaran-mikroba-dalam-pangan.pdf
- Balaban, N., & Rasooly, A. (2000). Staphylococcal enterotoxins. *International Journal of Food Microbiology*, 61, 1–10. [https://doi.org/https://doi.org/10.1016/s0168-1605\(00\)00377-9](https://doi.org/https://doi.org/10.1016/s0168-1605(00)00377-9)
- Bennasar, A., Luna, G., Cabrer, B., & Lalucat, J. (2000). Rapid Identification of *Salmonella typhimurium*, *S. enteriditis* and *S. virchow* Isolates by Polymerase Chain Reaction based Fingerprinting Methods. *Journal International Microbiology*, 3, 31–38.
- Bintsis, T. (2017). Foodborne Pathogens. *AIMS Microbiology*, 3(3), 529–563. <https://doi.org/10.3934/microbiol.2017.3.529>
- BPOM. (2017). Laporan Tahunan Badan POM 2017.
- BPOM. (2018). Laporan Tahunan Badan POM 2018.
- BPOM. (2019). Laporan Tahunan Badan POM Tahun 2019.
- Clark, P. D., & Pazdernik, J. N. (2013). Polymerase Chain Reaction. In *Molecular Biology* (Second Edi, pp. 55–61). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-378594-7.00030-5>
- Clavijo, R. I., Loui, C., Andersen, G. L., Riley, L. W., Lu, S., & Icrobiol, A. P. P. L. E. N. M. (2006). Identification of Genes Associated with Survival of *Salmonella enterica* Serovar Enteritidis in Chicken Egg Albumen. *Applied and Environmental Microbiology*, 72(2), 1055–1064. <https://doi.org/10.1128/AEM.72.2.1055>
- Cremonesi, P., Luzzana, M., Brasca, M., Morandi, S., Lodi, R., Vimercati, C., ... Castiglioni, B. (2005). Development of a multiplex PCR assay for the identification of *Staphylococcus aureus* enterotoxigenic strains isolated from milk and dairy products. *MOlecular and Cellular Probes*, 19, 299–305. <https://doi.org/10.1016/j.mcp.2005.03.002>
- Dewey-Mattia, D., Manikonda, K., Hall J, A., Wise E, M., & Crowe J, S. (2018).

- Surveillance for Foodborne Disease Outbreaks — United States , 2009 – 2015. Center for Surveillance, Epidemiology, and Laboratory Services (Vol. 67).*
- Dewi, K. D. (2013). Isolasi , Identifikasi dan Uji Sensitivitas Staphylococcus aureus terhadap Amoxicillin dari Sampel Susu Kambing Peranakan Ettawa (PE) Penderita. *Jurnal Sain Veteriner*, 31(2), 138–150.
- Dorak, M. T. (2006). *Real-Time PCR*. (E. Owen, Ed.). New York: Taylor & Francis.
- Elsevier. (1987). Salmonella-Shigella Agar. In *International Journal of Food Microbiology* (Vol. 5, pp. 263–264). Elsevier B.V. [https://doi.org/10.1016/0168-1605\(87\)90110-3](https://doi.org/10.1016/0168-1605(87)90110-3)
- Farmawati, D. A., Wirajana, I. N., Yowani, C., Farmasi, J., Universitas, F., & Jimbaran, B. (2015). PERBANDINGAN KUALITAS DNA DENGAN MENGGUNAKAN METODE BOOMORIGINAL DAN BOOM MODIFIKASI PADA ISOLAT Mycobacterium tuberculosis 151. *Jurnal Kimia*, 9(1), 41–46. <https://doi.org/https://doi.org/10.24843/JCHEM.2015.v09.i01.p07>.
- Fusco, V., Marina, G., Morea, M., Blaiotta, G., & Visconti, A. (2011). International Journal of Food Microbiology Rapid and reliable identification of Staphylococcus aureus harbouring the enterotoxin gene cluster (egc) and quantitative detection in raw milk by real time PCR. *International Journal of Food Microbiology*, 144(3), 528–537. <https://doi.org/10.1016/j.ijfoodmicro.2010.11.016>
- Graham, S. M., Molyneux, E. M., Walsh, A. L., John, S., Malcolm, E., & Hart, C. A. (2000). Nontyphoidal Salmonella infections of children in tropical Africa, 19(12), 1189–1196. <https://doi.org/https://doi.org/10.1097/00006454-200012000-00016>
- HiMedia Laboratories. (2019). *Lactose Broth Specimen Collection and Handling*. Mumbai. Retrieved from www.himedialabs.com
- Hoffmann, S., Devleesschauwer, B., Aspinall, W., Cooke, R., Corrigan, T., Havelaar, A., ... Hald, T. (2017). Attribution of global foodborne disease to specific foods : Findings from a World Health Organization structured expert elicitation. *PLoS ONE*, 12(9), 1–26. <https://doi.org/https://doi.org/10.1371/journal.pone.0183641>
- Hornung, B. V. H., Zwittink, R. D., & Kuijper, E. J. (2019). Issues and Current Standards of Control in Microbiome Research. *Journal Investing in Science*, 95(April), 1–7. <https://doi.org/10.1093/femsec/fiz045>
- Husna, C. A. (2018). PERANAN PROTEIN ADHESI Matriks EKSTRASELULAR DALAM PATOGENITAS BAKTERI Staphylococcus aureus. *Jurnal Averrous*, 4(2).
- Kadariya, J., Smith, T. C., & Thapaliya, D. (2014). Staphylococcus aureus and Staphylococcal Food-Borne Disease: An Ongoing Challenge in Public Health. *Biomed Research International*, 9. <https://doi.org/10.1155/2014/827965>
- Kralik, P., & Ricchi, M. (2017). A basic guide to real time PCR in microbial diagnostics: Definitions, parameters, and everything. *Frontiers in Microbiology*, 8(108), 1–9. <https://doi.org/10.3389/fmicb.2017.00108>
- Kusumaningsih, A. (2011). PATOGENISITAS Salmonella enterica SEROTIPE

- enteritidis ISOLAT LOKAL PADA ANAK AYAM DAN MENCIT. *Berita Biologi*, 10(4), 463–469.
- Lee, S., Kang, H., Do, Y., Lee, G., Kim, J., & Han, H. (2016). High-precision THz Dielectric Spectroscopy of Tris-HCl Buffer. *Journal of the Optical Society of Korea*, 20(3), 431–434. <https://doi.org/http://dx.doi.org/10.3807/JOSK.2016.20.3.431>
- Li, Z., Guo, R., Wang, F., Geng, S., Meng, C., Gu, D., ... Kang, X. (2019). Inactivation of *Salmonella Enteritidis* on eggshells by lactic acid spray. *Food Control*, 104, 201–207. <https://doi.org/10.1016/j.foodcont.2019.04.046>
- Life Technologies. (2014). *Real-time PCR handbook*. Thermo Fisher Scientific Inc.
- Liofilchem. (2017). Brain Heart Infusion Broth. Paris: Laboratories Humeau.
- Lorenz, T. C. (2012). Polymerase Chain Reaction: Basic Protocol Plus Troubleshooting and Optimization Strategies. *Journal of Visualized Experiments*, 63, 1–15. <https://doi.org/10.3791/3998>
- Lucena-agular, G., Mari, A., Barbera, C., Carrillo-a, A., & Lo, A. (2016). DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreservation and Biobanking*, 00(00), 1–7. <https://doi.org/10.1089/bio.2015.0064>
- Malek, J. A., Sofiya, Y., & Gill, J. E. (2000). Irreversible Heat Inactivation of DNase I without RNA Degradation. *BioTechniques*, 29(2), 2–4. <https://doi.org/10.2144/00292bm11>
- Mirzaee, M., Najar, S., & Behmanesh, M. (2015). Prevalence of Fibronectin Binding Protein (FnB A and FnB B) Genes among Clinical Isolates of Methicillin Resistant *Staphylococcus aureus* 1. *Molecular Genetics, Microbiology and Virology*, 30(4), 221–224. <https://doi.org/10.3103/S0891416815040072>
- Naravaneni, R., Jamil, K., & Jamil, K. (2005). Rapid detection of food-borne pathogens by using molecular techniques, 51–54. <https://doi.org/10.1099/jmm.0.45687-0>
- Naser, M., Mousavi, S., Mehramuz, B., Sadeghi, J., Alizadeh, N., Oskouee, M. A., & Kafil, H. S. (2017). The pathogenesis of *Staphylococcus aureus* in autoimmune diseases. *Microbial Pathogenesis*. <https://doi.org/10.1016/j.micpath.2017.09.028>
- Nasution, S., Kusumaningtyas, E., & Faridah, D. N. (2018). Lysozyme from Chicken Egg White as an Antibacterial Agent, 28(4), 175–188. [https://doi.org/http://dx.doi.org/10.14334/wartazoa.v28i4.1882 Lisozim](https://doi.org/http://dx.doi.org/10.14334/wartazoa.v28i4.1882)
- Normanno, G., Corrente, M., Salandra, G. La, Dambrosio, A., & Quaglia, N. C. (2007). Methicillin-resistant *Staphylococcus aureus* (MRSA) in foods of animal origin product in Italy. *International Journal of Food Microbiology*, 117, 219–222. <https://doi.org/10.1016/j.ijfoodmicro.2007.04.006>
- O'Callaghan, R. J. (2018). The Pathogenesis of *Staphylococcus aureus* Eye Infections. *Pathogen*, 7(9), 1–22. <https://doi.org/10.3390/pathogens7010009>
- Office International Des Epizooties. (2008). *WORLD ORGANISATION FOR ANIMAL HEALTH MANUAL OF DIAGNOSTIC TESTS AND VACCINES (mammals, birds and bees)* (Sixth Edit, Vol. 1). Paris.
- Percival, S. L., & Williams, D. W. (2014). *Salmonella*. In *Microbiology of Waterborne Diseases: Microbiological Aspects and Risks* (Second Edi, pp.

- 209–222). Elsevier. <https://doi.org/10.1016/B978-0-12-415846-7.00010-X>
- Pestana, A. E., Belak, S., Diallo, A., Crowther, R. J., & Viljoen, J. G. (2010). *Early, Rapid and Sensitive Veterinary Molecular Diagnostic - Real Time PCR Applications*. New York: Springer Science. <https://doi.org/10.1007/978-90-481-3132-7>
- Public Health Ontario. (2020). *An Overview of Cycle Threshold Values and their Role in SARS-CoV-2 Real-Time PCR Test Interpretation*. Toronto: Queen's Printer for Ontario.
- Qamar, W., Rashid, M., & Arafah, A. (2017). Optimization of conditions to extract high quality DNA for PCR analysis from whole blood using SDS-proteinase K method. *Saudi Journal of Biological Sciences*, 24(7), 1465–1469. <https://doi.org/10.1016/j.sjbs.2016.09.016>
- Recklinghausen, V., & Ogston, S. A. (2008). *Staphylococcus aureus*. In *Foodborne Microbial Pathogens*. New York: Springer. https://doi.org/https://doi.org/10.1007/978-0-387-74537-4_6
- Renata, C., Campoccia, D., Gamberini, S., Baldassarri, L., & Montanaro, L. (2005). Prevalence of cna, fnbA and fnbB adhesin genes among *Staphylococcus aureus* isolates from orthopedic infections associated to different types of implant. *FEMS Microbiology Letters*, 246, 81–86. <https://doi.org/10.1016/j.femsle.2005.03.035>
- Ricke, S. C., & Gast, R. K. (2014). *Salmonella Enteritidis*. In *Encyclopedia of Food Microbiology* (Second Edi, Vol. 3, pp. 343–348). Elsevier. <https://doi.org/10.1016/B978-0-12-384730-0.00295-0>
- Rudiretna, A., & Handoyo, D. (2001). PRINSIP UMUM DAN PELAKSANAAN POLYMERASE CHAIN REACTION (PCR), 9(1), 17–29.
- Salmon, D. E., & They, C. (2008). *Salmonella enterica*. In *Foodborne Microbial Pathogens* (pp. 201–216). New York: Springer. https://doi.org/https://doi.org/10.1007/978-0-387-74537-4_11
- Serafini, A. P., Fern, M., Pereyra, R. B., Schulz, E. P., Durand, A., Schulz, P. C., & Ritacco, A. (2018). The aqueous Triton X-100 - Dodecyltrimethylammonium bromide micellar mixed system. Experimental results and thermodynamic analysis. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. <https://doi.org/10.1016/j.colsurfa.2018.09.027>
- Shinji, H., Yosizawa, Y., Tajima, A., Iwase, T., Sugimoto, S., Seki, K., & Mizunoe, Y. (2011). Role of Fibronectin-Binding Proteins A and B in In Vitro Cellular Infections and In Vivo Septic Infections by *Staphylococcus aureus* □. *Infection and Immunity*, 79(6), 2215–2223. <https://doi.org/10.1128/IAI.00133-11>
- Shrivastava, A., & Gupta, B. V. (2011). Methods for the determination of limit of detection and limit of quantitation of the analytical methods. *Chronicles of Young Scientists*, 2(1), 21–25. <https://doi.org/10.4103/2229-5186.79345>
- Sigma-Aldrich. (2000). *Manitol Salt Agar*. United States of America: Sigma Aldrich, Inc. Retrieved from sigma-aldrich.com
- Silhavy, T. J., Kahne, D., Walker, S., Kumar, K., Mella-herrera, R. A., Golden, J. W., ... Dubnau, D. (2014). The Bacterial Cell Envelope. *Cold Spring Harbor Perspective in Biology*, 2. <https://doi.org/10.1101/cshperspect.a000414>
- Speziale, P., & Pietrocola, G. (2020). The Multivalent Role of Fibronectin-

- Binding Proteins A and B (FnBPA and FnBPB) of *Staphylococcus aureus* in Host Infections. *Frontiers in Microbiology*, 11(2054), 1–13. <https://doi.org/10.3389/fmicb.2020.02054>
- Sri, N., & Oematan, A. B. (2020). IDENTIFIKASI MIKROBIOLOGI (STAPHYLOCOCCUS DAN COLIFORM) PADA SUSU DAN DAGING SERTA OLAHANNYA DI KOTA JOGJAKARTA Ni Sri Yuliani dan Aven B. Oematan, 20(1), 20–30.
- Suryamah, Y. (2020). PENYELIDIKAN EPIDEMIOLOGI KEJADIAN LUAR BIASA (KLB) KERACUNAN PANGAN DI KAMPUNG CIJOHO RW 01 DESA SIRNAMEKAR KABUPATEN. *Jurnal Sehat Masada*, 14(2), 151–162. <https://doi.org/https://doi.org/10.38037/jsm.v14i2.135>
- Tamarapu, S., McKillip L, J., & Drake, M. (2001). Development of a Multiplex Polymerase Chain Reaction Assay for Detection and Differentiation of *Staphylococcus aureus* in Dairy Products †. *Journal of Food Protection*, 64(5), 664–668. <https://doi.org/10.4315/0362-028x-64.5.664>
- Tan, S. C., & Yiap, B. C. (2009). DNA , RNA , and Protein Extraction : The Past and The Present. *Journal of Biomedicine and Biotechnology*, 2009, 10. <https://doi.org/10.1155/2009/574398>
- Taylor, E. J., Skjøt, M., Skov, L. K., Klausen, M., Maria, L. De, Gippert, G. P., ... Wilson, K. S. (2019). The C-Type Lysozyme from the upper Gastrointestinal Tract of *Opisthocomus hoatzin* , the Stinkbird. *International Journal of Molecular Sciences*, 20(22), 1–17. <https://doi.org/https://doi.org/10.3390/ijms20225531>
- Torlakovic, E., Francis, G., Garrat, J., Gilks, B., Hyjek, E., & et al. (2014). Standardization of Negative Controls in Diagnostic Immunohistochemistry: Recommendations From the International Ad Hoc Expert Panel. *Appl Immunohistochem Mol Morphol*, 4(22), 241–252. <https://doi.org/10.1097/PAI.0000000000000069>.Standardization
- WHO. (2015). *WHO estimates of the global burden of foodborne diseases*. Switzerland: World Health Organization. Retrieved from www.who.int
- Wijesinghe, G., Dilhari, A., Gayani, B., Kottekoda, N., Samaranayake, L., & Weerasekera, M. (2019). Influence of Laboratory Culture Media on in vitro Growth , Adhesion , and Biofilm Formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus*. *Medical Principles and Practice*, 28, 28–35. <https://doi.org/10.1159/000494757>
- Yanestria, S. M., Rahmani, R. P., Wibisono, F. J., & Effendi, M. H. (2019). Detection of invA gene of *Salmonella* from milkfish (*Chanos chanos*) at Sidoarjo wet fish market, Indonesia, using polymerase chain reaction technique. *Veterinary World*, 12(1), 170–175. <https://doi.org/10.14202/vetworld.2019>
- Yoshinaga, Y., & Dalin, E. (2016). *RNase A Cleanup of DNA Samples*.
- Zhao, X., Lin, C.-W., Wang, J., & Oh, D. H. (2014). Advances in Rapid Detection Methods for Foodborne Pathogens. *Journal Microbiology Biotechnology*, 24(3), 297–312. <https://doi.org/dx.doi.org/10.4014/jmb.1310.10013>