

## DAFTAR PUSTAKA

- Abotsi, K. E., Radji, A. R., Rouhan, G., Dubuisson, J. Y., & Kokou, K. (2015). The Pteridaceae family diversity in Togo. *Biodiversity data journal*, (3).
- Agashe, S. N., & Caulton, E. (2019). *Pollen and spores: applications with special emphasis on aerobiology and allergy*. CRC Press.
- Agatha, M. S., Safitri, K. A., Sedayu, A., Pulungan, A., Maskanah. (2019). Panduan lapangan paku-pakuan (pteridofita) di Taman Margasatwa Ragunan. Jakarta: Laboratorium Biologi Fmipa Universitas Negeri Jakarta Gd. Hasjim As'jarie Lt.9, FMIPA Universitas Negeri Jakarta.
- Agatha, S. M. (2020). Distribusi tumbuhan paku terrestrial berdasarkan substrat, kemiringan tanah, dan bukaan kanopi di Taman Margasatwa Ragunan [skripsi]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.
- Agatha, SM (2018). Inventarisasi, pemetaan dan pembuatan buku panduan tumbuhan paku (pteridofita) terestrial di kawasan Taman Margasatwa Ragunan, Jakarta [laporan PKL]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta. *Unpublish*
- Andayaningsih, D., Chikmawati, T., & Sulistijorini, S. (2013). Keanekaragaman tumbuhan paku terestrial di hutan kota DKI Jakarta. *Berita Biologi*, 12(3), 297-305.
- Anggraeni, A. (2013) Pengelolaan Lanskap Taman Margasatwa Ragunan Jakarta Selatan.
- Arini, D. I. D., & Kinho, J. (2012). Keragaman jenis tumbuhan paku (pteridophyta) di Cagar Alam Gunung Ambang Sulawesi Utara. *Info BPK Manado*, 2(1), 17-40.
- Aya-ay, A. (2016). Ethnobotany of ferns and fern allies in Mount Macabol, Marilog District, Davao City, Philippines. *Ijaber*, 14, 1127-1137.
- Azizah, N., Suedy, S. W. A., & Prihastanti, E. (2016). Keanekaragaman tumbuhan berdasarkan morfologi polen dan spora dari sedimen Telaga Warna Dieng, Kabupaten Wonosobo, Jawa Tengah. *Buletin Anatomi Dan Fisiologi Dih Sellula*, 24(1), 66-75.
- Azizah, S. D. N. (2022). Bank spora paku pada kulit batang palem raja (*Roystonea regia* (Kunth) O.F.Cook) dan kelapa sawit (*Elaeis guineensis* Jacq.) [Skripsi belum dipublikasikan]. Universitas Negeri Jakarta.
- Badan Pusat Lingkungan Hidup Daerah (BPLHD) Jakarta. 2009. Status Lingkungan Hidup Daerah Propinsi DKI Jakarta 2009.

- Ballesteros, D., Estrelles, E., Walters, C., & Ibars, A. M. (2011). Effect of storage temperature on green spore longevity for the ferns *Equisetum ramosissimum* and *Osmunda regalis*. *CryoLetters*, 32(2), 89-98.
- Bera, S. K., Tripathi, S., Gupta, S. C., & Bera, S. (2018). Pollen and spores in yellow rain from Lucknow, northern India. *Palynology*, 42(4), 504-515.
- Brock, J. M., & Collier, K. (2020). Bat dispersal of fern spores in New Zealand. *New Zealand Journal of Ecology*, 44(2), 3410.
- Brock, J. M., Perry, G. L., Lee, W. G., & Burns, B. R. (2016). Tree fern ecology in New Zealand: A model for southern temperate rainforests. *Forest Ecology and Management*, 375, 112-126.
- Calfapietra C, Penuelas J dan Niinemets U (2015). Urban Plant Physiology: Adaptation-Mitigation Strategies Under Permanent Stress. *Trends in Plant Science*. 20 (2): 72-75.
- Campbell, J. R., Hlavka, D. L., Welton, E. J., Flynn, C. J., Turner, D. D., Spinhirne, J. D., ... & Hwang, I. H. (2002). Full-time, eye-safe cloud and aerosol lidar observation at atmospheric radiation measurement program sites: Instruments and data processing. *Journal of Atmospheric and Oceanic Technology*, 19(4), 431-442.
- Cao, C. S., Chen, L., Gao, W., Chen, Y., & Yan, M. (2006). Impact of planting grass on terrane roads to avoid soil erosion. *Landscape and urban planning*, 78(3), 205-216.
- Christenhusz, M., Zhang, X. C., & Schneider, H. (2011). A linear sequence of extant families and genera of lycophytes and ferns. *Phytotaxa*.
- de Araujo Carvalho, M., Bengtson, P., Lana, C. C., de Paula Sá, N., Santiago, G., & da Silva Giannerini, M. C. (2019). Late Aptian (Early Cretaceous) dry-wet cycles and their effects on vegetation in the South Atlantic: Palynological evidence. *Cretaceous Research*, 100, 172-183.
- Demske, D., Tarasov, P. E., & Nakagawa, T. (2013). Atlas of pollen, spores and further non-pollen palynomorphs recorded in the glacial-interglacial late Quaternary sediments of Lake Suigetsu, central Japan. *Quaternary International*, 290, 164-238.
- Derzhavina, N. M. (2015). Adaptation of epilithic ferns on different levels of structural organization. *Contemporary Problems of Ecology*, 8(2), 141-147.
- Dezzeo, N., Chacón, N., Sanoja, E., & Picón, G. (2004). Changes in soil properties and vegetation characteristics along a forest-savanna gradient in southern Venezuela. *Forest ecology and management*, 200(1-3), 183-193.

- Dong, S. Y. (2009). Hainan tree ferns (Cyatheaceae): morphological, ecological and phytogeographical observations. In *Annales Botanici Fennici* (Vol. 46, No. 5, pp. 381-388). Finnish Zoological and Botanical Publishing Board.
- During, H. J., & Horst, B. T. (1983). diaspose bank of bryophytes and ferns in chalk grassland. *Lindbergia: a journal of bryology*. 9:57–64.
- Dyer, A. F. (1994). Natural soil spore banks—can they be used to retrieve lost ferns?. *Biodiversity & Conservation*, 3(2), 160-175.
- Dyer, A. F., & Lindsay, S. (1992). Soil spore banks of temperate ferns. *American fern journal*, 82(3), 89-123.
- Elsifa, A., Arisandy, D. A., & Harmoko, H. (2019). Eksplorasi tumbuhan paku (pteridophyta) di STL Ulu Terawas, Musi Rawas, Sumatera Selatan. *Biosfer: Jurnal Tadris Biologi*, 10(1), 47-55.
- Esteves, L. M., & Dyer, A. F. (2003). The vertical distributions of live and dead fern spores in the soil of a semi-natural woodland in southeast Scotland and their implications for spore movement in the formation of soil spore banks. In *Pteridology in the new millennium* (pp. 261-282). Springer, Dordrecht.
- Etikan, I., Musa, S. A., & Alkassim, R. S. (2016). Comparison of convenience sampling and purposive sampling. *American journal of theoretical and applied statistics*, 5(1), 1-4.
- Farida, H., Perwitasari-Farajallah, D., & Tjitarsoedirdjo, S. S. (2019). Aktivitas makan monyet ekor panjang (Macaca fascicularis) di Bumi Perkemahan Pramuka, Cibubur, Jakarta. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 15(1), 24-30.
- Fourie, S. (2008). Composition of the soil seed bank in alien-invaded grassy fynbos: potential for recovery after clearing. *South African journal of botany*, 74(3), 445-453.
- Fuselier, L. C., Carreiro, M., & Nason, L. (2017). Invasive species management impacts on native and nonnative ferns in an urban forest spore bank. *Castanea*, 83(1), 28-37.
- Grimm, N. B., Faeth, S. H., Golubiewski, N. E., Redman, C. L., Wu, J., Bai, X., & Briggs, J. M. (2008). Global change and the ecology of cities. *science*, 319(5864), 756-760.
- Gupta, S., Hore, M., & Biswas, S. (2014). An overview of the study of soil spore bank of ferns: need for suitable exploitation in India. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences*, 84(3), 779-798.
- Halbritter, H., Ulrich, S., Grímsson, F., Weber, M., Zetter, R., Hesse, M., ... & Frosch-Radivo, A. (2018). *Illustrated pollen terminology*. Springer.

- Hamilton, D.R. (1988) The significance of spore banks in natural populations of *Athyrium pycnocarpon* and *A. thelypteroides*. *Am. Fern J.* 78, 96-104.
- Handayani, H., Kusholany, K., & Saputra, R. (2021). Analisa vegetasi hutan kota di Jakarta. *Bio-Sains: Jurnal Ilmiah Biologi*, 1(1), 1-7.
- Hanum, S. F., Hendriyani, E., & Kurniawan, A. (2014). Daerah penyebaran, populasi dan habitat paku pohon (cyathea spp. dan dicksonia spp.) Di Bali. *Indonesian Forest Rehabilitation Journal*, 2(2), 111-122.
- Haratym, W., Weryszko-Chmielewska, E., & Dmitruk, M. (2014). An analysis of the content of pteridophyta spores in aeroplankton of Lublin (2013–2014). *Acta Agrobotanica*, 67(3).
- Hietz, P. (2010). Fern adaptations to xeric environments. *Fern ecology*, 140-176.
- Hock, Z., Szövényi, P., & Tóth, Z. (2006). Seasonal variation in the spore bank of ferns in grasslands on dolomite rock. *Plant ecology*, 187(2), 289-296.
- Holtum, R. E. (1959). Flora Malesiana—Series II—Pteridophyta Ferns and Fern Allies. *Vol. I, Part 1. Lew Heymann*.
- Holtum, R. E. (1960). Flora of Malaya: Ferns of Malaya Vol. II. *Singapore: Government Printing Office*.
- Jang, B. K., & Lee, C. H. (2021). Effect of temperature and relative humidity on the viability and longevity of eastern bracken (*Pteridium aquilinum* var. *latiusculum*) spores for long-term storage. *Scientia Horticulturae*, 288, 110362.
- Johnson, C., Bentrup, G., & Rol, D. (2000). Conservation corridor planning at the landscape level: managing for wildlife habitat. *USDA Natural Resources Conservation Service, Part, 190*.
- Kessler, M. I. C. H. A. E. L. (2010). Biogeography of ferns. *Fern ecology*, 22-60.
- Kessler, M., Kluge, J., Hemp, A., & Ohlemüller, R. (2011). A global comparative analysis of elevational species richness patterns of ferns. *Global ecology and biogeography*, 20(6), 868-880.
- Kinho, J. (2009). Mengenal beberapa jenis tumbuhan paku di kawasan hutan payahe Taman Nasional Aketajawe Lolobata Maluku Utara. *Manado: Balai Penelitian Kehutanan Manado*.
- Komariah, E. (2021). Bank spora paku epifit pada kulit batang tanjung (mimusops elengi) dan trembesi (albizia saman) di Taman Margasatwa Ragunan Jakarta [skripsi]. Jakarta: Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.

- Korall, P., & Pryer, K. M. (2014). Global biogeography of scaly tree ferns (Cyatheaceae): evidence for Gondwanan vicariance and limited transoceanic dispersal. *Journal of biogeography*, 41(2), 402-413.
- Kreft, H., Jetz, W., Mutke, J., & Barthlott, W. (2010). Contrasting environmental and regional effects on global pteridophyte and seed plant diversity. *Ecography*, 33(2), 408-419.
- Kremp, G.O.W. (1965). Encyclopedia of Pollen Morphology. Tuscon, U.S.A : Univ Arizona Press.
- Kurniasih, Y. (2019). Keanekaragaman jenis tumbuhan paku terestrial Di Kawasan Hutan Dengan Tujuan Khusus (KHDTK) Banten. *Biosfer: Jurnal Biologi Dan Pendidikan Biologi*, 4(1), 6-12.
- Lawerence R.Walker and Sharpe, Joanne M. (2010). Ferns,disturbance and succession. In: Ecological importance of ferns.177-219. Eds: Klaus Mehltreter, Lawerence R.Walker and Joanne M.Sharpe. Cambridge University Press 444pp.
- Leck, M. A., & Simpson, R. L. (1987). Spore bank of a Delaware River freshwater tidal wetland. *Bulletin of the Torrey Botanical Club*, 1-7.
- Lehnert, M. (2011). Species of Cyathea in America related to the western Pacific species C. decurrens. *Phytotaxa*, 26, 39-59.
- Lindsay, S., Williams, N., & Dyer, A. F. (1992). Wet storage of fern spores: unconventional but far more effective. *Fern horticulture: past, present and future perspectives*, 285-294.
- Lubis, S. H., Arifin, H. S., & Samsoedin, I. (2013). Analisis cadangan karbon pohon pada lanskap hutan kota di DKI Jakarta. *Jurnal Penelitian Sosial dan Ekonomi Kehutanan*, 10(1), 1-20.
- Luo, C., Yang, L., Chen, C., Xiang, R., Zheng, Z., Kumar, S., ... & Lin, G. (2020). Characteristics of surface soil pollen of northern Borneo and its paleoenvironmental significance. *Marine Micropaleontology*, 161, 101926.
- Mehltreter, K., Walker, L. R., & Sharpe, J. M. (Eds.). (2010). *Fern ecology*. Cambridge University Press.
- Mirandilla, M. T., Bañares, E., Guerrero, J. J., & General, M. (2018). Identification of Pteridophyte Species in Kalikasan Park, Daraga, Albay, Philippines: Maria Teresa A. Mirandilla\*, Erwin N. Bañares, Jonathan Jaime G. Guerrero, and Mheljor A. General. *Bicol University R & D Journal*, 21(1).
- Moore, P. D., and J. A. Webb. (1978). *An Illustrated Guide To Pollen Analysis*. The Ronald Press Company, New York.

- Morajkar S, Sajeev S, dan Hedge S (2015). Ferns: A Thriving Group of Urban Dwellers. *Bionature*. 35 (1 & 2): 13-21.
- Moran, R. C. (2004). *Natural history of ferns*. Timber Press.
- Morimoto, Y. (2011). Biodiversity and ecosystem services in urban areas for smart adaptation to climate change:“Do you Kyoto”??. *Landscape and Ecological Engineering*, 7(1), 9-16.
- Nainggolan, A. F. (2016). Keanekaragaman jenis paku epifit dan pohon inangnya di Kawasan Kampus IPB Darmaga Bogor, Jawa Barat.
- Nooteboom, H. P. (1997). The microsoroid ferns (Polypodiaceae). *Blumea: Biodiversity, Evolution and Biogeography of Plants*, 42(2), 261-395.
- Nowicki L., &Kowalska A. (2018). Ferns: Ecology, Importance to Humans and Threats. *Environmental Research Advances*.
- Nuriyah, S., Husodo, T., Hermawan, W., YUSUF, A. A., Kasmara, H., Kusmoro, J., ... & Shanida, S. S. (2021). Floral diversity of honey bee-collected pollen (*Apis cerana*) colonies in the Ir. H. Djuanda Forest Park, West Java, Indonesia. *Nusantara Bioscience*, 13(2).
- Ojha, R., & Niroula, B. (2021). Inventory of Ferns and Fern Allies of Raja-Rani Wetland and Adjoining Forest, Eastern Nepal. *Journal of Plant Resources*, 19, 55-61.
- Othman R, Latiff NHM, Tukiman I dan Hashim KSH (2015). Effects of altitude and microclimate on the distribution ferns in and urban areas. *Jurnal Teknologi*. 77 (30): 125-131.
- Overdyck, E., & Clarkson, B. D. (2012). Seed rain and soil seed banks limit native regeneration within urban forest restoration plantings in Hamilton City, New Zealand. *New Zealand Journal of Ecology*, 177-190.
- Patil, S., Mahamuni, R. A. H. U. L., & Dongare, M. E. E. N. A. (2012). Diversity of ferns in the hills of northern Western Ghats, Maharashtra, India. *Indian Fern J*, 29, 158-163.
- Poliakova, A., & Behling, H. (2016). Pollen and fern spores recorded in recent and late Holocene marine sediments from the Indian Ocean and Java Sea in Indonesia. *Quaternary International*, 392, 251-314.
- Pouteau, R., Meyer, J. Y., Blanchard, P., Nitta, J. H., Terorotua, M., & Taputuarai, R. (2016). Fern species richness and abundance are indicators of climate change on high-elevation islands: evidence from an elevational gradient on Tahiti (French Polynesia). *Climatic Change*, 138(1-2), 143-156.

- Pranita, H. S., Mahanal, S., & Sari, M. S. (2017). Karakteristik spora tumbuhan paku asplenium kawasan Hutan Raya R. Soerjo. *Jurnal Pendidikan: Teori, Penelitian, Dan Pengembangan*, 2(4), 454-458.
- Praptosuwiryo, T. N. (2011). Intraspecific polyploidy in conogramme fraxinea (pteridaceae) of Java. *Floribunda*, 4(3).
- Purnomo, D. W., Mar, S., Solihah, A., & Sumanto, S. (2015). Conservation value and environmental services of the plant collections of botanic gardens at the urban area. In *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia* (Vol. 1, No. 8, pp. 1851-1855).
- Quintanilla, L. G., Amigo, J., Pangua, E., & Pajaron, S. (2002). Effect of storage method on spore viability in five globally threatened fern species. *Annals of Botany*, 90(4), 461-467.
- Ranal, M. A. (2003). Soil spore bank of ferns in a gallery forest of the Ecological Station of Panga, Uberlândia, MG, Brazil. *American Fern Journal*, 93(3), 97-115.
- Ranal, M. A. (2004). Bark spore bank of ferns in a gallery forest of the Ecological station of Panga, Uberlândia–MG, Brazil. *American Fern Journal*, 94(2), 57-69.
- Rodrigues, K. M., & Rodrigues, B. F. (2020). Glomus. In *Beneficial Microbes in Agro-Ecology* (pp. 561-569). Academic Press.
- Rosalin, I. (2014). Keanekaragaman morfologi dan struktur reproduksi tumbuhan paku terestrial di Kampus Institut Pertanian Bogor.
- Rose, J. P., & Dassler, C. L. (2017). Spore production and dispersal in two temperate fern species, with an overview of the evolution of spore production in ferns. *American Fern Journal*, 107(3), 136-155.
- Samarakoon, B. C., Phookamsak, R., Wanasinghe, D. N., Chomnunti, P., Hyde, K. D., McKenzie, E. H., ... & Li, Y. J. (2020). Taxonomy and phylogenetic appraisal of *Spegazzinia musae* sp. nov. and *S. deightonii* (Didymosphaeriaceae, Pleosporales) on Musaceae from Thailand. *MycoKeys*, 70, 19.
- Sanchez-Castillo, L., Kosugi, K. I., Masaoka, N., & Kubota, T. (2019). Eco-morphological characteristics of fern species for slope conservation. *Journal of Mountain Science*, 16(3), 504-515.
- Saraswati, R. A. (2022). Bank spora paku litofit pada tiga macam dinding bangunan di Bumi Perkemahan Cibubur [Skripsi belum dipublikasikan]. Universitas Negeri Jakarta.

- Schneller, J., & Liebst, B. (2007). Patterns of variation of a common fern (*Athyrium filix-femina*; Woodsiaceae): population structure along and between altitudinal gradients. *American Journal of Botany*, 94(6), 965-971.
- Schneller, J., & Liebst, B. (2007). Patterns of variation of a common fern (*Athyrium filix-femina*; Woodsiaceae): population structure along and between altitudinal gradients. *American Journal of Botany*, 94(6), 965-971.
- Schueler, L., & Hemp, A. (2016). Atlas of pollen and spores and their parent taxa of Mt Kilimanjaro and tropical East Africa. *Quaternary International*, 425, 301-386.
- Schuettelpelz, E., & Pryer, K. M. (2007). Fern phylogeny inferred from 400 leptosporangiate species and three plastid genes. *Taxon*, 56(4), 1037-1050.
- Sedayu, A. (2006). Distribution of Terrestrial Pteridophytes with respect to Topography and Light Exposure in Tropical Rain Forest. *International Field Biology Course 2006*, 95.
- Silva, A. G. D., & Schwartsburg, P. B. (2017). Ferns of Viçosa, Minas Gerais State, Brazil: Polypodiaceae (Polypodiales, Filicopsida, Tracheophyta). *Hoehnea*, 44, 251-268.
- Smith, A. R., Pryer, K. M., Schuettelpelz, E., Korall, P., Schneider, H., & Wolf, P. G. (2006). A classification for extant ferns. *Taxon*, 55(3), 705-731.
- Sofiyanti, N., & Harahap, P. H. (2019). Inventarisasi dan Kajian Palinologi Jenis-Jenis Tumbuhan Paku (Pteridofita) Epifit di Kawasan Universitas Riau, Provinsi Riau. *Jurnal Biologi Tropis*, 19(2), 214-220.
- Sofiyanti, N., Iriani, D., Fitmawati, F., & Marpaung, A. A. (2019). Morphology, palynology, and stipe anatomy of four common ferns from Pekanbaru, Riau Province, Indonesia. *Biodiversitas Journal of Biological Diversity*, 20(1), 327-336.
- Song, X., Bera, S., Yao, Y., Ferguson, D. K., & Li, C. (2014). Tree barks as a natural trap for airborne spores and pollen grains from China. *Chinese science bulletin*, 59(19), 2331-2339.
- Subagyo, L., Herliani, H., Sudarman, S., & Haryanto, Z. (2019). Literasi Hutan Tropis dan Lingkungannya.
- Tan, B. C., LS, A. N. C., Chong, A., Lao, C., Tan-Takako, M., Shih-Tung, N., ... & Von Bing, Y. (2014). The urban pteridophyte flora of Singapore. *Journal of Tropical Biology & Conservation (JTBC)*.
- Trammell, T., B. Schneid, and M. Carreiro. 2011. Forest soils adjacent to urban interstates: soil physical and chemical properties, heavy metals, disturbance legacies and relationships with woody vegetation. *Urban Ecosyst.* 14: 525–552.

- Tryon R. (1970). Development and evolution of fern floras of oceanic Islands. *Biotropica* 2(2): 76–84.
- Tryon, A. F., & Lugardon, B. (1991). Blechnaceae (Presl) Copeland. In *Spores of the Pteridophyta* (pp. 523-540). Springer, New York, NY.
- Vijayakanth, P., & Sathish, S. A. H. A. Y. A. (2016). Studies on the spore morphology of pteridophytes from Kolli hills, Eastern Ghats, Tamil Nadu, India. *International Journal of Research in Engineering and Bioscience*, 4(1), 1-12.
- Wilmshurst, J. M., & McGlone, M. S. (2005). Origin of pollen and spores in surface lake sediments: comparison of modern palynomorph assemblages in moss cushions, surface soils and surface lake sediments. *Review of Palaeobotany and Palynology*, 136(1-2), 1-15.
- Wolf, P. G., Schneider, H., & Ranker, T. A. (2001). Geographic distributions of homosporous ferns: does dispersal obscure evidence of vicariance?. *Journal of Biogeography*, 28(2), 263-270.
- Wolf, P. G., Sheffield, E., & Haufler, C. H. (1991). Estimates of gene flow, genetic substructure and population heterogeneity in bracken (*Pteridium aquilinum*). *Biological Journal of the Linnean Society*, 42(4), 407-423.
- Yusna, M., & Sofiyanti, N. (2016). Keanekaragaman Pteridaceae berdasarkan karakter morfologi dan fitokimia di Hutan PT. Chevron Pacific Indonesia (PT. CPI) Rumbai. *Jurnal Riau Biologia*, 1(2), 165-172.
- Zenktele, E. (2012). Morphology and peculiar features of spores of fern species occurring in Poland. *Acta Agrobotanica*, 65(2).
- Zhang SB, Dai Y, Hao GY, Li JW, Fu XW, dan Zhang JL (2015). Differentiation of Water-Related Traits in Terrestrial and Epiphytic *Cymbidium* Species. *Frontiers in Plant Science*. 6: 260 – 269.