

DAFTAR PUSTAKA

- Agatha S.M., Safitri K.A., Pulungan A., Maskana., dan Sedayu A.(2019). *Panduan Lapangan Paku-Pakuan (Pteridofita) di Taman Margasatwa Ragunan*. Jakarta. Laboratorium Biologi FMIPA Universitas Negeri Jakarta
- Andayaningsih, D., Chikmawati, T., & Sulistijorini, S. (2013). Keanekaragaman Tumbuhan Paku Terrestrial di Hutan Kota DKI Jakarta. *Berita Biologi*, 12(3), 297-305.
- Asbur, Y., Purwaningrum, Y., & Ariyanti, M. (2020). Vegetation Composition and Structure under Mature Oil Palm (*Elaeis guineensis* Jacq.) Stands.
- Avramenko, A. S., & Polevova, S. V. (2013). Morphology and ultrastructure of spores *Klukia tyganensis* Krassilov (Schizaeaceae, Filicales) from the Berriassian of the Tyrma Depression (Russian Far East). *Paleontological Journal*, 47(4), 439-453.
- Ballesteros, D. (2011). Conservation of fern spores. In *Working with Ferns* (pp. 165-172). Springer, New York, NY.
- Benzing, D. H. (2008). *Vascular epiphytes: general biology and related biota*. Cambridge University Press.
- Bhatt, A., Gairola, S., Govender, Y., Baijnath, H., & Ramdhani, S. (2015). Epiphyte diversity on host trees in an urban environment, eThekweni Municipal Area, South Africa. *New Zealand journal of botany*, 53(1), 24-37
- Bibi, A., Ejaz, S., Rafique, S., & Ashraf, S. (2019). Morphology and pigment content of sporophytes and gametophytes of ten fern species. *Bangladesh Journal of Botany*, 48(4), 951-956.
- Böhnert, T., Wenzel, A., Altenhövel, C., Beeretz, L., Tjitrosoedirdjo, S. S., Meijide, A., ... & Kreft, H. (2016). Effects of land-use change on vascular epiphyte diversity in Sumatra (Indonesia). *Biological Conservation*, 202, 20-29.
- Brokamp, G. (2015). *Relevance and Sustainability of Wild Plant Collection in NW South America: Insights from the Plant Families Arecaceae and Krameriaceae*. Springer.
- Cheng, Y. P., Liu, S. H., Huang, Y. M., Chen, C. W., & Chiou, W. L. (2008).

- Allozyme Variations of a Widespread Tree Fern, *Alsophila spinulosa* (Hook.) Tryon (Cyatheaceae), in Taiwan. *Taiwan J For Sci*, 23(1), 21-34.
- Dassler, C. L., & Farrar, D. R. (2001). Significance of gametophyte form in long-distance colonization by tropical, epiphytic ferns. *Brittonia*, 53(2), 352-369.
- Demske, D., Tarasov, P. E., & Nakagawa, T. (2013). Atlas of pollen, spores and further non-pollen palynomorphs recorded in the glacial-interglacial late Quaternary sediments of Lake Suigetsu, central Japan. *Quaternary International*, 290, 164-238.
- Efendi, W. W., Hapsari, F. N., & Nuraini, Z. (2013). Studi inventarisasi keanekaragaman tumbuhan paku di kawasan wisata Coban Rondo Kabupaten Malang. *Cogito Ergo Sum*, 2(3), 173-188.
- Farida, H., Perwitasari-Farajallah, D., & Tjitrosoedirdjo, S. S. (2019). Aktivitas Makan Monyet Ekor Panjang (*Macaca fascicularis*) di Bumi Perkemahan Pramuka, Cibubur, Jakarta. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 15(1), 24-30.
- Fayle, T. M., Chung, A. Y., Dumbrell, A. J., Eggleton, P., & Foster, W. A. (2009). The effect of rain forest canopy architecture on the distribution of epiphytic ferns (*Asplenium* spp.) in Sabah, Malaysia. *Biotropica*, 41(6), 676-681.
- Gelorini, V., Verbeken, A., van Geel, B., Cocquyt, C., & Verschuren, D. (2011). Modern non-pollen palynomorphs from East African lake sediments. *Review of Palaeobotany and Palynology*, 164(3-4), 143-173.
- Glimn-Lacy, J., & Kaufman, P. B. (2006). Palm Family (Arecaceae). *Botany Illustrated: Introduction to Plants, Major Groups, Flowering Plant Families*, 125-125.
- Gosling, W. D., Miller, C. S., & Livingstone, D. A. (2013). Atlas of the tropical West African pollen flora. *Review of Palaeobotany and Palynology*, 199, 1-135.
- Haegele, J. A., & Hodge, S. R. (2015). Quantitative methodology: A guide for emerging physical education and adapted physical education researchers. *The Physical Educator*, 72(5).
- Hidayah, N., Julita, T., Melvinasari, M. W., Dwiyanto, G., Ristanto, R. H., & Sigit, D. V. (2021). Identifikasi Pteridophyta di Hutan Kota Jakarta, Indonesia. *Proceeding of Biology Education*, 4(1), 1-11.
- Hock, Z., Szövényi, P., & Tóth, Z. (2006). Seasonal variation in the spore bank of

ferns in grasslands on dolomite rock. *Plant ecology*, 187(2), 289-296.

Izuddin, M., & Webb, E. L. (2015). The influence of tree architecture, forest remnants, and dispersal syndrome on roadside epiphyte diversity in a highly urbanized tropical environment. *Biodiversity and conservation*, 24(8), 2063-2077.

Jain, S. M., & Johnson, D. V. (2015). *Date palm genetic resources and utilization* (Vol.1). J. M. Al-Khayri (Ed.). Africa and the Americas: Springer.

Kinho, J. (2009). Mengenal beberapa jenis tumbuhan paku di kawasan hutan payahe Taman Nasional Aketajawe Lolobata Maluku Utara. Manado: Balai Penelitian Kehutanan Manado.

Korall, P., & Pryer, K. M. (2014). Global biogeography of scaly tree ferns (Cyatheaceae): evidence for Gondwanan vicariance and limited transoceanic dispersal. *Journal of biogeography*, 41(2), 402-413.

LI, S. P., HU, Y. Q., Ferguson, D. K., YAO, J. X., & LI, C. S. (2013). Pollen dispersal in a mountainous area based on pollen analysis of four natural trap types from Lugu Lake, southwest China. *Journal of Systematics and Evolution*, 51(4), 413-425

Mehltreter, K., Walker, L. R., & Sharpe, J. M. (Eds.). (2010). *Fern ecology*. Cambridge University Press.

Mizuno, T., Momohara, A., & Okitsu, S. (2015). The effects of bryophyte communities on the establishment and survival of an epiphytic fern. *Folia Geobotanica*, 50(4), 331-337.

Morajkar, S. H. A. I. E. S. H., Sajeev, S. U. D. H. A., & Hegde, S. M. I. T. H. A. (2015). Ferns: a thriving group of urban dwellers. *Bionature*, 35, 13-21.

Nampoothiri, K. U. K., Krishnakumar, V., Thampan, P. K., & Nair, M. A. (Eds.). (2019). *The Coconut Palm (CocosNucifera L.)--Research and Development Perspectives*. Springer.

Nelson, G., Earle, C. J., & Spellenberg, R. (2014). Arecaceae: Palm Family. In *Trees of Eastern North America* (pp. 80-97). Princeton University Press.

Perrie, L. R., Ohlsen, D. J., Shepherd, L. D., Garrett, M., Brownsey, P. J., & Bayly, M. J. (2010). Tasmanian and Victorian populations of the fern *Asplenium hookerianum* result from independent dispersals from New

- Zealand. *Australian Systematic Botany*, 23(6), 387-392.
- Poliakova, A., & Behling, H. (2016). Pollen and fern spores recorded in recent and late Holocene marine sediments from the Indian Ocean and Java Sea in Indonesia. *Quaternary International*, 392, 251-314.
- Praptosuwiryo, T. N., Sumanto, S., & Cahyaningsih, R. (2019). Diversity and host preferences of ferns and lycopods epiphytes on palm trees. *Biodiversitas Journal of Biological Diversity*, 20(12).
- Quamar, M. F., & Bera, S. K. (2014). Surface pollen and its relationship with modern vegetation in tropical deciduous forests of southwestern Madhya Pradesh, India: a review. *Palynology*, 38(1), 147-161.
- Quamar, M. F., & Bera, S. K. (2017). Pollen analysis of modern tree bark samples from the Manendragarh Forest range of the Koriya District, Chhattisgarh, India. *Grana*, 56(2), 137-146.
- Quamar, M. F., & Bera, S. K. (2018). Aerobiological implications of the extracted palynomorphs from the modern tree barks of the Korba District, Chhattisgarh, central India. *Palynology*, 43(1), 34-42.
- Quamar, M. F., Ali, S. N., Pandita, S. K., & Singh, Y. (2018). Modern pollen rain from Udampur (Jammu and Kashmir), India: Insights into pollen production, dispersal, transport and preservation. *Palynology*, 42(1), 55-65.
- Ranal, M. A. (2004). Bark spore bank of ferns in a gallery forest of the Ecological station of Panga, Uberlândia–MG, Brazil. *American Fern Journal*, 94 (2), 57-69.
- Ranker, T. A., & Haufler, C. H. (2008). *Biology and evolution of ferns and lycophytes*. Cambridge University Press.
- Rose, J. P., & Dassler, C. L. (2017). Spore production and dispersal in two temperate fern species, with an overview of the evolution of spore production in ferns. *American Fern Journal*, 107(3), 136-155.
- Roziaty, E., Agustina, P., & Nurfitrianti, R. (2016). Pterydophyta Epifit Kawasan Wisata Air Terjun Jumog Ngarogoyoso Karanganyar Jawa Tengah. *Bioedukasi: Jurnal Pendidikan Biologi*, 9(2), 76-78.
- Sadili, A., & Royyani, M. F. (2018). Keanekaragaman, persebaran dan pola tata ruang tumbuhan epifit pada hutan bekas tebangan di Kiyu, Pegunungan Meratus,

Kalimantan Selatan. *Berita Biologi*, 17(1), 1-8.

Schueler, L., & Hemp, A. (2016). Atlas of pollen and spores and their parent taxa of Mt Kilimanjaro and tropical East Africa. *Quaternary International*, 425, 301-386.

Sharpe, J., Mehltreter, K., & Walker, L. (2010). Ecological importance of ferns. In K. Mehltreter, L. Walker, & J. Sharpe (Eds.), *Fern Ecology* (pp. 1-21). Cambridge: Cambridge University Press.
doi:10.1017/CBO9780511844898.002

Simabukuro, E. A., Esteves, L. M., & Felipe, G. M. (2000). Fern spore rain collected at two different heights at Moji Guaçu (São Paulo, Brazil). *Fern Gazette*, 16(3), 147-166.

Sirami, E. (2015). Tingkat dan Tipe Asosiasi Enam Jenis Paku Epifit dengan Pohon Inang di Taman Wisata Alam Gunung Meja Manokwari. *Jurnal Kehutanan Papua*, 1(1), 18-27.

Sofiyanti N. (2013). The diversity of epiphytic fern on the oil palm tree (*Elaeis guineensis* Jacq.) in Pekanbaru, Riau. *Jurnal Biologi Udayana*, 17(2).

Song, X., Bera, S., Yao, Y., Ferguson, D. K., & Li, C. (2014). Tree barks as a natural trap for airborne spores and pollen grains from China. *Chinese science bulletin*, 59(19), 2331-2339.

Suo, J., Zhao, Q., Zhang, Z., Chen, S., Liu, G., Wei, X., ...& Dai, S. (2015). Cytological and proteomic analyses of *Osmundacinnamomea* germinating spores reveal characteristics of fern spore germination and rhizoid tip growth. *Molecular & Cellular Proteomics*, 14(9), 2510-2534.

Thomas, B. A., & Cleal, C. J. (2021). Pteridophytes as primary colonisers after catastrophic events through geological time and in recent history. *Palaeobiodiversity and Palaeoenvironments*, 1-13.

Thomas, R., & De Franceschi, D. (2013). Palm stem anatomy and computer-aided identification: the Coryphoideae (Arecaceae). *American Journal of Botany*, 100(2), 289-313.

Tryon, A. F., & Lugardon, B. (2012). *Spores of the Pteridophyta: surface, wall structure, and diversity based on electron microscope studies*. Springer Science & Business Media.

- Ulfa, S. W. (2019). Inventarisasi Keanekaragaman Tumbuhan Tingkat Tinggi di Kecamatan Medan Amplas Kota Medan Propinsi Sumatera Utara. *BEST Journal(Biology Education, Sains and Technology)*, 2(1), 15-20.
- Ulum , F. B., &Setyati, D. (2015).Tumbuhan Paku (Pteridophyta) Epifit di Gunung Raung, Banyuwangi, JawaTimur, Indonesia. *Jurnal IlmuDasar*, 16(1), 7-12.
- Vijayakanth, P., & Sathish, S. A. H. A. Y. A. (2016). Studies on the spore morphology of pteridophytes from Kolli hills, Eastern Ghats, Tamil Nadu, India. *International Journal of Research in Engineering and Bioscience*, 4(1), 1-12.
- Wardani, W. (2018). KAJIAN POTENSI PRODUKSI AKAR ADVENTIF PAKIS POHON *Cyathea contaminans* (CYATHEACEAE) DI JAWA BARAT DAN SUMATERA UTARA. *BERITA BIOLOGI*, 17(3), 313-321.
- Wyse, S. V., & Burns, B. R. (2011). Do host bark traits influence trunk epiphyte communities?. *New Zealand Journal of Ecology*, 296-301.
- Yañez, A., Marquez, G. J., & Morbelli, M. A. (2016). Palynological analysis of Dennstaedtiaceae taxa from the Paranaense Phytogeographic Province that produce Trilete spores II: *Microlepia speluncae* and *Pteridium arachnoideum*. *Anais da Academia Brasileira de Ciências*, 88, 877-890.
- Yudhoyono, A., &Sukarya, D. G. (2013). 3500 plant species of the Botanic Gardens of Indonesia. *PT. Sukarya dan Sukarya Pendetama. Jakarta*.
- Zotz, G. (2016). *Plants on plants: the biology of vascular epiphytes*. Berlin: Springer.