

## DAFTAR PUSTAKA

- Adesulu-Dahunsi, A. T., Dahunsi, S. O., & Olayanju, A. (2020). Synergistic microbial interactions between lactic acid bacteria and yeasts during production of Nigerian indigenous fermented foods and beverages. *Food Control*, 110, 106963.
- Afoakwa, E.O., Budu, A.S., Mensah-brown, H., dan Felix, J. (2014). Changes in biochemical and physico-chemical qualities during drying of pulp preconditioned and fermented cocoa (*Theobroma cacao*) beans. *Journal of Nutritional Health and Food Science* 2: 1–8.
- Agarbarati, A., Canonico, L., Marini, E., Zannini, E., Ciani, M., & Comitini, F. (2020). Potential probiotic yeasts sourced from natural environmental and spontaneous processed foods. *Foods*, 9(3), 1–25.
- Al-sahlany, S. T. G., Altemimi, A. B., & Al-manhel, A. J. A. (2020). Purification of Bioactive Peptide with Antimicrobial Properties Produced by *Saccharomyces cerevisiae*. *Foods*, 9(3), 1–11.
- Amorim, J. C., Piccoli, R. H., & Duarte, W. F. (2018). Probiotic potential of yeasts isolated from pineapple and their use in the elaboration of potentially functional fermented beverages. *Food Research International*, 107(2017), 518–527.
- Ardhana, M. M., & Fleet, G. H. (2003). The microbial ecology of cocoa bean fermentations in Indonesia. *International Journal of Food Microbiology*, 86(1-2), 87-99.
- Arslan, S., Erbas, M., Tontul, I., & Topuz, A. (2015). Microencapsulation of probiotic *Saccharomyces cerevisiae* var: *Boulardii* with different wall materials by spray drying. *LWT - Food Science and Technology*, 63(1), 685–690.
- Assi-Clair, B. J., Koné, M. K., Kouamé, K., Lahon, M. C., Berthiot, L., Durand, N., Lebrun, M., Julien-Ortiz, A., Maraval, I., Boulanger, R., & Guéhi, T. S. (2019). Effect of aroma potential of *Saccharomyces cerevisiae* fermentation on the volatile profile of raw cocoa and sensory attributes of chocolate produced thereof. *European Food Research and Technology*, 0(0).
- Auchtung, T. A., Fofanova, T. Y., Stewart, C. J., Nash, A. K., Wong, M. C., Gesell, J. R., Auchtung, J. M., Ajami, N. J., & Petrosino, J. F. (2018). Investigating Colonization of the Healthy Adult Gastrointestinal Tract by Fungi. *MSphere*, 3(2), 1–16.
- Bajaj, B. K., Raina, S., & Singh, S. (2012). *Killer toxin from a novel killer yeast Pichia kudriavzevii RY55 with idiosyncratic antibacterial activity*. 1–11.
- Barnett, J. A. (2000). A history of research on yeasts 2: Louis Pasteur and his contemporaries, 1850–1880. *Yeast*, 16(8), 755-771.

- Baum, D. (2008). Reading a phylogenetic tree: the meaning of monophyletic groups. *Nature Education*, 1(1), 190.
- Bonang, G. (1982). Mikrobiologi untuk Profesi Kedokteran 14 eds. EGC, Jakarta, 846.
- Charlena, Haaris, A., & Karwati. (2009). Degradasi Hidrokarbon pada Tanah Tercemari Minyak Bumi dengan Isolat A10 dan D8T. *Prosiding Biosains, November*, 9–10.
- Chelliah, R., Ramakrishnan, S. R., Prabhu, P. R., & Antony, U. (2016). Evaluation of antimicrobial activity and probiotic properties of wild-strain *Pichia kudriavzevii* isolated from frozen idli batter. *Yeast*, 33(8), 385–401.
- Cole, D.J.A. 1991. *The role of the nutritionist in design feed for future in feed industry. Proc. of Alltechs, Seventh Annual Symposium*. Alltech Technical Publication, Nicholasville Kentucky: 1-2.
- Czerucka, D., Piche, T., & Rampal, P. (2007). Review article : yeast as probiotics—*Saccharomyces boulardii*. *July*, 767–778.
- Daniel, H. M., & Meyer, W. (2003). Evaluation of ribosomal RNA and actin gene sequences for the identification of ascomycetous yeasts. *International Journal of Food Microbiology*, 86(1–2), 61–78.
- Daniel Fonseca Blanco, J., Del Pilar López Hernandez, M., Sabrina Ortiz Galeano,L., Criollo Nuñez, J., & Denis Lozano Tovar, M. (2020). Effect of Addition of a Specific Mixture of Yeast, Lactic and Acetic Bacteria in the Fermentation Process to Improve the Quality and Flavor of Cocoa Beans in Colombia. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 36(2), 154–172.
- Delgado-Ospina, J., Triboletti, S., Alessandria, V., Serio, A., Sergi, M., Paparella, A., Rantsiou, K., & Chaves-López, C. (2020). Functional biodiversity of yeasts isolated from Colombian fermented and dry Cocoa beans. *Microorganisms*, 8(7), 1–17.
- Dharmayanti, N. L. P. I. (2011). Filogenetika Molekuler:Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi. *Balai Besar Penelitian Veteriner*, 4(1), 137.
- Dellanerra, D., Risandi, A., Sunari, A., Sukmawati, D., Husna, S. N. Al, & El-Enshasy, H. A. (2019). Screening and characterization of amylolytic mold originated from ghost crab (*Ocypode* sp.) in Cidaon, Ujung Kulon National Park, Indonesia. *AIP Conference Proceedings*, 2120 (July).
- Diaz-Ropero, M. P., Martín, R., Sierra, S., Lara-Villalada, F., Rodriguez, J. M., Xaux, J., & Olivares, M. (2007). Two *Lactobacillus* strains , isolated from breast milk , differently modulate the immune response. *102*, 337–343.
- Didari, T., Solki, S., Mozaffari, S., Nikfar, S., & Abdollahi, M. (2014). A systematic

- review of the safety of probiotics. *Expert Opinion on Drug Safety*, 13(2), 227–239.
- Dorado, G., Besnard, G., Unver, T., & Hernández, P. (2019). Polymerase Chain Reaction (PCR). *Encyclopedia of Biomedical Engineering*, 1–3(6), 473–492.
- Duarte, F. (2018). Antimicrobial activity of pomegranate peel extracts performed by high pressure and enzymatic assisted extraction. *Food Research International*, FRIN 7852.
- Erna Kustyawati, M., Sri Setyani, D., Pengajar Jurusan Teknologi Industri Pertanian Fakultas Pertanian Universitas Lampung Jl Soemantri Brojonegoro No, S., & Lampung, B. (2008). Effect of the Addition of Mixed Inoculums on the Chemical and Microbiological Changes During Cocoa Fermentation. *Jurnal Teknologi Industri Dan Hasil Pertanian*, 13(2), 73.
- Edwards-Ingram, L., Gitsham, P., Burton, N., Warhurst, G., Clarke, I., Hoyle, D., Oliver, S. G., & Stateva, L. (2007). Genotypic and physiological characterization of *Saccharomyces boulardii*, the probiotic strain of *Saccharomyces cerevisiae*. *Applied and Environmental Microbiology*, 73(8), 2458–2467.
- Erwanto, Y., Rohman, A., Arsyanti, L., & Pranoto, Y. (2018). Identification of pig DNA in food products using polymerase chain reaction (PCR) for halal authentication-a review. *International Food Research Journal*, 25(4), 1322–1331.
- Fadda, M. E., Mossa, V., Deplano, M., Pisano, M. B., & Cosentino, S. (2017). In vitro screening of *Kluyveromyces* strains isolated from Fiore Sardo cheese for potential use as probiotics. *LWT - Food Science and Technology*, 75, 100–106.
- FAO/WHO. (2006). *Report of joint FAO/WHO expert consultation on evaluation of health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria*.
- Fernandez-Pacheco, P., Arévalo-Villena, M., Bevilacqua, A., Corbo, M. R., & Briones Pérez, A. (2018). Probiotic characteristics in *Saccharomyces cerevisiae* strains: Properties for application in food industries. *Lwt*, 97(July), 332–340.
- Franz, C. M. A. P., Huch, M., Mathara, J. M., Abriouel, H., Benomar, N., Reid, G., Galvez, A., & Holzapfel, W. H. (2014). African fermented foods and probiotics. *International Journal of Food Microbiology*, 190, 84–96.
- Giannattasio, S., Guaragnella, N., & Zdrallevi, M. (2013). Molecular Mechanisms of *Saccharomyces cerevisiae* Stress Adaptation and Programmed Cell Death in Response to Acetic Acid. *Microbial Physiology and Metabolism*, 4 (February), 1–7.
- Goldhawk, B., Kahlon, M., Lotto, J., & Deeg, C. M. (2016). Yeasts from Greenhouse

- Grapes Show Less Phenotypic and Genetic Diversity than Yeasts from Vineyard Grapes when Isolated from Grape Crush Cultured in Liquid Media. *The Journal of Experimental Microbiology & Immunology+*, 2(June), 8–15.
- Gut, A. M., Vasiljevic, T., Yeager, T., & Donkor, O. N. (2019). Characterization of yeasts isolated from traditional kefir grains for potential probiotic properties. *Journal of Functional Foods*, 58(April), 56–66.
- Hawaz, E. (2014). *Isolation and identification of probiotic lactic acid bacteria from curd and in vitro evaluation of its growth inhibition activities against pathogenic bacteria*. 8(13), 1419–1425.
- Helmy, E. A., Soliman, S. A., Abdel-Ghany, T. M., & Ganash, M. (2019). Evaluation of potentially probiotic attributes of certain dairy yeast isolated from buffalo sweetened Karish cheese. *Helijon*, 5(5), e01649.
- Horiike, T. (2016). An Introduction to Molecular Phylogenetic Analysis. *Reviews in Agricultural Science*, 4, 36-45.
- Hsiung, R. T., Fang, W. T., LePage, B. A., Hsu, S. A., Hsu, C. H., & Chou, J. Y. (2020). In Vitro Properties of Potential Probiotic Indigenous Yeasts Originating from Fermented Food and Beverages in Taiwan. *Probiotics and Antimicrobial Proteins*.
- Hu, X. Q., Liu, Q., Hu, J. P., Zhou, J. J., Zhang, X., Peng, S. Y., Peng, L. J., & Wang, X. D. (2018). Identification and characterization of probiotic yeast isolated from digestive tract of ducks. *Poultry Science*, 97(8), 2902–2908.
- Huis Veld, J. H. J. I. T., & Havenaar, R. (1991). Probiotics and Health in Man and Animal. *Journal of Chemical Technology & Biotechnology*, 51(4), 562–567.
- Islam, K. B. M. S., Fukiya, S., Hagio, M., Fujii, N., & Ishizuka, S. (2011). Bile Acid Is a Host Factor That Regulates the Composition of the Cecal Microbiota in Rats. *Gastroenterology*, 141(5), 1773–1781.
- Jones, M. L., Tomaro-Duchesneau, C., Martoni, C. J., & Prakash, S. (2013). Cholesterol lowering with bile salt hydrolase-active probiotic bacteria, mechanism of action, clinical evidence, and future direction for heart health applications. *Expert Opinion on Biological Therapy*, 13(5), 631–642.
- Khoiriyah, H., & Ardiningsih, P. (2014). Penetuan Waktu Inkubasi Optimum Terhadap Bakteriosin Lactobacillus sp. *JKK*, 3(4), 52–56.
- Kristanto, wenceslaus hari, & Erna, M. (2017). Pengaruh Penambahan Ragi (*Saccharomyces cerevesiae*) dan Jumlah Lubang Kotak Pada Fermentasi Buah Kakao (*Theobroma cacao* L) Terhadap Mutu Biji Kakao Kering. *Jurnal Teknik Pertanian Lampung*, 6(1), 1–10.

- Kurtzman, C. P., Fell, J. W., Boekhout, T., & Robert, V. (n.d.). Methods for Isolation , Phenotypic Characterization and Maintenance of Yeasts. In *The Yeasts, A Taxonomic Study*. Elsevier B.V.
- Kurtzman, C. P., Fell, J. W., Boekhout, T., & Robert, V. (2011). Methods for Isolation , Phenotypic Characterization and Maintenance of Yeasts. In *The Yeasts, A Taxonomic Study*. Elsevier B.V.
- Kurtzman, C. P., Robnett, C. J., & Basehoar-Powers, E. (2008). Phylogenetic relationships among species of *Pichia*, *Issatchenkovia* and *Williopsis* determined from multigene sequence analysis, and the proposal of *Barnettozyma* gen. nov., *Lindnera* gen. nov. and *Wickerhamomyces* gen. nov. *FEMS Yeast Research*, 8(6), 939–954.
- Li, M., Liao, X., Zhang, D., Du, G., & Chen, J. (2011). Yeast extract promotes cell growth and induces production of polyvinyl alcohol-degrading enzymes. *Enzyme Research*, 2011(1).
- Limtong, S., Kaewwichian, R., Yongmanitchai, W., & Kawasaki, H. (2014). Diversity of culturable yeasts in phylloplane of sugarcane in Thailand and their capability to produce indole-3-acetic acid. *World Journal of Microbiology and Biotechnology*, 30(6), 1785–1796.
- Liong, M. T., & Shah, N. P. (2005). *Optimization of Cholesterol Removal by Probiotics in the Presence of Prebiotics by Using a Response Surface Method*. 71(4), 1745–1753.
- Luo, G., Samaranayake, L. P., & Yau, J. Y. Y. (2001). Candida species exhibit differential in vitro hemolytic activities. *Journal of Clinical Microbiology*, 39(8), 2971–2974.
- Machmud, M. (2001). *Teknik Penyimpanan dan Pemeliharaan Mikroba*. 4, 105–112.
- Madigan, T. M., & Martinko, J. M. (2006). Brock Biology of Microorganisms, 11th edn. *International Journal of Refractory Metals and Hard Materials*, 24(6), 465–466.
- Makalew, M.A.J., Nangoy., & Wowor, P.M. (2016). Uji Efek Antibakteri Air Perasan Daging Buah Nanas (*Ananas comosus* L.) Terhadap Bakteri *Klebsiella pneumoniae*. *Jurnal E-Biomedik*, 4(1).
- Maldonado Galdeano, C., Cazorla, S. I., Lemme Dumit, J. M., Vélez, E., & Perdigón, G. (2019). Beneficial effects of probiotic consumption on the immune system. *Annals of Nutrition and Metabolism*, 74(2), 115–124
- Marham, H. D., Rustam, Y., & Sukmawati, D. (2017). Uji Kemampuan Antagonisme

- Khamir Asal Daun Jati (*Tectona grandis*) Terhadap Kapang Pengkontaminan Pada Pakan Ternak Ayam. *Bioma*, 12(2), 118.
- Marteau, P., Cuillerier, E., Meance, S., Gerhard, M. F., Myara, A., Bouviers, M., Bouley, C., Tondu, F., Bommelaer, G., & Grimauds, J. C. (2002). Bifidobacterium animalis strain DN-173 010 shortens the colonic transit time in healthy women : a double-blind , randomized , controlled study. *Aliment Pharmacol Ther*, 16, 587–593.
- Martins, F S, Castro, I. M., & Nicoli, J. R. (2012). *Pathogenicity and virulence Adhesion on yeast cell surface as a trapping mechanism of pathogenic bacteria by Saccharomyces probiotics*. 1–31.
- Martins, Flaviano S, Elian, S. D. A., Vieira, A. T., Tiago, F. C. P., Martins, A. K. S., Silva, F. C. P., Souza, É. L. S., Sousa, L. P., Araújo, H. R. C., Pimenta, P.F., Bonjardim, C. A., Arantes, R. M. E., Teixeira, M. M., & Nicoli, J. R. (2011). International Journal of Medical Microbiology Oral treatment with Saccharomyces cerevisiae strain UFMG 905 modulates immune responses and interferes with signal pathways involved in the activation of inflammation in a murine model of typhoid fever. *International Journal of Medical Microbiology*, 301(4), 359–364.
- Martínez-Muñoz, G. A., & Kane, P. (2008). Vacuolar and plasma membrane proton pumps collaborate to achieve cytosolic pH homeostasis in yeast. *Journal of Biological Chemistry*, 283(29), 20309–20319.
- Menezes, A. G. T., Ramos, C. L., Cenzi, G., Melo, D. S., Dias, D. R., & Schwan, R. F. (2020). Probiotic Potential, Antioxidant Activity, and Phytase Production of Indigenous Yeasts Isolated from Indigenous Fermented Foods. *Probiotics and Antimicrobial Proteins*, 12(1), 280–288.
- Merchán, A. V., Benito, M. J., Galván, A. I., & Ruiz-Moyano Seco de Herrera, S. (2020). Identification and selection of yeast with functional properties for future application in soft paste cheese. *Lwt*, 124(October 2019), 109173.
- Moradi, R., Nosrati, R., Zare, H., Tahmasebi, T., Saderi, H., & Owlia, P. (2018). *Screening and characterization of in-vitro probiotic criteria of Saccharomyces and Kluyveromyces strains*. 10(2), 123–131.
- Merchán, A. V., Benito, M. J., Galván, A. I., & Ruiz-Moyano Seco de Herrera, S. (2020). Identification and selection of yeast with functional properties for future application in soft paste cheese. *Lwt*, 124(October 2019), 109173
- Miftakhurohmah, N. F. N., Mariana, M., & Wahyuno, D. (2016). Deteksi Piper Yellow Mottle Virus (PYMOV) Penyebab Penyakit Kerdil pada Tanaman Lada Secara Polymerase Chain Reaction (PCR). *Buletin Penelitian Tanaman Rempah dan Obat*, 27(1), 77-84.

- Mogrovejo, D. C., Perini, L., Gostinčar, C., Sepčić, K., Turk, M., Ambrožič-Avguštin, J., Brill, F. H. H., & Gunde-Cimerman, N. (2020). Prevalence of Antimicrobial Resistance and Hemolytic Phenotypes in Culturable Arctic Bacteria. *Frontiers in Microbiology*, 11(April), 1–13.
- Molinaro, A., Wahlström, A., & Marschall, H. U. (2018). Role of Bile Acids in Metabolic Control. *Trends in Endocrinology and Metabolism*, 29(1), 31–41.
- Moradi, R., Nosrati, R., Zare, H., Tahmasebi, T., Saderi, H., & Owlia, P. (2018). Screening and characterization of *in-vitro* probiotic criteria of *Saccharomyces* and *Kluyveromyces* strains. 10(2), 123–131.
- Nayak, A. P., Green, B. J., & Beezhold, D. H. (2013). Fungal hemolysins. *Medical Mycology*, 51(1), 1–16.
- Niu, C., Luo, H., Shi, P., Huang, H., Wang, Y., Yang, P., & Yao, B. 2016. N-Glycosylation Improves the Pepsin Resistance of Histidine Acid Phosphatase Phytases by Enhancing Their Stability at Acidic pHs and Reducing Pepsin's Accessibility to Its Cleavage Sites. *Applied and Environmental Microbiology*, 82(4), pp. 1004-1014.
- Ogunremi, O. R., Sanni, A. I., & Agrawal, R. (2015). Probiotic potentials of yeasts isolated from some cereal-based Nigerian traditional fermented food products. 797–808.
- Ortiz, D. F., St. Pierre, M. V., Abdulmessih, A., & Arias, I. M. (1997). A Yeast ATP-Binding Cassette-type Protein Mediating ATP-Dependent Bile Acid Transport. *Journal of Biological Chemistry*, 272(24), 15358–15365.
- Ouwehand, A. C., Kirjavainen, P. V., Shortt, C., & Salminen, S. 1999. Probiotics: mechanisms and established effects. *International Dairy Journal*, 9, pp. 43-52.
- Pennacchia, C., Blaiotta, G., Pepe, O., & Villani, F. (2008). Isolation of *Saccharomyces cerevisiae* Strains from Different Food Matrices and their Preliminary Selection for A Potential Use as Probiotics. *Journal of Applied Microbiology*, 105(6), 1919–1928.
- Pereira, G. V. M., Alvarez, J. P., Neto, D. P. de C., Soccol, V. T., Tanobe, V. O. A., Rogez, H., Góes-Neto, A., & Soccol, C. R. (2017). Great intraspecies diversity of *Pichia kudriavzevii* in cocoa fermentation highlights the importance of yeast strain selection for flavor modulation of cocoa beans. *Lwt*, 84, 290–297.
- Piper, P. W. (2011). Resistance of Yeasts to Weak Organic Acid Food Preservatives. *Advances in Applied Microbiology*, 77(December 2011), 97–113.

- Prasetya, H., & Saefuddin, A. (2011). Performance Comparison Between Kimura-2-Parameters and Jukes-Cantor Model in Constructing Phylogenetic Tree of Neighbour Joining. *In Forum Statistika dan Komputasi*, 16(1), 8-16.
- Psomas, E.I., Andrighetto, C., Litopoulou-Tzanetaki, E., Lombardi, A. and Tzanetakis, N. 2001. Some probiotic properties of yeasts isolat from infant faeces and feta chees International *Journal Food Microbiology*, 69, pp. 125-133.
- Rajkowska, K., Kunicka-Styczyńska, A., & Rygala, A. (2012). Probiotic activity of *Saccharomyces cerevisiae* var. *Boulardii* against human pathogens. *Food Technology and Biotechnology*, 50(2), 230–236.
- Ratnaningsih, A. 2000. Pengaruh pemberian Probiotik *S. cerevisiae* dan bioplus pads ransum ternak domba terhadap konsumsi bahan kering, kecernaan dan konversi ransum (*in vivo*). Skripsi Fakultas Peternakan Universitas Padjajaran. Bandung
- Ratnaningtyas, N. I., Andarwanti, S., Ekowati, N., Purwanti, E. S., Sukmawati,D. (2018). Effects of Ganoderma lucidum Extract on Diabetic Rats. *Biosaintifika*, 10(3), 642–647.
- Rohan, T.A. 1963 Processing Raw Cocoa For The Market. FAO Rome.
- Rorong, J. A., & Wilar, W. F. (2020). Keracunan Makanan Oleh Mikroba. *Techno Science*, 2(2), 47–60.
- Salminen, S., Nybom, S., Meriluoto, J., Collado, M. C., Vesterlund, S., & El-nezami, H. (2010). Interaction of probiotics and pathogens — benefits to human health ? *Current Opinion in Biotechnology*, 21(2), 157–167.
- Šárka, H., Milada, P., & Katerína, D. (2017). Importance of microbial defence systems to bile salts and mechanisms of serum cholesterol reduction. *Biotechnology Advances*.
- Schwan, R. F., & Wheals, A. E. (2004). The microbiology of cocoa fermentation and its role in chocolate quality. *Critical Reviews in Food Science and Nutrition*, 44(4), 205–221.
- Shin, T., S. Hyung, K. Kyun and A. Choong. 1989. *Effects of CYC on the performance of Dairy, Beef cattle and swine*. Seoul, Korea.
- Smith, J. L. 2003. The role of gastric acid in preventing foodborne disease and how bacteria overcome acid conditions. *Journal of food protection*, 66(7), pp. 1292-1303.
- Sidari, R., Tobolkov, B., Belajov, E., & Cabicarov, T. (2021). *Wine Yeasts Selection : Laboratory Characterization and Protocol Review*.

- Sukmawati, D., Arman, Z., Sondana, G. A., Fikriyah, N. N., Hasanah, R., Afifah, Z. N., Balqis, M., Enshasy, H. E., Husna, S. N. A., Rahayu, S., Kurniati, T. H., & Puspitaningrum, R. (2019). Potential amylase-producing yeast isolated from indigenous fermented beverages originating from Bali, Indonesia. *Journal of Physics: Conference Series*, 1402(5).
- Sumerta, I. N., & Kanti, A. (2017). Keragaman jenis khamir penghasil etanol yang diisolasi dari makanan fermentasi di kepulauan Riau. *Jurnal Biologi Indonesia*, 13(1).
- Susiana, Purwantisari dan Rini, H. (2009). Isolasi dan Identifikasi Jamur Indigenous Rhizosfer Tanaman Kentang dari Lahan Abstrak. *Bioma*, 11(2), 45–53.
- Syal, P., & Vohra, A. (2013). *Probiotic Potential Of Yeasts Isolated From Traditional Indian Fermented Foods*. 5(2), 390–398.
- Tamura, K., Battistuzzi, F. U., Billing-Ross, P., Murillo, O., Filipski, A., & Kumar, S. (2012). Estimating divergence times in large molecular phylogenies. *Proceedings of the National Academy of Sciences of the United States of America*, 109(47), 19333–19338.
- Vinícius, G., Pereira, D. M., Coelho, B. D. O., Irineudo, A., Júnior, M., Thomaz- soccol, V., & Soccol, C. R. (2018). How to select a probiotic . A review and update of methods and criteria. *Biotechnology Advances*, 36(8), 2060–2076.
- Widiastutik, N., dan Alami, N.H. 2014. Isolasi dan Identifikasi Yeast dari Rhizosfer *Rhizophora mucronata* Wonorejo. *J. Sains dan Seni Pomits Vol. 3, No.1*.
- Wiesemuller, B., & Rothe, H. (2006). Interpretation of Bootstrap Values in Phylogenetic Analysis. *Anthropologischer Anzeiger*, 2, 161-165.
- Yarrow, D. (1998). Methods for the isolation, maintenance and identification of yeasts. In The yeasts. Elsevier, (pp. 77-100).
- Yuliani, H., Perdani, M. S., Savitri, I., Manurung, M., Sahlan, M., Wijanarko, A., & Hermansyah, H. (2018). Antimicrobial activity of biosurfactant derived from *Bacillus subtilis* C19. *Energy Procedia*, 153(January 2019), 274–278.
- Zivkovic, M., Cadez, N., Uroic K., Miljkovic, M., Tolnacki, M., Dousova, P., Kos, B., Suskovic, J., Raspor, P., Topisirovic, L., & Golic, N. (2015). Evaluation of probiotic potensial of yeast isolated from traditional cheeses manufactured in Serbia and Croatia. *Journal of Intercultural Ethnopharmacology*, 4(1), 12.