

DAFTAR PUSTAKA

- Aaboud, Morad, Aad, Georges, Abbott, Brad, Abbott, Dale C., Abeloos, B., Abhayasinghe, D. K., Abidi, S. H., AbouZeid, O. S., Abraham, N. L., & Abramowicz, H. (2019). Study of the rare decays of B_s^0 and BO mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. *Journal of High Energy Physics*, 2019(4), 1-47. DOI:[https://doi.org/10.1007/JHEP04\(2019\)098](https://doi.org/10.1007/JHEP04(2019)098).
- Abadianti, B., & Supriyadi, A. (2017). Produksi inulinase oleh khamir *Pichia manshurica* DUCC Y-015 pada tepung umbi dahlia (*Dahlia variabilis* Willd.) Dengan variasi konsentrasi $MnSO_4 \cdot H_2O$ dan waktu inkubasi. *Jurnal Akademika Biologi*, 6(3), 22-30.
- Abubakar, Y., Anhar, A., Nurhayati, Indarti, E. (2022). Effect of mixing techniques and intervals during fermentation on cocoa bean quality in Aceh, Indonesia. *Proceeding of International Conference on Food Science and Nutrition*. Kinabalu. Malaysia.
- Afoakwa, E. O., Ofosu-Ansah, E., Takrama, J. F., Budu, A. S., & Mensah-Brown, H. (2014). Changes in chemical quality of cocoa butter during roasting of pulp pre-conditioned and fermented cocoa (*Theobroma cacao*) beans. *International Food Research Journal*, 21(6).
- Afoakwa, E. O. (2014). *Cocoa production and processing technology*. Boca Raton: CRC Press.
- Almeida, S, D. F. O. De, Silva, L. R. C. Celso, G., Junior. A. C., Oliveira. G., Helena, S., Lopes, A. S. (2019). Diversity of yeasts during fermentation of cocoa from two sites in the brazilian amazon. *Acta Amazonica*, 49(1), 64-70. DOI: <http://dx.doi.org/10.1590/1809-4392201703712>.
- Amedia, I., Wijanarka, W., & Purwantisari, S. (2016). Optimasi produksi inulinase oleh khamir *Pichia manshurica* DUCC Y-015 pada tepung umbi dahlia (*Dahlia variabilis* Willd.) dengan variasi konsentrasi K_2HPO_4 dan waktu inkubasi. *Bioma: Berkala Ilmiah Biologi*, 18(2), 48-55.
- Andarilla, W., Sari, R., & Apridamayanti, P. (2018). Optimasi aktivitas bakteriosin yang dihasilkan oleh *Lactobacillus casei* dari sotong kering. *Jurnal Pendidikan Informatika dan Sains*, 187-196.
- Andres-Lacueva, C., Monagas, M., Khan, N., Izquierdo-Pulido, M., Urpi-Sarda, M., Permanyer, J., & Lamuela-Raventós, R. M. (2008). Flavanol and flavonol contents of cocoa powder products: influence of the manufacturing process. *Journal of Agricultural and Food Chemistry*, 56(9), 3111-3117.
- Anggrayeni, Y. T., Wijanarka, W., & Kusdiyantini, E. (2019). Isolasi dan identifikasi morfologi serta biokimia khamir hasil isolasi dari buah tomat (*Lycopersicum esculentum*) yang berpotensi menghasilkan

bioetanol. *Bioma: Berkala Ilmiah Biologi*, 21(1), 16-24.

- Apriyanto, M. (2017). Perubahan pH, keasaman dan indeks fermentasi biji kakao selama fermentasi hasil biji kakao (*Theobroma cacao*). *Jurnal Teknologi Pertanian*, 6(1), 12-18.
- Apriyanto, M., Sutardi, S., Supriyanto, S., & Harmayani, E. (2017). Fermentasi biji kakao kering menggunakan *Saccharomyces cerevisiae*, *Lactobacillus lactis*, dan *Acetobacter aceti*. *Agritech*, 37(3), 302-311. DOI: <https://doi.org/10.22146/agritech.17113>.
- Ardhana, M. M., & Fleet, G. H. (2003). The microbial ecology of cocoa bean fermentations in Indonesia. *International Journal of Food Microbiology*, 86(1-2), 87-99. DOI:10.1016/S0168-1605(03)00081-3.
- Aris, S. E., Jumiono, A., Akil, S., Teknologi, M., & Bogor, U. D. (2020). Identifikasi titik kritis kehalalan gelatin 1. *Jurnal Pangan Halal*, 2, 17-22.
- Aryani, N. L. P. N. A., Yulianti, N. L., & Arda, G. (2018). Karakteristik biji kakao hasil fermentasi kapasitas kecil dengan jenis wadah dan lama fermentasi yang berbeda. *Jurnal Beta (Biosistem dan Teknik Pertanian)*, 6(1), 17-24.
- Ashshoffa, D., & Yuliani, Y. (2019). Pengaruh media propagasi MYE (Malt Yeast Extract) dan MS (Murashige and Skoog) terhadap diameter dan berat talus lichen *Parmelia sulcata* secara In Vitro. *LenteraBio: Berkala Ilmiah Biologi*, 8(3).
- Atiqoh, I. 2007. Isolasi bakteri asam laktat penghasil senyawa anti kapang pada fermentasi kakao, Jember
- Badarinath, A., Rao, K., Chetty, C. S., Ramkanth, S. Rajan, T., & Gnanaprakash K. (2010). A review on in-vitro antioxidant methods :comparisons, correlations, and considerations. *International Journal of PharmTech Research*, 1276-1285. ISSN : 0974-4304.
- Basso, T. O., Gomes, F. S., Lopes, M. L., de Amorim, H. V., Eggleston, G., & Basso, L. C. (2014). Homo-and heterofermentative *Lactobacilli* differently affect sugarcane-based fuel ethanol fermentation. *Antonie Van Leeuwenhoek*, 105, 169-177. DOI: <https://doi.org/10.1007/s10482-013-0063-6>.
- Bardi, E. P., Bakoyianis, V., Koutinas, A. A., Kanellaki, M. (1996). Room temperature and low temperature wine making using yeast immobilized on gluten pellets. *Process Biochemistry*. 31(5): 425-430.
- Beckett, S. T. (2019). *The science of chocolate*. Royal Society of Chemistry. EPUB ISBN: 978-1-78801-663-6.
- Bekatorou, A., A.A. Koutinas, A. Kaliafas, & M. Kanellaki. (2001). Freeze-dried

Saccharomyces cerevisiae cells immobilized on gluten pellets for glucose fermentation. *Process Biochemistry*, 549–557. DOI: [https://doi.org/10.1016/S0032-9592\(00\)00246-6](https://doi.org/10.1016/S0032-9592(00)00246-6).

Biesiekierski, J. R. (2017). What is gluten?. *Journal of Gastroenterology and Hepatology*, 32, 78-81.

Bosnea, L. A., Kourkoutas, Y., Albantaki, N., Tzia, C., Koutinas, A. A., & Kanellaki, M. (2009). Functionality of freeze-dried *L. casei* cells immobilized on wheat grains. *LWT-Food Science and Technology*, 42(10), 1696-1702.

Burgain, J., Gaiani, C., Linder, M., & Scher, J. (2011). Encapsulation of probiotic living cells: From laboratory scale to industrial applications. *Journal of Food Engineering*, 104(4), 467-483.

Caligiani, A., A. Marseglia, B. Prandi, G. Palla, & S. Sforza. (2016). Influence of fermentation level and geographical origin on cocoa bean oligopeptide pattern, *Food Chemistry*, vol. 211, pp.431–439. DOI:10.1016/j.foodchem.2016.05.072.

Caligiani, A. (2015). Cocoa: Production, chemistry, and use. In *Encyclopedia of food and health* (pp. 185-190). Elsevier Inc. DOI: [10.1016/B978-0-12-384947-2.00177-X](https://doi.org/10.1016/B978-0-12-384947-2.00177-X).

Calvo, A. M., Botina, B. L., García, M. C., Cardona, W. A., Montenegro, A. C., & Criollo, J. (2021). Dynamics of cocoa fermentation and its effect on quality. *Scientific Reports*, 11(1), 16746.

Camu, N., A. González, T. De Winter, A. Van Schoor, K. De Bruyne, P. Vandamme, J. S. Takrama, S. K. Addo, L. De Vuyst. (2008). Influence of turning and environmental contamination on the dynamics of populations of lactic acid and acetic acid bacteria involved in spontaneous cocoa bean heap fermentation in Ghana. *Applied and Environmental Microbiology*. 74:86- 98. DOI:10.1128/AEM.01512-07.

Campos JR, Buendia HBE, Ramos SMC, Avila 10, Flores MEJ., and Cervantes EL. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry*. 132 (2012). 277-288. DOI:10.1016/j.foodchem.2011.10.078.

Chanda, S., & Dave, R. (2009). In vitro models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview. *African Journal of Microbiology Research*, 3(13), 981-996.

Chen, B., Xiaoying, W., Pengzhen, L., Xiaoxuan, F., Zhihao, M., Junjie, W., Xian, L., Xiaowen, L., & Li Wang. (2022). Exploring the protective effects of freeze-dried *Lactobacillus rhamnosus* under optimized cryoprotectants formulation. *LWT-Food Science and Technology*, 173-114295.

DOI: <https://doi.org/10.1016/j.lwt.2022.114295>.

- Chen, S., Xu, Y., & Qian, M. C. (2013). Aroma characterization of Chinese rice wine by gas chromatography–olfactometry, chemical quantitative analysis, and aroma reconstitution. *Journal of Agricultural and Food Chemistry*, *61*(47), DOI: <http://dx.doi.org/10.1016/j.fuel.2015.04.043>.
- Chien, C. S., Lee, W. C., & Lin, T. J. (2001). Immobilization of *Aspergillus japonicus* by entrapping cells in gluten for production of fructooligosaccharides. *Enzyme and Microbial Technology*, *29*(4-5), 252-257.
- Chóez-Guaranda, I., Maridueña-Zavala, M., Quevedo, A., Quijano-Avilés, M., Manzano, P., & Cevallos-Cevallos, J. M. (2024). Changes in GC-MS metabolite profile, antioxidant capacity and anthocyanins content during fermentation of fine-flavor cacao beans from Ecuador. *Plos One*, *19*(3), e0298909.
- Darmapatni, K. A. G., Basori, A., & Suaniti, N. M. (2016). Pengembangan metode GC-MS untuk penetapan kadar acetaminophen pada spesimen rambut manusia. *Jurnal Biosains Pascasarjana*, *18*(3), 255-269.
- Darmawan, B. A., & Elviantari, A. (2024). Isolasi bakteri dari insang lobster air laut dalam menghambat pertumbuhan bakteri *Escherichia coli* dan *Pseudomonas aeruginosa*. *SATONDA: Journal of Tropical Bioresources and Biotechnology*, *1*(1), 1-7.
- Davit J, Yusuf RP, Yudari DAS. (2013). Pengaruh cara pengolahan kakao fermentasi dan non fermentasi terhadap kualitas, harga jual produk pada unit usaha produktif (UUP) Tanjung Sari, Kabupaten Tabanan. *E-Jurnal Agribisnis dan Agrowisata*. *2*(4), 191-203. ISSN: 2301-6523.
- De Brito, E. S., García, N. H. P., Gallão, M. I., Cortelazzo, A. L., Fevereiro, P. S., & Braga, M. R. (2001). Structural and chemical changes in cocoa (*Theobroma cacao* L) during fermentation, drying and roasting. *Journal of the Science of Food and Agriculture*, *81*(2), 281-288. DOI: [https://doi.org/10.1002/1097-0010\(20010115\)81:2%3C281::AID-JSFA808%3E3.0.CO;2-B](https://doi.org/10.1002/1097-0010(20010115)81:2%3C281::AID-JSFA808%3E3.0.CO;2-B).
- Delgado-Ospina, J., M. Martuscelli, C. D. Grande-Tovar, R. Lucas-González, J. B. Molina-Hernandez, M. Viuda-Martos, J. Fernández-López, J. Á. Pérez-álvarez, and C. Chaves-López. (2021). Cacao pod husk flour as an ingredient for reformulating frankfurters: Effects on quality properties. *Foods*, *10*(6). <https://doi.org/10.3390/foods10061243>.
- den Hartog, G. J., Boots, A. W., Adam-Perrot, A., Brouns, F., Verkooijen, I. W., Weseler, A. R., ... & Bast, A. (2010). Erythritol is a sweet antioxidant. *Nutrition*, *26*(4), 449-458.

- Dewandari, K. T., Rahmawati, R., & Munarso, S. J. (2021, February). The effect of techniques and fermentation time on cocoa beans quality (*Theobroma cacao* L.). In *IOP Conference Series: Earth and Environmental Science* (Vol. 653, No. 1, p. 012046). IOP Publishing.
- Dewi, R., Febriani, A., & Wenas, D. M. (2019). Uji aktivitas antimikroba ekstrak metanol daun sirih (*Piper betle* L.) terhadap pertumbuhan bakteri *Propionibacterium acnes* dan khamir *Malassezia furfur*. *Sainstech Farma: Jurnal Ilmu Kefarmasian*, 12(1), 32-38.
- Dinata, A. (2011). Pemanfaatan Enzim Mikrobial. *Inside*, 243681.
- Du, G. J., Zhang, Z., Wen, X. D., Yu, C., Calway, T., Yuan, C. S., & Wang, C. Z. (2012). Epigallocatechin Gallate (EGCG) is the most effective cancer chemopreventive polyphenol in green tea. *Nutrients*, 4(11), 1679-1691.
- Dyah, E. (2024) *Serba-serbi erythritol: pemanis rendah kalori alami dari buah*. Detikhealth. <https://health.detik.com/berita-detikhealth/d-6667184/serba-serbi-erythritol-pemanis-rendah-kalori-alami-dari-buah>
- Ekawati, M. A., Suirta, I. W., & Santi, S. R. (2017). Isolasi dan identifikasi senyawa flavonoid pada daun semburan (*Paederia foetida* L) serta uji aktivitasnya sebagai antioksidan. *Jurnal Kimia*, 11(1), 43-48. ISSN 1907-9850.
- Emmanuel OA, Jeniffer Q Agnes SB, Jemmy ST, and Firibu KS. 2012. Influence of pulp-preconditioning and fermentation fermentative quality and apperance of ghanaiian cocoa 060 (*Theobroma Cacao*) beans. *International Food Research Journal*. 19 (1): 127-133.
- Fadhli, H., Kusdiyantini, E., & Nurhayati, N. (2019). Karakterisasi morfologi, biokimia, dan uji enzimatis isolat khamir buah apel (*Malus domestica* Borkh.) yang berpotensi menghasilkan bioetanol. *Jurnal Biologi Tropika*, 2(2), 62-73.
- Fawole, H.J. and B. A Oso. (2004). Laboratory mannual of microbiology. Spectrum books limited spectrum. *Nigeria*, pp: 1-48.
- Frauendorfer, F., & Schieberle, P. (2008). Changes in key aroma compounds of Criollo cocoa beans during roasting. *Journal of Agricultural and Food Chemistry*, 56(21), 10244-10251.
- Frauendorfer, F., & Schieberle, P. (2006). Identification of the key aroma compounds in cocoa powder based on molecular sensory correlations. *Journal of Agricultural and Food Chemistry*, 54(15), 5521-5529. DOI: <http://doi.org/10.1021/jf060728k>.
- Ganeswari, I., Khairul Bariah, S., Amizi, M. A., & Sim, K. Y. (2015). Effects of different fermentation approaches on The microbiological and physicochemical changes during cocoa bean fermentation. *International Food Research Journal*, 22(1), 70-76.

- Gonibala, M., Rawung, I. H., & Ludong, I. M. M. (2018). Kajian fermentasi biji kakao (*Theobroma Cacao* L.) menggunakan fermentor tipe kotak dinding ganda dengan aerasi. In *Cocos* (Vol. 10, No. 3).
- Gunawan, B., & Azhari, C. D. (2010). Karakterisasi spektrofotometri IR dan scanning electron microscopy (SEM) sensor gas dari bahan polimer poly ethelyn glycol (PEG). *Jurnal Sains dan Teknologi*, 3(2), 1-17.
- Guzman Penella, S., Boulanger, R., Maraval, I., Kopp, G., Corno, M., Fontez, B., & Fontana, A. (2023). Link between flavor perception and volatile compound composition of dark chocolates derived from trinitario cocoa beans from Dominican Republic. *Molecules*, 28(9), 3805.
- Hafsan. (2014). *Mikrobiologi Analitik*. Alauddin University Press.
- Halim, M., N. A. M. Mustafa, M. Othman, H. Wasoh, M. R. Kapri, & A. B. Ariff. (2017). Effect of encapsulant and cryoprotectant on the viability of probiotic *Pediococcus acidilactici* ATCC 8042 during freeze-drying and exposure to high acidity, bile salts and heat. *LWT-Food Science and Technology*, vol. 81, pp. 210-216, DOI: doi.org/10.1016/j.lwt.2017.04.009.
- Hakim, FF. (2013). *Sistem freeze drying: unit penelitian dan pengembangan vaksin*. Jakarta: PT Bio Farma (Persero), h 2.
- Handayani, A. P., Setiawan, A. W., & Handoko, Y. A. (2022). Comparison of the quality of cocoa seed fermentation with the addition of mixed culture and single culture of *Lactobacillus plantarum*. *Jurnal Galung Tropika*, 11(1), 1-14.
- Hartuti, S., Bintoro, N., Karyadi, J. N. W., & Pranoto, Y. (2019). Characteristics of dried cocoa beans (*Theobroma cacao* L.) color using response surface methodology. *Planta Tropika*, 7(1), 82-92.
- Haryani, F.L, dkk. (2012). *Mengenal lebih dekat alat pengering "freeze dryer"*. Jawa Tengah: Fakultas Kedokteran dan Ilmu-ilmu Kesehatan Universitas Jenderal Soedirman (UNSOED): h 2– 3.
- Hassanzadeh, A.M., Khiabani, M.S., Sadrnia, M., Divband, B., Rahmanpour, O., Jabbari, V., Gholizadeh, P., dan Kafil, H.S. (2017). Immobilization and microencapsulation of *Lactobacillus caseii* and *Lactobacillus plantarum* using zeolite base and evaluating their viability in gastroesophageal-intestine simulated. *Ars Pharmaceutica*, 58(4): 163-170. DOI: <https://dx.doi.org/10.30827/ars.v58i4.6765>.
- Hayati, R., & Fauzi, H. (2012). Kajian fermentasi dan suhu pengeringan pada mutu kakao (*Theobroma cacao* L.). *Jurnal Keteknik Pertanian*, 26(2). DOI: <https://doi.org/10.19028/jtep.026.2.%25p..>
- Hernández-Hernández, C., Procopio Alejandro López-Andrade, Miguel A. Ramírez-Guillermo, Diana Guerra Ramírez, and Juan F. Caballero Pérez.

(2016). Evaluation of different fermentation processes for use by small cocoa growers in Mexico. *Food Science and Nutrition* 4 (5): 690-695. DOI: 10.1002/fsn3.333.

Hernani, H., & Haliza, W. (2013). Optimasi komposisi nutrisi untuk pembentukan komponen citarasa pada fermentasi biji kakao asalan (optimization of nutrient composition during fermentation on unfermented cocoa beans to enhance flavor components production). *Indonesian Journal of Agricultural Postharvest Research*, 10(2), 71-82.

Hinne, M., Abotsi, E. E., Van de Walle, D., Tzompa-Sosa, D. A., De Winne, A., Simonis, J., ... & Dewettinck, K. (2019). Pod storage with roasting: A tool to diversifying the flavor profiles of dark chocolates produced from 'bulk' cocoa beans?(part I: aroma profiling of chocolates). *Food Research International*, 119, 84- 98. DOI: <https://doi.org/10.1016/j.foodres.2019.01.057>.

Hustiany, R. (2016). Aplikasi persamaan arrhenius dan linear untuk pengujian stabilitas retensi impact compound flavor kweni terenkapsulasi. *Ziraa'ah Majalah Ilmiah Pertanian*, 41(3), 393-402. ISSN ELEKTRONIK 2355-3545.

Ibrahim, A., Fridayanti, A., & Delvia, F. (2015). Isolasi dan identifikasi bakteri asam laktat (BAL) dari buah mangga (*Mangifera indica* L.). *Jurnal Ilmiah Manuntung*, 1(2), 159-163. DOI: <https://doi.org/10.51352/jim.v1i2.29>.

Ibroham, M. H., Jamilatun, S., & Kumalasari, I. D. (2022, October). A Review: Potensi tumbuhan-tumbuhan di Indonesia sebagai antioksidan alami. In *Prosiding Seminar Nasional Penelitian LPPM UMJ* (Vol. 1, No. 1).

Indarti, E., Widayat, H. P., & Zuhri, N. (2011). Effect of fermentation container and thickness of bean mass during fermentation process of cocoa bean (*Theobroma cocoa* L.). In *Proceedings of The Annual International Conference, Syiah Kuala University-Life Sciences & Engineering Chapter* (Vol. 1, No. 1).

Indrayati, A., Asyarie, S., Suciati, T., & Retnoningrum, D. S. (2016). Pengaruh superoksida dismutase rekombinan *Staphylococcus equorum* terhadap viabilitas sel dan deposisi kolagen pada sel fibroblas 3T3 yang dipaparkan UVA. *Jurnal Farmasi Indonesia*, 13(1), 34-40.

Indriyanti, A. S. (2009). *Isolasi dan karakteristik bakteri asam laktat (bal) dari susu formula balita yang berpotensi menghasilkan substansi antimikroba*. Yogyakarta: UIN Sunan Kalijaga.

Jati, M., & Sari, A. B. T. (2011). Analysis of pyrazine and volatile compounds in cocoa beans using solid phase microextraction. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 27(1).

- Jarque, S., Michal, B., & Klara, H. (2016). Freeze-drying as suitable method to achieve ready-to-use yeast biosensors for androgenic and estrogenic compounds. *Chemosphere* 148, 204 - 210. DOI: <https://doi.org/10.1016/j.chemosphere.2016.01.038>.
- Jayanti. (2017). Pengaruh tingkat kemasakan buah dan cara penyemaian terhadap viabilitas dan vigor benih kakao (*Theobroma cacao* L.). *Jurnal Floratek*. 6: 114-123.
- Jinap, S. (1994). Organic acids in cocoa beans - a review. *ASEAN Food Journal (Malaysia)*.
- Kadow, D., Nicolas, N., Sascha, R., and Reinhard, L. (2015). Fermentation like incubation of cocoa seeds (*Theobroma cacao* L.). *Reconstruction and Guidance of the Fermentation Process*. DOI: <https://doi.org/10.1016/j.lwt.2015.01.015>.
- Kadhim, R. A., Al-Saadoon, A. H., & Al-Mahmoud, W. A. (2019). Morphological and phylogenetic identification of *Pichia* species associated with foods in Basrah, Iraq. *Basrah Journal of Science*, 37(2), 223-236. DOI: 10.29072/basjs.20190206.
- Kresnowati MTAP, L. Suryani, Affifah M. (2013). improvement of cocoa beans fermentation by LAB starter Addition. *Journal of Medical and Bioengineering*, 2(4). DOI: 10.12720/jomb.2.4.274-278.
- Kumar, P. (2019). Lyophilization: an important formulation technique. *International Journal Research*, vol.7, no. 9, pp. 11-15. DOI: <https://doi.org/10.29121/granthaalayah.v7.i9.2019.552>.
- Kumar, L., A. Baheti, & A. K. Bansal. (2016). Excipients used in lyophilization of small molecules. *Journal Excipients Food Chemistry*., vol. 1, no. 1.
- Kurniawan, T. B., Bintari, S. H., & Susanti, R. (2014). Efek interaksi ragi tape dan ragi roti terhadap kadar bioetanol ketela pohon (*Manihot utilissima*, Pohl) varietas Mukibat. *Biosaintifika: Journal of Biology & Biology Education*, 6(2), 128-136.
- Lamid, A., Almasyhuri, A., & Sundari, D. (2015). Pengaruh proses pemasakan terhadap komposisi zat gizi bahan pangan sumber protein. *Media Penelitian dan Pengembangan Kesehatan*, 25(4), 20747.
- Lilis, L., Rahmiana, R., Isnaeni, I., Virna, V., Hikma, N., & Thamrin, S. (2022). *Agroplanta: Jurnal Ilmiah Terapan Budidaya dan Pengelolaan Tanaman Pertanian dan Perkebunan*, 11(2), 79-86. DOI: <https://doi.org/10.51978/agro.v11i2.460>.
- Lima, L. J., Almeida, M. H., Nout, M. R., & Zwietering, M. H. (2011). *Theobroma cacao* L., "The food of the Gods": quality determinants of commercial cocoa beans, with particular reference to the impact of

fermentation. *Critical Reviews in Food Science and Nutrition*, 51(8), 731-761. DOI: <https://doi.org/10.1080/10408391003799913>.

Leiwakabessy, Alice, & Azriani, Devi. (2020). Hubungan umur, paritas dan frekuensi menyusui dengan produksi air susu ibu: association of age, parity and frequency of breast feeding on the production of mother's milk. *Journal of Midwifery Science and Women's Health*, 1(1), 27-33. DOI: <https://doi.org/10.36082/jmswh.v1i1.162>.

Lukito, A. M. (2010). *Buku Pintar Budidaya Kakao*. Jakarta: AgroMedia Pustaka. ISBN: 979-006-317-2.

Manalu, R. (2018). Pengolahan biji kakao produksi perkebunan rakyat untuk meningkatkan pendapatan petani. *Jurnal Ekonomi dan Kebijakan Publik*, 9(2): 99-111. DOI: <http://dx.doi.org/10.22212/jekp.v9i2.1006>.

Manalu, R. T. (2017). Isolasi dan karakterisasi bakteri pendegradasi hidrokarbon asal Indonesia. *Sainstech Farma: Jurnal Ilmu Kefarmasian*, 10(2), 23-28.

Mardawati, E., Filianty, F., & Marta, H. (2008). Kajian aktivitas antioksidan ekstrak kulit Manggis (*Garcinia mangostana* L) dalam rangka pemanfaatan limbah kulit manggis di Kecamatan Puspahiang Kabupaten Tasikmalaya. *Teknotan*, 2(3).

Marham, D., Y. Rustam, & D. Sukmawati. (2016). Uji kemampuan antagonisme khamir asal daun jati (*Tectona grandis*) terhadap kapang pengkontaminan pada pakan ternak ayam, *Bioma*, vol. 12, no. 2, pp. 49-56. DOI: [https://doi.org/10.21009/Bioma12\(2\).7](https://doi.org/10.21009/Bioma12(2).7).

Markxen, K, Vanselow, K.H., Lippemeier, S., Hintze, R. (2007). Determination of DPPH radical oxidation caused by methanolic extract of some microalgal species by linier regresion analysis of spectrophotometric measurements. *Sensors*. DOI: <https://doi.org/10.3390/s7102080>.

Martono. (2017). *Karakteristik morfologi dan kegiatan plasma nutfah tanaman kakao*. Balai Penelitian Tanaman Industri dan Penyegar Sukabumi

Marwati, T. (2017). Penghambatan pertumbuhan mikotoksi memproduksi jamur oleh bakteri asam laktat yang disolasi dari biji kakao fermentasi (*Theobroma cocoa* L.) di Indonesia. *Prosiding Konferensi ASEAN Ke 15 Tentang Ilmu dan Teknologi Pangan. Ho Chi Minh*.

Masriany, M., Sari, A., & Armita, D. (2020). Diversitas senyawa volatil dari berbagai jenis tanaman dan potensinya sebagai pengendali hama yang ramah lingkungan. In *Prosiding Seminar Nasional Biologi*, 6(1). DOI: <https://doi.org/10.24252/psb.v6i1.16949>.

Masta, N. (2020). Buku materi pembelajaran scanning electron microscopy.

Maura, Y. F., Balzarini, T., Borges, P. C., Evrard, P., De Vuyst, L., & Daniel, H.

- M. (2016). The environmental and intrinsic yeast diversity of Cuban cocoa bean heap fermentations. *International Journal of Food Microbiology*, 233, 34 - 43. DOI: <https://doi.org/10.1016/j.ijfoodmicro.2016.06.012>.
- Maya, F. N., & Alami, N. H. (2019). Uji potensi isolat khamir dari rhizosfer mangrove Wonorejo dan Gunung Anyar sebagai agen penghasil IAA (*Indole Acetic Acid*). *Jurnal Sains dan Seni ITS*, 8(1), 4-8. DOI: <http://dx.doi.org/10.12962/j23373520.v8i1.41855>.
- Mega, IM dan Swastini, DA. (2010). skrining fitokimia dan aktivitas antiradikal bebas ekstrak metanol daun gaharu (*Gyrinops versteegii*). *Jurnal Kimia* (2). Hal. 187-192. ISSN 1907-9850
- Meersman, E., Steensels, J., Mathawan, M., Wittcox, P. J., Saels, V., Struyf, N., ... & Verstrepen, K. J. (2013). Detailed analysis of the microbial population in Malaysian spontaneous cocoa pulp fermentations reveals a core and variable microbiota. *PLoS One*, 8(12), e81559.
- Meryandini, A., Basri, A., & Sunarti, T. C. (2019). Peningkatan kualitas biji kakao (*Theobroma cacao* L.) melalui fermentasi menggunakan *Lactobacillus* sp. Dan *Pichia kudriavzevii*. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 6(1), 11-19. DOI: <https://doi.org/10.29122/jbbi.v6i1.3048>.
- Miliauskas, G.; P.R. Venskutonis; dan T.A. Van Beek. (2003). Screening of radical scavenging activity of some medicinal and aromatic plant extracts. *Food Chemistry* 85:231 - 237. DOI: <https://doi.org/10.1016/j.foodchem.2003.05.007>.
- Misnawi, S. (2008). Physico-chemical changes during cocoa fermentation and key enzymes involved. *Review penelitian kopi dan kakao*, 24(1), 54-71.
- Molyneux, P. (2004). The use of the stable free radical *Diphenylpicryl-hydrazyl* (DPPH) for estimating antioxidant activity. *Songklanakarinn Journal Science Technology* 26:211-219.
- Momose, et al., (2010). Comparative analysis of transcriptional responses to the cryoprotectants, dimethyl sulfoxide and trehalose, which confer tolerance to freeze-thaw stress in *Saccharomyces cerevisiae*. *Cryobiology*, 60(3): 245–261. DOI: <https://doi.org/10.1016/j.cryobiol.2010.01.001>.
- Mulato, Sri. (2022, May 16). *Peran fermentasi dalam pascapanen buah kakao*. CCTCID. Retrieved from <https://www.cctcid.com/2022/05/16/peran-fermentasi-dalam-pascapanen-buah-kakao/>
- Mulato, S., Widyotomo, S., & Misnawi, E. S. (2005). Pengolahan produk primer dan sekunder kakao. *Pusat Penelitian Kopi dan Kakao Indonesia*, Jember.
- Mulyawanti, I., Hidayat, T., & Risfaheri, N. F. N. (2018). Pengaruh jenis fermentor terhadap mutu biji kakao kering non fermentasi [The influences of

- fermentor type on quality of dried unfermented cocoa bean]. *Jurnal Penelitian Pascapanen Pertanian*, 15(2), 91-8.
- Natalia, L., & Priadi, A. (2006). Sifat Lactobacilli yang diisolasi dari usus ayam sebagai probiotik. In *Seminar Nasional Teknologi Peternakan dan Veteriner*.
- Nawangsih, E. N., Khaerunnisa, K. N., Achmad, N., & Koswara, T. (2024). kesetaraan jumlah koloni probiotik soyghurt beku kering antara metode TPC dan spektrofotometer. *Journal of Innovation Research and Knowledge*, 3(9), 1963-1968.
- Ndukwu, M. C. (2009). Effect of drying temperature and drying air velocity on the drying rate and drying constant of cocoa bean. *Agricultural Engineering International: CIGR Journal*.
- Nizori, A., Tanjung, O. Y., Ulyarti, U., Arzita, A., Lavlinesia, L., & Ichwan, B. (2021). Pengaruh lama fermentasi biji kakao (*Theobroma Cacao* L.) terhadap sifat fisik, kimia dan organoleptik bubuk kakao. *Jurnal Pangan dan Agroindustri*, 9(2), 129-138.
- Nofrianti, R. (2013). Metode freeze drying bikin keripik makin crunchy. *Jurnal Aplikasi Teknologi Pangan*. 2(1).
- Noor-Soffalina, S. S., Jinap, S., Nazamid, S., & Nazimah, S. A. H. (2009). Effect of polyphenol and pH on cocoa Maillard-related flavour precursors in a lipidic model system. *International Journal of Food Science & Technology*, 44(1), 168-180.
- Noor, Z., Cahyanto, M. N., Indrati, R., & Sardjono, S. (2018). Skrining *Lactobacillus plantarum* penghasil asam laktat untuk fermentasi mocaf. *Agritech*, 37(4), 442. DOI: <http://doi.org/10.22146/agritech.18821>
- Nurhadi, E., Hidayat., Indah., Widayanti., & Harya. (2019). Keberlanjutan komoditas kakao sebagai produk unggulan agroindustri dalam meningkatkan kesejahteraan petani. *jurnal sosial ekonomi dan kebijakan pertanian*. Vol 8 (1). Hal 51-61. DOI: <http://doi.org/10.21107/agriekonomika.v8i1.5017>.
- Nurhayati, N. (2021). The effects of roasting time of unfermented cocoa liquor using the oil bath methods on physicochemical properties and volatile compound profiles. *Agritech*, 39(1), 36.
- Nurwitri, C. C. & Rahayu, W. P. (2012). *Mikrobiologi Pangan*. Bogor: IPB Press
- Parinata, Dwi, & Puspaningtyas, Nicky Dwi. (2022). Studi literatur: kemampuan komunikasi matematis mahasiswa pada materi integral. *Jurnal Ilmiah Matematika Realistik*, 3(2), 94-99. E-ISSN: 2723-6153.
- Pemerintah Badan Standardisasi Nasional. Standar Nasional Indonesia (SNI) Biji

Kakao Nomor 2323:2008.

- Pirman, Yusuf, M, Utami, M., Rahmawati, Alam. S. (2018). Evaluasi sensori dan karakterisasi sifat fisikokimia minuman instan kaya polifenol dari biji kakao pilihan. *Prosiding Seminar Hasil Penelitian (SNP2M)*.143-148. 978-602-60766-4-9.
- Prakash, A., Rigelhof, F., & Miller, E. (2001). Antioxidant activity medallion laboratories analitical progres. *Minnesota*, 19(2), 3.
- Pranata, Robert. (2021). *Analisis pendapatan dan tataniaga usahatani kakao (Theobroma cacao L.) di Desa Air Kelinsar Kecamatan Ulu Musi Kabupaten Empat Lawang*. Palembang: Fakultas Pertanian Universitas Muhammadiyah Palembang.
- Prawoto, A. A., & Winarsih, S. (2010). Mengenal tanaman kakao. *Lukito, AM, Buku Pintar Budidaya Kakao. 1st ed. Jakarta: Agro Media Pustaka*, 11-41.
- Puspawati, N., Nuraida, L., & Adawiyah, D. (2010). Penggunaan berbagai jenis bahan pelindung untuk mempertahankan viabilitas bakteri asam laktat yang diisolasi dari air susu ibu pada proses pengeringan beku. *Jurnal Teknologi Dan Industri Pangan*, 21 (1)
- Puspita, D. (2020). Isolasi, Identifikasi dan uji produksi yeast yang diisolasi dari nira kelapa. *Biosfer: Jurnal Biologi dan Pendidikan Biologi*, 5(1), 1-5. DOI: <https://doi.org/10.23969/biosfer.v5i1.2395>.
- Purbaningrum, K., Hidayat, C., Witasari, L. D., & Utami, T. (2023). Flavor precursors and volatile compounds improvement of unfermented cocoa beans by hydrolysis using bromelain. *Foods*, 12(4), 820.
- Putrayana, K. D. A. M. (2022). *Karakterisasi dan uji antagonis bakteri Lactobacillus plantarum Dad-13 sebagai probiotik terhadap Escherichia coli dan Staphylococcus aureus* (Doctoral dissertation, Universitas Dhyana Pura).
- Qin, X. W., Lai, J. X., Tan, L. H., Hao, C. Y., Li, F. P., He, S. Z., & Song, Y. H. (2017). Characterization of volatile compounds in Criollo, Forastero, and Trinitario cocoa seeds (*Theobroma cacao* L.) in China. *International Journal of Food Properties*, 20(10), 2261-2275.
- Raharja, S., & Suryadarma, P. (2020). Peningkatan sifat fungsional pati sagu (*Metroxylon* sp.) melalui penambahan isolat protein kedelai dan transglutaminase. *Jurnal Teknologi Industri Pertanian*, 30(2).
- Ramos-Santana, R., Valencia-Chin, E., Macchiavelli, R., (2014). Potential of *Morus alba* (mulberry) as feed replacement for goats in Puerto Rico. *Journal. Agriculture of the University of Puerto Rico*, 98 (1): 79-82. ISSN (Print): 0041-994X.

- Rannes, A. W. S., & Handoko, Y. A. (2021). Perbandingan kualitas fermentasi biji kakao dengan penambahan kultur campur dan kultur tunggal *Lactobacillus brevis* comparison of the quality of cocoa bean fermentation with the addition of mixed and single cultures of *Lactobacillus brevis*. *Jurnal Teknik Pertanian Lampung Vol*, 10(4), 537-547.
- Rodriguez-Campos, J., Escalona-Buendía, H. B., Orozco-Avila, I., Lugo-Cervantes, E., & Jaramillo-Flores, M. E. (2011). Dynamics of volatile and -volatile compounds in cocoa (*Theobroma cacao* L.) during fermentation and drying processes using principal components analysis. *Food Research International*, 44(1),250-258. DOI: <https://doi.org/10.1016/j.foodres.2010.10.028>
- Sabahannur, S. (2017). Kajian pengaruh berat biji kakao perkotak dan waktu pengadukan terhadap keberhasilan proses fermentasi. *Jurnal Pendidikan Matematika dan IPA*. 8(2). 19-30. DOI: <https://dx.doi.org/10.26418/jpmipa.v8i2.21172>.
- Sampebara, AL. (2019). Identifikasi senyawa volatil dalam ekstrak metanol biji kakao non fermentasi. *Journal of the Science of Food and Agriculture*, 78(4): 543-550.
- Sandhya, M. V. S., Yallappa, B. S., Varadaraj, M. C., Puranaik, J., Rao, L. J., Janardhan, P., & Murthy, P. S. (2016). Inoculum of the starter consortia and interactive metabolic process in enhancing quality of cocoa bean (*Theobroma cacao*) fermentation. *LWT-Food Science and Technology*, 65, 731-738. DOI: <https://doi.org/10.1016/j.lwt.2015.09.002>.
- Sang, S., Lambert, J. D., Ho, C. T., & Yang, C. S. (2011). The chemistry and biotransformation of tea constituents. *Pharmacological Research*, 64(2), 87-99.
- Sari, D. I. P. (2022). Isolasi mikroorganisme heterofermentatif pada biji kakao (*Theobroma Cacao* L.) selama fermentasi spontan. *Pasundan Food Technology Journal (PFTJ)*, 9(1), 7-13.
- Satyanarayana, T. & Kunze, G. (2009). *Yeast biotechnology: diversity and application*. New Delhi: Springer Science. e-ISBN: 978-1-4020-8292-4.
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan alami dan sintetik*. Padang: Andalas University Press
- Schwan, R. F., & Wheals, A. E. (2004). The microbiology of cocoa fermentation and its role in chocolate quality. *Critical reviews in food science and nutrition*, 44(4), 205-221. DOI: <https://doi.org/10.1080/10408690490464104>.
- Scollo, E., Neville, D. C., Oruna-Concha, M. J., Trotin, M., & Cramer, R. (2020).

UHPLC–MS/MS analysis of cocoa bean proteomes from four different genotypes. *Journal Food Chemistry*, 303, 125244. DOI: <https://doi.org/10.1016/j.foodchem.2019.125244>

Sharah, A., Karnila, R., & Desmelati. 2015. Pembuatan kurva pertumbuhan bakteri asam laktat yang di isolasi dari ikan peda kembung (*Rastrelliger* sp.). *Jom*, 2(2), 1-8.

Shekhar, T. C. & Anju, G. (2014). Antioxidant activity by DPPH radical scavenging method of *Ageratum conyzoides* Linn leaves. *American Journal of Ethnomedicine* 1(4), 244-249. ISSN: 2348-9502.

Siagian, L. S., Manalu, K., & Nasution, R. A. (2024). Isolasi dan identifikasi bakteri asam laktat dari hasil fermentasi limbah organik kulit buah (EcoEnzyme). *BIOEDUSAINS: Jurnal Pendidikan Biologi dan Sains*, 7(1), 322-334.

Sigalingging, H. A., Putri, S. H., & Iflah, T. (2020). Perubahan fisik dan kimia biji kakao selama fermentasi. *Jurnal Industri Pertanian*, 2(2), 158–165. ISSN: 2656-6559.

Silaen, O. S., E. S. Ferry., dan S. Balonggu. (2013). Respon pertumbuhan bibit kakao terhadap vermikompos dan pupuk. *Jurnal Online Agroteknologi*, (4). ISSN No. 2337- 6597.

Siregar, T. H. S., Slamet R., dan Laeli N. (2010). *Budidaya Cokelat*. Jakarta: Penebar Swadaya.

Soukoulis, C., Behboudi-Jobbehdar, S., Yonekura, L., Parmenter, C., & Fisk, I. (2014). Impact of milk protein type on the viability and storage stability of microencapsulated *Lactobacillus acidophilus* NCIMB 701748 using spray drying. *Food and Bioprocess Technology*, 7, 1255-1268. DOI: 10.1007/s11947-013-1120-x.

Soumahoro, S., Ouattara, H. G., Droux, M., Nasser, W., Niamke, S. L., & Reverchon, S. (2020). Acetic acid bacteria (AAB) involved in cocoa fermentation from Ivory Coast: species diversity and performance in acetic acid production. *Journal of food science and technology*, 57, 1904-1916. DOI: <https://doi.org/10.1007/s13197-019-04226-2>

Sucipto, C. (2023). Perbandingan kualitas biji kakao (*Theobroma Cacao* L.) dalam berbagai wadah fermentasi dengan menggunakan kultur campur. *TEKNOTAN*, Vol. 16, No. 3. DOI: 10.24198/jt.vol16n3.8

Sudarminto, S. Y. (2017) *Teknologi pengolahan pangan hasil perkebunan*. Malang: UB Press. ISBN: 978-602-432-317-2.

Sukendar, N. K., Tawali, A. B., Salengke, S., Syarifuddin, A., Mochtar, A. H., & Fakhruddin, A. (2019). Perubahan sifat fisiko-kimiawi selama proses fermentasi biji kakao segar: (changes in physical-chemical properties

during the fresh cocoa fermentation process). *Canrea Journal: Food Technology, Nutritions, and Culinary Journal*, 98-105.

- Sukmawati, D., Sondana, G. A., Fikriyyah, N. N., Afifah, Z. N., Firhandini, A., Khumaiya, U., & Suroño, S. (2021, April). Cellulase-producing yeast isolated from fermented cocoa beans as biocontrol for pathogenic fruit collected from Sentul, Jawa Barat, Indonesia. In *Journal of Physics: Conference Series* (Vol. 1869, No. 1, p.012043). IOP Publishing. DOI:10.1088/1742-6596/1869/1/012043.
- Supriyanto., Haryadi, B. Rahardjo, dan D. W. Marseno. (2006). Aktivitas antioksidan ekstrak polifenol kasar dari kakao hasil penyangraian menggunakan enegi gelombang mikro. *Jurnal Teknologi dan Industri Pangan* Vol XVII (3): 176-182. ISSN 2087-751X.
- Surbakti, F., & Hasanah, U. (2019). Identifikasi dan karakterisasi bakteri asam laktat pada acar ketimun (*Cucumis sativus* L.) sebagai agensi probiotik. *Jurnal Teknologi Pangan dan Kesehatan (The Journal of Food Technology and Health)*, 1(1), 31-37. E-ISSN: 2620-7753.
- Suroño, D. I., Nurali, I. E. J., & Moningka, I. J. S. (2017, January). Kualitas fisik dan sensoris roti tawar bebas gluten bebas kasein berbahan dasar tepung komposit pisang goroho (*Musa acuminata* L.). In *Cocos* (Vol. 1, No. 1).
- Suryani, D. (2007). Komoditas kakao: potret dan peluang pembiayaan. *Economic Review*, 210, 1-8.
- Susi, L. A., Wibowo, C., & Anshory, A. R. U. D. (2018). optimasi suhu dan lama fermentasi tepung kacang nagara (*vigna unguiculata* ssp. *cylindrica*) menggunakan *lactobacillus plantarum* dengan response surface methodology (RSM). *Jurnal Teknologi Industri Pertanian*, 28(3).
- Tarigan, E. B. (2017). Beberapa komponen fisikokimia kakao fermentasi dan non fermentasi. *Jurnal Agroindustri Halal*, 3(1), 048-062. DOI: <https://doi.org/10.30997/jah.v3i1.687>.
- Thompson, S.S., K.B. Miller, A.S Lopez. (2001). Cocoa and coffee. In: M.J. Doyle., L.R. Beuchat, T.J Montville (Eds.), *Food Microbiology-Fundamentals and frontiers*. ASM Press, Washington, D.C. DOI: <https://doi.org/10.1128/9781555818463.ch35>.
- Tigrero-Vaca, J., Maridueña-Zavala, M. G., Liao, H. L., Prado-Lince, M., Zambrano-Vera, C. S., Monserrate-Maggi, B., & Cevallos-Cevallos, J. M. (2022). Microbial diversity and contribution to the formation of volatile compounds during fine-flavor cacao bean fermentation. *Foods*, 11(7), 915.
- Tofalo, R., Fusco, V., Böhnlein, C., Kabisch, J., Logrieco, A. F., Habermann, D., ... & Franz, C. M. (2020). The life and times of yeasts in traditional food fermentations. *Critical Reviews in Food Science and Nutrition*, 60(18),

3103-3132. DOI: <https://doi.org/10.1080/10408398.2019.1677553>.

- Towaha J, Anggraini DA, Rubiyo. (2012). Keragaman mutu biji kakao dan produk turunannya pada berbagai tingkat fermentasi: Studi kasus di Tabanan, Bali. *Pelita Perkebunan*, 28(3), 166-183.
- Utama, C. S., Zuprizal, Z., Hanim, C., & Wihandoyo, W. (2018). Isolasi dan identifikasi bakteri asam laktat selulolitik yang berasal dari jus kubis terfermentasi. *Jurnal Aplikasi Teknologi Pangan*, 7(1). DOI: <https://doi.org/10.17728/jatp.2155>.
- Utami, R. R. (2018). Antioksidan biji kakao: Pengaruh fermentasi dan penyangraian terhadap perubahannya (ulasan). *Jurnal Industri Hasil Perkebunan*, 13(2), 75-85.
- Wachid, M., & Mutia, P. (2019). Optimasi media kulit singkong pada pertumbuhan *Sacharomyces cereviceae*. *Jurnal Ilmiah Teknik Sipil Teknik Kimia*, 4, 92-101.
- Wahyudi, T. T. R., & Panggabean, P. (2013). Kakao, manajemen agribisnis dari hulu ke hilir. *Penebar Swadaya*.
- Walker, G. M., & White, N. A. (2017). Introduction to fungal physiology. *Fungi: biology and applications*, 1-35. DOI: <https://doi.org/10.1002/9781119374312.ch1>.
- Wang, S., Chang, Y., Liu, B., Chen, H., Sun, B., & Zhang, N. (2021). Characterization of the key aroma-active compounds in Yongchuan Douchi (fermented soybean) by application of the sensomics approach. *Molecules*, 26(10), 3048.
- Widyasanti, A., Rohdiana, D., & Ekatama, N. (2016). Aktivitas antioksidan ekstrak teh putih dengan metode DPPH. *Edufortech*, 1(1), 1-9. DOI: <https://doi.org/10.17509/edufortech.v1i1.3966>.
- Widyotomo, S., M. S. Sri. (2008). Teknologi fermentasi dan diversifikasi pulpa kakao menjadi produk yang bermutu dan bernilai tambah. *Review Penelitian Kopi dan Kakao* 24:65–82.
- Wijanarka, E.S. Soetarto, K. Dewi, dan A. Indrianto. (2013). Aktivitas inulinase oleh *P. manshurica* dan Fusan F4 pada fermentasi Batch dengan Umbi Dahlia (*Dahlia* sp) sebagai Substrat. *Reaktor*. 14(3):187-192. DOI: <https://doi.org/10.14710/reaktor.14.3.187-192>.
- Winarsi. Hery, (2007), Antioksidan alami dan radikal bebas. Yogyakarta; Kanisius, 18. ISBN: 979-979-21-1612-0.
- Wirasuta, I. M., Wage, I. Y. J., Dewi, C. I. T. R., Dewi, N. M. N. P., Julianty, N. K. A., Wirajaya, I. G., & Astuti, N. M. W. (2016). Optimasi sistem GC-MS dalam analisis minyak atsiri daun sirih hijau (*Piper betle* L.). *Jurnal*

- Yalcin, S. K., Bozdemir, M. T., & Ozbas, Z. Y. (2010). Citric acid production by yeasts: fermentation conditions, process optimization and strain improvement. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology*, 9, 1374-1382.
- Yang, Y., Darwish, A. G., El-Sharkawy, I., Zhu, Q., Sun, S., & Tan, J. (2022). Rapid determination of the roasting degree of cocoa beans by extreme learning machine (ELM)-based imaging analysis. *Journal of Agriculture and Food Research*, 10, 100437. DOI: <https://doi.org/10.1016/j.jafr.2022.100437>.
- Yeni, A. M., & Sunarti, T. C. (2016). Penggunaan substrat whey tahu untuk produksi biomassa oleh *Pediococcus pentosaceus* E. 1222. *Jurnal Teknologi Industri Pertanian*, 26(3).
- Yoshiyama, Y., Tanaka, K., Yoshiyama, K., Hibi, M., Ogawa, J., & Shima, J. (2015). Trehalose accumulation enhances tolerance of *Saccharomyces cerevisiae* to acetic acid. *Journal of Bioscience and Bioengineering*, 119, 172 - 175. DOI: <https://doi.org/10.1016/j.jbiosc.2014.06.021>
- Yuniar, L., Rachman, S. D., & Soedjanaatmadja, R. U. M. (2018). Pengaruh fermentasi biji kakao dengan menggunakan *Kluyveromyces* sp., *Lactobacillus plantarum*, *Acetobacter xylinum*, enzim papain dan bromelain serta sistein terhadap prekursor cita rasa serta kandungan nutrisi dan polifenolnya. *Chimica et Natura Acta*, 6(3), 127-135. DOI: <https://doi.org/10.24198/cna.v6.n3.20859>.
- Yulvizar, C., Ismail, Y. S., Dewiyanti, I., & Defira, C. N. (2023). Aktivitas bakteriosin bakteri asam laktat (bk-01) dalam menghambat *Staphylococcus aureus* dan *Escherichia coli*. *Jurnal Bioleuser*, 7(1). DOI: <https://doi.org/10.24815/j.%20bioleuser.v7i1.33130>.
- Zhang, Q., Huo, N., Wang, Y., Zhang, Y., Wang, R., & Hou, H. (2017). Aroma-enhancing role of *Pichia manshurica* isolated from Daqu in the brewing of Shanxi Aged Vinegar. *International Journal of Food Properties*, 20(9), 2169-2179. <https://doi.org/10.1080/10942912.2017.1297823>.
- Zulfiandri, M. (2012). Strategi pengembangan agroindustri kakao berbasis kelompok tani di propinsi sumatera barat. *Jurnal InovisiTM*, 8(1), 1-13.