

**DAFTAR PUSTAKA**

- Abu Bakar, M. H., Ismail, N. A., Azizul, I., & Ling, A. L. M. (2016). Phytochemical composition and biological activities of selected wild berries (*Rubus moluccanus* L., *R. fraxinifolius* Poir., and *R. alpestris* Blume.). *Evid Based Complement Alternat Med*, Article ID 2482930, 10
- Ahmed, E., Arshad, M., Khan, M. Z., Amjad, M. S., Sadaf, H. M., Riaz, I., Sabir, S., Ahmad, N., & Sabaoon. (2017). Secondary metabolites and their multidimensional prospective in plant life. *Journal of Pharmacognosy and Phytochemistry*, 6(2), 205-214
- Ahmed, J. N., Abbas, T. F., & Al-Maliki, A. D. M. (2024). Investigation and characterization of alkaloidic compounds from *Apium graveolens* and estimation of their antibacterial activity. *European Journal of Advanced Chemistry Research*, 5(4). <http://dx.doi.org/10.24018/ejchem.2024.5.4.156>
- Ahriani., Zelviani, S., Hernawati., & Fitriyanti. (2021). Analisis Nilai Absorbansi untuk menentukan Kadar Flavonoid Daun Jarak Merah (*Jatropha gossypifolia* L.) menggunakan Spektrofotometer UV-VIS. *Jurnal Fisika dan Terapannya*, Vol. 8 (2): 56 – 64.
- Al-Rubaye, A. F., Hameed, I. H., & Kadhim, M. J. (2017). A review: Uses of gas chromatography-mass spectrometry (GC-MS) technique for analysis of bioactive natural compounds of some plants. *International Journal of Toxicological and Pharmacological Research*, 9(1), 81-85
- Aissaoui, N., Mahjoubi, M., Nas, F., Mghirbi, O., Arab, M., Souissi, Y., Hoceini, A., Masmoudi, A. S., Mosbah, A., & Cherif, A. (2019). Antibacterial potential of 2, 4-di-tert-butylphenol and calixarene-based prodrugs from thermophilic *Bacillus licheniformis* isolated in Algerian hot spring. *Geomicrobiology Journal*, 36, 53-62
- Astuti, W. Y., & Respatie, D. W. (2022). Kajian senyawa metabolit sekunder pada mentimun (*Cucumis sativus* L.). *Vegetalika*, 11(2), 122-134. <https://doi.org/10.22146/veg.60886>
- Bernard, D., Kwabena, A. I., Osei, O. D., Daniel, G. A., Elom, S. A., & Sandra, A. (2014). The effect of different drying methods on the phytochemicals and

radical scavenging activity of Ceylon cinnamon (*Cinnamomum zeylanicum*) plant parts. *European Journal of Medicinal Plants*, 4(11), 1324-1335

Carter, K. A., Liston, A., Bassil, N. V., Alice, L. A., Bushakra, J. M., Sutherland, B. L., Mockler, T. C., Bryant, D. W., & Hummer, K. E. (2019). Target capture sequencing unravels *Rubus* evolution. *Frontiers in Plant Science*, 10, 1615. <https://doi.org/10.3389/fpls.2019.01615>

Casuga, F. P., Castillo, A. L., & Corpuz, M. J. A. T. (2016). GC-MS analysis of bioactive compounds present in different extracts of an endemic plant *Broussonetia luzonica* (Blanco) (Moraceae) leaves. *Asian Pacific Journal of Tropical Biomedicine*, 6(11), 957-961

Chang, C. C., Yang, M. H., Wen, H. M., & Chern, J. C. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *Journal of Food and Drug Analysis*, 10, 178-181

Choi, S. J., Kim, J. K., Kim, H. K., Harris, K., Kim, C. J., Park, G. G., Park, C. S., & Shin, D. H. (2013). 2,4-Di-tert-butylphenol from sweet potato protects against oxidative stress in PC12 cells and in mice. *Journal of Medicinal Food*, 16, 977-983. <https://doi.org/10.1089/jmf.2012.2739>

Desmiaty, Y., Elya, B., Saputri, F. C., Hanafi, M., & Prastiwi, R. (2018). Aktivitas antioksidan daun *Rubus fraxinifolius* Poir. dan *Rubus rosifolius* J. Sm. *J Young Pharm*, 10(2), 93-96

Dewi, R. T., Fitria, I., Sundowo, A., Agustian, E., Ismaini, L., Normaswi, S., Noviady, I., Destri, & Imam Surya, M. (2019). Effects of drying on phytochemical content and bioactivities of young leaves from *Rubus fraxinifolius*. *Current Agriculture Research*, 7(3), 310-317

El Barky, A. R., Hussein, S. A., Alm Eldeen, A., Hafez, Y. A., & Mohamed, T. (2017). Saponins and their potential role in diabetes mellitus. *Diabetes Management*, 7(1), 148-155

Fatima, A., Zia, M., & Rehman, R. (2017). Phytochemical and pharmacological studies on neophytadiene from medicinal plants and its antimicrobial and anti-inflammatory properties. *Journal of Ethnopharmacology*, 199, 120-126

- Foster, T. M., Bassil, N. V., Dossett, M., Worthington, M. L., & Graham, J. (2019). Genetic and genomic resources for *Rubus* breeding: A roadmap for the future. *Horticulture Research*, 6, 116. <https://doi.org/10.1038/s41438-019-0199-2>
- Gao, X.-F., Xiong, X.-H., Boufford, D. E., Gao, Y.-D., Xu, B., & Zhang, C. (2023). Phylogeny of the diploid species of *Rubus* (Rosaceae). *Genes*, 14, 1152. <https://doi.org/10.3390/genes14061152>
- Gutbrod, P., Yang, W., Grujicic, G. V., Peisker, H., Gutbrod, K., Fang Du, L., & Dorman, P. (2021). Phytol derived from chlorophyll hydrolysis in plants is metabolized via phytenal. *Journal of Biological Chemistry*, 296, 100530. <https://doi.org/10.1016/j.jbc.2021.100530>
- Harborne, J. B. (1998). *Phytochemical methods: A guide to modern techniques of plant analysis* (3rd ed.). Chapman and Hall
- Heide, O., Stavang, J., & Sønsteby, A. (2013). Physiology and genetics of flowering in cultivated and wild strawberries – A review. *Journal of Horticultural Science & Biotechnology*, 88, 1–18
- Hermawan, L. A., Husna, S., & Akmalia, H. A. (2023). Identifikasi senyawa metabolit pada organ akar dan batang kangkung air (*Ipomoea aquatica* Forssk.) berdasarkan uji histokimia. *Lentera Bio*, 12(3), 317-322
- Hidayat, H. (2021). Identifikasi morfologi dan uji aktivitas antimikroba terhadap bakteri *Escherichia coli* dari fermentasi buah markisa (*Passiflora* sp.). *Eksakta: Jurnal Ilmu-Ilmu MIPA*, 76-85
- Horie, H., Ito, H., Ippoushi, K., Azuma, K., Sakata, Y., & Igarashi, I. (2007). Cucurbitacin C – Bitter principle in cucumber plants. *Japan Agricultural Research Quarterly*, 41(1), 65-68
- Hotmian, E., Suoth, E., Fatimawati, & Tallei, T. (2021). GC-MS (Gas Chromatography-Mass Spectrometry) analysis of nut grass tuber (*Cyperus rotundus* L.) methanolic extract. *Pharmacon*, 10(2), 849-856. <https://doi.org/10.35799/pha.10.2021.34034>



- Inés Dominguez-López, Maria Pérez, & Rosa M. Lamuela-Raventós. (2023). Total (poly)phenol analysis by the Folin-Ciocalteu assay as an anti-inflammatory biomarker in biological samples. *Critical Reviews in Food Science and Nutrition*. <https://doi.org/10.1080/10408398.2023.2220031>
- Islam, M. T., Ali, E. S., Uddin, S. J., Shaw, S., Islam, M. A., et al. (2018). Phytol: A review of biomedical activities. *Food Chemistry and Toxicology*, 121, 82-94. <https://doi.org/10.1016/j.fct.2018.08.032>
- Ismaini, L., Surya, M. I., Destri, D., Normasiwi, S., Asni, N., & Abu Bakar, M. (2017). Persilangan Rubus antara Wild Raspberry dengan Red Raspberry. *Prosiding Seminar Nasional PERIPI*, 464-471
- Ismaini, L., & Surya, M. I. (2023). Metabolite profiling of wild underutilized raspberry (*Rubus pyrifolius*). *Notulae Scientia Biologicae*, 15(4), 11695. <https://doi.org/10.15835/nsb15411695>
- Javed, M. R., Salman, M., Tariq, A., Tawab, A., Zahoor, M. K., Naheed, S., Shahid, M., Ijaz, A., & Ali, H. (2022). The antibacterial and larvicidal potential of bis-(2-ethylhexyl) phthalate from *Lactiplantibacillus plantarum*. *Molecules*, 27(21), 7220. <https://doi.org/10.3390/molecules27217220>
- Jibrán, R., Spencer, J., Fernandez, G., Monfort, A., Mnejja, M., Dzierzon, H., Tahir, J., Davies, K., Chagné, D., & Foster, T. M. (2019). Two loci, RiAF3 and RiAF4, contribute to the annual-fruiting trait in Rubus. *Frontiers in Plant Science*, 10, 1341. <https://doi.org/10.3389/fpls.2019.01341>
- Julianto, T. S. (2019). *Fitokimia: Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. Cetakan 1. Yogyakarta: Universitas Islam Indonesia
- Kalkman, C. (1993). Rosaceae. *Flora Malesiana*, Series 1, Spermatophyta, 11(2), 227-351
- Khalaf, N., Shakyaa, A., Al-Othman, A., El-Agbar, Z., & Farah, H. (2008). Antioxidant activity of some common plants. *Turkish Journal of Biology*, 32, 51-55
- Khan, K., Firdous, S., Ahmad, A., Fayyaz, N., Nadir, M., Rasheed, M., & Faizi, S. (2016). GC-MS profile of antimicrobial and antioxidant fractions from

*Cordia rothii* roots. *Pharmaceutical Biology*, 54(11), 2597-2605.  
<https://doi.org/10.3109/13880209.2016.1172320>

Kim, S. K., & Karadeniz, F. (2012). Biological importance and applications of squalene and squalane. *Advances in Food and Nutrition Research*, 65, 223-233. <https://doi.org/10.1016/b978-0-12-416003-3.00014-7>

Kumar, K. J., & Vijayan, V. (2014). An overview of liquid chromatography-mass spectroscopy instrumentation

Kusbiantoro, D., & Purwaningrum, Y. (2018). Pemanfaatan kandungan metabolit sekunder pada tanaman kunyit dalam mendukung peningkatan pendapatan masyarakat. *Jurnal Kultivasi*, 17(1), 544–549

Mahmud, F., Lai, N. S., How, S. E., Gansau, J. A., Mustaffa, K. M. F., Leow, C. H., Osman, H., Sidek, H. M., Embi, N., & Lee, P. C. (2022). Bioactivities and mode of actions of dibutyl phthalates and nocardamine from *Streptomyces* sp. H11809. *Molecules*, 27(7), 2292

Mangurana, W. O. I., Yusnaini, Y., & Sahidin, S. (2019). Analisis LC-MS/MS (Liquid Chromatograph Mass Spectrometry) dan metabolit sekunder serta potensi antibakteri ekstrak n-heksana spons *Callispongia aerizusa* yang diambil pada kondisi tutupan terumbu karang yang berada di perairan Teluk Staring. *Jurnal Biologi Tropis*, 19(2), 131-141

Marinova, D., Ribarova, F., & Atanassova, M. (2005). Total phenolics and flavonoids in Bulgarian fruits and vegetables. *Journal of the University of Chemical Technology and Metallurgy*, 40(3), 255–260.

Mathi, P., Das, S., Nikhil, K., Roy, P., Yerra, S., Ravada, S. R., Bokka, V. R., & Botlagunta, M. (2015). Isolation and characterization of the anticancer compound piceatannol from *Sophora interrupta* Bedd. *International Journal of Preventive Medicine*, 6, 101. <https://doi.org/10.4103/2008-7802.167181>

Mediani, A., Abas, F., Tan, C. P., & Khatib, A. (2014). Effects of different drying methods and storage time on free radical scavenging activity and total phenolic content of *Cosmos caudatus*. *Antioxidants*, 3(2), 358-370. <https://doi.org/10.3390/antiox3020358>

- Meng, Q., Manghwar, H., & Hu, W. (2022). Study on supergenus *Rubus* L.: Edible, medicinal, and phylogenetic characterization. *Plants*, 11, 1211. <https://doi.org/10.3390/plants11091211>
- Miller, N.J., & Rice-Evans, C.A. (1997). Factors influencing the antioxidant activity determined by the ABTS radical cation assay. *Free Radical Research*, 26(3), 195–199.
- Mohammed, G. J., Al-Jassani, M. J., & Hameed, I. H. (2016). Anti-bacterial, antifungal activity and chemical analysis of *Punica granatum* (pomegranate peel) using GC-MS and FTIR spectroscopy. *International Journal of Pharmacognosy and Phytochemical Research*, 8(3), 480-494
- Molnar, M., Jakovljevic Kovac, M., & Pavic, V. (2024). A comprehensive analysis of diversity, structure, biosynthesis and extraction of biologically active tannins from various plant-based materials using deep eutectic solvents. *Molecules*, 29, 2615. <https://doi.org/10.3390/molecules29112615>
- Moreno-Medina, B. L., Casierra-Posada, F., & Cutler, J. (2018). Phytochemical composition and potential use of *Rubus* species. *Gesunde Pflanze*, 70(2), 56-74. <https://doi.org/10.1007/s10343-018-0416-1>
- Mukundi, M. J., Ngugi, M. P., Njagi, E. M., Njagi, J. M., & Kibiti, C. M. (2015). Phytochemical screening and antimicrobial activity of crude extracts of *Rubus keniensis*. *Pharmaceutical and Clinical Research*, 9(2), 189-193
- Ogunlesi, M., Okiei, W., Ofor, E., & Osibote, A. E. (2009). Analysis of the essential oil from the dried leaves of *Euphorbia hirta* Linn (Euphorbiaceae), a potential medication for asthma. *African Journal of Biotechnology*, 8, 7042-7050
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: an overview. *Journal of Nutritional Science*, 5(47), 1-15
- Pourmorad, F., Hosseinimehr, S.J., & Shahabimajd, N. (2006). Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants. *African Journal of Biotechnology*, 5(11), 1142–1145.



- Prajna, J., Bharathi, M., Saranya, T., & Prasad, A. N. (2016). Evaluation of antibacterial and antioxidant activity of octadecane from the ethanolic extract of Indian medicinal plant using GC-MS analysis. *Asian Journal of Pharmaceutical and Clinical Research*, 9(6), 104-108
- Puupponen-Pimia, R., Nohynek, L., & Meier, C. (2001). Antimicrobial properties of phenolic compounds from berries. *Journal of Applied Microbiology*, 90(4), 494–507
- Rauha, J.-P., Remes, S., & Heinonen, M. (2000). Antimicrobial effects of Finnish plant extracts containing flavonoids and other phenolic compounds. *International Journal of Food Microbiology*, 56(1), 3–12
- Real, M. S. (2016). Update on the Geographic Distribution of Philippine *Rubus* Species. In *DLSU Research Congress 2016* (pp. 1-10). De La Salle University, Manila, Philippines
- Revanthi, P. (2015). Preliminary phytochemical screening and GC-MS analysis of ethanolic extract of mangrove plant *Bruguiera cylindrica* (Rhizophoraceae). *International Journal of Pharmacognosy and Phytochemical Research*, 6(4), 729-740. ISSN: 0957-4873
- Rivai, H., Azizah, Z., & Diati, R. (2019). Analisis kualitatif dan kuantitatif kandungan senyawa dari ekstrak heksan, aseton, etanol, dan air herba *Sambiloto* (*Andrographis paniculata* (Brum. F) Nees). Fakultas Farmasi Universitas Andalas, 1-10. DOI: 10.13140/RG.2.2.24934.2720
- Safrina, U., Wardiyah, & Cartika, H. (2022). Evaluation of total flavonoid, total phenolic, and antioxidant activity of *Etilingera elatior* (Jack) R.M.Sm flower, fruit, and leaf. *Trad. Med. J.*, 27(1), 51-59
- Sahi, N. M. (2016). Evaluation of insecticidal activity of bioactive compounds from *Eucalyptus citriodora* against *Tribolium castaneum*. *International Journal of Pharmacognosy and Phytochemical Research*, 8(8), 1256-1270
- Salam, A., Altemimi, A., & Watson, D. G. (2023). Metabolite profiling of plants by chromatographic and spectroscopic techniques: An overview. *Phytochemical Analysis*, 34(1), 1-23

- Saragih, D. E., & Arsita, E. V. (2019). Kandungan fitokimia *Zanthoxylum acanthopodium* dan potensinya sebagai tanaman obat di wilayah Toba Samosir dan Tapanuli Utara, Sumatera Utara. *Prosiding Seminar Nasional Masy Biodiv Indonesia*, 5(1), 71-76
- Setyani, A. R., Arung, E. T., & Sari, Y. P. (2021). Skrining fitokimia, antioksidan, dan aktivitas antibakteri ekstrak etanol akar segar *Bangle (Zingiber montanum)*. *JRTI*, 15(2), 415-427
- Setyaningsih, D., Pandji, C., & Perwatasari, D. D. (2014). Kajian aktivitas antioksidan dan antimikroba fraksi dan ekstrak dari daun dan ranting Jarak Pagar (*Jatropha curcas* L.) serta pemanfaatannya pada produk personal hygiene. *Agritech*, 34(2), 126-136
- Shajib, M. T. I., & Rashid, M. A. (2015). Neophytadiene as a bioactive compound with multiple pharmacological activities including antimicrobial, anti-inflammatory, and antioxidant properties in medicinal plants. *International Journal of Pharmaceutical Sciences and Research*, 6(3), 1034-1040
- Sharma, T., Gamit, R., Acharya, R., & Shukla, V. J. (2021). Quantitative estimation of total tannin, alkaloid, phenolic, and flavonoid content of the root, leaf, and whole plant of *Byttneria herbacea* Roxb. *AYU*, 42(3), 143-147. doi:10.4103/ayu.AYU\_25\_19
- Senthil, J., Rameashkannan, M. V., Mani, P., Jayaseelan, T., & Dinesh, K. G. (2016). Antidiabetic activities of *Ipomoea sepiaria* (Koenig Ex. Roxb) ethanolic leaves extracts in streptozotocin induced diabetic rats. *International Journal of Chemistry and Pharmaceutical Science*, 4(5), 247-250
- Shimon, Y. T., Dutta, A., Sofer, Z., & Borenstein, A. (2021). The effectiveness of Soxhlet extraction as a simple method for GO rinsing as a precursor of high-quality graphene. *Nanoscale Adv.*, 3, 5292-5300
- Singleton, V.L., & Rossi, J.A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture*, 16(3), 144-158
- Singleton, V. L., Orthofer, R., & Lamuela-Raventos, R. M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods Enzymol.*, 299:152-178



- Sulistiyani, M., Huda, N., Prasetyo, R., & Alauhdin, M. (2023). Calibration of Microplate Uv-Vis Spectrophotometer for Quality Assurance Testing of Vitamin C using Calibration Curve Method. *Indo. J. Chem. Sci.* 12 (2)
- Sunita, P., Rekha, S., & Devi, R. (2017). Assessment of anticancer, antimicrobial, and antioxidant activities of octadecane from plant extract using GC-MS analysis. *Journal of Applied Pharmaceutical Science*, 7(3), 142-148
- Surya, M. I., Destri, D., & Ismaini, L. (2021). Seed variation of *Rubus* spp. in Cibodas Botanical Garden. *Journal of Physics: Conference Series*, 1943, 012075. <https://doi.org/10.1088/1742-6596/1943/1/012075>
- Surya, M. I., Suhartati, S., Ismaini, L., Lusini, Y., Destri, D., Anggraeni, D., Normasiwi, S., Asni, N., & Abu Bakar, M. (2018). Fruit nutrients of five species of wild raspberries (*Rubus* spp.) from Indonesian mountains forests. *Journal of Tropical Life Science*, 8(1), 75-80
- Susandarini, R. (2016). Keragaman *Rubus* di Gunung Kembang Kabupaten Wonosobo Jawa Tengah dan potensi pemanfaatannya. *J Trop Biodivers Biotechnol*, 1(1), 9. <https://doi.org/10.22146/jtbb.12928>
- Swamy, M. K., Arumugam, G., Kaur, R., Ghasemzadeh, A., Yusoff, M. M., & Sinniah, U. R. (2017). GC-MS based metabolite profiling, antioxidant and antimicrobial properties of different solvent extracts of Malaysian *Plectranthus amboinicus* leaves. *Evidence-Based Complementary and Alternative Medicine*, Article 1517683
- Szarka, S., Hrotkó, K., & Sólyomvári, D. (2008). Application of gas chromatography-mass spectrometry (GC-MS) for analysis of volatile compounds in aromatic plants. *Acta Horticulturae*, 786, 401-408. <https://doi.org/10.17660/ActaHortic.2008.786.53>
- Toscano, S., Trivellini, A., Cocetta, G., Bulgari, R., Francini, A., Romano, D., & Ferrante, A. (2019). Effect of preharvest abiotic stresses on the accumulation of bioactive compounds in horticultural produce. *Frontiers in Plant Science*, 10, Article 1212. <https://doi.org/10.3389/fpls.2019.01212>
- Verma, R., Gangrade, T., Punasiya, R., & Ghulaxe, C. (2014). *Rubus fruticosus* (blackberry) use as an herbal medicine. *Pharmacognosy Reviews*, 8, 101–104

- Vifta, R. L., & Advistasari, Y. D. (2018). Skrining fitokimia, karakterisasi, dan penentuan kadar flavonoid total ekstrak dan fraksi-fraksi buah pariijoto (*Medinilla speciosa* B.). *Prosiding Seminar Nasional Unimus*, 1, 8-14
- Wahidah, N., Ratman, & Ningsih, P. (2017). Analysis of primary metabolites compounds in mushroom (*Volvariella volvacea*) at the regional oil palm plantation Lalundu. *Jurnal Akademik Kimia*, 6(1), 43-47
- Wang, T., Li, Q., & Bi, K. (2018). Bioactive flavonoids in medicinal plants: Structure, activity, and biological fate. *Asian Journal of Pharmaceutical Sciences*, 13, 12-23. <https://doi.org/10.1016/j.ajps.2018.01.004>.
- Wei, L. S., Wee, W., Siong, J. Y. F., & Syamsumir, D. F. (2011). Characterization of antimicrobial, antioxidant, anticancer properties and chemical composition of Malaysian *Andrographis paniculata* leaf extract. *Pharmacology Online*, 2, 996-1002
- Wirasti. (2019). Penetapan kadar fenolik total, flavonoid total, dan uji aktivitas antioksidan ekstrak daun benalu petai (*Scurrula atropurpurea* Dans.) beserta penapisan fitokimia. *Journal of Pharmaceutical and Medicinal Sciences*, 4(1), 1-5
- Yu, G., Luo, Z., Wang, W., Li, Y., Zhou, Y., & Shi, Y. (2019). *Rubus chingii* Hu: A review of the phytochemistry and pharmacology. *Frontiers in Pharmacology*, 10, 799. <https://doi.org/10.3389/fphar.2019.00799>
- Zhao, J., Lin, W., Zhuang, Q., Zhong, X., Cao, Z., Hong, Z., & Peng, J. (2014). Total alkaloids of *Rubus alceifolius* Poir show anti-angiogenic activity in vivo and in vitro. *Integrative Cancer Therapies*, 13(6), 520–528. <https://doi.org/10.1177/1534735413506105>