

DAFTAR PUSTAKA

- Abdl Aali, R. A. K., & Al-Sahlany, S. T. G. (2024). Gellan gum as a unique microbial polysaccharide: Its characteristics, synthesis, and current application trends. In *Gels* (Vol. 10, Issue 3). <https://doi.org/10.3390/gels10030183>
- Abedfar, A., & Hossininezhad, M. (2016). Overview of the most important characterization of exopolysaccharides produced by probiotics bacteria and their biological function. *IOSR Journal of Environmental Science*, 10(11).
- Abo S, F. A. A., & Sakr, E. A. E. (2020). Characterization and bioactivities of exopolysaccharide produced from probiotic *Lactobacillus plantarum* 47FE and *Lactobacillus pentosus* 68FE. *Bioactive Carbohydrates and Dietary Fibre*, 24. <https://doi.org/10.1016/j.bcdf.2020.100231>
- Abriouel, H., Caballero Gómez, N., Manetsberger, J., & Benomar, N. (2024). Dual effects of a bacteriocin-producing *Lactiplantibacillus pentosus* CF-6HA, isolated from fermented aloreña table olives, as potential probiotic and antimicrobial agent. *Heliyon*, 10(7). <https://doi.org/10.1016/j.heliyon.2024.e28408>
- Aguirre-Garcia, Y. L., Nery-Flores, S. D., Campos-Muzquiz, L. G., Flores-Gallegos, A. C., Palomo-Ligas, L., Ascacio-Valdés, J. A., Sepúlveda-Torres, L., & Rodríguez-Herrera, R. (2024). Lactic acid fermentation in the food industry and bio-preservation of food. In *Fermentation* (Vol. 10, Issue 3). <https://doi.org/10.3390/fermentation10030168>
- Akihary, C. V., & Kolondam, B. J. (2020). Pemanfaatan gen 16S rRNA sebagai perangkat identifikasi bakteri untuk penelitian - penelitian di Indonesia. *Pharmacon*, 9(1). <https://doi.org/10.35799/pha.9.2020.27405>
- Anekella, K., & Pérez-Díaz, I. M. (2020). Characterization of robust *Lactobacillus plantarum* and *Lactobacillus pentosus* starter cultures for environmentally friendly low-salt cucumber fermentations. *Journal of Food Science*, 85(10). <https://doi.org/10.1111/1750-3841.15416>
- Angelov, A., Georgieva, A., Petkova, M., Bartkienė, E., Rocha, J. M., Ognyanov, M., & Gotcheva, V. (2023). On the molecular selection of exopolysaccharide-producing lactic acid bacteria from indigenous fermented plant-based foods and further fine chemical characterization. *Foods*, 12(18). <https://doi.org/10.3390/foods12183346>
- Anggereini, E. (2008). Random amplified polymorphic DNA (RAPD), suatu metode analisis dna dalam menjelaskan berbagai fenomena biologi. *Biospecies*, 1(2), 73–76.
- Anumudu, C. K., Miri, T., & Onyeaka, H. (2024). Multifunctional applications of lactic acid bacteria: Enhancing safety, quality, and nutritional value in foods

- and fermented beverages. In *Foods* (Vol. 13, Issue 23). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods13233714>
- Ayivi, R. D., Gyawali, R., Krastanov, A., Aljaloud, S. O., Worku, M., Tahergorabi, R., Silva, R. C. da, & Ibrahim, S. A. (2020). Lactic acid bacteria: Food safety and human health applications. In *Dairy* (Vol. 1, Issue 3, pp. 202–232). MDPI. <https://doi.org/10.3390/dairy1030015>
- Babiak, W., & Krzemińska, I. (2021). Extracellular polymeric substances (EPS) as microalgal bioproducts: A review of factors affecting EPS synthesis and application in flocculation processes. In *Energies* (Vol. 14, Issue 13). <https://doi.org/10.3390/en14134007>
- Bachtarzi, N., Kharroub, K., & Ruas-Madiedo, P. (2019). Exopolysaccharide-producing lactic acid bacteria isolated from traditional Algerian dairy products and their application for skim-milk fermentations. *LWT*, 107. <https://doi.org/10.1016/j.lwt.2019.03.005>
- Bajpai, V. K., Majumder, R., Rather, I. A., & Kim, K. (2016a). Extraction, isolation and purification of exopolysaccharide from lactic acid bacteria using ethanol precipitation method. *Bangladesh Journal of Pharmacology*, 11(3). <https://doi.org/10.3329/bjp.v11i3.27170>
- Bajpai, V. K., Rather, I. A., Majumder, R., Shukla, S., Aeron, A., Kim, K., Kang, S. C., Dubey, R. C., Maheshwari, D. K., Lim, J., & Park, Y. H. (2016b). Exopolysaccharide and lactic acid bacteria: Perception, functionality and prospects. In *Bangladesh Journal of Pharmacology* (Vol. 11, Issue 1). <https://doi.org/10.3329/bjp.v11i1.23819>
- Basiri, S. (2021). Applications of microbial exopolysaccharides in the food industry. *Avicenna Journal of Medical Biochemistry*, 9(2), 107–120. <https://doi.org/10.34172/ajmb.2021.16>
- Bastari, M., Wijaya, D., & Ismailayani. (2022). Efektivitas daya hambat ekstrak mengkudu (*Morinda citrifolia* L.) terhadap pertumbuhan *Lactobacillus acidophilus*: Studi in vitro. *JKGM Jurnal Kesehatan Gigi Dan Mulut*, 4(2), 88–93. <https://doi.org/10.36086/jkgm.v4i1>
- Benattouche, Z., Bouhadi, D., & Raho, G. B. (2018). Antioxidant and antibacterial activities of exopolysaccharides produced by lactic acid bacteria isolated from yogurt. *International Journal of Food Studies*, 7(2). <https://doi.org/10.7455/IJFS/7.2.2018.A3>
- Bibi, A., Xiong, Y., Rajoka, M. S. R., Mehwish, H. M., Radicetti, E., Umair, M., Shoukat, M., Khan, M. K. I., & Aadil, R. M. (2021). Recent advances in the production of exopolysaccharide (EPS) from *Lactobacillus* spp. and its application in the food industry: A review. In *Sustainability (Switzerland)* (Vol. 13, Issue 22). <https://doi.org/10.3390/su132212429>

- Bindhumol, I. (2012). Studies on exopolysaccharide production by probiotic lactic acid bacteria. In *Biotechnology* (Issue 3697). National Institute for Interdisciplinary Science & Technology .
- Bintsis, T. (2018). Lactic acid bacteria as starter cultures: An update in their metabolism and genetics. *AIMS Microbiology*, 4(4), 665–684. <https://doi.org/10.3934/microbiol.2018.4.665>
- Boahen, Y. O., & Isaac, A. (2015). Colorimetric determination of carbohydrates in some brands of beer in Ghana as an indication of their glycemic index in the management of diabetes type II. *African Journal of Food Science and Technology*, 06(07). <https://doi.org/10.14303/ajfst.2015.066>
- Chen, Y. S., Yanagida, F., & Shinohara, I. (2005). Isolation and identification of lactic acid bacteria from soil using an enrichment procedure. In *Letters in Applied Microbiology* (Vol. 40, Issue 3). <https://doi.org/10.1111/j.1472-765X.2005.01653.x>
- Chen, Y. sheng, Wu, H. chung, Lo, H. yin, Lin, W. chen, Hsu, W. hsuan, Lin, C. wen, Lin, P. ya, & Yanagida, F. (2012). Isolation and characterisation of lactic acid bacteria from Jiang-gua (fermented cucumbers), a traditional fermented food in Taiwan. *Journal of the Science of Food and Agriculture*, 92(10). <https://doi.org/10.1002/jsfa.5583>
- Cheng, X., Huang, L., & Li, K. tai. (2019). Antioxidant activity changes of exopolysaccharides with different carbon sources from *Lactobacillus plantarum* LPC-1 and its metabolomic analysis. *World Journal of Microbiology and Biotechnology*, 35(5). <https://doi.org/10.1007/s11274-019-2645-6>
- De Vuyst, L., & Degeest, B. (1999). Heteropolysaccharides from lactic acid bacteria. *FEMS Microbiology Reviews*, 23(2). [https://doi.org/10.1016/S0168-6445\(98\)00042-4](https://doi.org/10.1016/S0168-6445(98)00042-4)
- Deo, D., Davray, D., & Kulkarni, R. (2019). A diverse repertoire of exopolysaccharide biosynthesis gene clusters in *Lactobacillus* revealed by comparative analysis in 106 sequenced genomes. *Microorganisms*, 7(10). <https://doi.org/10.3390/microorganisms7100444>
- Dharmayanti, N. L. P. I. (2011). Molecular phylogenetic: Organism taxonomy method based on evolution history. *Wartazoa*, 21(1).
- Di Cagno, R., Coda, R., De Angelis, M., & Gobbetti, M. (2013). Exploitation of vegetables and fruits through lactic acid fermentation. In *Food Microbiology* (Vol. 33, Issue 1). <https://doi.org/10.1016/j.fm.2012.09.003>

- Díaz-Montes, E. (2021). Dextran: Sources, structures, and properties. In *Polysaccharides* (Vol. 2, Issue 3). <https://doi.org/10.3390/polysaccharides2030033>
- Dinoto, A., Saputra, S., Nugroho, A. J., & Rahayu, R. D. (2011). Keanekaragaman bakteri penghasil eksopolisakarida asal saluran cerna manusia. *Berkala Penelitian Hayati*, 16(2). <https://doi.org/10.23869/bphjbr.16.2.201114>
- Dubey, S., Gupta, S., Puranik, V., Singh, P., & Saini, P. (2016). Optimization and characterization of exopolysaccharides produced by *Lactobacillus* strains isolated from cabbage and cucumber / S. Dubey, S. Gupta, V. Puranik. *J. Microbiol. Biotechnol. Res.*, 6.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., & Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical Chemistry*, 28(3). <https://doi.org/10.1021/ac60111a017>
- Firmansyah, M. A., Sabikis, & Utami, P. I. (2012). Analisis kadar logam berat timbal di mata air pegunungan guci dengan metode spektrofotometri serapan atom. *Jurnal Pharmacy*, 09(03).
- Freitas, F., Alves, V. D., Reis, M. A., Crespo, J. G., & Coelhos, I. M. (2014). Microbial polysaccharide-based membranes: Current and future applications. In *Journal of Applied Polymer Science* (Vol. 131, Issue 6). <https://doi.org/10.1002/app.40047>
- Fuso, A., Bancalari, E., Castellone, V., Caligiani, A., Gatti, M., & Bottari, B. (2023). Feeding lactic acid bacteria with different sugars: Effect on exopolysaccharides (EPS) production and their molecular characteristics. *Foods*, 12(1). <https://doi.org/10.3390/foods12010215>
- Guérin, M., Robert-Da Silva, C., Garcia, C., & Remize, F. (2020). Lactic acid bacterial production of exopolysaccharides from fruit and vegetables and associated benefits. In *Fermentation* (Vol. 6, Issue 4). <https://doi.org/10.3390/fermentation6040115>
- Hakim, B. N. A., Xuan, N. J., & Oslan, S. N. H. (2023). A comprehensive review of bioactive compounds from lactic acid bacteria: Potential functions as functional food in dietetics and the food industry. In *Foods* (Vol. 12, Issue 15). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods12152850>
- Hidayat, T., & Pancoro, A. (2016). Ulasan kajian filogenetika molekuler dan peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek. *Jurnal AgroBiogen*, 4(1). <https://doi.org/10.21082/jbio.v4n1.2008.p35-40>

- Hong, T., Yin, J. Y., Nie, S. P., & Xie, M. Y. (2021). Applications of infrared spectroscopy in polysaccharide structural analysis: Progress, challenge and perspective. *Food Chemistry*, 12. <https://doi.org/10.1016/j.foodx.2021.100168>
- Horiike, T. (2016). An Introduction to Molecular Phylogenetic Analysis. *Reviews in Agricultural Science*, 4(0). <https://doi.org/10.7831/ras.4.36>
- Hyseni, B., Ferati, F., Rexhepi, F., Morina, R., Baliu, Y., Hyseni, S., & Nikerel, E. (2020). Isolation and characterization of microorganisms for protease production from soil samples from Kosovo and testing the enzymes in food industry application. *Journal Of Environmental Treatment Techniques*, 8(2), 687-693.
- Idbeis, H. I. (2023). Molecular identification and phylogenetic analysis of lactic acid bacteria isolated from cow raw milk in Al-Kut-Iraq 1. *Hasan Ikareim Idbeis Central Asian Jurnal of Medical and Natural Sciences*. <http://www.centralasianstudies.org> <http://cajmns.centralasianstudies.org>
- Imran, M. Y. M., Reehana, N., Jayaraj, K. A., Ahamed, A. A. P., Dhanasekaran, D., Thajuddin, N., Alharbi, N. S., & Muralitharan, G. (2016). Statistical optimization of exopolysaccharide production by *Lactobacillus plantarum* NTMI05 and NTMI20. *International Journal of Biological Macromolecules*, 93. <https://doi.org/10.1016/j.ijbiomac.2016.09.007>
- Ismail, B., & Nampoothiri, K. M. (2010). Production, purification and structural characterization of an exopolysaccharide produced by a probiotic *Lactobacillus plantarum* MTCC 9510. *Archives of Microbiology*, 192(12). <https://doi.org/10.1007/s00203-010-0636-y>
- Jain, A., Jain, R., & Jain, S. (2020). *Sub-culturing of Bacteria, Fungi and Actinomycetes*. https://doi.org/10.1007/978-1-4939-9861-6_29
- Jamir, L., Kumar, V., Kaur, J., Kumar, S., & Singh, H. (2021). Composition, valorization and therapeutical potential of molasses: a critical review. In *Environmental Technology Reviews* (Vol. 10, Issue 1). <https://doi.org/10.1080/21622515.2021.1892203>
- Jiang, G., Li, R., He, J., Yang, L., Chen, J., Xu, Z., Zheng, B., Yang, Y., Xia, Z., & Tian, Y. (2022). Extraction, structural analysis, and biofunctional properties of exopolysaccharide from *Lactiplantibacillus pentosus* B8 isolated from sichuan pickle. *Foods*, 11(15). <https://doi.org/10.3390/foods11152327>
- Jolly, L., & Stingele, F. (2001). Molecular organization and functionality of exopolysaccharide gene clusters in lactic acid bacteria. *International Dairy Journal*, 11(9). [https://doi.org/10.1016/S0958-6946\(01\)00117-0](https://doi.org/10.1016/S0958-6946(01)00117-0)

- Jurášková, D., Ribeiro, S. C., & Silva, C. C. G. (2022). Exopolysaccharides produced by lactic acid bacteria: From biosynthesis to health-promoting properties. In *Foods* (Vol. 11, Issue 2). <https://doi.org/10.3390/foods11020156>
- Kang, Y. J., Kim, T. J., Kim, M. J., Yoo, J. Y., & Kim, J. H. (2023). Isolation of exopolysaccharide-producing lactic acid bacteria from Pa-Kimchi and characterization of exopolysaccharides. *Microbiology and Biotechnology Letters*, 51(2). <https://doi.org/10.48022/mbl.2305.05004>
- Kasi, P. D., Ariandi, & Tenriawaru, E. P. (2019). Identifikasi bakteri asam laktat dari limbah cair sagu dengan gen 16S rRNA. *Majalah Ilmiah Biologi Biosfera*, 36(1). <https://doi.org/10.20884/1.mib.2019.36.1.924>
- Kaur, N., & Dey, P. (2023). Bacterial exopolysaccharides as emerging bioactive macromolecules: from fundamentals to applications. In *Research in Microbiology* (Vol. 174, Issue 4). <https://doi.org/10.1016/j.resmic.2022.104024>
- Khayalethu, N. (2013). Identifying bacteria and studying bacterial diversity using the 16S ribosomal RNA gene-based sequencing techniques: A review. *African Journal of Microbiology Research*, 7(49). <https://doi.org/10.5897/ajmr2013.5966>
- Korcz, E., & Varga, L. (2021). Exopolysaccharides from lactic acid bacteria: Techno-functional application in the food industry. In *Trends in Food Science and Technology* (Vol. 110). <https://doi.org/10.1016/j.tifs.2021.02.014>
- Kurnia, M., Amir, H., & Handayani, D. (2020). Isolasi dan identifikasi bakteri asam laktat dari makanan tradisional Suku Rejang di Provinsi Bengkulu: "Lemea." *Alotrop*, 4(1). <https://doi.org/10.33369/atp.v4i1.13705>
- Kurniati, T. H., Syahbani, N., & Rahayu, S. (2024). Screening and identification of exopolysaccharide-producing bacteria from pickled fruit. *Science Mathematics and International Conference, Published by AIP Publishing*, 0500161–05001612. <https://doi.org/10.1063/5.0184140>
- Kusmiyati, N., Puspitasari, Y., Utami, U., & Denta, A. O. (2023). Analysis of exopolysaccharides in *Lactobacillus casei* group probiotics from human breast milk. *Indonesian Journal of Medical Laboratory Science and Technology*, 5(1). <https://doi.org/10.33086/ijmlst.v5i1.2872>
- Kusuma, R. O., Dadiono, M. S., Kusuma, B., & Syakuri, H. (2021). Keragaman genetik ikan uceng (*Nemacheilus*) di Sungai Wilayah Banyumas berdasar sekuen gen cytochrome oxidase subunit I (COI). *Jurnal Perikanan Universitas Gadjah Mada*, 23(2). <https://doi.org/10.22146/jfs.61167>

- Laws, A., Gu, Y., & Marshall, V. (2001). Biosynthesis, characterisation, and design of bacterial exopolysaccharides from lactic acid bacteria. *Biotechnology Advances*, 19(8). [https://doi.org/10.1016/S0734-9750\(01\)00084-2](https://doi.org/10.1016/S0734-9750(01)00084-2)
- Li, H., Ding, F., Xiao, L., Shi, R., Wang, H., Han, W., & Huang, Z. (2017). Food-derived antioxidant polysaccharides and their pharmacological potential in neurodegenerative diseases. In *Nutrients* (Vol. 9, Issue 7). <https://doi.org/10.3390/nu9070778>
- Liang, L., Xu, M., Pan, L., Zhou, Z., & Han, Y. (2022). Structural characterization of exopolysaccharide produced by *Leuconostoc citreum* B-2 cultured in molasses medium and its application in set yogurt. *Processes*, 10(5). <https://doi.org/10.3390/pr10050891>
- Liang, S., Wang, X., Li, C., & Liu, L. (2024). Biological activity of lactic acid bacteria exopolysaccharides and their applications in the food and pharmaceutical industries. In *Foods* (Vol. 13, Issue 11). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/foods13111621>
- Lin, T., Chen, C., Chen, B., Shaw, J., & Chen, Y. (2019). Optimal economic productivity of exopolysaccharides from lactic acid bacteria with production possibility curves. *Food Science and Nutrition*, 7(7), 2336–2344. <https://doi.org/10.1002/fsn3.1079>
- Lynch, K. M., Zannini, E., Coffey, A., & Arendt, E. K. (2018). Lactic acid bacteria exopolysaccharides in foods and beverages: Isolation, properties, characterization, and health benefits. In *Annual Review of Food Science and Technology* (Vol. 9). <https://doi.org/10.1146/annurev-food-030117-012537>
- Malik, N. S., Ahmad, M., Minhas, M. U., Tulain, R., Barkat, K., Khalid, I., & Khalid, Q. (2020). Chitosan/xanthan gum based hydrogels as potential carrier for an antiviral drug: Fabrication, characterization, and safety evaluation. *Frontiers in Chemistry*, 8. <https://doi.org/10.3389/fchem.2020.00050>
- Manochai, P., Phimolsiripol, Y., & Seesuriyachan, P. (2014). Response surface optimization of exopolysaccharide production from sugarcane juice by *Lactobacillus confusus* TISTR 1498. *Chiang Mai University Journal of Natural Sciences*, 13(1). <https://doi.org/10.12982/cmujns.2014.0046>
- Marchesi, J. R., Sato, T., Weightman, A. J., Martin, T. A., Fry, J. C., Hiom, S. J., & Wade, W. G. (1998). Design and evaluation of useful bacterium-specific PCR primers that amplify genes coding for bacterial 16S rRNA. *Applied and Environmental Microbiology*, 64(2). <https://doi.org/10.1128/aem.64.2.795-799.1998>
- Ma'unatin, A., Harijono, H., Zubaidah, E., & Rifa'i, M. (2020). The isolation of exopolysaccharide-producing lactic acid bacteria from lontar (*Borassus*

- flabellifer* L.) sap. *Iranian Journal of Microbiology*, 12(5). <https://doi.org/10.18502/ijm.v12i5.4605>
- Minari, G. D., Piazza, R. D., Sass, D. C., & Contiero, J. (2024). EPS production by *Lacticaseibacillus casei* using glycerol, glucose, and molasses as carbon sources. *Microorganisms*, 12(6). <https://doi.org/10.3390/microorganisms12061159>
- Mıdık, F., Tokatlı, M., Bağder Elmacı, S., & Özçelik, F. (2020). Influence of different culture conditions on exopolysaccharide production by indigenous lactic acid bacteria isolated from pickles. *Archives of Microbiology*, 202(4). <https://doi.org/10.1007/s00203-019-01799-6>
- Mohd Kamal, K., Mahamad Maifiah, M. H., Abdul Rahim, N., Hashim, Y. Z. H. Y., Abdullah Sani, M. S., & Azizan, K. A. (2022). Bacterial metabolomics: Sample preparation methods. In *Biochemistry Research International* (Vol. 2022). <https://doi.org/10.1155/2022/9186536>
- Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., & Rahman, M. A. (2017). Fourier transform infrared (FTIR) spectroscopy. In *Membrane characterization* (pp. 3-29). elsevier.
- Mouro, C., Gomes, A. P., & Gouveia, I. C. (2024). Microbial exopolysaccharides: Structure, diversity, applications, and future frontiers in sustainable functional materials. *Polysaccharides*, 5(3), 241–287. <https://doi.org/10.3390/polysaccharides5030018>
- Mubarok, A., Setyaningsih, I., & Uju, U. (2018). Karakteristik eksopolisakarida mikroalga *Porphyridium cruentum* yang berpotensi untuk produksi bioetanol. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1). <https://doi.org/10.17844/jphpi.v21i1.21258>
- Mujayana, M., & Nurjanna, N. (2016). Teknik isolasi DNA plasmid dari bakteri terkonstruksi gen antivirus pmAV. *Buletin Teknik Litkayasa Akuakultur*, 13(1).
- Mustafa, G., Arshad, M., Bano, I., & Abbas, M. (2023). Biotechnological applications of sugarcane bagasse and sugar beet molasses. In *Biomass Conversion and Biorefinery* (Vol. 13, Issue 2). <https://doi.org/10.1007/s13399-020-01141-x>
- Muzzazinah. (2017). Metode filogenetik pada Indigofera. *Prosiding Seminar Nasional Pendidikan Biologi Dan Biologi, Rifai 2011*.
- Nasution, A. Y., Rasyidah, R., & Mayasari, U. (2022). Potensi bakteri asam laktat sebagai penghasil eksopolisakarida dari dedekke na niura. *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*, 7(3). <https://doi.org/10.36722/sst.v7i3.1236>

- Netrusov, A. I., Liyaskina, E. V., Kurgaeva, I. V., Liyaskina, A. U., Yang, G., & Revin, V. V. (2023). Exopolysaccharides producing bacteria: A review. In *Microorganisms* (Vol. 11, Issue 6). <https://doi.org/10.3390/microorganisms11061541>
- Nguyen, H. T., Pham, T. T., Nguyen, P. T., Le-Buanec, H., Rabetafika, H. N., & Razafindralambo, H. L. (2024). Advances in microbial exopolysaccharides: present and future applications. In *Biomolecules* (Vol. 14, Issue 9). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/biom14091162>
- Nicolescu, C. M., Bumbac, M., Buruleanu, C. L., Popescu, E. C., Stanescu, S. G., Georgescu, A. A., & Toma, S. M. (2023). Biopolymers produced by lactic acid bacteria: characterization and food application. In *Polymers* (Vol. 15, Issue 6). <https://doi.org/10.3390/polym15061539>
- Noer, S. (2021). Identifikasi bakteri secara molekular menggunakan 16S rRNA. In *Noer: Identifikasi Bakteri secara Molekular EduBiologia* (Vol. 1). www.alimetrics.net
- Othman, N. Z., Mohd Din, A. R. J., Mohammad, Z., Rosli, M. A., & Sarmidi, M. R. (2018). Statistical optimization of medium compositions for high cell mass and exopolysaccharide production by *Lactobacillus plantarum* ATCC 8014. *Applied Food Biotechnology*, 5(2), 87–96. <https://doi.org/10.22037/afb.v5i2.19299>
- Palmonari, A., Cavallini, D., Sniffen, C. J., Fernandes, L., Holder, P., Fagioli, L., Fusaro, I., Biagi, G., Formigoni, A., & Mammi, L. (2020). Short communication: Characterization of molasses chemical composition. *Journal of Dairy Science*, 103(7). <https://doi.org/10.3168/jds.2019-17644>
- Panchal, R., Prajapati, K., Prajapati, M., Sharma, S., & Saraf, M. (2022). Bacterial exopolysaccharides: Types, its biosynthesis and their application in different fields. *Acta Scientific Biotechnology*, 3(2).
- Pangestika, Y., Budiharjo, A., & Kusumaningrum, H. (2015). Analisis filogenetik *Curcuma zedoaria* (temu putih) berdasarkan gen internal transcribed spacer. *Jurnal Biologi*, 4(4).
- Patel, S., Majumder, A., & Goyal, A. (2012). Potentials of exopolysaccharides from lactic acid bacteria. In *Indian Journal of Microbiology* (Vol. 52, Issue 1). <https://doi.org/10.1007/s12088-011-0148-8>
- Paulo, E. M., Vasconcelos, M. P., Oliveira, I. S., Affe, H. M. de J., Nascimento, R., Melo, I. S. de, Roque, M. R. de A., & Assis, S. A. de. (2012). An alternative method for screening lactic acid bacteria for the production of exopolysaccharides with rapid confirmation. *Food Science and Technology*, 32(4). <https://doi.org/10.1590/s0101-20612012005000094>

- Pérez-Díaz, I. M., Johanningsmeier, S. D., Anekella, K., Pagán-Medina, C. G., Méndez-Sandoval, L., Arellano, C., Price, R., Daughtry, K. V., Borges, M., Bream, C., Connelly, L., Dieck, S. E., Levi, M. T., McMurtrie, E. K., Smith, R. E., Theora, J. C., Wendland, P., Gómez-Rodríguez, F., & Arroyo-López, F. N. (2021). Genotypic and phenotypic diversity among *Lactobacillus plantarum* and *Lactobacillus pentosus* isolated from industrial scale cucumber fermentations. *Food Microbiology*, 94. <https://doi.org/10.1016/j.fm.2020.103652>
- Pintado, Ana. I. E., Barbosa, Catrina. C. R., Pintado, Manuela. E., Malcata, Xavier. F., & Gomes, Ana. M. P. (2024). Efficient screening and enhanced exopolysaccharide production by functional lactic acid bacteria (LAB) in lactose supplemented media. *Applied Microbiology: Theory & Technology*, 5(1), 37–50. <https://doi.org/10.37256/amtt.5120243374>
- Prete, R., Alam, M. K., Perpetuini, G., Perla, C., Pittia, P., & Corsetti, A. (2021). Lactic acid bacteria exopolysaccharides producers: A sustainable tool for functional foods. In *Foods* (Vol. 10, Issue 7). <https://doi.org/10.3390/foods10071653>
- Qalsum, U., Diah, A. W. M., & Supriadi, S. (2015). Analisis kadar karbohidrat, lemak dan protein dari tepung biji mangga (*Mangifera indica* L.) jenis gadung. *Jurnal Akademika Kimia*, 4(4), 168-174.
- Razack, S. A., Velayutham, V., & Thangavelu, V. (2013). Medium optimization for the production of exopolysaccharide by *Bacillus subtilis* using synthetic sources and agro wastes. *Turkish Journal of Biology*, 37(3). <https://doi.org/10.3906/biy-1206-50>
- Ruas-Madiedo, P., & De Los Reyes-Gavilán, C. G. (2005). Invited review: Methods for the screening, isolation, and characterization of exopolysaccharides produced by lactic acid bacteria. In *Journal of Dairy Science* (Vol. 88, Issue 3). [https://doi.org/10.3168/jds.S0022-0302\(05\)72750-8](https://doi.org/10.3168/jds.S0022-0302(05)72750-8)
- Saeed, Z. K., Abbas, B. A., & Othman, R. M. (2020). Molecular identification and phylogenetic analysis of lactic acid bacteria isolated from goat raw milk. *Iraqi Journal of Veterinary Sciences*, 34(2). <https://doi.org/10.33899/ijvs.2019.125896.1176>
- Salimi, F., & Farrokh, P. (2023). Recent advances in the biological activities of microbial exopolysaccharides. In *World Journal of Microbiology and Biotechnology* (Vol. 39, Issue 8). <https://doi.org/10.1007/s11274-023-03660-x>
- Sampaio, M. G. V., Silva, W. E., Silva, M. vanusa, Santos, B. S., Lima, L. S. Go. Li., & Calazans, G. M. T. (2020). Production and characterization of a thermostable EPS produced by a new strain of *Lactobacillus fermentum* in medium containing sugarcane molasses. *Journal of Engineering Research and Application* www.Ijera.Com, 10.

- Sanalibaba, P., & Cakmak, G. A. (2016). Exopolysaccharides production by lactic acid bacteria. *Applied Microbiology: Open Access*, 2(2). <https://doi.org/10.4172/2471-9315.1000115>
- Sánchez, J. I., Martínez, B., Guillén, R., Jiménez-Díaz, R., & Rodríguez, A. (2006). Culture conditions determine the balance between two different exopolysaccharides produced by *Lactobacillus pentosus* LPS26. *Applied and Environmental Microbiology*, 72(12). <https://doi.org/10.1128/AEM.01078-06>
- Saputra, R., R., Ariefin, M., Kristia, E., Diki Wahyudi, D., Rahman, A., Wayan Prema Mulya Sari, N., Puspita Sari, A., & Misbah Aisah, S. (2022). Aplikasi instrumen spektroskopi FTIR dan spektrometri massa di dunia kesehatan: Review. *Jurnal Cendekia Kimia*, 02, 2023. <https://ejournal.upr.ac.id/index.php/bohr/>
- Sengupta, D., Datta, S., & Biswas, D. (2018). Towards a better production of bacterial exopolysaccharides by controlling genetic as well as physico-chemical parameters. In *Applied Microbiology and Biotechnology* (Vol. 102, Issue 4). <https://doi.org/10.1007/s00253-018-8745-7>
- Shahi, S. K., Freedman, S. N., & Mangalam, A. K. (2017). Gut microbiome in multiple sclerosis: The players involved and the roles they play. *Gut Microbes*, 8(6). <https://doi.org/10.1080/19490976.2017.1349041>
- Sørensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Brabazon, D., Loscher, C., & Freeland, B. (2022). Exopolysaccharides of lactic acid bacteria: Production, purification and health benefits towards functional food. In *Nutrients* (Vol. 14, Issue 14). <https://doi.org/10.3390/nu14142938>
- Soumya, M. P., & Nampoothiri, K. M. (2021). An overview of functional genomics and relevance of glycosyltransferases in exopolysaccharide production by lactic acid bacteria. In *International Journal of Biological Macromolecules* (Vol. 184). <https://doi.org/10.1016/j.ijbiomac.2021.06.131>
- Sun, X., & Zhang, J. (2021). Bacterial exopolysaccharides: Chemical structures, gene clusters and genetic engineering. In *International Journal of Biological Macromolecules* (Vol. 173). <https://doi.org/10.1016/j.ijbiomac.2021.01.139>
- Susilowati, D. N., Indah, S., Kristina Dwi, A., & Erny, Y. (2020). Penapisan kapang asal lahan sulfat masam Kalimantan Selatan sebagai penghasil enzim ekstraseluler. *Ilmu Pertanian*, 1(21).
- Tajabadi, N., Mardan, M., Saari, N., Mustafa, S., Bahreini, R., & Manap, M. Y. A. (2013). Identification of *Lactobacillus plantarum*, *Lactobacillus pentosus* and *Lactobacillus fermentum* from honey stomach of honeybee. *Brazilian Journal of Microbiology*, 44(3). <https://doi.org/10.1590/S1517-83822013000300008>

- Tayuan, C. (2011). Growth and exopolysaccharide production by *Weissella* sp. from low-cost substitutes for sucrose. *African Journal of Microbiology Research*, 5(22). <https://doi.org/10.5897/ajmr11.486>
- Tiquia-Arashiro, S., Li, X., Pokhrel, K., Kassem, A., Abbas, L., Coutinho, O., Kasperek, D., Najaf, H., & Opara, S. (2023). Applications of Fourier Transform-Infrared spectroscopy in microbial cell biology and environmental microbiology: advances, challenges, and future perspectives. In *Frontiers in Microbiology* (Vol. 14). <https://doi.org/10.3389/fmicb.2023.1304081>
- Trabelsi, I., Slima, S. Ben, Chaabane, H., & Riadh, B. S. (2015). Purification and characterization of a novel exopolysaccharides produced by *Lactobacillus* sp. Ca6. *International Journal of Biological Macromolecules*, 74. <https://doi.org/10.1016/j.ijbiomac.2014.12.045>
- Wafula, E. N., Kuja, J. O., Wekesa, T. B., & Wanjala, P. M. (2023). Isolation and identification of autochthonous lactic acid bacteria from commonly consumed african indigenous leafy vegetables in Kenya. *Bacteria*, 2(1). <https://doi.org/10.3390/bacteria2010001>
- Wehantouw, A., Ginting, E., & Wullur, S. (2017). Identifikasi sirip ikan hiu yang didapat dari pengumpul di Minahasa Tenggara menggunakan DNA Barcode. *Jurnal Pesisir dan Laut Tropis*, 5(1). <https://doi.org/10.35800/jplt.5.1.2017.15007>
- Wei, G., Dai, X., Zhao, B., Li, Z., Tao, J., Wang, T., & Huang, A. (2023). Structure-activity relationship of exopolysaccharides produced by *Limosilactobacillus fermentum* A51 and the mechanism contributing to the textural properties of yogurt. In *Food Hydrocolloids* (Vol. 144). <https://doi.org/10.1016/j.foodhyd.2023.108993>
- Weinroth, M. D., Belk, A. D., Dean, C., Noyes, N., Dittoe, D. K., Rothrock, M. J., Ricke, S. C., Myer, P. R., Henniger, M. T., Ramírez, G. A., Oakley, B. B., Summers, K. L., Miles, A. M., Ault-Seay, T. B., Yu, Z., Metcalf, J. L., & Wells, J. E. (2022). Considerations and best practices in animal science 16S ribosomal RNA gene sequencing microbiome studies. In *Journal of Animal Science* (Vol. 100, Issue 2). <https://doi.org/10.1093/jas/skab346>
- Werning, M. L., Hernández-Alcántara, A. M., Ruiz, M. J., Soto, L. P., Dueñas, M. T., López, P., & Frizzo, L. S. (2022). Biological functions of exopolysaccharides from lactic acid bacteria and their potential benefits for humans and farmed animals. In *Foods* (Vol. 11, Issue 9). <https://doi.org/10.3390/foods11091284>
- Wu, J., Han, X., Ye, M., Li, Y., Wang, X., & Zhong, Q. (2023). Exopolysaccharides synthesized by lactic acid bacteria: biosynthesis pathway, structure-function relationship, structural modification and applicability. In *Critical Reviews in*

Food Science and Nutrition (Vol. 63, Issue 24).
<https://doi.org/10.1080/10408398.2022.2043822>

Xiao, L., Ge, X., Yang, L., Chen, X., Xu, Q., Rui, X., Fan, X., Feng, L., Zhang, Q., Dong, M., & Li, W. (2020). Anticancer potential of an exopolysaccharide from: *Lactobacillus helveticus* MB2-1 on human colon cancer HT-29 cells via apoptosis induction. *Food and Function*, 11(11).
<https://doi.org/10.1039/d0fo01345e>

Yadav, M. K., Song, J. H., Vasquez, R., Lee, J. S., Kim, I. H., & Kang, D. K. (2024). Methods for detection, extraction, purification, and characterization of exopolysaccharides of lactic acid bacteria—a systematic review. In *Foods* (Vol. 13, Issue 22). Multidisciplinary Digital Publishing Institute (MDPI).
<https://doi.org/10.3390/foods13223687>

Yilmaz, M., Ozic, C., & Gok, Ihami. (2012). Principles of nucleic acid separation by agarose gel electrophoresis. In *Gel Electrophoresis - Principles and Basics*.
<https://doi.org/10.5772/38654>

You, X., Li, Z., Ma, K., Zhang, C., Chen, X., Wang, G., Yang, L., Dong, M., Rui, X., Zhang, Q., & Li, W. (2020a). Structural characterization and immunomodulatory activity of an exopolysaccharide produced by *Lactobacillus helveticus* LZ-R-5. *Carbohydrate Polymers*, 235.
<https://doi.org/10.1016/j.carbpol.2020.115977>

You, X., Yang, L., Zhao, X., Ma, K., Chen, X., Zhang, C., Wang, G., Dong, M., Rui, X., Zhang, Q., & Li, W. (2020b). Isolation, purification, characterization and immunostimulatory activity of an exopolysaccharide produced by *Lactobacillus pentosus* LZ-R-17 isolated from Tibetan kefir. *International Journal of Biological Macromolecules*, 158.
<https://doi.org/10.1016/j.ijbiomac.2020.05.027>

Yu, L., Ye, G., Qi, X., Yang, Y., Zhou, B., Zhang, Y., Du, R., Ge, J., & Ping, W. (2023). Purification, characterization and probiotic proliferation effect of exopolysaccharides produced by *Lactiplantibacillus plantarum* HDC-01 isolated from sauerkraut. *Frontiers in Microbiology*, 14.
<https://doi.org/10.3389/fmicb.2023.1210302>

Yu, Y. J., Chen, Z., Chen, P. T., & Ng, I. S. (2018). Production, characterization and antibacterial activity of exopolysaccharide from a newly isolated *Weissella cibaria* under sucrose effect. *Journal of Bioscience and Bioengineering*, 126(6). <https://doi.org/10.1016/j.jbiosc.2018.05.028>

Yuliana, N., Sumardi, Jatmiko, E., Rosaline, M., & Iqbal, M. (2020). Potentially lactic acid bacteria as an eps producing starter from yellow sweet potato fermentation. *Biodiversitas*, 21(9). <https://doi.org/10.13057/biodiv/d210944>

- Zhang, G., Zhang, W., Sun, L., Sadiq, F. A., Yang, Y., Gao, J., & Sang, Y. (2019). Preparation screening, production optimization and characterization of exopolysaccharides produced by *Lactobacillus sanfranciscensis* Ls-1001 isolated from Chinese traditional sourdough. *International Journal of Biological Macromolecules*, 139. <https://doi.org/10.1016/j.ijbiomac.2019.08.077>
- Zhang, T., Zhang, C., Li, S., Zhang, Y., & Yang, Z. (2011). Growth and exopolysaccharide production by *Streptococcus thermophilus* ST1 in skim milk. *Brazilian Journal of Microbiology*, 42(4). <https://doi.org/10.1590/S1517-83822011000400033>
- Zhang, W. H., Wu, J., Weng, L., Zhang, H., Zhang, J., & Wu, A. (2020). An improved phenol-sulfuric acid method for the determination of carbohydrates in the presence of persulfate. *Carbohydrate Polymers*, 227. <https://doi.org/10.1016/j.carbpol.2019.115332>
- Zhang, Y., Dai, X., Jin, H., Man, C., & Jiang, Y. (2021). The effect of optimized carbon source on the synthesis and composition of exopolysaccharides produced by *Lactobacillus paracasei*. *Journal of Dairy Science*, 104(4). <https://doi.org/10.3168/jds.2020-19448>
- Zhao, X., Liang, Q., Song, X., & Zhang, Y. (2023). Whole genome sequence of *Lactiplantibacillus plantarum* MC5 and comparative analysis of eps gene clusters. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1146566>
- Zheng, J., Wittouck, S., Salvetti, E., Franz, C. M. A. P., Harris, H. M. B., Mattarelli, P., O'toole, P. W., Pot, B., Vandamme, P., Walter, J., Watanabe, K., Wuyts, S., Felis, G. E., Gänzle, M. G., & Lebeer, S. (2020). A taxonomic note on the genus *Lactobacillus*: Description of 23 novel genera, emended description of the genus *Lactobacillus beijerinck* 1901, and union of Lactobacillaceae and Leuconostocaceae. *International Journal of Systematic and Evolutionary Microbiology*, 70(4). <https://doi.org/10.1099/ijsem.0.004107>
- Zivkovic, M., Miljkovic, M., Ruas-Madiedo, P., Strahinic, I., Tolnacki, M., Golic, N., & Kojic, M. (2015). Exopolysaccharide production and ropy phenotype are determined by two gene clusters in putative probiotic strain *Lactobacillus paraplantarum* BGCG11. *Applied and Environmental Microbiology*, 81(4). <https://doi.org/10.1128/AEM.03028-14>