

DAFTAR PUSTAKA

- Aji, A. P., & Wikandari, P. R. (2024). Antioxidant potential of jicama (*Pachyrhizus erosus*) extract fermented by *Lactobacillus plantarum* B1765. *Jurnal Pijar MIPA*, 19 (1) : 162 – 167. DOI : <https://doi.org/10.29303/jpm.v19i1.6218>
- Ahn, Y. T., Lim, K. L., Ryu, J. C., Kang, D. K., Ham, J. S., Jang, Y. H., Kim, H. U. (2002). Characterization of *Lactobacillus acidophilus* isolated from piglets and chicken. *Asian-Aust. J. Anim. Sci.*, 15(12) : 1790 – 1797.
- Aini, M., Rahayuni, S., Mardina, V., Qurbanayti, Asiah, N. (2021). Bakteri *Lactobacillus* dan peranannya bagi kehidupan. *Jurnal Jeumpa*, 8(2) : 614 : 624.
- Akram, W., Garud, N., Joshi, R. (2019). Role of inulin as prebiotics on inflammatory bowel disease. *Drug Discov & Ther*, 13(1) : 1 – 8. DOI : 10.5582/ddt.2019.01000
- Alvarez, S.C., Alaniz, M.J., Furlani, M.V., Vazquez, F., Nally, M.C., & Maturano, Y.P. (2023). Non-*Saccharomyces* yeast probiotics: revealing relevance and potential. *FEMS yeast research*.
- Aprilia, R., Mahfudz, L. D., Sunarti, D., Kismiati, S. (2021). Pemanfaatan sinbiotik ekstrak inulin umbi gembili dengan *Lactobacillus plantarum* terhadap kualitas interior telur itik pengging. *JSPI*, 16(2). DOI : <https://doi.org/10.31186/jspi.id.16.2>.
- Anal, A. K., Singh, K. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in Food Science and Technology*, 18(5) : 240 – 251.
- Anjum, N., Maqsood, S., Masud, T., Ahmad, A., Sohail, A., & Momin, A. (2014). *Lactobacillus acidophilus*: Characterization of the Species and Application in Food Production. *Critical Reviews in Food Science and Nutrition*, 54(9), 1241 - 1251
- Aquino-Bolaños, E. N., Mercado-Silva, E. (2004). Effects of polyphenol oxidase and peroxidase activity, phenolics and lignin content on the browning of cut jicama. *Postharv. Bio. Tech.*, 33(3) : 275 – 283.
- Asnita, D., Meryandini, A. (2023). Bakteri asam laktat kandidat probiotik dari susu kuda bima. *Jurnal Sumberdaya Hayati.*, 9(2) : 49 – 54. <https://journal.ipb.ac.id/index.php/sumberdayahayati> [11 Desember 2024].
- Azhar, M. (2009). Inulin Sebagai Prebiotik. *Sainstek : Jurnal IPTEK – KOM*, 12(1), 1-8.

- Badan Standarisasi Nasional. (2009). SNI No 01- 2981-2009. Syarat Mutu Yogurt. Jakarta : Badan Standarisasi Nasional.
- Badan Standarisasi Nasional. (2006). SNI No 01- 2346-2006. Petunjuk Pengujian Organoleptik dan atau Sensori. Jakarta : Badan Standarisasi Nasional.
- Badan Pengawas Obat dan Makanan Indonesia (BPOM). (2023). Peraturan Badan Pengawas Obat dan Makanan Nomor 13 tahun 2024 tentang kategori pangan. Jakarta : BPOM.
- Balboa, G. R., Morales, R. B., Fernández, A. E. L., Rosales, P.U. B., Zurita, J. O. J., González, E. M. (2023). Physicochemical and proximal characterization of starch and flour of jicama (*Pachyrhizus erosus* L.). *Revista Bio Ciencias.*, 10 : 1427.
- Barends, N., (2024). Aktivitas antibakteri dan antioksidan bakteri *Lactobacillus acidophilus* dalam susu fermentasi dengan penambahan prebiotik tepung pisang tanduk. [skripsi]. Jakarta : Universitas Negeri Jakarta.
- Barrangou, R., Altermann, E., Hutkins, R., Cano, R., & Klaenhammer, T. R. (2003). Functional and comparative genomic analyses of an operon involved in fructooligosaccharide utilization by *Lactobacillus acidophilus*. *Proceedings of the National Academy of Sciences*, 100(15), 8957-8962.
- Beausoleil, M., Fortier, N., Guénette, S., L'Ecuyer, A., Savoie, M., Franco, M., Lachaîne, J., & Weiss, K. (2007). Effect of a fermented milk combining *Lactobacillus acidophilus* CL1285 and *Lactobacillus casei* in the prevention of antibiotic-associated diarrhea: a randomized, double-blind, placebo-controlled trial. *Can J Gastroenterol*. DOI : <https://doi.org/10.1155%2F2007%2F720205>
- Bendig, T., Ulmer, A., Luzia, L., Müller, S., Sahle, S., Bergmann, F. T., Lösch, M., Erdemann, F., Zeidan, A. A., Mendoza, S. N., Teusink, B., Takors, R., Kummer, U., & Figueiredo, A. S. (2023). The ph-dependent lactose metabolism of *Lactobacillus delbrueckii subsp. bulgaricus*: An integrative view through a mechanistic computational model. *J. Biotech*, 374 : 90–100. <https://doi.org/10.1016/j.jbiotec.2023.08.001>
- Bermudez-Brito, M., Plaza-Díaz, J., Muñoz-Quezada, S., Gómez-Llorente, C., & Gil, A. (2012). Probiotic mechanisms of action. *Ann Nutr Metab*, 61(2) : 160–174. <https://doi.org/10.1159/000342079>
- Bhanja, A., Paikra, S. K., Sutar, P. P., & Mishra, M. (2023). Characterization and identification of inulin from *Pachyrhizus erosus* and evaluation of its antioxidant and in-vitro prebiotic efficacy. *JFST*, 60(1) : 328–339. <https://doi.org/10.1007/s13197-022-05619-6>

- Buckman, E. S., Oduro, I., Plahar, W. A., Tortoe, C. (2017). Determination of chemical and functional properties of yam bean (*Pachyrhizus erosus* (L.) Urban) flour for food systems. *Food. Sci. Nutr.*, 6(2) : 457 – 463.
- Bull, M., Plummer, S., Marchesi, J., Mahentiaralingam, E. (2013). The life history of *Lactobacillus acidophilus* as a probiotic : a tale of revisionary taxonomy, misidentification and commercial success. *FEMS : Microbiol. Lett.*, 349 : 77 – 87.
- Cai, J., Bai, J., Luo, B. Ni, Y., Tian, F., Yan, W. (2022) In vitro evaluation of probiotic properties and antioxidant activities of *Bifidobacterium* strains from infant feces in the Uyghur population of northwestern China. *Ann Microbiol* 72, 14. <https://doi.org/10.1186/s13213-022-01670-y>
- Campana, R., van Hemert, S. & Baffone, W. (2017). Strain-specific probiotic properties of lactic acid bacteria and their interference with human intestinal pathogens invasion. *Gut Pathogen*, 9(12). <https://doi.org/10.1186/s13099-017-0162-4>
- Casarotti, S. N., Monteiro, D. A., Moretti, M. M. S., & Penna, A. L. (2014). Influence of the combination of probiotic cultures during fermentation and storage of fermented milk. *Int. Food Res.*, 59 : 67–75. <https://doi.org/10.1016/j.foodres.2014.01.068>
- Chen, J., Pang, H., Wang, L., Ma, C., Wu, G., Liu, Y., Guan, Y., Zhang, M., Qin, G., & Tan, Z. (2022). Bacteriocin-producing lactic acid bacteria strains with antimicrobial activity screened from bamei pig feces. *Foods*, 11(5), 709. DOI : <https://doi.org/10.3390/foods11050709>
- Crowther, J. (2021). Complete list of Faber-Castell Polychromos Colour Pencils. Jenny's Crayon Collection. <https://www.jennyscrayoncollection.com/2020/11/complete-list-of-faber-castell.html?m=1>. [9 Februari 2025].
- Dahlan, H.A., Sani, N.A., & Dahlan, I. (2017). Logistic-like Growth Model of *Lactobacillus acidophilus*, *Lactobacillus delbrueckii subsp. bulgaricus* and *Streptococcus thermophilus* in Palm Oil Santan. *Japan Journal of Food Engineering.*, 18(3) : 155 – 159.
- De Man, J. C., Rogosa, M., & Sharpe, M. E. (1960). A medium for the cultivation of *Lactobacilli*. *J. App Ecol.*, 23(1) : 130–135. <https://doi.org/10.1111/j.1365-2672.1960.tb00188.x>
- Dische, Zacharias., & Borenfreund, Ellen. (1951). A new spectrophotometric method for the detection and determination of keto sugars and trioses. *J. Bio. Chem.*, 192(2), 583–587. [https://doi.org/10.1016/s0021-9258\(19\)77782-5](https://doi.org/10.1016/s0021-9258(19)77782-5)

- Diza, Y. H., Wahyuningsih, T., Hermianti, W. (2016). Penentuan Jumlah Bakteri Asam Laktat (BAL) dan Cemaran Mikroba Patogen pada Yoghurt Bengkuang Selama Penyimpanan. *Jurnal Litbang Industri*, 6(1): 1. DOI : <http://dx.doi.org/10.24960/jli.v6i1.891.1-11>
- Dong, J., Ping, L., Cao, T., Sun, L., Liu, D., Wang, S., Huo, G., & Li, B. (2022). Immunomodulatory effects of the *Bifidobacterium longum* BL-10 on lipopolysaccharide-induced intestinal mucosal immune injury. *Front immunol.*, 13(947755). <https://doi.org/10.3389/fimmu.2022.947755>
- Eiteman, M. A., & Ramalingam, S. (2015). Microbial production of lactic acid. *Biotechnology Letters*, 37(5), 955–972. <https://doi.org/10.1007/s10529-015-1769-5>
- El-Kholy, W. M., Aamer, R. A., & Ali, A. N. (2020). Utilization of inulin extracted from chicory (*Cichorium intybus L.*) roots to improve the properties of low-fat synbiotic yoghurt. *Ann. Agric. Sci.*, 65(1) : 59–67. <https://doi.org/10.1016/j.aos.2020.02.002>
- Fatmawati, F., & Lubis, A. S. (2020). Pengaruh perilaku kewirausahaan terhadap kemampuan manajerial pada pedagang pakaian pusat pasar kota Medan. *Jurnal Muhammadiyah Manajemen Bisnis*; 1(1) : 1. <https://doi.org/10.24853/jmmb.1.1.1-10>
- Fera, M., & Masrikhiyah, R. (2019). Ekstraksi Inulin dari Umbi Gembili (*Discorea Esculenta L*) dengan Pelarut Etanol. *J. Pangan dan Gizi* 9(2), 156-161.
- Ferdaus, F., Wijayanti, M. O., Retnoningtyas, E. S., Irawati, W. (2008). Pengaruh pH, konsentrasi substrat, penambahan kalsium karbonat dan waktu fermentasi terhadap perolehan asam laktat dari kulit pisang. *Widya Teknik*, 7(1) : 1 – 14.
- Fernandez, M. V., Warid, W. A., Loaiza, J. M., Montiel, A. C. (1997). Developmental patterns of jicama (*Pachyrhizus erosus (L.) Urban*) plant and the chemical constituents of roots grown in Sonora, Mexico. *Plant Foods. Hum. Nutr.*, 50 : 279 – 286.
- Food and Agriculture Organization of United Nations & Organization (FAO) (2002). Guidelines for the evaluation of probiotics in food. Report of a Joint FAO/WHO Working Group on Drafting Guidelines for the Evaluation of Probiotics in Food. London, London Ontario.
- Food and Agriculture Organization of United Nations & Organization (FAO). (2016). Probiotics in animal nutrition – Production, impact and regulation. *FAO Animal Production and Health Paper*. 179.

- Frier, H. I., Rousseau, J. E., Eaton, H. D., & Dwyer, T. M. (1969). Dische's carbazole method for the determination of inulin in ventriculocisternal perfusion fluids. *J. Dairy Sci.*, 52(11) : 1872–1874. [https://doi.org/10.3168/jds.s0022-0302\(69\)86861-x](https://doi.org/10.3168/jds.s0022-0302(69)86861-x)
- Gao, H., Li, X., Chen, X., Hai, D., Wei, C., Zhang, L., & Li, P. (2022). The functional roles of *Lactobacillus acidophilus* in different physiological and Pathological Processes. *JMB*, 32(10) : 1226–1233. <https://doi.org/10.4014/jmb.2205.05041>
- García-Núñez, I. M., Santacruz, A., Serna-Saldívar, S. O., Hernandez, S. L. C., & Amaya Guerra, C. A. (2022). Assessment of Potential Probiotic and Synbiotic Properties of Lactic Acid Bacteria Grown In Vitro with Starch-Based Soluble Corn Fiber or Inulin. *Foods (Basel, Switzerland)*, 11(24) : 4020.
- Gaspar, C., Donders, G. G., Palmeira-de-Oliveira, R., Queiroz, J. A., Tomaz, C., Martinez-de-Oliveira, J., & Palmeira-de-Oliveira, A. (2018). Bacteriocin production of the probiotic *Lactobacillus acidophilus* KS400. *AMB Express*, 8(1). DOI : <https://doi.org/10.1186/s13568-018-0679-z>
- Gibson, G. R., Probert, H. M., Loo, J. V., Rastall, R. A., & Roberfroid, M. B. (2004). Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Reviews*, 17(02) : 259. DOI : 10.1079/nrr200479
- Goa, T., Beyene, G., Mekonnen, M., & Gorems, K. (2022). Isolation and characterization of lactic acid bacteria from fermented milk produced in Jimma Town, Southwest Ethiopia, and evaluation of their antimicrobial activity against selected pathogenic bacteria. *International journal of food science*. <https://doi.org/10.1155/2022/2076021>
- González-Vázquez, M., Calderón-Domínguez, G., Mora-Escobedo, R., Salgado-Cruz, Ma. P., Arreguín-Centeno, J. H., & Monterrubio-López, R. (2022). Polysaccharides of nutritional interest in Jicama (*Pachyrhizus erosus*) during Root Development. *Food Science & Nutrition*, 10(4), 1146–1158. <https://doi.org/10.1002/fsn3.2746>
- Guo, S., Gillingham, T., Guo, Y., Meng, D., Zhu, W., Walker, W. A., & Ganguli, K. (2017). Secretions of *Bifidobacterium infantis* and *Lactobacillus acidophilus* protect intestinal epithelial barrier function. *Journal of Pediatric Gastroenterology. & Nutrition*, 64(3) : 404–412. <https://doi.org/10.1097/mpg.0000000000001310>
- Hadjimbei, E., Botsaris, G., & Chrysostomou, S. (2022). Beneficial effects of yoghurts and probiotic fermented milks and their functional food potential. *MDPI*. DOI : <https://doi.org/10.3390/foods11172691>

- Halim, C. N., & Zubaidah, E. (2013). Studi kemampuan probiotik isolat bakteri asam laktat penghasil eksopolisakarida tinggi asal sawi asin (*Brassica juncea*). *Jurnal Pangan dan Agroindustri*, 1(1) : 129-137.
- Handayani, T. G., Pato, U., Yusmarini. (2016). Evaluasi sensori susu fermentasi probiotik yang diinokulasi *Lactobacillus casei* subsp. *casei* R-68 dengan variasi penambahan sukrosa. *Jom Faperta.*, 3(1). <https://media.neliti.com/media/publications/184602-ID-evaluasi-sensori-susu-fermentasi-probiot.pdf>
- Hartati, L., Septian, M. H., Fitria, N. A., Idayanti, R. W., Sihite, M. (2023). Ekstraksi inulin dari berbagai jenis umbi di kabupaten Magelang. *Jurnal Ilmiah Peternakan Terpadu.*, 11(1) : 1 – 12.
- Hartono, Muthiadin, C., & Bakri, Z. (2012). Daya hambat sinbiotik ekstrak inulin bawang merah (*Allium cepa* L.) dengan bakteri *Lactobacillus acidophilus* terhadap pertumbuhan bakteri *Escherichia coli*. *Jurnal Bionature*, 13(1) : 31-41.
- Hasneli, H., Kasmiyetti, K. Mushollini, F., Rahmayeni, S. (2023). The effectiveness of jicama yogurt (*Pachyrhizus erosus*) to lipid profile and triglyceride levels. *Nutri-Sains: Jurnal Gizi, Pangan dan Aplikasinya*, 9(2) : 94 – 99.
- Helmyati, S., Shanti, K. M., Sari, F. T., Sari, M. P., Atmaka, D. R., Pratama, R. A., Wigati, M., Wisnusanti, S. U., Nisa', F. Z., & Rahayu, E. S. (2021). Synbiotic fermented milk with double fortification (Fe-zn) as a strategy to address stunting: a randomized controlled trial among children under five in Yogyakarta, Indonesia. *MDPI*. <https://www.mdpi.com/2227-9717/9/3/543>
- Herawati, I., Herawati, E., & Fauziah, P. N. (2018). Potensi prebiotik ekstrak bengkuang (*Pachyrhizus erosus*) terhadap pertumbuhan *Lactobacillus acidophilus* CPS1 dan *Lactobacillus bulgaricus* KS1. *Pros. Pertem. Ilm. Nas. Penelit. Pengabd. Masy*, 1(1), 608-614.
- Herawati. (2021). Aktivitas enzim selulase dari isolate bakteri selulolitik asal kotoran banteng pada sumber karbon berbeda [skripsi]. Jakarta : Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Negeri Jakarta.
- Hidayat, I. R., Kusrahayu, Mulyani, S. (2013). Total bakteri asam laktat, nilai pH dan sifat organoleptic drink yogurt dari susu sapi yang diperkaya dengan ekstrak buah manga. *Animal Agriculture*, 2(1) : 160 – 167. <http://ejournal-s1.undip.ac.id/index.php/aaj>
- Huang, Z., Gong, L., Jin, Y., Stanton, C., Ross, R. P., Zhao, J., Yang, B., & Chen, W. (2022). Different effects of different *Lactobacillus acidophilus* strains on DSS-induced colitis. *Int. J. Mol. Sci.*, 23(23) : 14841. DOI : <https://doi.org/10.3390/ijms232314841>

- Huang, Z., Zhou, X., Stanton, C., Ross, R. P., Zhao, J., Zhang, H., Yang, B., & Chen, W. (2021). Comparative genomics and specific functional characteristics analysis of *Lactobacillus acidophilus*. *Microorganisms*, 9(9) : 1992. <https://doi.org/10.3390/microorganisms9091992>
- Hujaedi, A. W. (2016). Aplikasi tepung bengkuang (*Pachyrhizus erosus*) termodifikasi dalam pembuatan roti tawar [skripsi]. Jawa Timur : Universitas Pembangunan Nasional “Veteran” Jawa Timur.
- Hussien, H., Abd-Rabou, H.S. & Saad, M.A. (2022). The impact of incorporating *Lactobacillus acidophilus* bacteriocin with inulin and FOS on yogurt quality. *Sci Rep* 12, 13401. <https://doi.org/10.1038/s41598-022-17633-x>
- Hrdý, J., Couturier-Maillard, A., Boutillier, D., Lapadatescu, C., Blanc, P., Procházka, J., Pot, B., Ryffel, B., Grangette, C., & Chamaillard, M. (2022). Oral supplementation with selected *Lactobacillus acidophilus* triggers il-17-dependent innate defense response, activation of innate lymphoid cells type 3 and improves colitis. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-21643-0>
- Jora, F., Azhar, M., Nasra, E. (2021). Pengaruh penambahan prebiotik inulin dari bengkoang (*Pachyrhizus erosus*) terhadap organoleptik sinbiotik set yoghurt. *Periodic*, 10 (1). <https://ejournal.unp.ac.id/index.php/kimia/article/view/110315/pdf>
- Jung, J.Y.; Han, S.-S.; Kim, Z.-H.; Kim, M.H.; Kang, H.K.; Jin, H.M.; Lee, M.H. (2021). In-vitro characterization of growth inhibition against the gut pathogen of potentially probiotic lactic acid bacteria strains isolated from fermented products. *Microorganisms*, 9 : 2141. <https://doi.org/10.3390/microorganisms9102141>
- Kalhor, M. S., Nguyen, L. T., & Anal, A. K. (2019). Evaluation of probiotic potentials of the lactic acid bacteria (LAB) isolated from raw buffalo (*Bubalus bubalis*) milk. *Pak. Vet. J*, 39 : 395-400.
- Keawyok, K., Waree, W., & Jodnak, S. (2023). Prebiotic properties of isomaltooligosaccharides from cassava as a potential ingredient in high-protein drinks for athletes. *BCHD*, 6(3) : 38 – 55.
- Khabirov, A., Khaziakhmetov, F., Kuznetsov, V., Tagirov, H., Rebezov, M., Andreyeva, A., Basharov, A., Yessimbekov, Z., & Ayaz, M. (2020). Effect of normosil probiotic supplementation on the growth performance and blood parameters of broiler chickens. *IJPER*, 54(4) : 1046 – 1055.
- Kieliszek, M., Pobiega, K., Piwowarek, K., & Kot, A. M. (2021). Characteristics of the Proteolytic Enzymes Produced by Lactic Acid Bacteria. *Molecules*, 26(7) : 1858.

- Kinanti, A. P., Lestari, A., Nabilah, Z. M., Maulida, R., Widiastuti, T. C., Kiromah, N. Z. W. (2023). Uji Aktivitas Antidiabetes Ekstrak Etanol Daun Ganitri (*Elaeocarpus ganitrus* Roxb.) Pada Tikus Wistar Jantan (*Rattus norvegicus*) Yang Diinduksi Streptozotocin. *JPSCR.*, 01 : 139-151.
- Kleyn, D. H. (1985). Determination of lactose by an enzymatic method. *Journal of Dairy Science*, 68(10) : 2791–2798.
- Kocabay S. (2023). Evaluation of probiotic properties of *Levilactobacillus brevis* isolated from hawthorn vinegar. *Arch. Microbial.*, 205(7) : 258.
- Kochetkova, T. V., Grabarnik, I. P., Klyukina, A. A., Zayulina, K. S., Elizarov, I. M., Shestakova, O. O., Gavirova, L. A., Malysheva, A. D., Shcherbakova, P. A., Barkhutova, D. D., Karnachuk, O. V., Shestakov, A. I., Elcheninov, A. G., & Kublanov, I. V. (2022). Microbial communities of artisanal fermented milk products from Russia. *Microorganisms*, 10(11) : 2140.
- Koruri, S.S., Banerjee, D., Chowdurry, R., Bhattacharya, P. (2014). Studies on prebiotic food additive (inulin) in Indian dietary fibre sources - Garlic (*Allium sativum*), Wheat (*Triticum* spp.), oat (*Avena sativa*) and dalia (*Bulgur*). *Int. J. Pharm. Pharm. Sci.*, 6(9) : 278-282
- Kumar, R., Kaur, M., Garsa, A., Shrivastava, B., Reddy, P. V., Tyagi, A.(2015). Natural and cultured buttermilk : Fermented Milk and Dairy Products.
- Kumalasari, K. E. D., Legowo. A. M., Al-Baarri, A. N. (2013). Total Bakteri asam laktat, kadar laktosa, pH, keasaman, kesukaan drink yoghurt dengan penambahan ekstrak buah kelengkeng. *Jurnal Aplikasi Teknologi Pangan*. 2 (4).
- Kurniati, T. H., Rahayu, S., Nathania, I. R., & Sukmawati, D. (2021). Antibacterial activity of lactic acid bacteria isolated from oncom, a traditional Indonesian fermented food. *SMIC : Transforming Research and Education of Science and Mathematics in the Digital Age*.
- Kurniati, T. H., Rahayu, S., & Ardisa, A. F. (2023). Viability and activity of *lactobacillus acidophilus* in fermented milk with the addition of Horn Banana Flour. *AISTSSE*, 124–131.
- Kurzyna-Szklarek, M., Cybulska, J., Zdunek, A. (2022). Analysis of the chemical composition of natural carbohydrates-an overview of methods. *Food. Chem.*, 394 : 133466.
- Kusumawati, I., Purwanti, R., & Afifah, D. N. (2019). Analisis kandungan gizi dan aktivitas antioksidan pada yoghurt dengan penambahan nanas madu (*Ananas Comosus* Mer.) dan ekstrak kayu manis (*Cinnamomum Burmanni*). *J. Nutr. Col.*, 8(4) : 196 – 206. <https://ejournal3.undip.ac.id/index.php/jnc/article/view/25833/23031>

- Larsen, N., de Souza, C. B., Krych, L., Kot, W., Leser, T. D., Sørensen, O. B., Blennow, A., Venema, K., & Jespersen, L. (2019). Effect of potato fiber on survival of *Lactobacillus* species at simulated gastric conditions and composition of the gut microbiota in vitro. *Int. Food. Res.*, 125 : 1 – 9.
- Lee, K. W., Shim, J. M., Park, S., Heo, H., Kim, H., Ham, K., Kim, J. H. (2016). Isolation of lactic acid bacteria with probiotic potentials from kimchi, traditional Korean fermented vegetable. *LWT – Food. Sci. Tech.*, 71 : 130–137.
- Li, Y., Wang, Y., Li, B., Hou, B., Hung, W., He, J., Jiang, Y., Zhang, Y., & Man, C. (2023). *Streptococcus thermophilus* JM905—strain carbon source utilization and its fermented milk metabolic profile at different fermentation stages. *Foods*, 12(19), 3690.
- Liang, J., Yoo, M. J. Y., Seale, B., & Grazioli, G. (2021). Nutritional and Volatile Characterisation of Milk Inoculated with Thermo-Tolerant *Lactobacillus bulgaricus* through Adaptive Laboratory Evolution. *Foods*. 10(12) : 2944.
- Lima, D. M., Fernandes, P., Nascimento, D. S., Ribeiro, R. C. L. F., & Assis, S. A. (2011). Fructose Syrup: A Biotechnology Asset. *Food Technol. Biotechnol.*, 49 (4) : 424 – 434.
- Mardawati, E., Harahap, B. M., Andoyo, R., Wulandari, N., Rahmah, D. M. (2019). Karakterisasi produk dan pemodelan kinetika enzimatis alfa-amilase pada produksi sirup glukosa dari pati jagung (*Zea mays*). *Jurnal Industri Pertanian*. 1 (1) : 11 – 20
- Markowiak, P. & Ślizewska, K. (2017). Effects of probiotics, prebiotics, and synbiotics on human health. *Nutrients*, 9 (1021).
- Meena, G. S., Kumar, N., Majumdar, G. C., Banerjee, R., Meena, P. K., Yadav, V. (2014). Growth characteristics modeling of *Lactobacillus acidophilus* using RSM and ANN. *Braz. Arch. Biol. Technol.* v.57 n.1: pp. 15-22,
- Meng, L., Li, S., Liu, G., Fan, X., Qiao, Y., Zhang, A., Lin, Y., Zhao, X., Huang, K., & Feng, Z. (2021). The nutrient requirements of *Lactobacillus acidophilus* LA-5 and their application to fermented milk. *J. Dairy. Sci.*, 104(1) : 138 – 150.
- Michel, M. R., Rodríguez-Jasso, R. M., Aguilar, C. N., Gonzalez-Herrera, S. M., Flores-Gallegos, A. C., & Rodríguez-Herrera, R. (2016). Fructosyltransferase Sources, Production, and Applications for Prebiotics Production. *InTech*. DOI: 10.5772/62827
- Min, J., Chun, K., Kim, D. (2023). The versatile utility of cysteine as a target for cancer treatment. *Front. Oncol.*, 12: 1 – 12.

- Miwada, I.N.S., Lindawati, S.A., Tatang, W. (2006). Tingkat efektivitas “starter” bakteri asam laktat pada proses fermentasi laktosa susu. *J.Indon.Trop.Anim.Agric.*, 31 (1).
- Mohammadi, R., & Mortazavian, A.M. (2011). Review Article: Technological Aspects of Prebiotics in Probiotic Fermented Milks. *Food. Rev. Int.*, 27(2) : 192-212.
- Moscetti, R., Raponi, F., Monarca, D., Bedini, G., Ferri, S. and Massantini, R. (2019), Effects of hot-water and steam blanching of sliced potato on polyphenol oxidase activity. *Int. J. Food. Sci. Technol.*, 54: 403-411.
- Mu, G., Gao, Y., Tuo, Y., Li, H., Zhang, Y., Qian, F., & Jiang, S. (2018). Assessing and comparing antioxidant activities of *Lactobacilli* strains by using different chemical and cellular antioxidant methods. *J. Dairy. Sci.*, 101(12) : 10792–10806.
- Nazarend, A., & Wikandari, P.R. (2023). Effect of fermented jicama extract with *Lactobacillus plantarum* B1765 as the starter culture on the product quality and total phenolic. *Journal of Tropical AgriFood.*, 5(2) : 96 – 104.
- Nofri, O., & Hafifah, A. (2018). Analisis perilaku konsumen dalam melakukan *online shopping* di kota Makassar. *Jurnal Minds: Manajemen Ide Dan Inspirasi*, 5(1), 113-132.
- Noman, A. S. M., Hoque, M. A., Haque, M. M., Pervin, F., & Karim, M. R. (2007). Nutritional and anti-nutritional components in *Pachyrhizus erosus* L. Tuber. *Food. Chem.*, 102(4) : 1112–1118.
- Nugroho, M. R., Wanniatie, V., Qisthon, A., Septinova, D. (2023). Sifat Fisik dan Total Bakteri Asam Laktat (BAL) Yogurt Dengan Bahan Baku Susu Sapi Yang Berbeda. *Journal of Research and Innovation of Animals*, 7(2) : 279 – 286.
- Nuraini, Anggrayni, Y. L., Infitria. (2023). Nilai organoleptik susu kefir terhadap konsentrasi bibit kefir dan lama fermentasi. *JAC.*, 5(2) : 84 – 91.
- Nurhartadi, E., Nawangwulan, R., Utami, R. (2014). The effect of red sweet potato (*Ipomoea batatas* L.) substitution on skim milk as prebiotic on synbiotic drink powder characteristic. *International Congress on Challenges of Biotechnological Research in Food and Health, Surakarta, Indonesia*. Slamet Riyadi University,
- Nursandi, F., Machmudi, M., Santoso, U., & Indratmi, D. (2017). Properties of different aged jicama (*Pachyrhizus erosus*) plants. *IOP Conference Series: Earth and Environmental Science*, 77.

- Ozturkoglu-Budak, S., Akal, H.C., Buran, İ., & Yetişemiyen, A. (2019). Effect of inulin polymerization degree on various properties of synbiotic fermented milk including *Lactobacillus acidophilus* La-5 and *Bifidobacterium animalis* Bb-12. *Journal of dairy science.*, 102(8) : 6901 – 6913.
- Pamela, V. Y., Riyanto, R. A., Septiariwulan. (2022). Karakteristik sifat organoleptik yoghurt dengan variasi susu skim dan lama inkubasi. *Nutriology.* 3(1).
- Panjaitan, R., Nuraida, L., Dewanti-Hariyadi, R. (2018). Seleksi Isolat bakteri asam laktat asal tempe dan tape sebagai kandidat probiotik. *J. Teknol. dan Industri Pangan*, 29(2) : 175-184
- Park, J. M., Zhang, B. Z., & Kim, J. M. (2022). Effect of fermentation duration on the quality changes of godulbaegi kimchi. *Foods*, 11(7) : 1020.
- Peng, C., Sun, W., Dong, X., Zhao, L., Hao, J. (2021). Isolation, identification and utilization of lactic acid bacteria from silage in a warm and humid climate area. *Sci. Rep.*, 11 : 12586.
- Pepoyan, A., Balayan, M., Manvelyan, A., Galstyan, L., Pepoyan, S., Petrosyan, S., Tsaturyan, V., Kamiya, S., Torok, T., & Chikindas, M. (2018). Probiotic *Lactobacillus acidophilus* Strain INMIA 9602 Er 317/402 Administration Reduces the Numbers of *Candida albicans* and Abundance of Enterobacteria in the Gut Microbiota of Familial Mediterranean Fever Patients. *Frontiers in immunology*, 9 : 1426.
- Pereira, W. A., Piazzentin, A. C., da Silva, T. M., Mendonça, C. M., Figueroa Villalobos, E., Converti, A., & Oliveira, R. P. (2023). Alternative fermented soy-based beverage: Impact of inulin on the growth of probiotic strains and starter culture. *Fermentation*, 9(11) : 961–970.
- Petrov, K., Popova, L., Petrova, P. (2017). High lactic acid and fructose production via Mn²⁺ mediated conversion of inulin by *Lactobacillus paracasei*. *Appl. Microbiol. Biotechnology.*, 101(11) : 4443 – 4445. DOI : 10.1007/s00253-017-8238-0
- Pratiwi, D., Hanum, Z., & Yurliasni. (2023). Kombinasi probiotik *Bifidobacterium longum* dan *Lactobacillus acidophilus* pada susu fermentasi sebagai bahan sediaan kosmetik. *Prosiding Seminar Nasional Teknologi dan Agribisnis Peternakan X.*
- Primurdia, E.G. dan Kusnadi, J. (2014). Aktivitas antioksidan minuman probiotik sari kurma (*Phoenix dactylifera* L.) dengan isolat *L. plantarum* dan *L. casei*. *Jurnal Pangan dan Agroindustri.* 2(3): 98- 109.

- Puspitasari, G., Safrihatini, W., Umam, K. (2019). Studi kinetika reaksi dari enzim α -amilase pada proses penghilangan kanji kain kapas. *Arena Tekstil*, 34(1) : 1-6.
- Putranto, W. S. (2007). Aktivitas proteolitik *Lactobacillus acidophilus* dalam fermentasi susu sapi. *Jurnal Ilmu Ternak*, 7(1) : 69-72.
- Putri, A. L. O., Kusdiyantini, E. (2018). Isolasi dan identifikasi bakteri asam laktat dari pangan fermentasi berbasis ikan (Inasua) yang diperjualbelikan di Maluku-Indonesia. *Jurnal Biologi Tropika Vol. 1, No. 2, Hal. 6-12*. <https://ejournal2.undip.ac.id/index.php/jbt/article/download/3767/2106> [21 Desember 2023]
- Putri, S. F., & Gusnita, W. (2022). The effect of Jicama flour substitution on the quality of cupcake. *Jurnal Pendidikan Tata Boga Dan Teknologi*, 3(3) : 11–17.
- Putri, S. N. (2023). Aktivitas Bakteriosin Dari Bakteri Asam Laktat Asal Fermentasi Timun (*Cucumis Sativus* L.) dan Uji Ketahanannya Terhadap Suhu Tinggi. [Skripsi]. Jakarta : Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Jakarta.
- Putri, V. D., Yanti, S., Dyna, F., Saryono, Ismawati. (2022). Analisis proksimat inulin dari umbi dahlia (*Dahlia viriabilis*). *Katalisator*, 7(2) : 311 – 322.
- Richirose, R., & Soedirga, L. C. (2023). Utilization of cassava-jicama composite flour in making gluten-free biscuits with different types of fats. *Caraka Tani*, 38(2) : 244–259.
- Riduwan, Sunarto. (2011). Pengantar Statistika Untuk Penelitian Pendidikan, Sosial, Ekonomi, Komunikasi, dan Bisnis.
- Safitri, M. F., Swarastuti, A. (2013). Kualitas kefir berdasarkan konsentrasi kefir grain. *Jurnal Aplikasi Teknologi Pangan*, 2(2).
- Santosa, A. P., Purnawanto. A. M., Anaziah, W. (2021). Karakteristik brownies panggang dengan substitusi tepung bengkuang (*Pachyrhizus Erosus* L.) dan pemanis daun stevia (*Stevia Rebaudiana Bertoni* M.). *Agritech: Jurnal Fakultas Pertanian Universitas Muhammadiyah Purwokerto*. 23(1) : 45 – 51.
- Sarkar, R., Bhowmik, A., Kundu, A., Dutta, A., Nain, L., Chawla, G., & Saha, S. (2021). Inulin from *Pachyrhizus erosus* root and its production intensification using evolutionary algorithm approach and response surface methodology. *Carbohydrate polymers*, 251 : 117042.
- Satriyo, S., Suheri, S., & Yugianus, Pausta. (2019). Identifikasi dan Penghitungan Koloni Bakteri menggunakan Ekstraksi Fitur. *Vokasi*, Vol 14 No. 2.

<https://ejurnal.polnep.ac.id/index.php/vokasi/article/view/161>. [25 Agustus 2024].

- Sayuti, I., Wulandari, S., Sari D. K.(2013). Penambahan ekstrak ubi jalar ungu (*Ipomoea batatas var. Ayamurasaki*) dan susu skim terhadap organoleptik yoghurt jagung manis (*Zea mays L. Saccharata*) dengan menggunakan inokulum *Lactobacillus acidophilus* dan *Bifidobacterium* sp. *Prosiding Semirata FMIPA Universitas Lampung*.
- Schmitt, J. D., Fariña, L. O., Simões, M., Kottwiz, L. B. M. (2018). Evaluation of the probiotic profile of the *Lactobacillus acidophilus* used in pharmaceutical and food applications. *Acta Scientiarum. Health Sci.*, 40 : 2018.
- Setiarto, R. H. B., & Widhyastuti, N. (2016). Effect of lactic acid bacteria fermentation *Lactobacillus plantarum* B307 to proximate levels and amylography modified Tacca Flour (*Tacca Leontopetaloides*). *Jurnal Ilmu Pertanian Indonesia*, 21(1) : 7–12.
- Setiarto, Raden H. B., Widhyastuti, N., Saskiawan, I., Safitri, R. M. (2017). Pengaruh variasi konsentrasi inulin pada proses fermentasi oleh *L. acidophilus*, *L. bulgaricus* dan *S. thermophilus*." *Biopropal Industri*, 8(1) : 1-17.
- Setyaji, D. Y., & Setyani, F. A. R. (2021). Effect of probiotic and prebiotic consumption on blood cholesterol level in the elderly in posyandu manisjangan yogyakarta. *J. Nutr. Col.*, 10(3) : 227-232.
- Shah, N. P. (2007). Functional cultures and health benefits. *Int. Dairy J.*, 17(11) : 1262 – 1277.
- Sibuea, P., & Siantar, V. N. L. (2022). Aktivitas antioksidan yoghurt dengan penambahan ekstrak buah bit (*Beta Vulgaris L.*) dan mutu probiotik yang dihasilkan. *RETIPA*, 3(1) : 22 – 29.
- Silva, D. R., Sardi, J. de, Pitangui, N. de, Roque, S. M., Silva, A. C., & Rosalen, P. L. (2020). Probiotics as an alternative antimicrobial therapy: Current reality and future directions. *Journal of Functional Foods*, 73 : 104080.
- Son, J. K., Jo, Y. J., Jung, Y. J., Lee, Y. R., Lee, J., & Jeong, H. S. (2023). Fermentation and quality characteristics of yogurt treated with *Bifidobacterium longum*. *Nutrients*, 15(15) : 3490. DOI : <https://doi.org/10.3390/nu15153490>
- Stevenson, David. G., Jane, J., & Inglett, G. E. (2007). Characterisation of jícama (Mexican potato) (*Pachyrhizus erosus L. urban*) starch from taproots grown in USA and Mexico. *Starch - Stärke*, 59(3–4) : 132–140. DOI : <https://doi.org/10.1002/star.200600596>

- Stewart, M. L., Timm, D. A., & Slavin, J. L. (2008). Fructooligosaccharides exhibit more rapid fermentation than long-chain inulin in an in vitro fermentation system. *Nutrition research*, 28(5) : 329–334. <https://doi.org/10.1016/j.nutres.2008.02.014>.
- Sundberg, I. (2014). The color thesaurus. Ingrid's Notes. <https://ingridsnotes.wordpress.com/2014/02/04/the-color-thesaurus/> . [9 Februari 2025]
- Sunu, P., Sunarti, D., Mahfudz, L. D., & Yuniarto, V. D. (2021). Effect of synbiotic from *Allium sativum* and *Lactobacillus acidophilus* on hematological indices, antioxidative status and intestinal ecology of broiler chicken. *Journal of the Saudi Society of Agricultural Sciences*, 20(2) : 103–110. DOI : <https://doi.org/10.1016/j.jssas.2020.12.005>
- Suparwati, R. (2014). Produksi Fruktooligosakarida Dari Inulin Umbi Dahlia (*Dahlia pinnata*) Secara Hidrolisis Enzimatik. *Fakultas Teknologi Pertanian*. [skripsi]. Bogor : *Institut Pertanian Bogor*.
- Susilowati, A., MI, Y., Lotulung, P. D., Melanie, H., Aspiyanto. (2014). Perbedaan komposisi dan oligomer FOS inulin dari umbi dahlia merah (*Dahlia* sp. *L*) menggunakan enzim inulinase dari kapang *Scopulariopsis* sp.- CBS1 dan β -Amylase sebagai Anti Kolesterol. *Jurnal PANGAN*, 24 : 107-116.
- Sutikno, V., Rahadiyanti, A., Fitranti, D. Y., Afifah, D. N., & Nissa, C. (2020). Gliteros enteral formula based on tempeh flour and Jicama flour for patients with hyperglycemia. *Food Research*, 4(S3) : 38–45. [https://doi.org/10.26656/fr.2017.4\(s3\).s17](https://doi.org/10.26656/fr.2017.4(s3).s17)
- Syainah, E., Novita, S., Yanti, R. (2016). Kajian pembuatan yoghurt dari berbagai jenis susu dan inkubasi yang berbeda terhadap mutu dan daya terima. *Jurnal Skala Kesehatan*, 5(11).
- Tari, A. I., Handayani, C. B., & Hartati, S. (2021). Sinbiotik Ekstrak Ubi Ungu Dan Probiotik Lokal Pada yogurt: Kesehatan Pencernaan, hematologi, Dan Sistem IMUN. *agriTECH*, 40(4) : 312–321. <https://doi.org/10.22146/agritech.29718>
- Tomovska, J., Gjorgievski, N., & Makarijoski, B. (2016). Examination of ph, titratable acidity and antioxidant activity in fermented milk. *Journal of Materials Science and Engineering A*, 6(6) : 326–333. <https://doi.org/10.17265/2161-6213/2016.11-12.006>
- United States Department of Agriculture atau USDA (2001). Specifications for Yogurt, Lowfat Yogurt, Nonfat Yogurt. www.ams.usda. [23 Januari 2025]

- Van Laere, A., & Van Den Ende, W. (2002). Inulin metabolism in dicots: Chicory as a model system. *Plant, Cell & Environment*, 25(6), 803–813. <https://doi.org/10.1046/j.1365-3040.2002.00865.x>
- Van Loo, J., Coussement, P., De Leenheer, L. Hoebregs, H., Smits, G. (1995). On the presence of inulin and oligofructose as natural ingredients in the western diet. *Critical Reviews in Food Science and Nutrition*, 35(6) : 525 – 552. DOI : <https://doi.org/10.1080/10408399509527714>
- Violalita, F., Fahmy, K., Syahrul, S., Trimedona, N., Andriasani. (2019). Pengaruh substitusi tepung bengkuang (*Pachyrhizus erosus*) terhadap karakteristik cookies yang dihasilkan. *Journal of Applied Agricultural Science and Technology*, 3(1) : 73-81. DOI : <https://doi.org/10.32530/jaast.v3i1.58>
- Wahyudi, A., Damat, Saati, E. A., Aziz, N., & Wachid, M. (2013). Produksi yoghurt sinbiotik. *Dedikasi*, 10 : 1-6
- Wang, S., Zhu, H., Lu, C., Kang, Z., Luo, Y., Feng, L., & Lu, X. (2012). Fermented milk supplemented with probiotics and prebiotics can effectively alter the intestinal microbiota and immunity of host animals. *J. Dairy. Sci.*, 95(9) : 4813–4822. DOI :10.3168/jds.2012-5426 10.3168/jds.2012-5426
- Wang, L., Zhou, B., Zhou, X., Wang, Y., Wang, H., Jia, S., Zhang, Z., Chu, C., & Mu, J. (2019). Combined lowering effects of rosuvastatin and *L. acidophilus* on cholesterol levels in rat. *Journal of Microbiology and Biotechnology*, 29(3) : 473–481. <https://doi.org/10.4014/jmb.1806.06004>
- Wang, B., Rutherford-Markwick, K., Liu, N., Zhang, X. X., & Mutukumira, A. N. (2024). Evaluation of the probiotic potential of yeast isolated from kombucha in New Zealand. *Current research in food science*, 8 : 100711. <https://doi.org/10.1016/j.crfs.2024.100711>
- Wibawanti, J. M., & Rinawidiastuti, R. (2018). Sifat fisik Dan organoleptik yogurt drink susu kambing dengan penambahan Ekstrak Kulit Manggis (*Garcinia mangostana* L.). *Jurnal Ilmu Dan Teknologi Hasil Ternak*, 13(1), 27–37. <https://doi.org/10.21776/ub.jitek.2018.013.01.3>
- Widyastuti, Y., & Febrisiantosa, A. (2014). The role of lactic acid bacteria in milk fermentation. SCIRP. Diakses dari <http://www.scirp.org/journal/PaperInformation.aspx?PaperID=42817>
- Wijayanti, A. A., & Wikandari, P. R. (2023). Potency of fermented jicama extract cultured with *Lactobacillus plantarum* B1765 for producing short chain fatty acid. *Jurnal Pijar Mipa*, 18(5) : 822–828. <https://doi.org/10.29303/jpm.v18i5.5457>

- Wimala, M., Retnaningtyas, Y., & Wulandari, L. (2018). Penetapan Kadar Inulin dalam Ekstrak Air Umbi Bengkuang (*Pachyrhizus erosus* L.) dari Gresik Jawa Timur dengan Metode KLT Densitometri. *e-Jurnal Pustaka kesehatan*, 3(1) : 61 – 65.
- Winarti, S., Sarofa, U., & Rodiyah, K. F. (2018). Karakteristik Jelly Drink sinbiotik Dari Susu Kedelai Dan Ekstrak Buah Naga Merah (*Hylocereus polyrhizus*). *AGROINTEK*, 12(1) : 61–72. <https://doi.org/10.21107/agrointek.v12i1.3806>
- Wu, C., Huang, J., & Zhou, R. (2017). Genomics of lactic acid bacteria: current status and potential applications. *Critical Reviews in Microbiology*, 43(4) : 393–404. <https://doi.org/10.1080/1040841x.2016.1179623>
- Yanti, I. G., Azhar, M., Faridah, A., Oktavia, B. (2019). Simple determination of inulin polymerization degree average from dahlia tuber using spectrophotometer. *International Journal of Research & Review.*, 6(8).
- Yelnetty, A., & Tamasoleng, M. (2019). The addition of yam tuber (*Dioscorea alata*) flour as a source of prebiotic on biomilk synbiotic characteristics. *IOP Conference Series: Earth and Environmental Science*, 247 : 012052. <https://doi.org/10.1088/1755-1315/247/1/012052>
- Zaddana, C., Sulistiyono, F. D., Utami, N. F., Indriyani, E. N., & Nurmala, S. (2022). Formulation fermented milk with prebiotics from beetroot (*Beta vulgaris* L.) and yellow sweet potato (*Ipomoea batatas* L.) for improvement viability lactic acid bacteria. *JURNAL SAINS NATURAL*, 12(3) : 95–102. <https://doi.org/10.31938/jsn.v12i3.397>
- Zapašnik, A., Sokołowska, B., & Bryła, M. (2022). Role of lactic acid bacteria in food preservation and safety. *Foods*, 11(9) : 1283. *MDPI*. <https://doi.org/10.3390/foods11091283> [21 desember 2023].
- Zielińska, D., & Kolożyn-Krajewska, D. (2018). Food-Origin Lactic Acid Bacteria May Exhibit Probiotic Properties: Review. *BioMed Research International Volume 2018*. DOI : <https://doi.org/10.1155/2018/5063185>
- Zubaidah, E., & Akhadiana, W. (2013). Comparative study of inulin extracts from dahlia, yam, and gembili tubers as prebiotic. *Food and Nutrition Sciences*, 04(11) : 8–12. <https://doi.org/10.4236/fns.2013.411a002>