

DAFTAR PUSTAKA

- Amin, A., Al-Taiar, A., Sanghrajka, A. P., Kang, N., & Scott, G. (2008). The early radiological follow-up of a medial rotational design of total knee arthroplasty. *The Knee*, 15(3), 222–226. <https://doi.org/10.1016/j.knee.2008.01.004>
- Anderson, A. F., Irrgang, J. J., Kocher, M. S., Mann, B. J., & Harrast, J. J. (2006). The International Knee Documentation Committee Subjective Knee Evaluation Form. *The American Journal of Sports Medicine*, 34(1), 128–135. <https://doi.org/10.1177/0363546505280214>
- Ardern, C. L., Webster, K. E., Taylor, N. F., & Feller, J. A. (2011). Return to sport following anterior cruciate ligament reconstruction surgery: a systematic review and meta-analysis of the state of play. *British Journal of Sports Medicine*, 45(7), 596–606. <https://doi.org/10.1136/bjsm.2010.076364>
- Ardiyanti, R., & Afrainin Syah, N. (2016). Hubungan Indeks Massa Tubuh dengan Cedera Ligamen Krusiat Anterior pada Atlet Cabang Olahraga Kontak. Dalam *Jurnal Kesehatan Andalas* (Vol. 5, Nomor 3). <http://jurnal.fk.unand.ac.id>
- Brophy, R., Silvers, H. J., Gonzales, T., & Mandelbaum, B. R. (2010). Gender influences: the role of leg dominance in ACL injury among soccer players: Table 1. *British Journal of Sports Medicine*, 44(10), 694–697. <https://doi.org/10.1136/bjsm.2008.051243>
- Chan, F. (2012). Strength Training (Latihan Kekuatan). *Cerdas Sifa*, 1, 1.
- Cheecharern, S. (2018). Return to sport and knee functional scores after anterior cruciate ligament reconstruction: 2 to 10 years' follow-up. *Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology*, 12, 22–29. <https://doi.org/10.1016/j.asmart.2018.01.003>
- Deviandri, R., der Veen, H. C. van, Lubis, A. M. T., Postma, M. J., & van den Akker-Scheek, I. (2022). Translation and Psychometric Analysis of the Indonesian Versions of the Lysholm and Tegner Scores for Patients With Anterior Cruciate Ligament Injuries. *Orthopaedic Journal of Sports Medicine*, 10(1). <https://doi.org/10.1177/23259671211066506>
- Dingenen, B., & Gokeler, A. (2017). Optimization of the Return-to-Sport Paradigm After Anterior Cruciate Ligament Reconstruction: A Critical Step Back to Move Forward. *Sports Medicine*, 47(8), 1487–1500. <https://doi.org/10.1007/s40279-017-0674-6>

- Dr.dr. Junaidi, Sp. K. (2018). *CEDERA OLAHRAGA DALAM PERSPEKTIF KEDOKTERAN OLAHRAGA* (Sp. K. Kurniawan & dr. Donny, Ed.). CV. SARNU UNTUNG.
- Escamilla, R. F., Macleod, T. D., Wilk, K. E., Paulos, L., & Andrews, J. R. (2012). ACL Strain and Tensile Forces for Weight Bearing and Non—Weight-Bearing Exercises After ACL Reconstruction: A Guide to Exercise Selection. *Journal of Orthopaedic & Sports Physical Therapy*, 42(3), 208–220. <https://doi.org/10.2519/jospt.2012.3768>
- Gandek, B., Roos, E. M., Franklin, P. D., & Ware, J. E. (2019). Item selection for 12-item short forms of the Knee injury and Osteoarthritis Outcome Score (KOOS-12) and Hip disability and Osteoarthritis Outcome Score (HOOS-12). *Osteoarthritis and Cartilage*, 27(5), 746–753. <https://doi.org/10.1016/j.joca.2018.11.011>
- George, R. B., McKeen, D., Columb, M. O., & Habib, A. S. (2010). Up-Down Determination of the 90% Effective Dose of Phenylephrine for the Treatment of Spinal Anesthesia-Induced Hypotension in Parturients Undergoing Cesarean Delivery. *Anesthesia & Analgesia*, 110(1), 154–158. <https://doi.org/10.1213/ANE.0b013e3181c30b72>
- Gokeler, A., Benjaminse, A., Hewett, T. E., Lephart, S. M., Engebretsen, L., Ageberg, E., Engelhardt, M., Arnold, M. P., Postema, K., Otten, E., & Dijkstra, P. U. (2012). Proprioceptive deficits after ACL injury: are they clinically relevant? *British Journal of Sports Medicine*, 46(3), 180–192. <https://doi.org/10.1136/bjsm.2010.082578>
- Grindem, H., Snyder-Mackler, L., Moksnes, H., Engebretsen, L., & Risberg, M. A. (2016). Simple decision rules can reduce reinjury risk by 84% after ACL reconstruction: the Delaware-Oslo ACL cohort study. *British Journal of Sports Medicine*, 50(13), 804–808. <https://doi.org/10.1136/bjsports-2016-096031>
- Hidayat, dr L. (2019). *Cedera Anterior Cruciate Ligament (ACL)*. Tim Kerja Hukum dan Hubungan Masyarakat RSUP Dr. Sardjito Yogyakarta. <https://sardjito.co.id/2019/10/30/cidera-anterior-cruciate-ligament-acl/#:~:text=Dari%20keempat%20ligamen%20tersebut%2C%20ACL,dan%20menjaga%20stabilitas%20rotasional%20lutut.>
- Irrgang, J. J., Anderson, A. F., Boland, A. L., Harner, C. D., Kurosaka, M., Neyret, P., Richmond, J. C., & Shelborne, K. D. (2001). Development and Validation of the International Knee Documentation Committee Subjective Knee Form. *The American Journal of Sports Medicine*, 29(5), 600–613. <https://doi.org/10.1177/03635465010290051301>

- Ithurburn, M. P., Longfellow, M. A., Thomas, S., Paterno, M. V., & Schmitt, L. C. (2019). Knee function, strength, and resumption of preinjury sports participation in young athletes following anterior cruciate ligament reconstruction. *Journal of Orthopaedic and Sports Physical Therapy*, 49(3), 145–153. <https://doi.org/10.2519/jospt.2019.8624>
- Janewanitsataporn, S., & Janewanitsataporn, S. (2021). Factors Related to Return to Sport at One Year after Anterior Cruciate Ligament Reconstruction. Dalam *ASEAN J Rehabil Med* (Vol. 31, Nomor 1).
- Kiapour, A. M., & Murray, M. M. (2014). Basic science of anterior cruciate ligament injury and repair. Dalam *Bone and Joint Research* (Vol. 3, Nomor 2, hlm. 20–31). British Editorial Society of Bone and Joint Surgery. <https://doi.org/10.1302/2046-3758.32.2000241>
- Kvist, J. (2004). Rehabilitation Following Anterior Cruciate Ligament Injury. *Sports Medicine*, 34(4), 269–280. <https://doi.org/10.2165/00007256-200434040-00006>
- Kyritsis, P., Bahr, R., Landreau, P., Miladi, R., & Witvrouw, E. (2016). Likelihood of ACL graft rupture: not meeting six clinical discharge criteria before return to sport is associated with a four times greater risk of rupture. *British Journal of Sports Medicine*, 50(15), 946–951. <https://doi.org/10.1136/bjsports-2015-095908>
- Logerstedt, D., Grindem, H., Lynch, A., Eitzen, I., Engebretsen, L., Risberg, M. A., Axe, M. J., & Snyder-Mackler, L. (2012). Single-Legged Hop Tests as Predictors of Self-Reported Knee Function After Anterior Cruciate Ligament Reconstruction. *The American Journal of Sports Medicine*, 40(10), 2348–2356. <https://doi.org/10.1177/0363546512457551>
- Logerstedt, D., Lynch, A., Axe, M. J., & Snyder-Mackler, L. (2013). Pre-operative quadriceps strength predicts IKDC2000 scores 6months after anterior cruciate ligament reconstruction. *The Knee*, 20(3), 208–212. <https://doi.org/10.1016/j.knee.2012.07.011>
- Mairuma, M. S. (2017). *Perbandingan latihan beban kontinyu dan interval terhadap kekuatan genggaman*.
- Palmieri-Smith, R. M., Thomas, A. C., & Wojtys, E. M. (2008). Maximizing Quadriceps Strength After ACL Reconstruction. *Clinics in Sports Medicine*, 27(3), 405–424. <https://doi.org/10.1016/j.csm.2008.02.001>
- Paterno, M. V., Rauh, M. J., Schmitt, L. C., Ford, K. R., & Hewett, T. E. (2012). Incidence of Contralateral and Ipsilateral Anterior Cruciate Ligament (ACL) Injury After Primary ACL Reconstruction and Return to Sport.

Clinical Journal of Sport Medicine, 22(2), 116–121.
<https://doi.org/10.1097/JSM.0b013e318246ef9e>

Reinke, E. K., Spindler, K. P., Lorrington, D., Jones, M. H., Schmitz, L., Flanigan, D. C., An, A. Q., Quiram, A. R., Preston, E., Martin, M., Schroeder, B., Parker, R. D., Kaeding, C. C., Borzi, L., Pedroza, A., Huston, L. J., Harrell, F. E., & Dunn, W. R. (2011). Hop tests correlate with IKDC and KOOS at minimum of 2 years after primary ACL reconstruction. *Knee Surgery, Sports Traumatology, Arthroscopy*, 19(11). <https://doi.org/10.1007/s00167-011-1473-5>

Sugiyono, S. (2016). Metode penelitian kuantitatif, kualitatif, R&D. *Bandung: Alfabeta*, 1(11).

Webster, K. E., & Feller, J. A. (2018). Return to Level I Sports After Anterior Cruciate Ligament Reconstruction: Evaluation of Age, Sex, and Readiness to Return Criteria. *Orthopaedic Journal of Sports Medicine*, 6(8).
<https://doi.org/10.1177/2325967118788045>

Webster, K. E., & Feller, J. A. (2019). A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. *Journal of Orthopaedics and Traumatology*, 20(1), 10. <https://doi.org/10.1186/s10195-018-0516-9>

Yuliana, E., & Kushartanti, D. W. (2020). Fungsional lutut dan kesiapan psikologis pasca cedera ACL penanganan operatif dan non-operatif Knee functional and psychological readiness of post ACL injury in operative and non-operative treatment. *Jurnal Penelitian Pembelajaran*, 6(3), 561–574.
https://doi.org/10.29407/js_unpgri.v6i3.14626