

DAFTAR PUSTAKA

- Abbaschian, R., abbaschian, L., & Reed Hill, R. E. (2008). *Physical Metallurgy Principles* (4th ed.). Cengage Learning.
- Adineh, M., Doostmohammadi, H., & Raiszadeh, R. (2019). Effect OF SI and AL on the Microstructure, Mechanical Properties and Machinability of 65CU-35ZN Brass. *Iranian Journal of Materials Science and Engineering*, 16.
- Ambiyar, & Purwanto. (2008). *Fabrikasi Logam* (UNP PRESS, Ed.). UNP Press Padang.
- Arisgraha, A., Angela, I., Arandana, N. A., & Sofyan, B. T. (2018). Effects of aluminum addition on the characteristics of Cu-28Zn brass produced by gravity casting. *IOP Conference Series: Materials Science and Engineering*, 285(1), 12031. <https://doi.org/10.1088/1757-899X/285/1/012031>
- Ashby, M. F. ., & Jones, D. R. H. . (2013). *Engineering materials 2: an introduction to microstructures, processing and design*. Elsevier.
- Askeland, Donald. R., Fulay, Pradeep. P., & Wright, Wendelin. J. (2011). *The Science and Engineering of materials* (6th ed.).
- ASM International. (1988). *Metal Handbook 9th edition Vol.15: Casting* (9th ed., Vol. 15). ASM international.
- ASTM E92 Test Method for Vickers Hardness of Metallic Materials*. (2016). ASTM International. <https://doi.org/10.1520/E0092-16>
- ASTM G31 Standard Guide for Laboratory Immersion Corrosion Testing of Metals*. (2021). ASTM International. <https://doi.org/10.1520/G0031-21>
- Awwala, I. (2021). *Pengaruh Penambahan Variasi Unsur Aluminium (Al) Terhadap Struktur Mikro, Kekerasan, Ketahanan Korosi Dan Sifat Anti Bakteri Paduan Kuningan Cu-28Zn-1Sn-xAl*. Universitas Negeri Jakarta.
- Barret, C. S., & Massalski, T. B. (1953). *Structure of Metals: Crystallographic Methods, Principles, and Data* (2nd ed.). McGraw-Hill. <https://doi.org/https://doi.org/10.1002/maco.19540050114>
- Basori, I., Ali, I. N. K., Sirojuddin, S., Dwiwati, S. T., & Sari, Y. (2021). Study on the aluminum addition to the microstructure and mechanical properties of Cu-10Zn alloys produced by gravity casting. *IOP Conference Series: Materials*

- Science and Engineering*, 1098(6), 062049. <https://doi.org/10.1088/1757-899X/1098/6/062049>
- Basori, I., Gadhu, R., & Sofyan, B. T. (2017). Effects of Deformation and Annealing Temperature on the Microstructures and Hardness of Cu-29Zn-0.6Bi Brass. *Key Engineering Materials*, 748, 218–223. <https://doi.org/10.4028/www.scientific.net/KEM.748.218>
- Basori, I., Krishartadi, G. D., Sirojuddin, S., Sari, Y., & Syamsuir, S. (2021). Study on the microstructure and mechanical properties during cold rolling and annealing process of Cu-30Zn-1Al-1Mn Alloys. *IOP Conference Series: Materials Science and Engineering*, 1098(6), 062046. <https://doi.org/10.1088/1757-899X/1098/6/062046>
- Basori, I., Pratiwi, H. I., & Sofyan, B. T. (2018). Effects of Manganese on the Microstructures, Mechanical Properties and Deformation Characteristics of Cu-29Zn Alloy. *Materials Science Forum*, 917, 212–217. <https://doi.org/10.4028/www.scientific.net/MSF.917.212>
- Basori, I., Sinaga, N. B., Ponco, M. S., Sari, Y., & Dwiwati, S. T. (2024). Investigation of aluminum addition on the microstructure and mechanical properties of Cu-31Zn-0.1Mn-xAl alloys. *AIP Conference Proceedings*, 3116(1). <https://doi.org/10.1063/5.0210382>
- Bruker. (2025). *Optical Emission Spectrometry (OES) Q4 POLO*. [Www.Bruker.Com. https://www.bruker.com/es/products-and-solutions/elemental-analyzers/optical-emission-spectrometers/q4-polo.html](https://www.bruker.com/es/products-and-solutions/elemental-analyzers/optical-emission-spectrometers/q4-polo.html)
- Callister, W. D., & Rethwisch, Jr. D. G. (2018). *Materials Science and Engineering An Introduction* (10th ed.). Wiley.
- David, W. (2021). *Pengaruh Variasi Penambahan Unsur Timah Putih (Sn) Terhadap Kekerasan, Ketahanan korosi dan Sifat Antibakteri {aduan Kuningan Cu-28Zn-xSn*. Universitas Negeri Jakarta.
- Davis, J. R., & Davis. (2001). *ASM Specialty Handbook ® Copper and Copper Alloys*. <https://api.semanticscholar.org/CorpusID:209367121>
- Dieter. (1988). *Mechanical Metallurgy* (Bacon J. D., Ed.; 3rd ed.).
- Duffuaa, S. O., Raouf, A., & Campbell, J. D. (1999). *Planning and control of maintenance systems: Modeling and analysis*. John Wiley & Sons, Inc.

- Feng, C., & Clark, S. (1994). Malfunction and failure analysis investigations of C26000 (Cu-30% Zn) brass cartridge cases. *Materials Characterization*, 32(1), 15–23. [https://doi.org/10.1016/1044-5803\(94\)90152-X](https://doi.org/10.1016/1044-5803(94)90152-X)
- Gao, P., Ren, Y., Qian, S., He, Y., & Shen, D. (2021). Evolution of microstructure and electrochemical corrosion behavior of CuZn-based alloys induced by cold rolling. *Journal of Materials Research and Technology*, 15, 360–368. <https://doi.org/10.1016/j.jmrt.2021.08.035>
- Greene, N. D., & Fontana, M. G. (1959). A Critical Analysis of Pitting Corrosion. *Corrosion*, 15(1), 41–47. <https://doi.org/10.5006/0010-9312-15.1.41>
- Halmos, George. T. (2006). *Roll Forming Handbook*. Delta Engineering Inc.
- HARRIS, J. N. (1983). CHAPTER 5 - ROLLING. In J. N. HARRIS (Ed.), *Mechanical Working of Metals* (pp. 107–159). Pergamon. <https://doi.org/https://doi.org/10.1016/B978-0-08-025464-7.50009-0>
- Horizon, W., Nisa, S. K., & Sofyan, B. T. (2019). Effect of Cold Rolling and Annealing Temperature on the Characteristics of Cu-28Zn-3.2Mn Alloy. *IOP Conference Series: Materials Science and Engineering*, 517(1). <https://doi.org/10.1088/1757-899X/517/1/012002>
- Humphreys, F. J., & Hatherly, M. (2004). Chapter 6 - Recovery After Deformation. In F. J. Humphreys & M. Hatherly (Eds.), *Recrystallization and Related Annealing Phenomena (Second Edition)* (Second Edition, pp. 169–213). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-008044164-1/50010-4>
- I Taylor, B. G., & Society Yarrow Professor, R. (1934). *The Mechanism of Plastic Deformation of Crystals. Part I.-Theoretical*. <https://royalsocietypublishing.org/>
- Ilham Hatta. (2012). Aplikasi Mikro Analisis Dan Fraktografi Untuk Menentukan Kualitas Produk Dan Penyebab Kerusakan Suatu Komponen. *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan Dan Teknologi Bahan, Serpong*, 16.
- Jain, A. K., Hussain, S., Kumar, P., Pandey, A., & Dasgupta, R. (2016). Effect of Varying Al/Mn Ratio on Phase Transformation in Cu–Al–Mn Shape Memory Alloys. *Transactions of the Indian Institute of Metals*, 69(6), 1289–1295. <https://doi.org/10.1007/s12666-015-0689-3>
- Jones, D. A. (1996). *Principles and Prevention of CORROSION Second Edition*.

- Kenevisi, M. S., & Nasab, A. S. (2014). The effect of Sn addition and sulfide ion concentration on the corrosion behavior of Cu-35Zn in NaCl solution. *International Journal of Materials Research*, 105(2), 188–193. <https://doi.org/10.3139/146.111006>
- Kurniawan, P. (2007). *Perbedaan nilai kekerasan pada proses double hardening dengan media pendingin air dan oli SAE 20 pada baja karbon rendah*. Universitas Negeri Semarang.
- Lee. (n.d.). *How Cartridge Brass is Made*. Daily Bulletin. Retrieved June 19, 2025, from [https://bulletin.accurateshooter.com/2007/06/how-cartridge-brass-is-made/](https://bulletin accurateshooter.com/2007/06/how-cartridge-brass-is-made/)
- Liu, Y., Shang, W., Liu, H., & Huang, Z. (2012). Effect of annealing temperature on corrosion resistance of cold-rolled strip of complex brass. *Applied Mechanics and Materials*, 184–185, 959–962. <https://doi.org/10.4028/www.scientific.net/AMM.184-185.959>
- Manurung, M. (2011). POTENSI KHITIN/ KHITOSAN DARI KULIT UDANG SEBAGAI BIOKOAGULAN PENJERNIH AIR. *JURNAL KIMIA*, 5(2), 182–188.
- Margono. (2008). Pengaruh Perbedaan Waktu Penahanan Suhu Stabil (Holding Time) Terhadap Kekerasan Logam. *Jurnal Litbang Provinsi Jawa Tengah*, 6(2).
- Pangestu, M. H. J. (2025). *PENGARUH VARIASI PENAMBAHAN UNSUR TIMAH PUTIH (Sn) TERHADAP STRUKTUR MIKRO, NILAI KEKERASAN, DAN KETAHANAN KOROSI PADA LOGAM PADUAN KUNINGAN Cu-35Zn*. Universitas Negeri Jakarta.
- Porter, D. A., Easterling, K. E., & Sherif, M. Y. (2021). *Phase Transformations in Metals and Alloys*. CRC Press. <https://doi.org/10.1201/9781003011804>
- PT Pindad (PERSERO). (2019, July 15). *Munisi*. [Www.Pindad.Com](http://www.pindad.com). <https://playdestiny.wordpress.com/produk/divisi-munisi/>
- Rajabi, Z., & Doostmohammadi, H. (2018). Effect of Addition of Tin on the Microstructure and Machinability of α -Brass. *Materials Science and Technology (United Kingdom)*, 34(10), 1218–1227. <https://doi.org/10.1080/02670836.2018.1435484>

- Ralston, K. D., & Birbilis, N. (2010). Effect of Grain Size on Corrosion: A Review. *CORROSION SCIENCE SECTION CORROSION*, 66(7).
- Richardson, D. B., Blazynski, T. Z., Gregory, E. N., Hutchinson, A. R., & Wyatt, L. M. (1994). *16 - Manufacturing Methods*. <https://doi.org/10.1016/B978-0-08-052398-9.50020-2>
- Rollett, A., Humphreys, F., Rohrer, G. S., & Hatherly, M. (2004). Recrystallization and Related Annealing Phenomena: Second Edition. *Recrystallization and Related Annealing Phenomena: Second Edition*, 1–628.
- Sofyan, B. T., & Basori, I. (2016). Effects of deformation and annealing temperature on the microstructures and mechanical properties of Cu-32%Zn brass. *ARP Journal of Engineering and Applied Sciences*, 11(4), 2741 – 2745. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84960353471&partnerID=40&md5=fa79a9a02861134fe4f1eae8b66aa0e0>
- Surdia, T. (1980). *Teknik Pengecoran Logam*. P.T. Pradnya Paramita.
- Surdia, T., & Saito, S. (1999). *Pengetahuan Bahan Teknik*. Pradnya Paramita.
- Surya, T. (2025, July 18). *Logam Kuningan*. [Www.Suryalogam.Com](http://www.suryalogam.com). <https://www.suryalogam.com/kuningan/>
- Tambunan, A. F., Angela, I., Basori, I., & Sofyan, B. T. (2018). Effect of Cold Rolling and Annealing Temperature on the Characteristics of Cu-28Zn-1.1Bi Alloy Produced by Gravity Casting. *Materials Science Forum*, 939, 73–80. <https://doi.org/10.4028/www.scientific.net/MSF.939.73>
- Walker, Harold. L. (1945). *Grain Size Produced by Recrystallization and Coalescence in Cold Rolled Cartridge Brass* (Vol. 43). University of Illinois.
- Wijaya, M., Setyadi, I., & Amin Suhadi, dan. (n.d.). *PENGEMBANGAN APLIKASI TEKNOLOGI SEMISOLID UNTUK PEMBUATAN SELONGSONG KALIBER BESAR*. Retrieved June 19, 2025, from https://www.academia.edu/69618594/Pengembangan_Aplikasi_Teknologi_Semisolid_Untuk_Pembuatan_Selongsong_Kaliber_Besar?source=swp_share
- Yuan, L., Gou, F., Sun, D., Li, Z., & Xue, Y. (2023). The Effects of Cold Rolling and Annealing on the Microstructure Evolution of Ordered C-2000 Alloy during Metallic Wire Preparation. *Metals*, 13(4). <https://doi.org/10.3390/met13040651>

Yudha Kurniawan Afandi, Irfan Syarif Arief, & Amiadji. (2015). Analisa Laju Korosi pada Pelat Baja Karbon dengan Variasi Ketebalan Coating. *TEKNIK ITS*, 4.



Intelligentia - Dignitas