

DAFTAR PUSTAKA

- Ahn, E. C. (2020). 2D Materials for Spintronic Devices. *npj 2D Materials and Applications*, 4, Article 17. <https://doi.org/10.1038/s41699-020-0150-6>
- Anisimov, V. I., Zaanen, J., & Andersen, O. K. (1991). Band theory and Mott insulators: Hubbard U instead of Stoner I. *Physical Review B*, 44(3), 943.
- Aridi, R., Faraj, J., Ali, S., Lemenand, T., & Khaled, M. (2021). Thermoelectric Power Generators: State-Of-The-Art, Heat Recovery Method, and Challenges. *Electricity*, 2(3), 359–386. <https://doi.org/10.3390/electricity2030022>
- Barhoumi, M. (2022). *The Density Functional Theory and Beyond: Example and Applications*. In IntechOpen eBooks. <https://doi.org/10.5772/intechopen.100618>
- Becke, A. D. (1993). Density-Functional Thermochemistry. III. The Role of Exact Exchange. *The Journal of Chemical Physics*, 98(7), 5648-5652.
- Behnia, K. (2015). *Fundamentals of Thermoelectricity*. Oxford University Press.
- Blöchl, P. E. (1994). Projector Augmented-wave Method. *Physical Review B*, 50(24), 17953–17979.
- Bezzerga, D., El-Abed, H., Stampfl, C., Chelil, N., Ali, M., & Sahnoun, M. (2023). Strain Engineering of Pentagonal Ptsite Monolayer for Enhanced Photovoltaic and Thermoelectric Efficiency: A First Principles Investigation. *Materials Science in Semiconductor Processing*, 151, 107053.
- Darmawan, A., Suprayoga, E., Nugraha, A. R. T., & AlShaikhi, A. A. (2022). Thermoelectric properties of two-dimensional materials with combination of linear and nonlinear band structures. *arXiv:2205.10603v1 [cond-mat.mtrl-sci]*. <https://arxiv.org/abs/2205.10603>
- DiSalvo, F. J. (1999). Thermoelectric cooling and power generation. *Science*, 285(5428), 703-706. <http://dx.doi.org/10.1126/science.285.5428.703>
- Elliott, R. J. (1954). Theory of the Effect of Spin-Orbit Coupling on Magnetic Resonance in Some Semiconductors. *Physical Review*, 96(2), 266– 279. [doi:10.1103/physrev.96.266](https://doi.org/10.1103/physrev.96.266)

- Ene, V.-M., Lianu, I., & Grosu, I. (2024). Hartree-Fock approximation for non-Coulomb interactions in three and two-dimensional systems. *arXiv*. <https://doi.org/10.48550/arXiv.2408.14967>
- Freitas, P. P., Cardoso, F. A., Martins, V. C., Martins, S. A. M., Loureiro, J., Amaral, J., Fermon, C. (2012). Spintronic platforms for biomedical applications. *Lab Chip*, 12(3), 546–557. doi:10.1039/c1lc20791a
- Fock, V. (1930). Näherungsmethode zur Lösung des quantenmechanischen Mehrkörperproblems. *Zeitschrift für Physik*, 61(1-2), 126-148. <https://doi.org/10.1007/BF01340083>
- Furness, J. W., Kaplan, A. D., Ning, J., Perdew, J. P., & Sun, J. (2020). Accurate and numerically efficient r²SCAN meta-generalized gradient approximation. *Journal of Physical Chemistry Letters*, 11(19), 8208–8215
- Goldsmid, H. J. (2017). *Thermoelectric Energy Conversion*. Academic Press.
- Grissonanche, G., Pan, G. A., LaBollita, H., Segedin, D. F., Song, Q., Paik, H., Brooks, C. M., Beauchesne-Blanchet, E., Santana González, J. L., Botana, A. S., Mundy, J. A., & Ramshaw, B. J. (2024). Electronic band structure of a superconducting nickelate probed by the Seebeck coefficient in the disordered limit. *Physical Review X*, 14(4), 041021. <https://doi.org/10.1103/PhysRevX.14.041021>
- Gu, Q., & Pandey, S. K. (2022). A Computational Method to Estimate Spin-orbital Interaction Strength in Solid State Systems. *arXiv*, 2211.07256. <https://doi.org/10.48550/arXiv.2211.07256>
- Guérard, F., Maingueneau, C., Liu, L., Eychenne, R., Gestin, J.-F., Montavon, G., & Galland, N. (2021). Advances in the chemistry of astatine and implications for the development of radiopharmaceuticals. *Accounts of Chemical Research*, 54(16), 3264–3275. <https://doi.org/10.1021/acs.accounts.1c00327>
- Hamada, N. (1993). Norm-conserving Pseudopotentials In Density-functional Calculations. *Physical Review B*, 47(1), 141–149.
- Hartree, D. R. (1928). The Wave Mechanics of an Atom with a Non-Coulomb Central Field Part I Theory and Methods. *Mathematical Proceedings of the Cambridge Philosophical Society*, 24(1), 89–110.
- Hasan, M. Z., & Kane, C. L. (2010). Colloquium: Topological Insulators. *Reviews of Modern Physics*, 82(4), 3045–3067.

- He, J., Li, X., Lyu, P., & Nachtigall, P. (2017). Near-room-temperature Chern insulator and Dirac spin-gapless semiconductor: Nickel chloride monolayer. *Nanoscale*, 9(2246-2252). <https://doi.org/10.1039/C6NR08522A>
- He, J., Li, X., & Xu, M. (2018). Magnetic and thermoelectric properties of 2D materials, *Journal of Thermoelectricity*, 39(3), 243-249.
- Himmetoglu, B., Floris, A., de Gironcoli, S., & Cococcioni, M. (2014). Hubbard-corrected DFT energy functionals: The LDA+U description of correlated systems. *International Journal of Quantum Chemistry*, 114(14), 1253–1260.
- Hohenberg, P., & Kohn, W. (1964). Inhomogeneous electron gas. *Physical Review*, 136(3B), B864.
- Jiang, X., Ban, C., Li, L., Wang, C., Chen, W., & Liu, X. (2021). Thermoelectric properties study on the BN nanoribbons via BoltzTrap first-principles. *AIP Advances*, 11(5), 055120. <https://doi.org/10.1063/5.0042555>
- Kadir, L. A. (2020). Struktur dan Vibrasi Carbamida: Eksperimen dan Kajian Teoritik *Density Functional Theory* (DFT). *Saintifik*, 6(2), 116–120. <https://doi.org/10.31605/saintifik.v6i2.266>
- Khatun, S., Bhagat, R., Amin, S., Jha, T., & Gayen, S. (2024). Density functional theory (DFT) studies in HDAC-based chemotherapeutics: Current findings, case studies and future perspectives. *Computers in Biology and Medicine*, 2024.
- Kirkpatrick, R. M., Pritikina, J. N., Hunter, M. D., & Neale, M. C. (2021). Combining Structural-Equation Modeling with Genomic-Relatedness-Matrix Restricted Maximum Likelihood in OpenMx. *Behavior Genetics*, 51(3), 331–342. <https://doi.org/10.1007/s10519-020-10037-5>
- Kitaura, R., Ishibe, T., Sharma, H., Mizuguchi, M., & Nakamura, Y. (2021). Nanostructure design for high performance thermoelectric materials based on anomalous Nernst effect using metal/semiconductor multilayer. *Applied Physics Express*, 14(5), Article 055001. <https://doi.org/10.35848/1882-0786/ac05db>
- Kohn, W., & Sham, L. J. (1965). Self-consistent equations including exchange and correlation effects. *Physical Review*, 140(4A), A1133-A1138. <https://doi.org/10.1103/PhysRev.140.A1133>
- Kolbe, L., Molenaar, D., Jak, S., & Jorgensen, T. D. (2022). Assessing Measurement Invariance with Moderated Nonlinear Factor Analysis Using

- the R Package OpenMx. *Psychological Methods*, 29(2), 388–406.
<https://doi.org/10.1037/met0000501>
- Kresse, G., & Joubert, D. (1999). From Ultrasoft Pseudopotentials to the Projector Augmented-Wave Method. *Physical Review B*, 59(3), 1758.
- Li, X., Wu, X., Zhou, H., & Mi, C. (2018). Structural and Electronic Properties of III-Nitride Nanoribbons. *Journal of Applied Physics*, 124(17), 175106.
<https://doi.org/10.1063/1.5050180>
- Li, Z., Zhou, B., & Luan, C. (2019). Strain-tunable magnetic anisotropy in two-dimensional Dirac half-metals: nickel trihalides. *RSC Advances*, 9, 35614.
<https://doi.org/10.1039/C9RA06474E>
- Liu, D. F., Liu, E. K., Xu, Q., Shen, J., Li, Y. W., Pei, D., Liang, A., Dudin, P., Kim, T. K., Cacho, C., Xu, Y., Sun, Y., Yang, L., Liu, Z. K., Felser, C., Parkin, S. S. P., & Chen, Y. L. (2022). Direct Observation of the Spin-orbit Coupling Effect in Magnetic Weyl Semimetal Co₃Sn₂S₂. *Npj Quantum Materials*, 7(1). <https://doi.org/10.1038/s41535-021-00392-9>
- Liu, J., Sun, Q., & Kawazoe, Y. (2022). Two-dimensional Magnetic Materials: From Fundamental Physics to Applications. *Materials Today*, 54, 20-41.
- Lusk, M.T., Mattsson, A.E. High-performance computing for materials design to advance energy science. *MRS Bulletin* 36, 169–174 (2011).
<https://doi.org/10.1557/mrs.2011.30>
- Machon, D., & Zhang, S. (2009). Spin-orbit coupling and the electronic structure of topological insulators. *Physical Review B*, 80(4), 045305.
<https://doi.org/10.1103/PhysRevB.80.045305>
- Maryenko, D., Kawamura, M., Ernst, A., Dugaev, V. K., Sherman, E. Y., Kriener, M., Bahramy, M. S., Kozuka, Y., & Kawasaki, M. (2021). Interplay of Spin-orbit Coupling and Coulomb Interaction in ZnO-based electron system. *Nature Communications*, 12(1). <https://doi.org/10.1038/s41467-021-23483-4>
- Majumdar, S., Laiho, R., Laukkanen, P., Väyrynen, I. J., Majumdar, H. S., & Österbacka, R. (2006). Application of regioregular polythiophene in spintronic devices: Effect of interface. *Applied Physics Letters*, 89(12), 122114. doi:10.1063/1.2356463
- Miyata, M., Ozaki, T., Takeuchi, T., Nishino, S., Inukai, M., & Koyano, M. (2017). High-throughput Screening of Sulfide Thermoelectric Materials Using Electron Transport Calculations with OpenMX and BoltzTraP. *Journal of*

Electronic Materials, 47(2), 123–135. <https://doi.org/10.1007/s11664-017-6020-9>

Mizuguchi, Y., & Nakatsuji, S. (2019). Anomalous Nernst effect in a two-dimensional material. *Nature Communications*, 10(1), 1-7. <https://doi.org/10.1038/s41467-019-09545-5>

Mizuta, Y. P., & Ishii, F. (2016). Spintronics Applications of Anomalous Hall and Nernst Effects in Topological Insulators. *Scientific Reports*, 6, 28076. <https://doi.org/10.1038/srep28076>

Muntini, M. S., Afyanti, M. M., Oktavianoni, F. F., Namhongsab, W., Ruamruk, S., Khottumee, N., & Seetawa, T. (2020). Fabrikasi Modul Termoelektrik Generator (TEG) Menggunakan Semikonduktor Tipe-p SbTe dan Tipe-n BiTe. *JFA: Jurnal Fisika Dan Aplikasinya*, 16(1), 61. <https://doi.org/10.12962/j24604682.v16i1.6216>

Nagaosa, N., Sinova, J., Onoda, S., MacDonald, A. H., & Ong, N. P. (2010). Anomalous Hall effect. *Reviews of Modern Physics*, 82(2), 1539. <https://doi.org/10.1103/RevModPhys.82.1539>

Obot, I. B., Macdonald, D. D., & Gasem, Z. M. (2015). Density functional theory (DFT) as a powerful tool for designing new organic corrosion inhibitors. Part 1: An overview. *Corrosion Science*, 99, 1-30. <https://doi.org/10.1016/j.corsci.2015.01.037>

Ozaki, T., Kino, H., Yu, J., Han, H. J., Ohfuchi, M., Ishii, F., Sawada, K., Kubota, Y., Mizuta, Y. P., Kotaka, H., Yamaguchi, N., Sawahata, H., Prayitno, T. B., Ohwaki, T., Kobayashi, N., Weng, H., Toyoda, M., & Terakura, K. (n.d.). OpenMX website. Diambil 15 November 2024, dari <http://www.openmx-square.org/>

Ozaki, T. (2003). Variationally Optimized Atomic Orbitals for Large-Scale Electronic Structures. *Physical Review B*, 67(15), 155108.

Ozaki, T., & Kino, H. (2004). Efficient Basis Set Generation in DFT Calculations. *Physical Review B*, 69(19), 195113.

Ozaki, T., & Kino, H. (2004). *OpenMX Pseudopotentials: A Guide To Efficient Computation*. Retrieved from OpenMX Documentation.

Parr, R. G., & Yang, W. (1989). *Density-functional theory of atoms and molecules*. Oxford University Press.

Perdew, J. P., Burke, K., & Ernzerhof, M. (1996). Generalized Gradient Approximation Made Simple. *Physical Review Letters*, 77(18), 3865–3868.

- Petsagkourakis, I., Tybrandt, K., Crispin, X., Ohkubo, I., Satoh, N., & Mori, T. (2018). Thermoelectric Materials and Applications For Energy Harvesting. *Science and Technology of Advanced Materials*, 19(1), 836-862. <https://doi.org/10.1080/14686996.2018.1530938>
- Prayitno, T. B., Fitriyani, V., Budi, E., & Jonuarti, R. (2024). Exploration of Seebeck coefficient in NiBr₂ monolayer based on magnetic configurations. *Journal of Physics: Conference Series*, 2900(1), 012016. IOP Publishing. <https://doi.org/10.1088/1742-6596/2900/1/012016>
- Prayitno, T. B., Hakim, D. F., & Jonuarti, R. (2024). Calculation on power factor and figure of merit in a single-layer NiBr₂. *Journal of Physics: Conference Series*, 2866, 012034. <https://doi.org/10.1088/1742-6596/2866/1/012034>
- Prayitno, T. B., Nuryasin, B., Budi, E., & Fahdiran, R. (2022). The impact of adjusted electric field on the electrical and magnetic properties of NiBr₂ monolayer with density functional theory. *Journal of Physics: Conference Series*, 2377, 012021. <https://doi.org/10.1088/1742-6596/2377/1/012021>
- Pritikin, J. N., & Falk, C. F. (2020). OpenMx: A Modular Research Environment for Item Response Theory Method Development. *Applied Psychological Measurement*, 44(7-8), 561–562. <https://doi.org/10.1177/0146621620929431>
- Pyper, N., & Marketos, P. (1981). Atomic fine-structure inversions explained as first-order relativistic corrections to the Hartree-Fock energy. *Journal of Physics B: Atomic and Molecular Physics*, 14(23), 5111-5120. <https://doi.org/10.1088/0022-3700/14/23/011>
- Qian, S., Liu, C.-C., & Yao, Y. (2021). Second-order topological insulator state in hexagonal lattices and its abundant material candidates. *Physical Review B*, 104(24), 245427. <https://doi.org/10.1103/PhysRevB.104.245427>
- Raw, A. D., Ibers, J. A., & Poeppelmeier, K. R. (2012). Syntheses and structure of hydrothermally prepared CsNiX₃ (X = Cl, Br, I). *Journal of Solid State Chemistry*, 192, 34–37. <https://doi.org/10.1016/j.jssc.2012.03.037>
- Rezaei, N., Alaei, M., & Oganov, A. R. (2025). Evaluating SCAN and r²SCAN meta-GGA functionals for predicting transition temperatures in antiferromagnetic materials. *Physical Review B*, 101, 014406
- Rowe, D. M. (2018). *Thermoelectric Handbook: Macro to Nano*, 82-85. CRC Press.

- Rowe, D. M. (2017). *Thermoelectric Materials and Devices*. CRC Press. <https://doi.org/10.1201/9781420049718>
- Sakai, A., Mizuta, Y. P., Nugroho, A. A., et al. (2018). Giant Anomalous Nernst Effect and Quantum-Critical Scaling in a Ferromagnetic Semimetal. *Nature Physics*, 14(11), 1119–1124. <https://doi.org/10.1038/s41567-018-0208-0>
- Sakuraba, Y., Hasegawa, K., Mizuguchi, M., Kubota, T., Mizukami, S., Miyazaki, T., & Takanashi, K. (2013). Anomalous Nernst Effect in Ferromagnetic Heusler Compounds. *Applied Physics Express*, 6(3), 033003. <https://doi.org/10.7567/APEX.6.033003>
- Sakurai, J. J., & Napolitano, J. (2010). *Modern Quantum Mechanics*. Pearson.
- Salim, A. T. A., & Indarto, B. (2018). Studi Eksperimental Karakterisasi Elemen Termoelektrik Peltier Tipe TEC. *JEECAE (Journal of Electrical, Electronics, Control, and Automotive Engineering)*, 3(1), 179–182. <https://doi.org/10.32486/jeecae.v3i1.211>
- Sharma, B. I. (2016). Basic concepts of Density Functional Theory: Electronic structure calculation. *Journal of Physics*, 765, <https://doi.org/10.1088/1742-6596/765/1/012004>
- Singh, D., & Ahuja, R. (2021). Dimensionality effects in high-performance thermoelectric materials: Computational and experimental progress in energy harvesting applications. *WIREs Computational Molecular Science*, 12(1), e1547. <https://doi.org/10.1002/wcms.1547>
- Slater, J. C. (1951). A simplification of the Hartree-Fock method. *Physical Review*, 81(3), 385–390. <https://doi.org/10.1103/PhysRev.81.385>
- Sun, J., Zhong, X., Cui, W., Shi, J., Hao, J., Xu, M., & Li, Y. (2020). The Intrinsic Magnetism, Quantum Anomalous Hall Effect and Curie Temperature In 2D Transition Metal Trihalides. *Physical Chemistry Chemical Physics*, 22(2), 1039–1046. <https://doi.org/10.1039/c9cp05084a>
- Sun, J., Remsing, R. C., Zhang, Y., Sun, Z., Ruzsinszky, A., Peng, H., ... Perdew, J. P. (2015). SCAN: An efficient density functional yielding accurate structures and energies of diversely-bonded materials. *Physical Review Letters*, 115(3), 036402
- Syariati, R., Wella, S. A., Suprayoga, E., Muntini, M. S., & Ishii, F. (2024). Ab-Initio Prediction of Gigantic Anomalous Nernst Effect In Ferromagnetic Monolayer Transition Metal Trihalides. *Journal of Physics: Condensed Matter*, 37(025602). <https://doi.org/10.1088/1361-648X/ad7d7d>

- Troullier, N., & Martins, J. L. (1991). Efficient Pseudopotentials For Plane-wave Calculations. *Physical Review B*, 43(3), 1993–2006.
- Tolba, S. A., Gameel, K. M., Ali, B. A., Almossalami, H. A., & Allam, N. K. (2018). The DFT+U: Approaches, Accuracy, and Applications. In *InTech eBooks*. <https://doi.org/10.5772/intechopen.72020>.
- Tomar, S., Ghosh, B., Mardanya, S., Rastogi, P., Bhadoria, B. S., Chauhan, Y. S., Agarwal, A., & Bhowmick, S. (2019). Intrinsic magnetism in monolayer transition metal trihalides: A comparative study. *Journal of Magnetism and Magnetic Materials*, 489, 165384.
- Torralba, A. S., Todorović, M., Brázdová, V., Choudhury, R., Miyazaki, T., Gillan, M. J., & Bowler, D. R. (2008). Pseudo-atomic orbitals as basis sets for the O(N) DFT code CONQUEST. *Journal of Physics: Condensed Matter*, 20(29), 294206. <https://doi.org/10.1088/0953-8984/20/29/294206>
- Twaha, S., Zhu, J., Yan, Y., & Li, B. (2016). A comprehensive review of thermoelectric technology: Materials, applications, modelling and performance improvement. *Renewable and Sustainable Energy Reviews*, 65, 698-726. <https://doi.org/10.1016/j.rser.2016.07.034>
- Wang, H., Fan, F., Zhu, S., & Wu, H. (2021). Emerging 2D Materials Beyond Graphene For Electronics And Optoelectronics Applications. *Materials Today*, 48, 109-133.
- Wanita, D. & Sanjaya, I. (2020). Studi Komputatif Jalur Sintesis Asam Elagat Dari Asam Galat. *UNESA Journal of Chemistry*, 9(1).
- Xu, K., Zhou, Y., & Wang, H. (2019). Seebeck and Anomalous Nernst Effects in 2D Magnetic Materials, *Advances in Thermoelectric Materials*, 10(4), 1024-1035.
- Zhang, R., Wu, B., & Ji, Y. (2021). Recent Progress In Two-Dimensional Magnetic Semiconductors. *Journal of Materials Chemistry C*, 9(34), 11057-11079.
- Zhang, W., Qu, Q., Zhu, P., & Lam, C. H. (2015). Robust intrinsic ferromagnetism and half semiconductivity in stable 2D single-layer chromium trihalides. *Journal of Materials Chemistry C*, 3, 12457–12468. <https://doi.org/10.1039/C5TC02840J>
- Zhang, X., & Zhao, L.-D. (2015). Thermoelectric Materials: Energy Conversion Between Heat and Electricity. *Journal of Materiomics*, 1(2), 92-105. <https://doi.org/10.1016/j.jmat.2015.01.001>

- Zhao, L. D., Tan, G., Hao, S., et al. (2016). Ultralow Thermal Conductivity And High Thermoelectric Figure Of Merit In SnSe Crystals. *Science*, 351(6269), 141–144. <https://doi.org/10.1126/science.aad3749>
- Zheng, F., Zhao, J., Liu, Z., Li, M., Zhou, M., Zhang, S., & Zhang, P. (2020). Tunable Spin States in Two-Dimensional Magnet CrI₃. *Nanoscale*, 12(15), 8473-8488.
- Zhou, P., Sun, C. Q., & Sun, L. Z. (2016). Two dimensional antiferromagnetic Chern insulator: NiRuCl₆. *Nano Letters*, 16(10), 6325–6330. <https://doi.org/10.1021/acs.nanolett.6b02701>

