

DAFTAR PUSTAKA

- Abdel, M. H., Yusuf, M. S., & Chen, G. (2021). Ecology and Population Structure of Some Indigenous Geese Breeds and The Impact of Four GH and Pit-1 SNPs on Their Body Weights. *Environmental Science and Pollution Research*, 28(28), 37603–37615. <https://doi.org/10.1007/s11356-021-13402-x>
- Amador, C., Hayes, B. J., & Daetwyler, H. D. (2014). Genomic Selection for Recovery of Original Genetic Background from Hybrids of Endangered and Common Breeds. *Evolutionary Applications*, 7(2), 227–237. <https://doi.org/10.1111/eva.12113>
- Anam, K., Cahyadi, W., Azmi, I., Senjarini, K., & Oktarianti, R. (2021). Analisis Hasil Elektroforesis DNA dengan Image Processing Menggunakan Metode Gaussian Filter. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 11(1), 37. <https://doi.org/10.22146/ijeis.58268>
- Anwar, S., Wulandari, A. S., Putra, W. P. B., & Said, S. (2019). The Favorable Alleles of AKIRIN2:C.*188G>A, EDG1:C.-312A>G and TTN:G.231054C>T as Candidate Markers for High-marbling are Very Low in Bali Cattle. *Biodiversitas*, 20(4), 965–970. <https://doi.org/10.13057/biodiv/d200405>
- Aykanat, T., Johnston, S. E., Orell, P., Niemelä, E., Erkinaro, J., & Primmer, C. R. (2015). Low But Significant Genetic Differentiation Underlies Biologically Meaningful Phenotypic Divergence in A Large Atlantic Salmon Population. *Molecular Ecology*, 24(20), 5158–5174. <https://doi.org/10.1111/mec.13383>
- Baco, S., Rahim, M., & Malaka, R. (2013). Kesamaan Genetik Antar Populasi Sapi Bali Dan Hasil Silangannya dengan Sapi Simmental. *Seminar Nasional Teknologi Peternakan Dan Peteriner, October 2016*.
- Blott, S. C., Williams, J. L., & Haley, C. S. (1999). Discriminating Among Cattle Breeds Using Genetic Markers. *Heredity*, 82(6), 613–619. <https://doi.org/10.1046/j.1365-2540.1999.00521.x>
- Chang, E., Ge, B., Lee, M., So, M., & Wang, W. T. (2005). Investigation of The Ligation Efficiency of NdeI Digested Fragments. *J. Exp. Microbiol. Immunol.*, 7(April), 68–72.
- Cholissodin, I., Soebroto, A. A., & Hidayat, N. (2015). Klasifikasi Citra Bibit Unggul Sapi Bali Berdasarkan Performa Warna Menggunakan Metode Fuzzy Additive Support Vector Machine (FASVM). *Universitas Brawijaya, May*, 163–169. <https://doi.org/10.13140/RG.2.1.1433.2329>
- Crepaldi, P., Fornarelli, F., & Marilli, M. (2005). *MC1R* Gene: Comparison Between Different Farm Animal Species. *Italian Journal of Animal Science*, 4, 43–45. <https://doi.org/10.4081/ijas.2005.2s.43>
- Cunningham, E. P., & Meghen, C. M. (2001). Biological Identification Systems:

- Genetic Markers. *OIE Revue Scientifique et Technique*, 20(2), 491–499. <https://doi.org/10.20506/rst.20.2.1284>
- Czech, B., Frąszczak, M., Mielczarek, M., & Szyda, J. (2018). Identification and Annotation Of Breed-Specific Single Nucleotide Polymorphisms in *Bos taurus* Genomes. *PLoS ONE*, 13(6), 1–9. <https://doi.org/10.1371/journal.pone.0198419>
- Excoffier, L., Smouse, P. E., & Quattro, J. M. (1992). Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics*, 131(2), 479–491. <https://doi.org/10.1093/genetics/131.2.479>
- Fadillah, R., Suharyati, S., & Hartono, M. (2014). Pengaruh Paritas terhadap Persentase Estrus dan Kebuntingan pada Sapi Bali yang disinkronisasi Estrus dengan Dua kali Penyuntikan Prostaglandin F2 α (PGF2 α). *Departement of Animal Husbandry, Faculty of Agriculture Lampung University Soemantri Brojonegoro. Bandar Lampung*, 1, 33–38.
- Gauthier, M. G. (2007). Simulation of Polymer Translocation Through Small Channels. *Thesis*, September, 7.
- Graffelman, J., Jain, D., & Weir, B. (2017). A genome-wide study of Hardy–Weinberg equilibrium with next generation sequence data. *Human Genetics*, 136(6), 727–741. <https://doi.org/10.1007/s00439-017-1786-7>
- Guastella, A. M., Sorbolini, S., Zuccaro, A., Pintus, E., Bordonaro, S., Marletta, D., & MacCiotta, N. P. P. (2011). Melanocortin 1 Receptor (*MC1R*) Gene Polymorphisms in Three Italian Cattle Breeds. *Animal Production Science*, 51(11), 1039–1043. <https://doi.org/10.1071/AN11070>
- Hall, T. A. (1999). Bioedit_A_User_Friendly_Biological_Seque. In *Oxford University Press* (pp. 95–98).
- Hashim, H. O., & Al-Shuhaib, M. B. S. (2019). Exploring The Potential and Limitations of PCR-RFLP and PCR-SSCP for SNP Detection: A Review. *Journal of Applied Biotechnology Reports*, 6(4), 137–144. <https://doi.org/10.29252/JABR.06.04.02>
- Heather, J., & Chain, B. (2016). The Sequence of Sequencers: The history of Sequencing DNA. *Genomics*, 107(1), 1–8.
- Heaton, M. P., Harhay, G. P., Bennett, G. L., Stone, R. T., Grosse, W. M., Casas, E., Keele, J. W., Smith, T. P. L., Chitko-McKown, C. G., & Laegreid, W. W. (2002). Selection and Use of SNP Markers for Animal Identification and Paternity Analysis in U.S. Beef Cattle. *Mammalian Genome*, 13(5), 272–281. <https://doi.org/10.1007/s00335-001-2146-3>
- Jung, K. S., Choi, Y. D., & Kim, S. H. (2021). Differences in Melanogenesis-Related Gene Expression Between Korean Brindle Cattle and Korean Native

- Cattle for Coat Color Decisions. *Journal of Animal Health and Production*, 9(3), 321–330. <https://doi.org/10.17582/journal.jahp/2021/9.3.321.330>
- Juniarti, U., Mayun, I. M., & Diputra, M. (2013). Keragaman Genetik Pinus merkusii Jungh . et de Vriese Strain Tapanuli Berdasarkan Penanda Mikrosatelit. *Jurnal Silvikultur Tropika*, 4(2), 88–99.
- Khaira, A., Juniarti, L., Arini, N., Sari, R. M., & Achyar, A. (2022). Analisis Variasi Genetik Sapi (Bos Taurus) pada Sekuen Gen Cytochrome Oxidase Subunit 1 (COI) menggunakan RFLP in silico Analysis of Genetic Variations in Cytochrome Oxidase Subunit 1 (COI) Gene Sequences in Bos taurus Using In-Silico RFLP. *Prosiding SEMNAS Bio*, 1, 176–180.
- Khan, M. M. H., Rafii, M. Y., Ramlee, S. I., Jusoh, M., Al Mamun, M., & Halidu, J. (2021). DNA Fingerprinting, Fixation-Index (Fst), and Admixture Mapping of Selected Bambara Groundnut (*Vigna subterranea* [L.] Verdc.) Accessions using ISSR Markers System. *Scientific Reports*, 11(1), 1–23. <https://doi.org/10.1038/s41598-021-93867-5>
- Klungland, H., Vage, D. I., Gomez-Raya, L., Adalsteinsson, S., & Lien, S. (1995). The Role of Melanocyte-Stimulating Hormone (MSH) Receptor in Bovine Coat Color Determination. *Mammalian Genome*, 6(9), 636–639. <https://doi.org/10.1007/BF00352371>
- Kumar, H., Panigrahi, M., Chhotaray, S., Pal, D., V, B., KA, S., Shandilya, R., Parida, S., & Bhushan, B. (2019). Identification of Breed-Specific SNP Panel in Nine Different Cattle Genomes. *Biomedical Research*, 30(1), 78–81. <https://doi.org/10.35841/biomedicalresearch.30-18-1195>
- Latreille, J., Ezzedine, K., Elfakir, A., Ambroisine, L., Gardinier, S., Galan, P., Hercberg, S., Gruber, F., Rees, J., Tschachler, E., & Guinot, C. (2009). MC1R Gene Polymorphism Affects Skin Color and Phenotypic Features Related to Sun Sensitivity in a Population of French Adult Women. *Photochemistry and Photobiology*, 85(6), 1451–1458. <https://doi.org/10.1111/j.1751-1097.2009.00594.x>
- Lee, H. Y., Park, M. J., Yoo, J. E., Chung, U., Han, G. R., & Shin, K. J. (2005). Selection of Twenty-Four Highly Informative SNP Markers for Human Identification and Paternity Analysis in Koreans. *Forensic Science International*, 148(2–3), 107–112. <https://doi.org/10.1016/j.forsciint.2004.04.073>
- Lee, P. Y., Costumbrado, J., Hsu, C. Y., & Kim, Y. H. (2012). Agarose Gel Electrophoresis For The Separation of DNA Fragments. *Journal of Visualized Experiments*, 62, 1–5. <https://doi.org/10.3791/3923>
- Listiani, L., Dhanti, K. R., Kurniawan, K., & Widodo, O. S. Y. (2023). Optimasi Suhu Annealing Gen Blaz Dari Bakteri Methicillin-Resistant Staphylococcus Aureus (MRSA) Pada Peralatan Medis. *Borneo Journal of Medical*

Laboratory Technology, 6(1), 420–425.
<https://doi.org/10.33084/bjmlt.v6i1.6083>

- Lokapirnasari, W., Sahidu, A., Nurhajati, T., Supranianondo, S., & Yulianto, A. (2017). Sekuensing 16S DNA Bakteri Selulolitik Asal Limbah Cairan Rumen Sapi Peranakan Ongole (Sequencing of 16S DNA of Cellulolytic Bacteria from Bovine Rumen Fluid Waste Ongole Crossbreed). *Jurnal Veteriner*, 18(1), 76–82. <https://doi.org/10.19087/jveteriner.2017.18.1.76>
- Maksum, I. P., Sriwidodo, Gaffar, S., Hassan, K., Subroto, T., & Soetisojo Soemitro. (2019). Buku Teknik Biologi Molekular. In *Alqaprint* (Issue September).
- Mansur, M., Mahmud, A., Dagong, I., Rahim, L., Bugiwati, S., & Baco, S. (2016). Keragaman Genetik Sapi Bali di Kabupaten Barru berdasarkan Karakteristik Fenotipe dan DNA Penciri Mikrosatelit. *JITP*, 4(3), 1–23.
- Marsoedi, S., Mursyid, A., & Arfiati, D. (2012). Konservasi Genetik Ikan Betok (*Anabas testudineus* Bloch 1792) di Perairan Rawa, Kalimantan Selatan. *Jurnal Penelitian Perikanan Indonesia*, 18(401), 9–15.
- Mengistie, D., Edea, Z., Tesema, T. S., Zewdie, G., Dejene, G., Dessie, T., Kim, K. S., & Dadi, H. (2023). Identification of Breed-Specific SNPs in Ethiopian Indigenous and European Beef Cattle Breeds and How They May Influence Adaptation and Selection Signatures. *Journal of Biochemistry International*, 10(1), 105–116. <https://doi.org/10.56557/job/2023/v10i18694>
- Milda, M., Aka, R., & Sandiah, N. (2023). Bentuk Tanduk dan Kepala Sapi Bali yang Dipelihara Secara Ekstensif di Kecamatan Poleang Kabupaten Bombana. *Jurnal Ilmiah Peternakan Halu Oleo*, 5(3), 229. <https://doi.org/10.56625/jipho.v5i3.39113>
- Nei, M. (1987). Molecular Evolutionary Genetics. In *Molecular Evolutionary Genetics* (p. 514). Columbia University Press. <https://doi.org/10.7312/nei-92038>
- Nei, M., & Kumar, S. (2000). Molecular Evolution and Phylogenetics. In Oxford University Press (Ed.), *Oxford university press*. Oxford University Press.
- Nurulloh, M. I., Trimarsanto, H., Anggraito, U., Peniati, E., Susanti, R., Biologi, J., Matematika, F., Ilmu, D., & Alam, P. (2019). Simulasi Metode Statistik untuk Seleksi Single Nucleotide Polymorphism Statistical Method Simulation for Single Nucleotide Polymorphism Selection. *Biotropika: Journal of Tropical Biology*, 07(1), 29–35.
- Octavia, L., Junitha, I. K., & Narayani, I. (2015). Variasi Alel DNA Mikrosatelit Autosom Lokus D2s1338, D13s317 dan D16s539 pada Masyarakat Dayak Kaharingan di Kota Palangka Raya. *Jurnal Biologi Udayana*, 19.
- Pant, S. D., Schenkel, F. S., Verschoor, C. P., & Karrow, N. A. (2012a). Use of

- Breed-Specific Single Nucleotide Polymorphisms to Discriminate between Holstein and Jersey Dairy Cattle Breeds. *Animal Biotechnology*, 23(1), 1–10. <https://doi.org/10.1080/10495398.2012.636224>
- Pant, S. D., Schenkel, F. S., Verschoor, C. P., & Karrow, N. A. (2012b). Use of Breed-Specific Single Nucleotide Polymorphisms to Discriminate Between Holstein and Jersey Dairy Cattle Breeds. *Animal Biotechnology*, 23(1), 1–10. <https://doi.org/10.1080/10495398.2012.636224>
- Pratama, G., Wangko, S., & Jacobs, J. N. (2013). Reseptor Melanokortin 1 (Mc1R) Asal Usul dan Struktur Protein. *Jurnal Biomedik (Jbm)*, 2(1). <https://doi.org/10.35790/jbm.2.1.2010.837>
- Purwantara, B., Noor, R. R., Andersson, G., & Rodriguez-Martinez, H. (2012). Banteng and Bali Cattle in Indonesia: Status and Forecasts. *Reproduction in Domestic Animals*, 47(SUPPL. 1), 2–6. <https://doi.org/10.1111/j.1439-0531.2011.01956.x>
- Rahmadhan, D., Sari, R., & Apridamayanti, P. (2019). Pengaruh Suhu Annealing terhadap Amplifikasi Gen tem menggunakan Primer dengan %GC Rendah. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 1–7.
- Rahman, R., Laya, N. K., & Datau, F. (2024). Sifat Kualitatif Sapi Bali Jantan Dan Betina Yang Dipelihara Secara Semi Intensif Di Kecamatan Gadung Kabupaten Buol. *JSTT (Jurnal Sains Ternak Tropis)*, 2(2), 87. <https://doi.org/10.31314/jstt.2.2.87-95.2024>
- Rahmawati, A., Setyawati, A. N., Firdausi, R. F., Dewi, L. M., Akmalia, S. D., Rahmawati, P. D., & Fasya, A. H. (2024). Examination Technique of KHV in *C. rubrofusca* by PCR Method at BKIPM Surabaya I, East Java. *Jurnal Agrokomples Tolis*, 4(3), 223. <https://doi.org/10.56630/jago.v4i3.666>
- Ramadhani, S., Rizky, V. A., & Siregar, S. (2024). Analisa Hasil Elektroforesis Dna (Deoxyribonucleic Acid) pada Usapan Mukosa Vagina Penderita Kanker Serviks Analysis of The Result of DNA (Deoxyribonucleic Acid) Electrophoresis On Vaginal Mucosal Swabs With Cervical Cancer Patients. *Medistra Medical Jurnal (MMJ)*, 2, 20–25.
- Rohit, A., Maiti, B., Shenoy, S., & Karunasagar, I. (2016). Polymerase Chain Reaction-Restriction Fragment Length Polymorphism (PCR-RFLP) for Rapid Diagnosis of Neonatal Sepsis. *Indian Journal of Medical Research*, 143(JANUARY), 72–78. <https://doi.org/10.4103/0971-5916.178613>
- Rozi, T., Jan, R., Kasip, L. M., & Muhsinin, M. (2025). Identification of Single Nucleotide Polymorphism (SNP) in Exon 5 of the Prolactin Gene in Native Chickens. *Jurnal Biologi Tropis*.
- Sarini, N. P., Suranjaya, I. G., Putra, I. G. A. A., Suarna, I. W., Doloksaribu, L., Puja, I. K., Natakesuma, I. K. G., & Mulyawan, I. G. N. B. R. (2023). The

- Melanocortin 1 Receptor Gene Variations in Some Bali Cattle with Color Pattern Deviations. *Journal of Animal Health and Production*, 11(3), 234–241. <https://doi.org/10.17582/journal.jahp/2023/11.3.234.241>
- Setyawati, R., & Zubaidah, S. (2021). Optimasi Konsentrasi Primer dan Suhu Annealing dalam Mendeteksi Gen Leptin pada Sapi Peranakan Ongole (PO) Menggunakan Polymerase Chain Reaction (PCR). *Indonesian Journal of Laboratory*, 4(1), 36. <https://doi.org/10.22146/ijl.v4i1.65550>
- Suhendro, I., Jakaria, J., Priyanto, R., Manalu, W., Hartono, S., & Noor, R. R. (2024). Comparison of Growth Traits of Male Bali Cattle (*Bos javanicus*) with Different Adult Coat Colors. *Tropical Animal Science Journal*, 47(1), 25–32. <https://doi.org/10.5398/tasj.2024.47.1.25>
- Suprayogi, S., Farid, N., Dewi, P. S., Nugrohon, S., & Susanti, D. (2021). *TEKNIK-TEKNIK DASAR BIOTEKNOLOGI* (K. Setiawan & B. Prakoso (eds.); Issue November). UNSOED Press.
- Tan, T. T. M., Tan, Z. Y., Wei, L. T., & Lee, P. F. P. (2007). Gel Electrophoresis. *Biochemistry And Molecular Biology Education*, 35, 342–349. <https://doi.org/10.1002/bambed.83>
- Tasma, I. M. (2016). Pemanfaatan Teknologi Sekuensing Genom Untuk Mempercepat Program Pemuliaan Tanaman. *Jurnal Penelitian Dan Pengembangan Pertanian*, 34(4), 159. <https://doi.org/10.21082/jp3.v34n4.2015.p159-168>
- Tasma, I. M., Satyawan, D., & Rijzaani, H. (2015). Pembentukan Pustaka Genom, Resekuensing, dan Identifikasi SNP Berdasarkan Sekuen Genom Total Genotipe Kedelai Indonesia. *Jurnal AgroBiogen*, 11(1), 7. <https://doi.org/10.21082/jbio.v11n1.2015.p7-16>
- Timbuleng, K., Kolondam, B. J., & Katili, D. (2021). PCR-RFLP Design for Authentication of Red Snapper Species Based on CYB Gene. *Jurnal Ilmiah PLATAX*, 9(1), 29. <https://doi.org/10.35800/jip.9.1.2021.33541>
- Vahedi, S. M., & Salek Ardestani, S. (2024). Fstest: an Efficient Tool For Cross-Population Fixation Index Estimation On Variant Call Format Files. *Journal of Genetics*, 103(1), 1–5. <https://doi.org/10.1007/s12041-023-01459-1>
- Wu, Z., Nagano, I., Pozio, E., & Takahashi, Y. (1999). Polymerase Chain Reaction-Restriction Fragment Length Polymorphism (PCR-RFLP) for The Identification of *Trichinella* Isolates. *Parasitology*, 118(2), 211–218. <https://doi.org/10.1017/S0031182098003679>
- Zulkarnaim, Baco, S., Rahim, L., & Yusuf, M. (2020). Identification of Qualitative Characteristic Bali Polled Cattle. *Hasanuddin J. Anim. Sci.*, 2(2), 70–75. [http://repository.unhas.ac.id/id/eprint/6092/1/Identification of Qualitative Characteristic Bali Polled Cattle.pdf](http://repository.unhas.ac.id/id/eprint/6092/1/Identification%20of%20Qualitative%20Characteristic%20Bali%20Polled%20Cattle.pdf)