

DAFTAR PUSTAKA

- Ahmad, W., Farooq, S. H., Usman, M., Khan, M., Ahmad, A., Aslam, F., ... Sufian, M. (2020). Effect of Coconut Fiber Length and Content on Properties of High Strength Concrete. *Materials*, 13(5), 1075. doi:10.3390/ma13051075
- Ameh, E. S. (2019). A review of basic crystallography and x-ray diffraction applications. *The International Journal of Advanced Manufacturing Technology*. doi:10.1007/s00170-019-04508-1
- Amran, M., Fediuk, R., Murali, G., Vatin, N., Karelina, M., Ozbakkaloglu, T., ... Mishra, J. (2021). Rice Husk Ash-Based Concrete Composites: A Critical Review of Their Properties and Applications. *Crystals*, 11(2), 168. doi:10.3390/cryst11020168
- António, J., Tadeu, A., Marques, B., Almeida, J. A. S., & Pinto, V. (2018). Application of rice husk in the development of new composite boards. *Construction and Building Materials*, 176, 432–439. doi:10.1016/j.conbuildmat.2018.05.028
- Askaruly, K., Azat, S., Sartova, Z., Yeleuov, M., Kerimkulova, A., Bekseitova, K., (2020). Obtaining and Characterization of Amorphous Silica from Rice Husk. *Journal of Chemical Technology and Metallurgy*, 55, 88-97.
- Aswathi, M. K., Rane, A. V., Ajitha, A. R., Thomas, S., & Jaroszewski, M. (2018). EMI Shielding Fundamentals. *Advanced Materials for Electromagnetic Shielding*, 1–9. doi:10.1002/9781119128625.ch1
- Burmeister, C., Titscher, L., Breitung-Faes, S., & Kwade, A. (2018). Dry grinding in planetary ball mills: Evaluation of a stressing model. *Advanced Powder Technology*, 29(1), 191–201. doi:10.1016/j.appt.2017.11.001
- Coey, J. M. D. (2019). Perspective and Prospects for Rare Earth Permanent Magnets. *Engineering*. doi:10.1016/j.eng.2018.11.034
- Dedi, Idayanti, N., Kristiantoro, T., Alam, G. F. N., & Sudrajat, N. (2018). Magnetic properties of cobalt ferrite synthesized by mechanical alloying. doi:10.1063/1.5038285
- Dedi, Idayanti, N., Kristiantoro, T., Alam, G. F. N., & Sudrajat, N. (2018). Magnetic properties of cobalt ferrite synthesized by mechanical alloying. doi:10.1063/1.5038285
- Farizhandi, A. A. K., Zhao, H., Chen, T., & Lau, R. (2020). Evaluation of material properties using planetary ball milling for modeling the change of particle size distribution in a gas-solid fluidized bed using a hybrid artificial neural network-genetic algorithm approach. *Chemical Engineering Science*, 215, 115469. doi:10.1016/j.ces.2020.115469

- Guo, F.-S., Day, B. M., Chen, Y.-C., Tong, M.-L., Mansikkamäki, A., & Layfield, R. A. (2018). Magnetic hysteresis up to 80 kelvin in a dysprosium metallocene single-molecule magnet. *Science*, eaav0652. doi:10.1126/science.aav0652
- Handoko, E., Budi, S., Sugihartono, I., Marpaung, M. A., Jalil, Z., Taufiq, A., & Alaydrus, M. (2020). Microwave absorption performance of barium hexaferrite multi-nanolayers. *Materials Express*, 10(8), 1328–1336. doi:10.1166/mex.2020.1811
- Hossain, S. S., Mathur, L., & Roy, P. K. (2018). Rice husk/rice husk ash as an alternative source of silica in ceramics: A review. *Journal of Asian Ceramic Societies*. doi:10.1080/21870764.2018.1539210
- Hossain, S. S., Mathur, L., & Roy, P. K. (2018). Rice husk/rice husk ash as an alternative source of silica in ceramics: A review. *Journal of Asian Ceramic Societies*. doi:10.1080/21870764.2018.1539210
- Huangfu, Y., Liang, C., Han, Y., Qiu, H., Song, P., Wang, L., ... Gu, J. (2019). Fabrication and investigation on the Fe₃O₄/thermally annealed graphene aerogel/epoxy electromagnetic interference shielding nanocomposites. *Composites Science and Technology*, 169, 70–75. doi:10.1016/j.compscitech.2018.11.012
- Ismail, M. M., Rafeeq, S. N., Sulaiman, J. M. A., & Mandal, A. (2018). Electromagnetic interference shielding and microwave absorption properties of cobalt ferrite CoFe₂O₄/polyaniline composite. *Applied Physics A*, 124(5). doi:10.1007/s00339-018-1808-x
- Jiang, D. (2019). Electromagnetic Interference Shielding Polymers and nanocomposites - A Review. 1-58. doi:10.1080/15583724.2018.154673
- Kolhatkar, A., Jamison, A., Litvinov, D., Willson, R., & Lee, T. (2013). Tuning the Magnetic Properties of Nanoparticles. *International Journal of Molecular Sciences*, 14(8), 15977–16009. doi:10.3390/ijms140815977
- Kumar, S., Kumar, P., Gupta, R., & Verma, V. (2021). Electromagnetic interference shielding behaviors of in-situ polymerized ferrite-polyaniline nanocomposites and ferrite-polyaniline deposited fabrics in X-band frequency range. *Journal of Alloys and Compounds*, 862, 158331. doi:10.1016/j.jallcom.2020.158331
- Lassoued, A., Lassoued, M. S., Dkhil, B., Ammar, S., & Gadri, A. (2018). Synthesis, photoluminescence and Magnetic properties of iron oxide (α -Fe₂O₃) nanoparticles through precipitation or hydrothermal methods. *Physica E: Low-Dimensional Systems and Nanostructures*, 101, 212–219. doi:10.1016/j.physe.2018.04.009
- Li, Q., Zhang, Z., Qi, L., Liao, Q., Kang, Z., & Zhang, Y. (2019). Toward the Application of High Frequency Electromagnetic Wave Absorption by Carbon Nanostructures. *Advanced Science*, 1801057. doi:10.1002/advs.201801057

- Lisjak, D., & Mertelj, A. (2018). Anisotropic magnetic nanoparticles: A review of their properties, syntheses and potential applications. *Progress in Materials Science*, 95, 286-328. <https://doi.org/10.1016/j.pmatsci.2018.03.003>
- Liu, Y., Lu, M., Wu, K., Yao, S., Du, X., Chen, G., ... Lu, M. (2019). Anisotropic thermal conductivity and electromagnetic interference shielding of epoxy nanocomposites based on magnetic driving reduced graphene oxide@Fe₃O₄. *Composites Science and Technology*. doi:10.1016/j.compscitech.2019.02.005
- Mathews, S. A., & Babu, D. R. (2021) Analysis of the role of M-type hexaferrite-based materials in electromagnetic interference shielding. *Current Applied Physics*, 29, 39-53. doi:10.1016/j.cap.2021.06.001
- Maung, M., Linn, T., & Min, A. (2020). Synthesis and Magnetic Properties of Cobalt Ferrite Materials. *J. Myanmar Academy of Arts and Science*, 25-34.
- Mmelesi, O. K., Masunga, N., Kuvarega, A., Nkambule, T. T., Mamba, B. B., & Kefeni, K. K. (2020). Cobalt ferrite nanoparticles and nanocomposites: Photocatalytic, antimicrobial activity and toxicity in water treatment. *Materials Science in Semiconductor Processing*, 105523. doi:10.1016/j.mssp.2020.105523
- Mohamed, A.-M. O., & Paleologos, E. K. (2018). Magnetic Properties of Soils. *Fundamentals of Geoenvironmental Engineering*, 535–580. doi:10.1016/b978-0-12-804830-6.00015-6
- Mohapatra, J., Xing, M., & Liu, J. P. (2019). Inductive Thermal Effect of Ferrite Magnetic Nanoparticles. *Materials*, 12(19), 3208. doi:10.3390/ma12193208
- Paterson, G. A., Zhao, X., Jackson, M., & Heslop, D. (2018). Measuring, Processing, and Analyzing Hysteresis Data. *Geochemistry, Geophysics, Geosystems*, 19(7), 1925–1945. doi:10.1029/2018gc007620
- Pell, A. J., Pintacuda, G., & Grey, C. P. (2018). Paramagnetic NMR in solution and the solid state. *Progress in Nuclear Magnetic Resonance Spectroscopy*. doi:10.1016/j.pnmrs.2018.05.001
- Realtme911, 7th_Kuro7mi, Meowstrophe. (2025). “Answer Me Jia Baoyu, What Does Rupture Need?”. Project Moon. Limbus Company.
- Schnell, M., Mittal, S., Falahkheirkhah, K., Mittal, A., Yeh, K., Kenkel, S., ... Bhargava, R. (2020). All-digital histopathology by infrared-optical hybrid microscopy. *Proceedings of the National Academy of Sciences*, 117(7), 3388–3396. doi:10.1073/pnas.1912400117
- Shokrollahi, H. (2017). A review of the magnetic properties, synthesis methods and applications of maghemite. *Journal of Magnetism and Magnetic Materials*, 426, 74–81. doi:10.1016/j.jmmm.2016.11.033

- Tamaru, S., Tsunegi, S., Kubota, H., & Yuasa, S. (2018). Vector network analyzer ferromagnetic resonance spectrometer with field differential detection. *Review of Scientific Instruments*, 89(5), 053901. doi:10.1063/1.5022762
- Tamuntuan, G. H., Tanauma, A., Pasau, G., & Sangian, H. (2019). Grain size distribution, morphology, and elemental composition of iron sand from North Sulawesi. *IOP Conference Series: Materials Science and Engineering*, 567, 012042. doi:10.1088/1757-899x/567/1/012042
- Thirumurugan, R., Jayaraj, M., Shanmugam, D., & Ramkumar, T. (2019). Characterization of New Natural Cellulosic Fiber from Coconut Tree Primary Flower Leaf Stalk Fiber (CPFLSF). *Journal of Natural Fibers*, 1–13. doi:10.1080/15440478.2019.1701608
- Togibasa, O., Bijaksana, S., & Novala, G. (2018). Magnetic Properties of Iron Sand from the Tor River Estuary, Sarmi, Papua. *Geosciences*, 8(4), 113. doi:10.3390/geosciences8040113
- Turchenko, V., Kostishyn, V. G., Trukhanov, S., Damay, F., Porcher, F., Balasoiu, M., ... Polosan, S. (2019). Crystal and magnetic structures, magnetic and ferroelectric properties of strontium ferrite partially substituted with in ions. *Journal of Alloys and Compounds*, 153412. doi:10.1016/j.jallcom.2019.153412
- Vaid, K., Chaurasia, A., Rathore, D., Singhal, R., & Dwivedi, U. K. (2020). Study of dielectric and electromagnetic shielding behaviour of BaTiO₃ - CoFe₂O₄ filled LDPE composite. *Polymer Composites*. doi:10.1002/pc.25867
- Wu, L., Wan, G., Hu, N., He, Z., Shi, S., Suo, Y., ... Wang, G. (2018). Synthesis of Porous CoFe₂O₄ and Its Application as a Peroxidase Mimetic for Colorimetric Detection of H₂O₂ and Organic Pollutant Degradation. *Nanomaterials*, 8(7), 451. doi:10.3390/nano8070451
- Yamato, M., & Kimura, T. (2020). Magnetic Processing of Diamagnetic Materials. *Polymers*, 12(7), 1491. doi:10.3390/polym12071491
- Zhang, K., Li, J., Wu, F., Sun, M., Xia, Y., & Xie, A., (2018). Sandwich CoFe₂O₄/RGO/CoFe₂O₄ Nanostructures for High-performance Electromagnetic Absorption. *ACS Applied Nano Materials*. <https://pubs.acs.org/doi/10.1021/acsanm.8b01927>
- Zhao, G. P., Zhao, L., Shen, L. C., Zou, J., & Qiu, L. (2019). Coercivity mechanisms in nanostructure permanent magnets. *Chinese Physics B*, 28(7). doi:10.1088/1674-1056/28/7/077505
- Zou, Y., & Yang, T. (2019). Rice Husk, Rice Husk Ash and Their Applications. *Rice Bran and Rice Bran Oil*, 207–246. doi:10.1016/b978-0-12-812828-2.00009-3